

DP Syntropy — Handoff Guide

For someone picking up this project who wasn't in the room for any of it. Read this first, then [README.md](#) (architecture/setup) and [PROJECT_AUDIT.md](#) (full history of decisions, bugs found/fixed, and what's still open).

What this project is

A B2B lead pipeline: WHEN-layer account briefs come in → get turned into human-approved sales briefs and tracked outreach actions → every action is measured against a hypothesis. Five platforms, no single login covers all of them:

Platform	Role	Where
n8n cloud	Orchestration (ingest, brief generation, approvals, daily measurement)	designprodigy.app.n8n.cloud
Supabase (Postgres)	System of record — all tables/views	project fqsqoxsosavjhdsvfevk , org "Hon-Lam-Chia"
Salesforce	One-way synced execution layer (prototype)	org tied to the n8n "Salesforce account" credential
GA4 + Gmail	Outcome measurement (web visits / email replies)	GA4 property + honlamchia@gmail.com
AWS S3	Generated brief HTML storage	n8n "AWS (IAM) account" credential

Everything currently runs under Hon Lam's personal accounts. None of the n8n credentials live in a shared/team project yet — [list_credentials](#) shows all six (AWS, OpenAI, Postgres, Salesforce, Gmail, Google Service Account) under the personal n8n project [Hon Lam Chia <honlamchia@gmail.com>](#). Handing this off means either (a) inviting the new person and moving these into a shared n8n project, or (b) the new person works alongside Hon Lam rather than independently. Decide which before starting the steps below.

Things you need to know before touching anything

These cost real time to rediscover — they're already paid for once:

- n8n draft vs. active silently diverge.** Editing a published workflow via the SDK/MCP tools lands in the *draft*; the live webhook keeps running the old *active* version until you explicitly [publish_workflow](#). This has caused real bugs three separate times in this project (lost [operation/resource](#) fields, lost [disabled](#) flags, lost = expression prefixes). **Always diff draft vs. active before publishing.**
- Supabase's public schema has a default-ACL leak.** `ALTER DEFAULT PRIVILEGES ... GRANT ALL ON TABLES TO anon, authenticated` is still active at the schema level. Every *new* table or view automatically gets full CRUD for [anon/authenticated](#) regardless of any `GRANT SELECT` you add afterward. This has bitten the project three times already (25 dashboard views, two [feedback_for_*](#) views, two [console_*](#) views). **Any new view needs an explicit `REVOKE ALL ... GRANT SELECT` pass before it's wired into a dashboard.** Removing the root cause (dropping the default-ACL rule) is still on the open list — see Priority list below.

3. **Salesforce sync is real but partially disabled on purpose.** Campaign sync (one Salesforce Campaign per approved brief) is live. Lead/CampaignMember sync was built, end-to-end tested, then **deliberately disabled** (5 nodes set `disabled: true` in Action Approval Handler) on 2026-06-28 pending review — there's no real contact-email data yet (`buying_group` entries have no email field), so it was paused before running against real data rather than risk pushing bad Leads. Don't re-enable without checking in.
4. **Both dashboard HTML files embed a Supabase anon key in plaintext** (`dashboards/pipeline-control-tower.html`, `-shared.html`). Treat both as internal-only. The "-shared" copy's read-only lock is cosmetic (disabled `<input>`, not a permissions boundary) — RLS is what actually protects the data now, not the UI.
5. **This is not a git repo.** It's a OneDrive-synced folder with no version control, no commit history, and no remote. If you want change history going forward, set one up (see below) — right now the only history is what's narrated in `PROJECT_AUDIT.md`.

Transferring access, platform by platform

1. Project files (this folder)

Right-click the `dp-repo` folder in OneDrive (or use the OneDrive web app) → **Share** → enter the other person's email, grant Edit or View. They'll see live updates as the folder syncs — no export/zip needed.

Consider also turning this into a real git repo (`git init`, push to a private GitHub/GitLab repo) if you want diffable history and easier multi-person editing going forward. Right now nothing here is version-controlled.

2. n8n cloud (designprodigy.app.n8n.cloud)

- **Invite the user:** as the instance owner, go to Settings → Users → Invite, enter their email. n8n emails them a join link. ([n8n Cloud setup docs](#))
- **Give them something to work with:** an invited member with no shared project sees nothing. Either:
 - Move the relevant workflows and credentials into a shared **Team project** and add them to it (Workflow/Credential menu → Move; when moving a workflow, you can choose to share its credentials along with it), or
 - Share individual credentials/workflows with their user directly.
 - Note: moving a credential strips any *existing* sharing on it — re-add anyone else who needed it. ([Credential sharing docs](#), [RBAC projects docs](#))
- Multi-user management is a paid-plan feature on n8n Cloud — confirm the current plan supports it before promising access.

3. Supabase

- Org **Hon-Lam-Chia** (`rh1cngpiondbiq1irpbx`), project **Hon-Lam-Chia's Project** (`fqsqoxsosavjhdsvfevk`, ap-southeast-2).
- Org Settings → Team → invite by email, pick a role: Owner / Administrator / Developer / Read-Only. ([Access control docs](#))
- On Team/Enterprise plans you can scope the invite (or a later role assignment) to just this one project rather than the whole org — useful if Hon Lam has or adds other unrelated projects later.
- Recommendation: **Administrator** if they need to run migrations/manage the schema, **Developer** if they just need to query and build dashboards.

4. Salesforce

Two different questions, easy to conflate:

- **Do they need to run the n8n→Salesforce sync?** No new Salesforce login needed — the existing "Salesforce account" OAuth2 credential in n8n already authenticates independently of who triggers the workflow. Sharing the n8n credential (step 2) is sufficient.
- **Do they need to log into Salesforce directly** (to see the synced Campaigns/Leads, debug, or eventually take over the credential)? Then they need an actual Salesforce user: Setup → Users → New User, assign a User License and Profile, save — Salesforce emails them a password-setup link. Confirm a spare license is available first; this is a prototype org and licenses may be limited. ([Salesforce add-user docs](#))

5. GA4

Admin (gear icon) → under the Property column, **Property Access Management** (not Account Access Management, unless they should see every property on the account) → blue + → Add users → enter email → pick a role (Viewer for visibility-only, Editor if they'll change config, Analyst for explorations). ([GA4 access management help](#))

6. Gmail (outcome measurement + rep notification emails)

Decide which model fits:

- **They take over sending/reading as [honlamchia@gmail.com](#)** — grant Gmail delegate access: Gmail Settings → Accounts and Import → "Grant access to your account" → Add another account → their email. Delegates can read/send/delete on that mailbox. ([Gmail delegation help](#))
- **They should send as themselves instead** — create a new Gmail OAuth2 credential in n8n under their own Google account, then repoint the relevant nodes (Action/Brief Approval Handlers, GA4/Gmail measurement) at the new credential. More setup, but doesn't mix identities in the rep-facing emails.

Open items (don't let these get lost in the handoff)

From [PROJECT_AUDIT.md](#)'s priority list, as of 2026-06-28 — check that file for full detail before acting on any of these:

1. Swap the GA4 workflows — deactivate "GA4 Engagement Connector" (has a duplicate-insert bug), activate "GA4 → Engagement Feeder" (the correct version) — before real tracked traffic exists.
2. 10 of 16 live n8n workflows are still undocumented in [n8n-workflows/README.md](#); decide whether the undocumented pgvector/RAG tables ([documents](#), [agent_inputs](#), [agent_inputs_bak](#)) are part of the system or dead weight to drop.
3. Housekeeping: archive 3 duplicate "Gate 1" workflows + "My workflow 2"; resolve or explain 13 stale, all-unresolved [pipeline_errors](#); fix the [rep@yourcompany.com](#) placeholder still in Action Approval Handler; clean up [*_bak](#) tables once confirmed unneeded.
4. Drop the root-cause default-ACL rule on the [public](#) schema (see gotcha #2 above) instead of continuing to patch each new view individually.
5. Decide on the disabled Salesforce Lead/CampaignMember sync (gotcha #3 above) — re-enable, rebuild, or drop.

On Claude/Cowork context specifically

If the new person will also work with Claude on this project: the architecture/decision context above lives in *this* Claude account's memory and won't be visible to their account automatically. This document plus [README.md](#)/[PROJECT_AUDIT.md](#) is the portable version — point their Claude at this repo and these three files and it'll have the same grounding.