
Assembly Map — Unwoven Foam Pattern

5 rows × 3 columns = 15 A4 pages. Print every tile, then tape them together using the dashed overlap margins.



100 mm reference —confirm your printer is set to 100% (Actual Size)

5 Degree Bevel

Unwoven Foam Pattern • Tile 2 —Row 1, Col 2

Unwoven

Foam Pattern


Important Information:

This pattern is designed to be used in conjuction with the Unwoven plywood pattern for the purpose of building a mould for an Unwoven stool.


The pattern tiles should be taped together and attached to a 1200x600x50mm board of extruded polystyrene foam.


Where the pattern calls for a bevel cut, set the blade of your jigsaw to the required angle and cut along the solid black line in a direction such that the blade is angled towards the dashed line.


Please refer to the instruction booklet (available on Github) for more detailed information.





Centre Foam Inner





2.5 Degree Bevel
32 Degre



5 Degree Bevel
32 Degree Bevel
32 Degree Bevel
Outer


32 Degree
Left Foam Inner


2.5 degree Bevel



gree Bevel
Right Foam Inner


Centre Foam


2.5 degree Bevel

Left Foam Outer

Unwoven Foam Pattern • Tile 11 — Row 4, Col 2



Right Foam Outer

Left Foam Outer

Unwoven Foam Pattern • Tile 14 —Row 5, Col 2

Right Foam Outer