

Residential Design Guidelines

Huntington Circle Homeowners Association

Adopted 1 April 2023

Huntington Circle Homeowners Association

San Marino, California

SAMPLE DOCUMENT

Prepared to demonstrate the Studio H HOA library.

It is not the governing document of any real association.

Residential Design Guidelines

This page is intentionally brief in the sample document.

Residential Design Guidelines

This page is intentionally brief in the sample document.

Residential Design Guidelines

This page is intentionally brief in the sample document.

Residential Design Guidelines

This page is intentionally brief in the sample document.

Submittal Requirements

- 2.1 Every application shall include three (3) sets of plans at 24x36 inches.
- 2.2 A completed ARC application, Exhibit A, shall accompany each submittal.
- 2.3 A non-refundable fee of \$450 is payable on submission, together with a construction deposit of \$2,500.
- 2.4 The Committee shall provide a written response within thirty (30) days of receiving a complete application.
- 2.5 Construction shall begin within 180 days of approval and shall be completed within 365 days of approval.

Drawings Required

- 2.6 A site and grading plan showing all setbacks, easements and spot elevations.
- 2.7 A planting plan giving botanical names, container sizes and quantities.
- 2.8 An irrigation plan showing hydrozones and the controller schedule.

Materials and Elevations

2.9 A hardscape plan showing all materials, colours and physical samples.

2.10 Elevations for every wall, fence, gate and structure.

SECTION 3

Drainage

- 3.1 All plans shall show every easement and the direction of surface flow.
- 3.2 The established drainage pattern shall not be altered without the prior written approval of the Committee.

Residential Design Guidelines

This page is intentionally brief in the sample document.

Setbacks

- 4.1 Front setback: twenty-five (25) feet, measured from the front property line, applying to all structures, walls and fences.
- 4.2 Street side, corner lots: ten (10) feet.
- 4.3 Side and rear structures: five (5) feet.

Pools and Equipment

- 4.4 The water's edge of any pool or spa shall be no closer than five (5) feet to any property line.
- 4.5 Pool equipment enclosures shall be set back three (3) feet and shall be screened from view from any street or neighbouring lot.

Residential Design Guidelines

This page is intentionally brief in the sample document.

Walls, Fences and Gates

- 5.1 Fences and walls at the rear and side lot lines shall not exceed six (6) feet in height.
- 5.2 No wall or fence within the front setback shall exceed three (3) feet.
- 5.3 Entry gates and pilasters may reach seven (7) feet, with gate posts to eight (8) feet.
- 5.4 Wall and pilaster finishes shall be stucco or stone matching the residence.
- 5.5 Chain link fencing is not permitted anywhere visible from a street or neighbouring lot.

Structures and Retaining Walls

- 5.6 Pergolas and shade structures shall not exceed twelve (12) feet and require Committee approval.
- 5.7 A single tier of retaining wall shall not exceed four (4) feet; greater height shall be terraced.

SECTION 6

Hardscape

- 6.1 Hardscape and impervious surfaces shall not exceed forty per cent (40%) of the lot.
- 6.2 Paving shall be in earth tones. High-gloss and reflective finishes are not permitted.

Residential Design Guidelines

This page is intentionally brief in the sample document.

SECTION 7

Turf and Planted Area

- 7.1 Turf shall not exceed twenty-five per cent (25%) of the landscaped area.
- 7.2 Not less than sixty per cent (60%) of the front yard shall be soft landscaping.
- 7.3 Artificial turf is not permitted in the front yard.

Irrigation

- 8.1 Controllers shall be weather-based and compliant with the State Model Water Efficient Landscape Ordinance.
- 8.2 Planting beds shall be irrigated by drip only. Overhead spray is not permitted in beds.
- 8.3 Turf shall use rotary nozzles with matched precipitation rates.
- 8.4 A separate valve is required for each hydrozone.

SECTION 9

Lighting

- 9.1 Path and landscape fixtures shall not exceed three (3) feet in height.
- 9.2 Lamp colour temperature shall be 3000K or warmer.
- 9.3 Fixtures over fifty (50) watts shall be shielded and directional.

Approved Plant Palette

Approved: *Arbutus unedo*, *Cercis occidentalis*, *Olea europaea* 'Swan Hill',
Quercus agrifolia, *Lagerstroemia indica*, *Westringia fruticosa*,
Salvia leucantha, *Lavandula stoechas*, *Rhaphiolepis indica*,
Agave attenuata, *Dietes bicolor*, *Muhlenbergia rigens*.

Prohibited: *Eucalyptus globulus*, *Cortaderia selloana*, *Nerium oleander*,
Schinus molle.

Residential Design Guidelines

This page is intentionally brief in the sample document.