Results

Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
p_2k1b_k_self	502.0		.901	0.019	0.145
p_2k1b_k_other	437.0		.307	0.146	0.145

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
p_2k1b_k_self	0	33	0.013	0.041	0.007	3.176	32.21	1063
	1	31	0.012	0.054	0.010	4.387	32.81	1017
p_2k1b_k_other	0	33	0.248	0.013	0.002	0.051	30.24	998.0
	1	31	0.252	0.009	0.002	0.035	34.90	1082

Descriptives Plots

p_2k1b_k_self



p_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
l_2k1b_k_self	490.0		.772	0.042	0.145
l_2k1b_k_other	565.0		.464	−0.105	0.145

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
l_2k1b_k_self	0	33	−10.11	12.04	2.095	−1.191	31.85	1051
	1	31	$-1.394\times10^{+7}$	$7.761\times10^{+7}$	$1.394\times10^{+7}$	−5.568	33.19	1029
l_2k1b_k_other	0	33	−5.679	7.766	1.352	−1.367	34.12	1126
	1	31	$7.850\times10^{+6}$	$4.371\times10^{+7}$	$7.850\times10^{+6}$	5.568	30.77	954.0

Descriptives Plots

l_2k1b_k_self



l_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
h_2k1b_k_self	472.0		.590	0.077	0.145
h_2k1b_k_other	632.0		.098	−0.236	0.145

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
h_2k1b_k_self	0	33	−0.112	0.250	0.044	−2.226	31.30	1033
	1	31	−0.123	0.133	0.024	−1.083	33.77	1047
h_2k1b_k_other	0	33	−97.27	129.6	22.56	−1.332	36.15	1193
	1	31	−234.2	341.8	61.39	−1.459	28.61	887.0

Descriptives Plots

h_2k1b_k_self



h_2k1b_k_other



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
Parabólico	1.802	1	1.802	1442	< .001	0.922
Parabólico ✻ grupo	1.766×10^{-4}	1	1.766×10^{-4}	0.141	.708	0.000
Residuals	0.077	62	0.001			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	1.191×10^{-4}	1	1.191×10^{-4}	0.103	.749	0.000
Residuals	0.072	62	0.001			

Note. Type III Sum of Squares

Descriptives

Descriptives

Parabólico	grupo	N	Mean	SD	SE	Coefficient of variation
K_Self	0	33	0.013	0.041	0.007	3.176
	1	31	0.012	0.054	0.010	4.387
K_Other	0	33	0.248	0.013	0.002	0.051
	1	31	0.252	0.009	0.002	0.035

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
Lineal	$3.794\times10^{+15}$	1	$3.794\times10^{+15}$	1.066	.306	9.653×10^{-4}
Lineal ✻ grupo	$3.794\times10^{+15}$	1	$3.794\times10^{+15}$	1.066	.306	9.653×10^{-4}
Residuals	$2.207\times10^{+17}$	62	$3.560\times10^{+15}$			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	$2.963\times10^{+14}$	1	$2.963\times10^{+14}$	1.066	.306	5.206×10^{-4}
Residuals	$1.724\times10^{+16}$	62	$2.780\times10^{+14}$			

Note. Type III Sum of Squares

Descriptives

Descriptives

Lineal	grupo	N	Mean	SD	SE	Coefficient of variation
K_Self	0	33	−10.11	12.04	2.095	−1.191
	1	31	$-1.394\times10^{+7}$	$7.761\times10^{+7}$	$1.394\times10^{+7}$	−5.568
K_Other	0	33	−5.679	7.766	1.352	−1.367
	1	31	$7.850\times10^{+6}$	$4.371\times10^{+7}$	$7.850\times10^{+6}$	5.568

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
Hiperbólico	877000	1	877000	26.91	< .001	0.171
Hiperbólico ✻ grupo	149900	1	149900	4.598	.036	0.028
Residuals	$2.021 \times 10^{+6}$	62	32590			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	149900	1	149900	4.598	.036	0.028
Residuals	$2.021 \times 10^{+6}$	62	32600			

Note. Type III Sum of Squares

Descriptives

Descriptives

Hiperbólico	grupo	N	Mean	SD	SE	Coefficient of variation
K_Self	0	33	−0.112	0.250	0.044	−2.226
	1	31	−0.123	0.133	0.024	−1.083
K_Other	0	33	−97.27	129.6	22.56	−1.332
	1	31	−234.2	341.8	61.39	−1.459

Descriptives plots