Results

Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
p_2k1b_k_self	506.0		.945	0.011	0.145
p_2k1b_k_other	417.0		.194	0.185	0.145

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

p_2k1b_k_self



p_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
l_2k1b_k_self	520.0		.912	−0.017	0.145
l_2k1b_k_other	491.0		.783	0.040	0.145

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

l_2k1b_k_self



l_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
h_2k1b_k_self	425.0		.235	0.169	0.145
h_2k1b_k_other	569.0		.431	−0.112	0.145

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

h_2k1b_k_self



h_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
p_2k1b_diff_k	588.0		.294	−0.150	0.145
l_2k1b_diff_k	532.0		.783	−0.040	0.145
h_2k1b_diff_k	478.0		.649	0.065	0.145

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

p_2k1b_diff_k



l_2k1b_diff_k



h_2k1b_diff_k



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Parabólico	None	14.84	1.000	14.84	559.0	< .001	0.813
Parabólico ✻ grupo	None	4.711×10^{-5}	1.000	4.711×10^{-5}	0.002	.967	0.000
Residuals	None	1.646	62.00	0.027			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	0.004	1	0.004	0.152	.698	0.000
Residuals	1.711	62	0.028			

Note. Type III Sum of Squares

Descriptives

Descriptives

Parabólico	grupo	N	Mean	SD	SE	Coefficient of variation
K Self	0	33	0.038	0.184	0.032	4.780
	1	31	0.051	0.269	0.048	5.263
K Other	0	33	0.721	0.047	0.008	0.065
	1	31	0.731	0.032	0.006	0.043

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Lineal	None	18.91	1.000	18.91	735.0	< .001	0.866
Lineal ✻ grupo	None	1.269×10^{-5}	1.000	1.269×10^{-5}	4.930×10^{-4}	.982	0.000
Residuals	None	1.595	62.00	0.026			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	0.002	1	0.002	0.079	.780	0.000
Residuals	1.273	62	0.021			

Note. Type III Sum of Squares

Descriptives

Descriptives

Lineal	grupo	N	Mean	SD	SE	Coefficient of variation
K Self	0	33	0.035	0.124	0.022	3.487
	1	31	0.042	0.195	0.035	4.647
K Other	0	33	0.804	0.140	0.024	0.175
	1	31	0.812	0.143	0.026	0.176

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Hiperbólico	None	15.49	1.000	15.49	1543	< .001	0.921
Hiperbólico ✻ grupo	None	3.763×10^{-6}	1.000	3.763×10^{-6}	3.749×10^{-4}	.985	0.000
Residuals	None	0.622	62.00	0.010			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	2.470×10^{-4}	1	2.470×10^{-4}	0.022	.882	0.000
Residuals	0.691	62	0.011			

Note. Type III Sum of Squares

Descriptives

Descriptives

Hiperbólico	grupo	N	Mean	SD	SE	Coefficient of variation
K Self	0	33	0.035	0.132	0.023	3.778
	1	31	0.032	0.142	0.026	4.387
K Other	0	33	0.731	0.051	0.009	0.070
	1	31	0.728	0.048	0.009	0.066

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Diff	None	0.283	2.000	0.141	15.65	< .001	0.033
	Greenhouse-Geisser	0.283	1.870	0.151	15.65	< .001	0.033
Diff ✻ grupo	None	1.088×10^{-4}	2.000	5.440×10^{-5}	0.006	.994	0.000
	Greenhouse-Geisser	1.088×10^{-4}	1.870	5.819×10^{-5}	0.006	.992	0.000
Residuals	None	1.120	124.0	0.009			
	Greenhouse-Geisser	1.120	115.9	0.010			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	1.832×10^{-5}	1	1.832×10^{-5}	1.718×10^{-4}	.990	0.000
Residuals	6.608	62	0.107			

Note. Type III Sum of Squares

Descriptives

Descriptives

Diff	grupo	N	Mean	SD	SE	Coefficient of variation
Parabólico	0	33	−0.683	0.190	0.033	−0.279
	1	31	−0.680	0.267	0.048	−0.392
Lineal	0	33	−0.769	0.201	0.035	−0.261
	1	31	−0.770	0.252	0.045	−0.327
Hiperbólico	0	33	−0.696	0.139	0.024	−0.199
	1	31	−0.696	0.145	0.026	−0.208

Descriptives plots