Results

Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
p_2k1b_k_self	1139		.021	−0.292	0.126
p_2k1b_k_other	995.0		.312	−0.129	0.126

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

p_2k1b_k_self



p_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
l_2k1b_k_self	1079		.078	−0.224	0.126
l_2k1b_k_other	986.0		.352	−0.119	0.126

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

l_2k1b_k_self



l_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
h_2k1b_k_self	1042		.152	−0.182	0.126
h_2k1b_k_other	753.0		.252	0.146	0.126

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

h_2k1b_k_self



h_2k1b_k_other



Independent Samples T-Test

Independent Samples T-Test

	U	df	p	Rank-Biserial Correlation	SE Rank-Biserial Correlation
p_2k1b_diff_k	953.0		.525	−0.081	0.126
l_2k1b_diff_k	982.0		.371	−0.114	0.126
h_2k1b_diff_k	1033		.176	−0.172	0.126

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

Descriptives

Descriptives Plots

p_2k1b_diff_k



l_2k1b_diff_k



h_2k1b_diff_k



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Pababólico	None	15.90	1.000	15.90	403.7	< .001	0.706
Pababólico ✻ grupo	None	0.060	1.000	0.060	1.519	.221	0.003
Residuals	None	3.230	82.00	0.039			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	0.076	1	0.076	1.895	.172	0.005
Residuals	3.293	82	0.040			

Note. Type III Sum of Squares

Descriptives

Descriptives

Pababólico	grupo	N	Mean	SD	SE	Coefficient of variation
K Self	0	41	0.153	0.354	0.055	2.311
	1	43	0.073	0.172	0.026	2.364
K Other	0	41	0.731	0.061	0.010	0.084
	1	43	0.726	0.050	0.008	0.069

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Lineal	None	12.08	1.000	12.08	145.3	< .001	0.461
Lineal ✻ grupo	None	0.035	1.000	0.035	0.426	.516	0.000
Residuals	None	6.815	82.00	0.083			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	0.104	1	0.104	1.213	.274	0.001
Residuals	7.041	82	0.086			

Note. Type III Sum of Squares

Descriptives

Descriptives

Lineal	grupo	N	Mean	SD	SE	Coefficient of variation
K Self	0	41	0.255	0.423	0.066	1.660
	1	43	0.176	0.376	0.057	2.134
K Other	0	41	0.762	0.093	0.014	0.122
	1	43	0.741	0.101	0.015	0.137

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Hiperbólico	None	10.52	1.000	10.52	97.36	< .001	0.354
Hiperbólico ✻ grupo	None	0.098	1.000	0.098	0.909	.343	0.000
Residuals	None	8.861	82.00	0.108			

Note. Sphericity corrections not available for factors with 2 levels.

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	0.075	1	0.075	0.624	.432	0.000
Residuals	9.898	82	0.121			

Note. Type III Sum of Squares

Descriptives

Descriptives

Hiperbólico	grupo	N	Mean	SD	SE	Coefficient of variation
K Self	0	41	0.311	0.474	0.074	1.526
	1	43	0.220	0.448	0.068	2.038
K Other	0	41	0.763	0.116	0.018	0.152
	1	43	0.769	0.138	0.021	0.180

Descriptives plots



Repeated Measures ANOVA

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω²
Diff	None	0.581[a]	2.000[a]	0.290[a]	9.093[a]	< .001[a]	0.013
	Greenhouse-Geisser	0.581	1.513	0.384	9.093	< .001	0.013
Diff ✻ grupo	None	0.016[a]	2.000[a]	0.008[a]	0.247[a]	.782[a]	0.000
	Greenhouse-Geisser	0.016	1.513	0.010	0.247	.719	0.000
Residuals	None	5.237	164.0	0.032			
	Greenhouse-Geisser	5.237	124.0	0.042			

Note. Type III Sum of Squares

[a] Mauchly's test of sphericity indicates that the assumption of sphericity is violated (p < .05).

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω²
grupo	0.371	1	0.371	0.934	.337	0.000
Residuals	32.57	82	0.397			

Note. Type III Sum of Squares

Descriptives

Descriptives

Diff	grupo	N	Mean	SD	SE	Coefficient of variation
Parabólico	0	41	−0.578	0.358	0.056	−0.620
	1	43	−0.653	0.178	0.027	−0.272
Lineal	0	41	−0.507	0.426	0.067	−0.839
	1	43	−0.565	0.390	0.059	−0.689
Hiperbólico	0	41	−0.452	0.497	0.078	−1.099
	1	43	−0.549	0.432	0.066	−0.787

Descriptives plots