
Destination Earth - Data discovery and Management Tool

Release 1.0

**Kameswar Rao Modali
Karsten Peters-von Gehlen
Stephan Kindermann**

Feb 06, 2024

CONTENTS:

1	src	1
1.1	intakeCuration module	1
1.2	masterStructure module	3
1.3	stacCuration module	3
1.4	utils module	5
2	Indices and tables	7
	Python Module Index	9
	Index	11

1.1 intakeCuration module

`intakeCuration.createAppDataSrcNamesIntakeAPImap()`

Create a mapping between the file types and the associated API for handling it.

Mapper to club the file types and the corresponding access methods for handling netcdf, jpeg etc.

Parameters

None. –

Returns

None

`intakeCuration.createAppIntakeCatalog()`

Create yaml files for the Apps.

For each of the Apps, create the yaml files containing the links to the yaml files for the ESMs .

Parameters

None. –

Returns

None

`intakeCuration.createDDTMasterIntakeCatalog()`

Create master catalog file for the HPC centers.

Create the top level master catalog containing the links to the yaml files for the HPC centers.

Parameters

None. –

Returns

None

`intakeCuration.createESMIntakeCatalog()`

Create yaml files for the ESMs.

For each of the ESMs, create the yaml files containing the links to the yaml files for the available sources .

Parameters

None. –

Returns

None

`intakeCuration.createHPCIntakeCatalog()`

Create yaml files for the HPC centers.

For each of the HPC centers, create the yaml files containing the links to the yaml files for the Apps .

Parameters

None. –

Returns

None

`intakeCuration.createImageSrcListForIntake(catFile, srcFileList)`

Create yaml sources for the image files in the input

file list of files.

For each of the image files in the input file list, create the yaml source and save in the input catalog file.

Parameters

- **catFile** – Catalog File Name.
- **srcFileList** – List of image files.

Returns

None

`intakeCuration.createNetcdfSrcListForIntake(catFile, srcFileList)`

Create yaml sources for the netcdf files in the input

file list of files.

For each of the netcdf files in the input file list, create the yaml source and save in the input catalog file.

Parameters

- **catFile** – Catalog File Name.
- **srcFileList** – List of netcdf files.

Returns

None

`intakeCuration.createSrcIntakeCatalog()`

Create yaml files for the sources.

For each of the app, check the available sources (file types) and create the corresponding yaml files.

Parameters

None. –

Returns

None

`intakeCuration.createTextSrcListForIntake(catFile, srcFileList)`

Create yaml sources for the text files in the input

file list of files.

For each of the text files in the input file list, create the yaml source and save in the input catalog file.

Parameters

- **catFile** – Catalog File Name.
- **srcFileList** – List of text files.

Returns

None

`intakeCuration.getAppSrcFileList(app, src, srcExt)`

Create a list of files produced by the app, for a given file type.

Search the app data directory and create a list of all the files of a given file type like netcdf, jpeg etc.

Parameters

- **app** – Application Name.
- **src** – Source or file type name like netcdf, image, text.
- **srcExt** – The file suffix like *.nc*, **.jpg*, *.txt*.

Returns

srcFileList - a list.

1.2 masterStructure module

1.3 stacCuration module

`stacCuration.createAppDataSrcNamesSTACAPImap()`

Create a mapping between the file types and the associated STAC API for handling it.

Mapper to club the file types and the corresponding access methods for handling netcdf, jpeg etc.

Parameters

None. –

Returns

None

`stacCuration.createAppSTACCatalog()`

Create STAC catalog for the Apps.

For each of the Apps, create the STAC catalog containing the links to the STAC catalogs for the ESMs.

Parameters

None. –

Returns

None.

`stacCuration.createDDTMasterSTACCatalog()`

Create master STAC catalog file for the HPC centers.

Create the top level master STAC catalog containing the links to the STAC catalogs for the HPC centers.

Parameters

None. –

Returns

None.

`stacCuration.createESMSTACCatalog()`

Create STAC catalog for the ESMs.

For each of the ESMs, create the STAC catalog containing the links to the STAC catalogs for the available sources.

Parameters

None. –

Returns

None.

`stacCuration.createHPCSTACCatalog()`

Create STAC catalog for the HPC centers.

For each of the HPC centers, create the STAC catalog containing the links to the STAC catalogs for the Apps.

Parameters

None. –

Returns

None.

`stacCuration.createImageSrcListForSTAC(srcCatalog, srcFileList)`

Create STAC items for the image files in the input

file list of files.

For each of the image files in the input file list, create the STAC item and save in the input catalog file.

Parameters

- **catFile** – Catalog File Name.
- **srcFileList** – List of image files.

Returns

None

`stacCuration.createNetcdfSrcListForSTAC(srcCatalog, srcFileList)`

Create STAC items for the netcdf files in the input

file list of files.

For each of the netcdf files in the input file list, create the STAC item and save in the input catalog file.

Parameters

- **catFile** – Catalog File Name.
- **srcFileList** – List of netcdf files.

Returns

None

`stacCuration.createTextSrcListForSTAC(srcCatalog, srcFileList)`

Create STAC items for the text files in the input

file list of files.

For each of the text files in the input file list, create the STAC item and save in the input catalog file.

Parameters

- **catFile** – Catalog File Name.
- **srcFileList** – List of text files.

Returns

None

`stacCuration.getAppSrcFileList(app, src, srcExt)`

Create a list of files produced by the app, for a given file type.

Search the app data directory and create a list of all the files of a given file type like netcdf, jpeg etc.

Parameters

- **app** – Application Name.
- **src** – Source or file type name like netcdf, image, text.
- **srcExt** – The file suffix like *.nc*, **.jpg.txt*.

Returns

srcFileList - a list.

1.4 utils module

`utils.getAppSrcFileList(app, src, srcExt)`

Create a list of files produced by the app, for a given file type.

Search the app data directory and create a list of all the files of a given file type like netcdf, jpeg etc.

Parameters

- **app** – Application Name.
- **src** – Source or file type name like netcdf, image, text.
- **srcExt** – The file suffix like *.nc*, **.jpg.txt*.

Returns

srcFileList - a list.

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`

PYTHON MODULE INDEX

i

`intakeCuration`, 1

m

`masterStructure`, 3

s

`stacCuration`, 3

u

`utils`, 5

C

createAppDataSrcNamesIntakeAPImap() (in module intakeCuration), 1
 createAppDataSrcNamesSTACAPImap() (in module stacCuration), 3
 createAppIntakeCatalog() (in module intakeCuration), 1
 createAppSTACCatalog() (in module stacCuration), 3
 createDDTMasterIntakeCatalog() (in module intakeCuration), 1
 createDDTMasterSTACCatalog() (in module stacCuration), 3
 createESMIntakeCatalog() (in module intakeCuration), 1
 createESMSTACCatalog() (in module stacCuration), 3
 createHPCIntakeCatalog() (in module intakeCuration), 1
 createHPCSTACCatalog() (in module stacCuration), 4
 createImageSrcListForIntake() (in module intakeCuration), 2
 createImageSrcListForSTAC() (in module stacCuration), 4
 createNetcdfSrcListForIntake() (in module intakeCuration), 2
 createNetcdfSrcListForSTAC() (in module stacCuration), 4
 createSrcIntakeCatalog() (in module intakeCuration), 2
 createTextSrcListForIntake() (in module intakeCuration), 2
 createTextSrcListForSTAC() (in module stacCuration), 4

G

getAppSrcFileList() (in module intakeCuration), 3
 getAppSrcFileList() (in module stacCuration), 4
 getAppSrcFileList() (in module utils), 5

I

intakeCuration
 module, 1

M

masterStructure
 module, 3
 module
 intakeCuration, 1
 masterStructure, 3
 stacCuration, 3
 utils, 5

S

stacCuration
 module, 3

U

utils
 module, 5