```
MariaDB [tcl_db]> SET autocommit=0;
    Query OK, 0 rows affected (0.000 sec)

MariaDB [tcl_db]> START TRANSACTION;
    Query OK, 0 rows affected (0.000 sec)

MariaDB [tcl_db]> select * from tcl_tb;
+----+
    | name | regNo |
+----+
    | ram | 23412 |
+----+
    1 row in set (0.001 sec)
```

## 1. Rollback

## 2. Commit

```
MariaDB [tcl_db]> select * from tcl_tb;
+----+
| name | regNo |
+----+
| ram | 23412 |
+----+
1 row in set (0.001 sec)
MariaDB [tcl_db] > update tcl_tb set name="nandhini" where regNo=23412;
Query OK, 1 row affected (0.001 sec)
Rows matched: 1 Changed: 1 Warnings: 0
MariaDB [tcl_db]> commit;
Query OK, 0 rows affected (0.007 sec)
MariaDB [tcl_db]> select * from tcl_tb;
+----+
| name | regNo |
+----+
| nandhini | 23412 |
+----+
1 row in set (0.001 sec)
MariaDB [tcl_db]> rollback;
```

1 of 2 17/10/23, 7:43 pm

Query OK, 0 rows affected (0.000 sec)

## 3. Savepoint

```
MariaDB [tcl_db]> select * from tcl_tb;
+----+
| name | regNo |
+----+
| nandhini | 23412 |
+----+
1 row in set (0.000 sec)
MariaDB [tcl_db]> savepoint st1;
Query OK, 0 rows affected (0.000 sec)
MariaDB [tcl_db]> insert into tcl_tb values("rob",12222);
Query OK, 1 row affected (0.000 sec)
MariaDB [tcl_db]> savepoint st2;
Query OK, 0 rows affected (0.000 sec)
MariaDB [tcl_db]> update tcl_tb set name="john" where regNo=12222;
Query OK, 1 row affected (0.000 sec)
Rows matched: 1 Changed: 1 Warnings: 0
MariaDB [tcl_db]> select * from tcl_tb;
+----+
| name | regNo |
+----+
| nandhini | 23412 |
| john | 12222 |
+----+
2 rows in set (0.001 sec)
MariaDB [tcl_db]> rollback to st1;
Query OK, 0 rows affected (0.000 sec)
MariaDB [tcl_db]> select * from tcl_tb;
+----+
name
        | regNo |
+----+
| nandhini | 23412 |
+----+
1 row in set (0.000 sec)
```

2 of 2 17/10/23, 7:43 pm