


A189757

HEAT TREATMENT & FINAL FINISH	PHYSICAL PROPERTIES					DECEMBER 19, 1940			
	Y. P.	RED.		SCL.			EVISIONS		
511555111555	T. S.	BR.				1 12-29-	42		
PHOSPHATE BLACK	EL. 2	ROCK.							
					_				
					_				
						DRG. PERTAINS TO			
					9	C74620	MECHANISM,		
							ELEVATING,		
							ASSEMBLY		
Δ_						D7052	MT, TRIPOD,		
* SPRING-A140002		PEEN EDGE					MACH GUN,		
	7 2211 2002								
	1		and And		-		CAL.30,M2		
•					_				
* PIN-A140003		SEC	TION	A-A	350000				
AFIN ALCOUS									
A ←									
					-				
STOD FUELATING SERENA A SEELADING						DRAFTSMAN	TRACER L'D'G. DRAFTSMAN		
STOP, ELEVATING SCREW, ASSEMBLY (A189757					757	MB AGB			
* WILL NOT BE ISSUED FOR FIELD MAINTENANCE EXCEPT AS COMPONENTS OF AUTHORIZED ASSEMBLIES.						H.F.B.			
EXCEPT AS COMPONE	INTS OF	AUTHORIT	ZED A	SSEMBLIE	S.	SUBMITT	ED:-		
						Sec. 1	6. Kelen		
	×						15T LT. ORD. DEPT., U. S. A.		
TOLERANCE ON DIMENSIONS NOT OTHERWISE SPECIFIED						APPROVED BY O	ORDER OF THE CHIEF		
DECIMAL ±		1 IN. I				1 1 -	Moore		
FRACTIONAL ± — O ANGULAR ± —		111.	118	9757			MAJ. ORD DEPT., U. S. A.		
			AIU	0101	COLUMN TO SERVICE STREET, STRE	The second secon	CE DEPT., U. S. A.		
					MADE	AT ROCK	ISLAND ARSENAL		



A 140003





PHY	SICAL	JUNE 1,1934								
PROF	PERTIES	REVISIONS								
Y. P.	/	11	5-19-39	6 ²	10-9-44					
T. S.			11-18-40							
EL-2	./	33	4-9-41							
RED			5-7-42		-1					
HT. T.			12-29-42							
BR.	\bigvee	DRG. PERTAINS TO								
DK.	V .	A18	9757	STOPELEV, SCREW						
SCL/		D7	052		NT, TRIPOD					
SCL				MACH. GUN,						
c/c.				CAL	30,MZ					
/										
V	/									
		,								

PIN, STOP, LOWER, ELEVATING SCREW

TOLERANCE - 1/64 ALLOWED ON ALL DIMENSIONS UNLESS OTHERWISE SPECIFIED

MANUFACTURING COMPONENT

SCALE 4

A 140003

DRAFTSMAN E.R. SUBMITTED:

SYMBOL

0AP 2087

1 ST LIEUT., ORD. DEPT., U. S. A. APPROVED:

MAJOR , ORD. DEPT.. U. S. A.

ORD. OFFICE, WAR DEPT

A189757

HEAT TREATMENT & FINAL FINISH	PHYSICAL PROPERTIES						DECEMBER 19, 1940			
	Y. P.	. REC			SCL.			REV	/ISIOI	NS
DUOSDUATE BLACK	T. S.	BR					1 12-	29-4	2	. 34
PHOSPHATE BLACK	EL. 2	ROC	۲.							
							<u> </u>	00.00	DTAL	NO TO
							DRG. PERTAINS TO			
	•						C 140			
								E	LEV	ATING,
								1	ASSE	MBLY
A -	1						D70!	1 52	VT,T	RIPOD,
* SPRING-A140002-	PEEN EDGE							1	MACI	H.GUN,
										30,M2
		'	2							30,111
•										
* PIN-A140003		SE	CT	TON A	-A					
A -										
* STOP, ELEVATING SCREW, ASSEMBLY WILL NOT BE ISSUED FOR FIELD MAINTENANCE EXCEPT AS COMPONENTS OF AUTHORIZED ASSEMBLIES.							DRAFTSMA	5 1	LEZ.	L'D'G. DRAFTSMAN
						757	CHECKER CHIEF DRAFTSMAN			
EXCEPT AS COMPONE	NTS O	E AUTHOR	171	ENANC	SEMBLIE	۹.	H.F.B			
EXCENT AS COUNT ONE	.,,,,,	AUTHOR	121		JEIN BEIL	.J.	SUBM	IITTE	D:-	. /
		-					Se	o. Le	. 7	Juhn
TOLERANCE ON DIMENSIONS							APPROVE	D BY ORD		ORD. DEPT., U. S. A.
NOT OTHERWISE SPECIFIED							OF ORDN	ANCE:		
DECIMAL ± — O		I IN.	Г	1100	7-7		1º 4	sia	MAJ	ORD DEPT. U. S. A.
ANGULAR ±		H	1	A 185	757		ORDN			T., U. S. A.
						MADE	AND CONTRACT OF THE PARTY OF TH	-		ARSENAL