
HEAT TREATMENT & FINAL FINISH	PHYSICAL PROPERTIES	MARCH	MARCH 21, 1944	
HEAT TREAT OXIDE BLACK	Y. P. RED. SCL. T. S. BR. EL. 2 ROCK C-40-45	REV	ISIONS	
*CLIP-A7160452		DRG. PERTAINS TO 51-125 30 B.M.G.		
			A CICI M	
RIVET & GRIND FLUSH *PIN-A7160450 CLIP, RETAINING, ASSEMBLY (7160451 DO NOT		TOLERANCE ON DIMENSIONS NOT OTHERWISE SPECIFIED DECIMAL ± — FRACTIONAL ± — ANGULAR ± —		
CLIP, RETAINING,	STAMP PART NO.	SUBMITTED	O.O. CHIEF DRAFTS	
* WILL NOT BE ISSUED FOR FIELD EXCEPT AS COMPONENTS OF AUT			DER OF THE CHIEF	



HEAT TREATMENT & FINAL FINISH	PHYSICAL PROPERTIES	MARCH	MARCH 21, 1944	
HEAT TREAT OXIDE BLACK	Y. P. RED. SCL. T. S. BR. EL. 2 ROCK C-40-45	REV	ISIONS	
*CLIP-A7160452		DRG. PERTAINS TO 51-125 30 B.M.G.		
			A CICI M	
RIVET & GRIND FLUSH *PIN-A7160450 CLIP, RETAINING, ASSEMBLY (7160451 DO NOT		TOLERANCE ON DIMENSIONS NOT OTHERWISE SPECIFIED DECIMAL ± — FRACTIONAL ± — ANGULAR ± —		
CLIP, RETAINING,	STAMP PART NO.	SUBMITTED	O.O. CHIEF DRAFTS	
* WILL NOT BE ISSUED FOR FIELD EXCEPT AS COMPONENTS OF AUT			DER OF THE CHIEF	

