


HEAT TREATMENT AND FINAL FINISH


PHOSPHATE BLACK

PHYSICAL PROPERTIES		JUNE 1, 1943 REVISIONS	
Y. P.	9	9-27-43	
T. S.			
EL. 2			
RED			
BR.			
ROCK			
SCL			


JUNE 1, 1943
REVISIONS



VIEW A-A



SECTION B-B



LEG, REAR, LEFT, ASSEMBLY

* WILL NOT BE ISSUED FOR FIELD MAINTENANCE EXCEPT AS COMPONENTS OF AUTHORIZED ASSEMBLIES

NOTE:
FOR ALTERNATIVE
CONSTRUCTION SET
C59338A AND
C59338B

TOLERANCE ON DIMENSIONS
NOT OTHERWISE SPECIFIED

CRAFTSMAN FW5	TRACER HNS	LOG CRAFTSMAN 414R
CHASSIS #	#	CHASSIS CRAFTSMAN

SUBMITTED:


- H.H.Roe
ORD DEPT U.S.A.

APPROVED BY ORDER OF THE CHIEF
OF ORDNANCE.

ORD DEPT U.S.A.


MADE AT ROCK ISLAND ARSENAL.

SUPERSEDES OLD TRACING C59338
UNDER REV. DATE OF 9-27-43



C59338

A139965



STOP, LEG, REAR A139965
STEEL WD1035

TOLERANCE $^{+.01}_{-.01}$ ALLOWED ON ALL
 DIMENSIONS UNLESS OTHERWISE
 SPECIFIED.

PHYSICAL PROPERTIES		JUNE 1, 1934	
		REVISIONS	
Y. P.		1 ²	9-20-41
T. S.		2'	10-7-41
EL-2		3	8-26-42
RED.		4	10-8-42
HT. T.		5'	4-19-43
BR.		DRG. PERTAINS TO	
SCL		C59337	REAR LEG,RIGHT
C.C.		C59338	REAR LEG,LEFT
		D7052	MOUNT,TRIPOD
			MACH.GUN, CAL..30, MZ
		C59337A	REAR LEG,RIGHT
		C59337B	REAR LEG,RIGHT
		C59338A	REAR LEG,LEFT
		C59338B	REAR LEG,LEFT
		SYMBOL	
		AAS 513	
DRAFTSMAN		TRACER	L'DG. DRAFTSMAN
J.H.			
CHECKER		J.C. H.S.	CHIEF DRAFTSMAN
C.A.C.			1/1934
SUBMITTED:		<i>John H. S.</i>	
1ST LIEUT., ORD. DEPT., U. S. A.		<i>John H. S.</i>	
APPROVED:			
MAJOR, ORD. DEPT., U. S. A.			
ORD. OFFICE, WAR DEPT.			

MANUFACTURING COMPONENT
 SCALE $\frac{1}{1}$ A139965

A139974

HEAT TREATMENT & FINAL FINISH

PHYSICAL PROPERTIES

JUNE 1, 1934

REVISIONS

5 11-17-42

6' 4-19-43

7' 5-3-43

8' 6-8-43

DRG. PERTAINS TO

C59337 REAR LEG,RIGHT

C59338 REAR LEG,LEFT

D7052 MT.,TRIPOD

M.G.CAL.30,M2

C59337A REAR LEG,RIGHT

C59337B REAR LEG,RIGHT

C59338A REAR LEG,LEFT

C59338B REAR LEG,LEFT

TOLERANCE ON DIMENSIONS
NOT OTHERWISE SPECIFIEDDECIMAL $\pm .010$ FRACTIONAL $\pm \frac{1}{64}$ ANGULAR $\pm 5^\circ$

DRAFTSMAN

RAB

TRACER

RAB

L'DG DRAFTSMAN

AHR

CHIEF DRAFTSMAN


SUBMITTED:

*A.H.Roe*APPROVED BY ORDER OF THE CHIEF
OF ORDNANCE*Geo. L. Allen*
CAPT. ORD. DEPT., U. S. A.

ORDNANCE DEPT., U. S. A.

SCALE $\frac{1}{1}$

A139974



HINGE,LEG,REAR
WD1020 COLD ROLLED SHEET STEEL
MANUFACTURING COMPONENT

SUPERSEDES OLD TRACING A139974
UNDER REVISION DATE OF 11-17-42

MADE AT ROCK ISLAND ARSENAL

A/173361

HEAT TREATMENT & FINAL FINISH		PHYSICAL PROPERTIES				NOV. 16, 1939	
		Y. P.	RED.		SCL.	REVISIONS	
		T. S.	BR.			I' 9-20-41	
		EL. 2	ROCK.				
DRG. PERTAINS TO							
		B108195		LEG, FRONT, ASSY.			
		C59337		LEG, REAR, RIGHT, ASSY.			
		C59338		LEG, REAR, LEFT, ASSY.			
		D7052		MOUNT, TRIPOD CAL. .30, M2.			
DRAFTSMAN <i>J.W.</i> TRACER <i>J.W.</i> L'DG. DRAFTSMAN							
SUBMITTED: <i>J.W.</i> CHIEF DRAFTSMAN							
MAJOR, ORD. DEPT. U. S. A.							
APPROVED BY ORDER OF THE CHIEF OF ORDNANCE:							
<i>Ed Drewry</i> LT. COL., ORD. DEPT. U. S. A.							
ORDNANCE DEPT.. U. S. A.							


SCALE 1/1 **A173361**

WEB
STEEL WD1010 OR WD1020
 $\frac{3}{32}$ THICK
MANUFACTURING COMPONENT

TOLERANCE $\pm \frac{1}{64}$ ALLOWED ON
ALL DIMENSIONS UNLESS
OTHERWISE SPECIFIED

MADE AT ROCK ISLAND ARSENAL

NOTE:
FINISH THIS DISTANCE ONLY



BODY, LEG, REAR
SEAMLESS STEEL TUBING WD1020
16 GAGE

MANUFACTURING COMPONENT

TOLERANCE $+\frac{1}{64}$ ALLOWED ON ALL
 $-\frac{1}{64}$
DIMENSIONS UNLESS OTHERWISE
SPECIFIED.

SCALE $\frac{1}{1}$

B108205

PHYSICAL PROPERTIES		JUNE 1, 1934	
		REVISIONS	
Y. P.	MIN 40,000	1^2	4-2-41
T. S.	MIN 55,000	2^2	9-20-41
EL-2	MIN. 16%	3^2	7-25-42
RED.		4^2	10-8-42
HT. T.			
BR.			
SCL			
C. C.			

DRG. PERTAINS TO
C59337 LEG, REAR, RIGHT
C59338 LEG, REAR, LEFT
D7052 MOUNT, TRIPOD
MACH. GUN,
CAL..30, M2

SYMBOL

OLB 476

DRAFTSMAN	TRACER	L'DG DRAFTSMAN
-----------	--------	----------------

HAC		
-----	--	--

CHECKER	W.H.B.	CHIEF DRAFTSMAN
---------	--------	-----------------

C.A.C.	W.H.B.	W.H.B.
--------	--------	--------

SUBMITTED:		
------------	--	--


1ST LIEUT., ORD. DEPT., U. S. A.		
----------------------------------	--	--

APPROVED:		
-----------	--	--

MAJOR, ORD. DEPT., U. S. A.		
-----------------------------	--	--



ORD. OFFICE, WAR DEPT.		
------------------------	--	--

HEAT TREATMENT & FINAL FINISH	



SLEEVE, SLIDING, LEFT
STEEL WDX1020 B108206
MANUFACTURING COMPONENT
AS FORGED

TOLERANCE $\pm \frac{1}{64}$ ALLOWED ON ALL
DIMENSIONS UNLESS OTHERWISE
SPECIFIED.



ALTERNATE METHOD
OF MANUFACTURE

NOTE:

FOR OTHER ALT.
METHOD OF MFR.
SEE B108206A.

SCALE $\frac{1}{1}$

B108206

PHYSICAL PROPERTIES		JUNE 1, 1934
REVISIONS		
Y. P.		1 ² 1-11-38
T. S.		2 ¹ 2-25-41
EL-2		3 ² 4-2-41
RED.		4 ² 9-20-41
HT. T.		5 ¹ 12-1-41
BR.		6 ² 1-19-42
		7 ³ 5-21-42
SCL.		8 ³ 10-8-42
C. C.		9 ¹ 4-19-43
ROCK.		

DRG. PERTAINS TO
C59338 REAR LEG, LEFT


D7052 MOUNT, TRIPOD,
MAC 4. GUN,
CAL. 30, M7
C59338 A REAR LEG,
LEFT
C59338 B REAR LEG,
LEFT

SYMBOL
HCS 465

DRAFTSMAN	TRACER	L.D.G. DRAFTSMAN
H.C.		
CHECKER	M.B.	CHIEF DRAFTSMAN
O.A.C.	A.B.H.	W.M.B.
SUBMITTED:		

1ST LIEUT., ORD. DEPT. U.S.A.
APPROVED:

MAJOR, ORD. DEPT. U.S.A.
ORD. OFFICE, WAR DEPT



FOOT, LEG, REAR (B108458-1)
STEEL WD1020
 $\frac{3}{32}$ -THICK

TOLERANCE $+\frac{1}{64}$ ALLOWED ON ALL DIMENSIONS
 $-\frac{1}{64}$ UNLESS OTHERWISE SPECIFIED

MANUFACTURING COMPONENT
SCALE $\frac{1}{1}$ B108458

PHYSICAL PROPERTIES		JUNE 1, 1934
		REVISIONS
Y. P.		1' 11-6-39
T. S.		2' 8-14-40
EL-2		3' 12-14-41
RED.		4' 10-2-42
HT. T.		
BR.		
SCL.		
C. C.		

DRG. PERTAINS TO
C59337 LEG, REAR, RIGHT
C59338 LEG, REAR, LEFT
D7052 MOUNT, TRIPOD
MACH. GUN,
CAL..30, M2

SYMBOL


GDF 51

DRAFTSMAN	TRACER	L'DG. DRAFTSMAN
6.0.		
CHECKER		CHIEF DRAFTSMAN
C.A.C.	H.H.I.	1/42

SUBMITTED:
2/29

1ST LIEUT., ORD. DEPT. U. S. A.
APPROVED:

MAJOR, ORD. DEPT. U. S. A.
ORD. OFFICE, WAR DEPT.




HEAT TREATMENT AND FINAL FINISH	
PHOSPHATE BLACK	

PHYSICAL PROPERTIES		JUNE 1, 1943
Y. P.	S 9-27-43	
T. S.		
EL. 2		
RED.		
BR.		
ROCK.		
SCL.		

DRG. PERTAINS TO

D7052 MOUNT TRIPOD
MACHINE GUN
CAL. 30, M2




LEG, REAR, LEFT, ASSEMBLY

* WILL NOT BE ISSUED FOR FIELD MAINTENANCE EXCEPT AS COMPONENTS OF AUTHORIZED ASSEMBLIES

C59338-1

SUPERSEDES OLD TRACING C59338
UNDER REV DATE OF 9-27-43



NOTE:
FOR ALTERNATIVE CONSTRUCTION SEE
C59338A AND
C59338B

APPROVED BY ORDER OF THE CHIEF OF ORDNANCE	W. E. ROSE	ORDNANCE DEPT. U.S.A.
APPROVED BY ORDER OF THE CHIEF OF ORDNANCE	E. E. KENNEDY	ORDNANCE DEPT. U.S.A.
MADE AT ROCK ISLAND ARSENAL		

C59338