Example



2025-03-10

Inhaltsverzeichnis

h1	Heading 8-)
	h2 Heading
	h3 Heading
	Horizontal Rules
	Typographic replacements
	Emphasis
	Blockquotes
	Lists
	Code
	Tables
	Links
	Images
	Plugins
	Emojies
	Subscript / Superscript
	<ins></ins>
	<mark></mark>
	Footnotes
	Definition lists
	Abbreviations
	Custom containers

quality and fast image resizeinbrowser. - babelfish developer friendly i18nwith pluralssupport and easy syntax. You will like those projects!

Advertisement

:)

pica high

h1 Heading 8-)

h5 Heading h6 Heading

Horizontal Rules

h2 Heading

h3 Headingh4 Heading

Typographic replacements

Enable typographer option to see result.

(c) (C) (r)(R) (tm) (TM) (p) (P)
$$+-$$

 $test...\ test....\ test?....\ test!....$

!!!!!! ???? " - —

"Smartypants, double quotes" and 'single quotes'

Emphasis

This is bold text

This is bold text

This is italic text

This is italic text

Strikethrough

Blockquotes

Blockquotes can also be nested... > ...by using additional greater-than signs right next to each other... >> ...or with spaces between arrows.

Lists

Unordered

- Create a list by starting a line with +, -, or *
- Sub-lists are made by indenting 2 spaces:
 - Marker character change forces new list start:
 - * Ac tristique libero volutpat at
 - * Facilisis in pretium nisl aliquet
 - * Nulla volutpat aliquam velit
- Very easy!

Ordered

- 1. Lorem ipsum dolor sit amet
- 2. Consectetur adipiscing elit
- 3. Integer molestie lorem at massa
- 4. You can use sequential numbers...
- 5. ...or keep all the numbers as 1.

Start numbering with offset:

- 57. foo
- 58. bar

Code

Inline code

Indented code

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
Block code "fences"
Sample text here...
Syntax highlighting
var foo = function (bar) {
  return bar++;
};
console.log(foo(5));
```

Tables

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Right aligned columns

Descripti	Option
path to data files to supply the data that will be passed in	data
template	
engine to be used for processing templates. Handlebars is t	engine
defau	
extension to be used for dest file	ext

Links

link text

link with title

Autoconverted link https://github.com/nodeca/pica (enable linkify to see)

Images







Figure 1: Alt text

With a reference later in the document defining the URL location:

Plugins

The killer feature of markdown-it is very effective support of syntax plugins.

Emojies

Classic markup: :wink: :cry: :laughing: :yum:

Shortcuts (emoticons): :-) :-(8-) ;)

see how to change output with twemoji.

Subscript / Superscript

- 19th
- H₂O

$\langle ins \rangle$

++Inserted text++

<mark>

==Marked text==

Footnotes

Footnote $1 link^1$.

Footnote $2 link^2$.

Inline footnote³ definition.

Duplicated footnote reference⁴.

Definition lists

Term 1 Definition 1 with lazy continuation.

Term 2 with inline markup Definition 2

```
{ some code, part of Definition 2 }
```

Third paragraph of definition 2.

 $Compact\ style:$

Term 1 Definition 1

Term 2 Definition 2a

Definition 2b

Abbreviations

This is HTML abbreviation example.

It converts "HTML", but keep intact partial entries like "xxxHTMLyyy" and so on.

*[HTML]: Hyper Text Markup Language

Custom containers

here be dragons

¹Footnote **can have markup** and multiple paragraphs.

²Footnote text.

 $^{^3\}mathrm{Text}$ of inline footnote

 $^{^4{\}rm Footnote~text.}$