

Estimation of Vehicle Mass and Road Grade

CS116.O11.KHCL - Machine Learning with Python: Final Project

Nguyen Hoang Tan

MSSV: 215214113

21521413@gm.uit.edu.vn

Abstract—The Estimation of Vehicle Mass and Road Grade is a crucial aspect of modern transportation systems. This report introduces a machine learning-based approach to estimate both the mass of a vehicle and the grade of the road using relevant data.

Index Terms—Machine Learning, Vehicle Mass Estimation, Road Grade Estimation, Sensor Data, Supervised Learning, Feature Engineering.

I. INTRODUCTION

The Estimation of Vehicle Mass and Road Grade is a multifaceted challenge within the domain of transportation engineering, encompassing critical aspects such as fuel efficiency, vehicle performance, and overall safety. This project leverages machine learning methodologies to address this complex problem. We employ **Random Forest Classifier** for Vehicle Mass and **K-Nearest Neighbors Regressor** for Road Grade estimation, focusing on the utilization of diverse signals collected from a vehicle to predict both its mass and the grade of the road it traverses.

II. DATASET DESCRIPTION

The dataset used in this project comprises eleven signals obtained from a vehicle, with the first nine serving as input features, and the last two as output variables. Notably, the data lacks time information, and the order of recordings has been deliberately scrambled. Each record in the dataset represents an individual frame, and the absence of temporal information necessitates an algorithmic approach that operates independently on each frame.

The signals include key parameters such as engine speed, vehicle speed, torque-related metrics, clutch and engine operation status, as well as the desired torque or torque limit. Of particular significance are the signals indicating road slope and the vehicle's mass, represented as either 38 t or 49 t.

III. EXPLORATORY DATA ANALYSIS (EDA)

Before delving into the machine learning models, it is crucial to conduct an Exploratory Data Analysis (EDA) to gain insights into the dataset's characteristics and identify potential patterns or anomalies.

Data Integrity Check Checking for missing values. Fortunately, the dataset demonstrates completeness, as no null values are present across any of the features.

Outlier Detection Generate box plots for each feature (excluding the target variable, Vehicle_Mass) to identify potential outliers.




Fig. 1. Box Plot of Feature Columns

Figure 1 revealed the presence of numerous outliers across several features, potentially impacting the performance of machine learning models.



To mitigate the influence of outliers, We can utilize the **RobustScaler** during the feature scaling process.

Correlation Analysis Table I provides insights into the relationships between variables, highlights correlations between features. Notably, '**RoadSlope_100ms**' displays significant positive correlations with '**ActMod_trqInr_100ms**' and '**RngMod_trqCrSmin_100ms**'.

	RoadSlope_100ms	Vehicle_Mass
RoadSlope_100ms	1.000000	0.257673
ActMod_trqInr_100ms	0.743515	0.084114
RngMod_trqCrSmin_100ms	0.459027	0.604168
Vehicle_Mass	0.257673	1.000000
Epm_nEng_100ms	0.138132	0.156700
VehV_v_100ms	-0.705378	-0.630015

TABLE I
CORRELATION MATRIX OF FEATURES

Additionally, the strong negative correlation (-0.63) between '**VehV_v_100ms**' and '**RngMod_trqCrSmin_100ms**' suggests the possibility of creating a new combined feature for improving model performance.



IV. DATA PREPROCESSING

Having identified outliers, correlations, and distributions in the previous step, this section focuses on optimizing the dataset for the task.

A. Feature Engineering and Reformatting

- Irrelevant constant features ('CoVeh_trqAcs_100ms', 'Com_rTSC1VRVCURtdrTq', 'Clth_st', 'CoEng_st', 'Com_rTSC1VRRDTrqReq') are dropped as they provide no discriminatory information to distinguish between different instances. .
- The 'Vehicle_Mass' column is reformatted to binary encoding for classification.

We create a new feature 'Combined_VehV_RngMod' by combining 'RngMod_trqCrSmin' and 'VehV_v' using formula 1. This combination is motivated by the strong negative correlation of -0.63 observed between these two variables.

$$\text{Combined_VehV_RngMod} = \frac{\text{RngMod_trqCrSmin_100ms}}{\text{VehV_v_100ms}} \quad (1)$$

B. Task-specific Dataset Splitting

We initiate the dataset split into features and targets for both the regression and classification tasks, employing the same feature set for both predictions.

However, we also introduce an alternative 'MultiTask' approach. In this strategy, we utilize the predicted vehicle mass values to augment the prediction of road slope.

Train-Dev-Test Splitting The dataset is partitioned into training, development, and test sets for both regression and classification tasks. The distribution of the dataset across these sets is as follows:

- Training Set: 70%
- Development Set: 15%
- Test Set: 15%

C. Feature Scaling

As we observed numerous outliers in various features (Figure 1). We address this problem by applying Robust scaling to the features to ensure their uniformity across different scales.

I also experimented with alternative scaling methods to assess their impact on the overall model performance. The evaluation results are presented in Table II.

TABLE II
MODEL PERFORMANCE WITH DIFFERENT SCALING METHODS

Scaling Method	Public Sets	Private Sets
RobustScaler	98.86	75.5
StandardScaler	84.46	68.52
MinMaxScaler	81.2	-
MaxAbsScaler	79.64	-
Normalizer	64.73	-
PowerTransformer	53.5	-
QuantileTransformer	52.8	-

Note: Due to limited submit attempts for private sets, evaluation was performed with only two scalers.

V. MODELS SELECTION

As mentioned above, we will use 2 separate models to address the distinct tasks at hand.

A. Vehicle Mass Classifier Task

The objective of this task is to train a classifier to categorize a vehicle's mass into two classes: 38 t or 49 t.

Random Forest Classifier An ensemble learning algorithm that operates by constructing a multitude of decision trees during training and outputting the mode of the classes for classification tasks.

- Each decision tree in the forest is trained on a random subset of the training data and provides an independent prediction

- The final classification result is determined by aggregating the predictions from all the individual trees.

In addition to the Random Forest classifier, we explored various other classifiers before selecting the final model. The experimentation involved evaluating different algorithms to assess their performance on the Vehicle Mass Classification task.

TABLE III
G-MEAN SCORES FOR VEHICLE MASS CLASSIFICATION MODELS

Classifier	Public Sets	Private Sets
SVC	0.9959	-
Logistic Regression	0.9748	-
Decision Tree Classification	0.9977	0.9945
Random Forest Classification	0.9988	0.9984

Note: Due to limited submit attempts for private sets, evaluation was performed with only two best classifiers.

B. Road Slope Regression Task

In this task, the goal is to predict the road slope based on the given features. We'll assess the performance of selected models, including KNN Regressor, to achieve accurate predictions.

KNN Regressor Predicts the target variable by considering the average or weighted average of the k-nearest data points in the feature space.

The choice of the hyperparameter `n_neighbors` in KNN Regressor is crucial, as it determines the number of neighbors that contribute to the prediction. This parameter needs to be carefully tuned for optimal performance.

Below are the experimental results conducted with different values of `n_neighbors`.




Fig. 2. Regression Performance vs. Number of Neighbors (K)

C. Identify the Headings

Headings, or heads, are organizational devices that guide the reader through your paper. There are two types: component heads and text heads.

Component heads identify the different components of your paper and are not topically subordinate to each other. Examples include Acknowledgments and References and, for these, the correct style to use is “Heading 5”. Use “figure caption” for your Figure captions, and “table head” for your table title. Run-in heads, such as “Abstract”, will require you to apply a style (in this case, italic) in addition to the style provided by the drop down menu to differentiate the head from the text.

Text heads organize the topics on a relational, hierarchical basis. For example, the paper title is the primary text head because all subsequent material relates and elaborates on this one topic. If there are two or more sub-topics, the next level head (uppercase Roman numerals) should be used and, conversely, if there are not at least two sub-topics, then no subheads should be introduced.

D. Figures and Tables

a) *Positioning Figures and Tables*: Place figures and tables at the top and bottom of columns. Avoid placing them in the middle of columns. Large figures and tables may span across both columns. Figure captions should be below the figures; table heads should appear above the tables. Insert figures and tables after they are cited in the text. Use the abbreviation “Fig. 3”, even at the beginning of a sentence.

TABLE IV
TABLE TYPE STYLES

Table Head	Table Column Head		
	Table column subhead	Subhead	Subhead
copy	More table copy ^a		

^aSample of a Table footnote.

Fig. 3. Example of a figure caption.

Figure Labels: Use 8 point Times New Roman for Figure labels. Use words rather than symbols or abbreviations when writing Figure axis labels to avoid confusing the reader. As an example, write the quantity “Magnetization”, or “Magnetization, M”, not just “M”. If including units in the label, present them within parentheses. Do not label axes only with units. In the example, write “Magnetization (A/m)” or “Magnetization {A[m(1)]}”, not just “A/m”. Do not label axes with a ratio of quantities and units. For example, write “Temperature (K)”, not “Temperature/K”.

ACKNOWLEDGMENT

The preferred spelling of the word “acknowledgment” in America is without an “e” after the “g”. Avoid the stilted expression “one of us (R. B. G.) thanks ...”. Instead, try “R. B. G. thanks...”. Put sponsor acknowledgments in the unnumbered footnote on the first page.

REFERENCES

Please number citations consecutively within brackets [1]. The sentence punctuation follows the bracket [2]. Refer simply to the reference number, as in [3]—do not use “Ref. [3]” or “reference [3]” except at the beginning of a sentence: “Reference [3] was the first . . .”

Number footnotes separately in superscripts. Place the actual footnote at the bottom of the column in which it was cited. Do not put footnotes in the abstract or reference list. Use letters for table footnotes.

Unless there are six authors or more give all authors’ names; do not use “et al.”. Papers that have not been published, even if they have been submitted for publication, should be cited as “unpublished” [4]. Papers that have been accepted for publication should be cited as “in press” [5]. Capitalize only the first word in a paper title, except for proper nouns and element symbols.

For papers published in translation journals, please give the English citation first, followed by the original foreign-language citation [6].

REFERENCES

- [1] G. Eason, B. Noble, and I. N. Sneddon, “On certain integrals of Lipschitz-Hankel type involving products of Bessel functions,” *Phil. Trans. Roy. Soc. London*, vol. A247, pp. 529–551, April 1955.
- [2] J. Clerk Maxwell, *A Treatise on Electricity and Magnetism*, 3rd ed., vol. 2. Oxford: Clarendon, 1892, pp.68–73.
- [3] I. S. Jacobs and C. P. Bean, “Fine particles, thin films and exchange anisotropy,” in *Magnetism*, vol. III, G. T. Rado and H. Suhl, Eds. New York: Academic, 1963, pp. 271–350.
- [4] K. Elissa, “Title of paper if known,” unpublished.
- [5] R. Nicole, “Title of paper with only first word capitalized,” *J. Name Stand. Abbrev.*, in press.
- [6] Y. Yoroazu, M. Hirano, K. Oka, and Y. Tagawa, “Electron spectroscopy studies on magneto-optical media and plastic substrate interface,” *IEEE Transl. J. Magn. Japan*, vol. 2, pp. 740–741, August 1987 [Digests 9th Annual Conf. Magnetism Japan, p. 301, 1982].
- [7] M. Young, *The Technical Writer’s Handbook*. Mill Valley, CA: University Science, 1989.

IEEE conference templates contain guidance text for composing and formatting conference papers. Please ensure that all template text is removed from your conference paper prior to submission to the conference. Failure to remove the template text from your paper may result in your paper not being published.