

API Functional & Non-Functional Test Cases

TC ID	Target API	Method	Endpoint Route	Test Type	Scenario Description	Sample Payload / Input Data
TC-001	DummyJSON	POST	/auth/login	Positive / Auth	Authenticate user using valid, active production profile credentials.	{ "username": "emilys", "password": "emilypass" }
TC-002	DummyJSON	POST	/auth/login	Negative / Auth	Attempt authentication utilizing a completely incorrect text password block.	{ "username": "emilys", "password": "wrongpass" }
TC-003	DummyJSON	POST	/auth/login	Negative / Auth	Attempt authentication processing with a blank or empty username text string.	{ "username": "", "password": "emilypass" }
TC-004	DummyJSON	POST	/auth/login	Negative / Auth	Attempt authentication processing with a blank or empty password text string.	{ "username": "emilys", "password": "" }
TC-005	DummyJSON	POST	/auth/login	Security / SQLi	Inject malicious raw SQL escaping characters into the main username parameter string.	{ "username": "' OR 1=1 --", "password": "arbitrary" }
TC-006	DummyJSON	GET	/users	Functional	Retrieve multi-user data directory parameters and measure global performance boundaries.	None (Default Params)
TC-007	DummyJSON	GET	/users/1	Positive	Query details for a valid individual system profile using a precise numerical identification integer.	Path Parameter: /1
TC-008	DummyJSON	GET	/users/999999	Negative / Boundary	Attempt record location for an extremely high out-of-bounds entity identification structure.	Path Parameter: /999999
TC-009	DummyJSON	POST	/users/add	Functional	Create a completely new user database document model with fully qualified data parameters.	{ "firstName": "John", "lastName": "Tester", "age": 30 }

API Functional & Non-Functional Test Cases

TC ID	Target API	Method	Endpoint Route	Test Type	Scenario Description	Sample Payload / Input Data
TC-010	DummyJSON	POST	/users/add	Negative	Attempt record configuration processing with a completely vacant or blank JSON entity body structure.	{}
TC-011	DummyJSON	PUT	/users/1	Functional	Modify existing record elements dynamically across matching profile target entries.	{ "lastName": "Automation Lead" }
TC-012	DummyJSON	PUT	/users/1	Negative / Type	Inject an invalid text string pattern format directly into an explicitly defined integer parameter.	{ "age": "abc" }
TC-013	DummyJSON	DELETE	/users/1	Functional	Execute standard system record deletion pipelines against targeting identifier indices.	Path Parameter: /1
TC-014	ReqRes	GET	/api/users?page=2	Functional / Pagination	Validate structural pagination data boundaries and counter properties across multi-page segments.	Query Param: page=2
TC-015	ReqRes	GET	/api/users/2	Positive	Fetch unique profile metadata maps matching designated index references.	Path Parameter: /2
TC-016	ReqRes	GET	/api/users/999	Negative	Access record segments that do not exist within the datastore lookup context.	Path Parameter: /999
TC-017	ReqRes	POST	/api/users	Functional	Instantiate a workspace document resource containing explicit string parameter variables.	{ "name": "QA Tester", "job": "Engineer" }
TC-018	ReqRes	PUT	/api/users/2	Functional	Perform dynamic update modification actions against targeted user metadata fields.	{ "name": "Lead QA", "job": "Manager" }

API Functional & Non-Functional Test Cases

TC ID	Target API	Method	Endpoint Route	Test Type	Scenario Description	Sample Payload / Input Data
TC-019	ReqRes	DELETE	/api/users/2	Functional	Terminate target resource entities securely from standard functional lookup tables.	Path Parameter: /2
TC-020	ReqRes	POST	/api/login	Positive / Auth	Process an authentication pipeline payload sequence with compliant profile registration variables.	{ "email": "eve.holt@reqres.in", "password": "cityslicka" }
TC-021	ReqRes	POST	/api/login	Negative / Auth	Transmit an authentication payload processing packet completely lacking a password element value.	{ "email": "eve.holt@reqres.in" }

Expected HTTP	Expected Validation Rule / Script Assertion
200 OK	Token payload generated successfully; verifies response time < 2000ms; confirms fields 'id', 'username', 'email' match datastore.
400 Bad Req	Returns explicit validation message: 'Invalid credentials'; structure matches standard error envelope.
400 Bad Req	Ensures server catches early blank parameter and does not fall back to database timeouts.
400 Bad Req	Ensures security validation intercepts empty structural passwords gracefully.
400 Bad Req	Validates zero application data leakage; zero structural stack trace exposures; error structure parsed correctly.
200 OK	Confirms list array wrapper contains 'users', 'total', 'skip', 'limit'; evaluates specific pagination element offsets.
200 OK	JSON object structural contract matches expected datastore map; profile item 'id' must accurately equal integer 1.
404 Not Found	Confirms descriptive body layout string message: 'User with id \'999999\' not found'; ensures structural handling works.
201 Created	Confirms dynamic backend execution system returns an auto-generated tracking 'id'; payload properties echo matching text inputs.

Expected HTTP	Expected Validation Rule / Script Assertion
400 Bad Req	Validates application layer intercepts structural omissions without throwing underlying unhandled 500 exceptions.
200 OK	Confirms object mutation reflects modified strings; validates schema contract remains intact post-update operations.
400 Bad Req	Confirms data type casting constraint error handlers execute; server returns type mismatch message cleanly.
200 OK	Confirms structural field confirmation markers (e.g., 'isDeleted': true) along with precise deletion timestamps.
200 OK	Evaluates array lengths against 'per_page' parameters; mathematically confirms 'total_pages' tracks with total volume.
200 OK	Confirms structure encapsulates nested 'data' and 'support' component nodes; checks email format string via regex.
404 Not Found	Validates that system safely handles missing indices by returning an empty JSON body block '{}' without server instability.
201 Created	Confirms direct addition payload returns automated resource tracking strings 'id' and 'createdAt' instantly.
200 OK	Verifies mutation payload contains dynamic generation confirmation property marker 'updatedAt' timestamp string.

Expected HTTP	Expected Validation Rule / Script Assertion
204 No Content	Strict enforcement that response payload contains zero content length; body is completely empty as per REST specification.
200 OK	Confirms structural authorization token string is dynamically emitted; schema validation checks are successful.
400 Bad Req	Confirms error string field outputs exact parameter notification text: 'Missing password' without breaking execution pipelines.