

Fujitsu recommends Windows® 7.

Data Sheet

Fujitsu LIFEBOOK S762

Notebook

Boundless Mobility on the Road

If you need a lightweight but fully-equipped notebook for office-based or mobile working, choose the Fujitsu LIFEBOOK S762. This 1.8 kg notebook offers excellent mobility through its small form factor and 33.8 cm (13.3-inch) display. Its modular bay for increased battery runtime, a second hard disk drive or Fujitsu's optional patented bay projector guarantee you maximum flexibility on a business trip.

Slim Mobility

Enjoy permanent access to all your data thanks to a mobile device that is both, easy and flexible to use.

- Lightweight notebook starting from only 1.8 kg, extra-thin modular bay for a second battery, second hard disk drive or world's first bay projector from Fujitsu, optional embedded 3G/UMTS or 4G/LTE

Enhanced Productivity in the Office or on the Move

The latest Intel® technology ensures high performance and mobile productivity.

- Up to 3rd generation Intel® Core™i7 processors, Intel® HM76 chipset

Ergonomic Working

Enhanced versatility for ultimate productivity in the office or on the move.

- Anti-glare display, 16:9 aspect ratio, DisplayPort, ScrollWheel, optional HD or Full HD webcam and port replicator

Reliable Companion

Efficient and secure working even for the most demanding users, anytime.

- Long battery runtime, ShockSensor, Anytime USB Charge and further innovative highlights
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Maximum Security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor including Omnipass Security Software



Components

Processor	Intel® Core™ i5-3210M processor (up to 3.1 GHz 2.5 GHz, 3 MB) * Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) * Intel® Core™ i3-2370M processor (2.4 GHz, 3 MB) * Intel® Core™ i7-3612QM processor (up to 3.1 GHz 2.1 GHz, 6 MB) * Intel® Core™ i7-3520M processor (up to 3.6 GHz 2.9 GHz, 4 MB) Intel® Core™ i5-3360M processor (2.80 GHz, 3 MB) Intel® Core™ i5-3320M processor (up to 3.3 GHz 2.6 GHz, 3 MB) *Processor only for retail, SMB, education and government
Operating systems	
Operating system	Windows® 7 Professional 64-bit Windows® 7 Home Premium 64-bit Windows® 7 Home Basic (EM) 64-bit
Operating system compatible	Windows® XP 32-bit
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM 8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	LIFEBOOK S762 13.3-inch
Supported capacity RAM (max.)	16 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1600 MHz
Hard disk drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch SSD SATA III, 256 GB, 2.5-inch SSD SATA III, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. mSATA, 32 GB, SSD cache for IRST & Express Cache FDE, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s) mSATA SSD cache module (not with SmartCard reader and ExpressCard slot)
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n Intel® Centrino® Wireless-N2200 b/g/n
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional
WLAN notes	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s) LTE Sierra Wireless MC7710 (UMTS downlink speed up to 100 Mbit/s, UMTS uplink speed up to 50 Mbit/s)
Bluetooth (optional)	Bluetooth 4.0
Display	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 200 cd/m

Modular bay options	2nd battery
	2nd hard disk drive (S-ATA II)
	Bay Projector
	Blu-ray Disc™ Triple Writer
	DVD Super Multi
	Weight saver
Base unit	LIFEBOOK S762 13.3-inch
General system information	
Chipset	Intel® HM76
BIOS features	BIOS based on Phoenix SecureCore
Graphics	
TFT resolution (DisplayPort)	up to 2560 x 1600
TFT resolution (VGA)	up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)
ExpressCard slots	1 (34mm/54mm supported, optional, not in combination with SmartCard Reader and SSD cache module)
SmartCard slot	1 (optional, not in combination with Express Card and SSD cache module)
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)
Modem (RJ-11)	1 (optional)
eSATA & USB combo	1
USB 3.0 total	2 (1 with Anytime USB Charge functionality)
USB 2.0 total	1
VGA	1
DisplayPort	1 (V1.1a)
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	1x digital microphone as option
Docking connector for Port Replicator	1
Kensington Lock support	1
Wired communication	
Modem type	Optional: 56 K V.92 modem
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V
Keyboard and pointing devices	
Spill-resistant keyboard (new layout)	
Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	
Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel	
Optional: Fingerprint sensor	
Application buttons	
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers
Camera	Optional: Built-in HD webcam or Full HD webcam (Microsoft® Lync™) (depending on configuration)

Power supply

AC Adapter	19 V / 65 W (3.42 A) stick type, 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Slim and light AC-Adapter
	19 V / 65 W (3.42 A) standard type, 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology
Notes	65W AC Adapter for usage with system/ 80W AC Adapter for usage with Port Replicator
1st battery options	Li-Ion battery 6-cell, 6700 mAh, 72 Wh
	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 2600 mAh, 28 Wh
Runtime 1st battery	up to 12 h
Runtime 1st + 2nd battery	up to 18 h
Battery charging time	~120 min (63Wh) ~ 190 min (72Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

Dimensions / Weight / Environmental

Dimensions (W x D x H)	321 x 228 x 27.1-35.5 mm
Weight	1.8 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 %

Additional Software

Additional software (preinstalled)	Adobe Acrobat Reader
	Application Panel
	Display Manager
	ShockSensor Utility
	Power Saving Utility
	Plugfree Network
	EasyGuide online user documentation
	Nero Essentials S (burning software)
	Norton Internet Security (incl. Firewall) 60 days version
	Fujitsu Recovery (Hard Disk Based Recovery)
	Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®.
	Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
	UMTS connection manager (optional with UMTS)

Manageability

Manageability technology	DeskUpdate Driver management
	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	Intel® Standard Manageability
	WoL (Wake on LAN)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
	Alarm Management
Supported standards	WMI
	PXE
	BootP (made4you)

Manageability

Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
--------------------	---

Security

System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version
Access protection	Hard disk password Optional: Access protection via internal SmartCard reader User and supervisor BIOS password Optional: Integrated fingerprint sensor including Omnipass software

Compliance

Germany	GS (planned)
Europe	CE CB Nordic Swan in progress
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Silver (dedicated regions)
China	CCC (depending on configuration)
Compliance notes	Above mentioned compliances are planned but not available at preliminary stage.
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optional)

	Portreplicator
DC-in	1
Power on switch	1
Audio: line-out / headphone	1
USB 2.0 total	4
VGA	1
DVI	1
Serial (RS-232)	1
Ethernet (RJ-45)	1
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does not support 0-Watt technology

Warranty

Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)

Maintenance and Support Services - the perfect extension

Recommended Service	5 x 9, response time: next business day, on-site service
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator for LIFEBOOK
S761



Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options.

Order Code:
S26391-F655-L310

Port Replicator for LIFEBOOK
S761



Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options.

Order Code:
S26391-F655-L320

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S762, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S762, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2012-06-03 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions