Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://gabriellamoura7.github.io/LIMA/

Checker Input

Show ☐ source   ☐ outline   ☐ image report   [Options…]

Check by [address ▾]

`https://gabriellamoura7.github.io/LIMA/`

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Error** **Bad character** `,` **after** `<`**. Probable cause: Unescaped** `<`**. Try escaping it as** `<` **.**

   At line 87, column 30

   `halloooo (,,>ヮ<,,)!</p>↵↵</sec`

2. **Warning** **Consider using the** `h1` **element as a top-level heading only (all** `h1` **elements [are treated as top-level headings by many screen readers and other tools](#)).**

   From line 38, column 5; to line 38, column 8

   `"9">↵↵    <h1>9ª Pos`

3. **Warning** **Consider using the** `h1` **element as a top-level heading only (all** `h1` **elements [are treated as top-level headings by many screen readers and other tools](#)).**

   From line 61, column 5; to line 61, column 8

   `"6">↵↵    <h1>6ª Pos`

4. **Warning** **Consider using the** `h1` **element as a top-level heading only (all** `h1` **elements [are treated as top-level headings by many screen readers and other tools](#)).**

   From line 69, column 5; to line 69, column 8

   `"5">↵↵    <h1>5ª Pos`

5. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 85, column 5; to line 85, column 8

`"3">↵↵      <h1>3ª Pos`

6. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 53, column 5; to line 53, column 8

`"7">↵↵      <h1>7ª Pos`

7. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 77, column 5; to line 77, column 8

`"4">↵↵      <h1>4ª Pos`

8. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 93, column 5; to line 93, column 8

`"2">↵↵      <h1>2ª Pos`

9. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 45, column 5; to line 45, column 8

`="8">↵      <h1>8ª Pos`

10. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 100, column 5; to line 100, column 8

`="1">↵      <h1>1ª Pos`

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 19 milliseconds.

[About this checker](about) • [Report an issue](report) • Version: 24.9.28