

LeadOS Scoring Specification Document

1. Purpose

This document defines how LeadOS scores a lead after an AI chat or voice conversation.

The scoring system must answer four questions:

How interested is the lead?
How ready is the lead for the next step?
How good is the lead's fit for the partner program?
What should happen next?

The final output is:

Hot → send to RM with full context
Warm → generate WhatsApp follow-up link
Cold → close or keep low priority

Scoring happens **after** the conversation is completed, using the full transcript and lead profile.
The live AI agent does not decide Hot, Warm, or Cold during the call.

2. Scoring Goals

The scoring system should be:

Explainable
Consistent
Easy for RM to trust
Fast enough for MVP
Structured for dashboard use
Useful for handoff

Every score must clearly show:

Final score
Classification
Reason
Positive signals
Negative signals
Objections raised
Recommended next action
Suggested RM opening line

The RM should not just see:

Score: 82

The RM should see:

Score: 82 because the lead asked for onboarding, has a relevant network, gave WhatsApp consent, and the existing broker objection was resolved.

3. When Scoring Runs

Scoring runs automatically after a conversation ends.

Chat scoring trigger

Lead ends chat
→ conversation status becomes completed
→ transcript is compiled
→ scoring runs
→ routing runs

Voice scoring trigger

Vapi call ended webhook received
→ final transcript saved
→ conversation status becomes completed
→ scoring runs
→ routing runs

Manual scoring trigger

For testing and debugging:

Admin or backend can run scoring manually

API:

POST /scores/run

4. Scoring Input

The scoring LLM receives structured input.

4.1 Lead profile input

```

{
  "lead": {
    "id": "lead_1",
    "name": "Amit Sharma",
    "city": "Hyderabad",
    "role": "financial_advisor",
    "networkSize": "25 to 30",
    "preferredLanguage": "hinglish",
    "preferredChannel": "chat",
    "whatsappConsent": true,
    "source": "website"
  }
}

```

4.2 Conversation input

```

{
  "conversation": {
    "id": "conv_1",
    "channel": "chat",
    "language": "hinglish",
    "durationSeconds": 420,
    "transcript": [
      {
        "role": "assistant",
        "content": "Hi Amit, I can explain the partner program in Hinglish."
      },
      {
        "role": "user",
        "content": "I already have another broker."
      },
      {
        "role": "assistant",
        "content": "That is actually a good sign because you already
understand this business. Are you getting strong revenue share and fast
payouts?"
      },
      {
        "role": "user",
        "content": "Payout is monthly. Fast payout is interesting."
      },
      {
        "role": "assistant",
        "content": "Do you have investor or finance contacts?"
      },
      {
        "role": "user",
        "content": "Maybe 25 to 30."
      },
      {
        "role": "assistant",
        "content": "Would you like a relationship manager to explain
onboarding or should I send details on WhatsApp?"
      },
      {

```

```
        "role": "user",
        "content": "Send WhatsApp and RM can call today."
    }
]
}
```

4.3 Memory input optional

```
{
  "memory": {
    "previousClassification": null,
    "previousObjection": null,
    "callbackPreference": null,
    "previousSummary": null
  }
}
```

5. Scoring Dimensions

The score is out of 100.

Readiness: 40 points
Interest and Engagement: 35 points
Fit and Network: 25 points
Total: 100 points

5.1 Readiness Score, 40 points

This measures whether the lead is ready for a next step.

Signals:

Asked for onboarding details
Asked for RM callback
Accepted WhatsApp follow-up
Shared callback time
Asked how to start
Asked about documents or process
Compared current broker setup
Agreed to next action

Suggested scoring:

0 to 10: no next-step intent
11 to 20: weak curiosity but no action
21 to 30: interested and wants details
31 to 40: clear next-step intent, callback, onboarding, or WhatsApp consent

Examples:

Lead says "not interested" → 0 to 5
Lead says "send details" → 20 to 28
Lead says "RM can call today" → 32 to 40
Lead asks "how do I onboard?" → 35 to 40

5.2 Interest and Engagement Score, 35 points

This measures whether the lead engaged meaningfully.

Signals:

Stayed beyond opener
Asked questions
Responded with context
Raised objections instead of disconnecting
Continued after objection handling
Showed curiosity about benefits
Shared current situation

Suggested scoring:

0 to 8: barely engaged or one-word answers
9 to 18: basic engagement
19 to 28: meaningful engagement and questions
29 to 35: strong engagement, multiple useful signals, continued after objection

Examples:

Lead says only "ok" and leaves → 5 to 10
Lead asks one question → 15 to 22
Lead discusses current broker and payout concern → 25 to 32
Lead actively asks about onboarding and benefits → 30 to 35

5.3 Fit and Network Score, 25 points

This measures whether the lead is suitable for the partner program.

Signals:

Financial advisor
MFD
Insurance agent
Finance influencer
Existing broker partner
Has investor contacts
Has trading or investing audience

Can refer clients
Relevant city or market

Suggested scoring:

0 to 6: no fit or unrelated profile
7 to 13: weak but possible fit
14 to 20: relevant role or relevant network
21 to 25: strong role and strong network

Examples:

No finance background and no contacts → 0 to 6
General referrer with small network → 8 to 13
Financial advisor with 20 contacts → 16 to 21
MFD or broker partner with active clients → 21 to 25

6. Classification Rules

6.1 Hot

A lead is Hot when:

`total_score >= 70`
and there is a clear next-step signal

Hot examples:

Asked for onboarding link
Agreed to RM callback
Has relevant network
Objection was resolved
Gave WhatsApp consent
Asked about how to start

Routing:

Create RM task
Assign RM
Create RM notification
Lead status = assigned_to_rm

6.2 Warm

A lead is Warm when:

`total_score >= 40 and total_score <= 69`
or lead is interested but not ready

Warm examples:

Asked to send details
Said call later
Had unresolved but not negative objection
Needs time to think
Has small but relevant network
Gave WhatsApp consent

Routing:

Generate WhatsApp follow-up message
Generate wa.me link
Lead status = follow_up_scheduled

6.3 Cold

A lead is Cold when:

total_score < 40
or lead clearly rejects the offer

Cold examples:

Not interested
No relevant network
No intent
No response
Refuses follow-up
Concern remains unresolved and lead disengages

Routing:

Lead status = closed
No RM task
No follow-up unless manually reopened

7. Override Rules

The classification should not blindly follow numeric score. Some conversation signals should override.

7.1 Force Hot

Mark Hot if:

Lead explicitly asks for RM callback soon
Lead asks how to onboard
Lead asks for documents and gives consent
Lead says they want to start

Even if score is slightly below 70, this can be Hot.

Example:

Score: 68
Lead says: "Ask someone to call me today, I want to start."
Classification: Hot

7.2 Force Warm

Mark Warm if:

Lead asks for details but not callback
Lead says call later with specific time
Lead is interested but wants to verify
Lead has unresolved trust concern but accepts follow-up

Example:

Score: 72
Lead says: "I need to verify first, send details."
Classification: Warm

7.3 Force Cold

Mark Cold if:

Lead says not interested
Lead asks not to be contacted
Lead refuses follow-up
Lead is invalid or unrelated
Lead is abusive or disengaged

Example:

Score: 45
Lead says: "No, I am not interested. Don't contact me."
Classification: Cold

For MVP, Do Not Contact can be treated as Cold plus Closed.

8. Objection Extraction

Scoring LLM must extract objections from the transcript.

Allowed objection types:

```
existing_broker
not_enough_contacts
client_support_concern
trust_concern
call_later
other
none
```

For each objection, output:

```
type
lead_statement
status
ai_response_summary
impact_on_score
```

Status values:

```
resolved
partially_resolved
unresolved
```

8.1 Resolved objection

Use resolved when:

```
Lead continues positively after the AI response
Lead asks next step
Lead accepts explanation
Lead gives callback or WhatsApp consent
```

8.2 Partially resolved objection

Use partially_resolved when:

```
Lead does not reject but still needs time
Lead asks to verify
Lead accepts details but not callback
```

8.3 Unresolved objection

Use unresolved when:

Lead repeats concern
Lead refuses next step
Lead disengages
Lead says they are not convinced

Example output:

```
{  
  "type": "existing_broker",  
  "lead_statement": "I already have another broker.",  
  "status": "resolved",  
  "ai_response_summary": "AI compared revenue share and fast payout  
benefits.",  
  "impact_on_score": "positive because lead continued and asked for callback"  
}
```

9. Positive and Negative Signals

The scoring system should extract signals that help explain the score.

9.1 Positive signals

Examples:

Asked for onboarding
Agreed to RM callback
Gave WhatsApp consent
Has investor network
Existing broker experience
Asked about payout
Asked about support
Stayed engaged
Objection resolved
Requested details

9.2 Negative signals

Examples:

No clear next step
Low network
No finance background
Trust concern unresolved
Said call later without time
Rejected offer
Refused follow-up
One-word disengaged responses

These should appear in RM and Admin portals as chips or bullet points.

10. Recommended Next Action

Every scoring output must include a recommended next action.

Examples for Hot:

RM should call today before 6 PM and start with payout comparison.
RM should send onboarding link and explain required documents.
RM should follow up on support concern and explain partner assistance.

Examples for Warm:

Send WhatsApp follow-up with onboarding details and FAQ.
Schedule callback for Monday after 11 AM.
Send official details first, then follow up after 2 days.

Examples for Cold:

Close lead as not interested.
Keep low priority, no immediate RM action.
Close lead due to poor fit.

11. Suggested RM Opening Line

For Hot leads, generate a suggested opening line.

Purpose:

Help RM continue without making the lead repeat everything.

Format:

Hi [Name], I saw you spoke with our AI assistant about [main topic]. I can quickly help you with [next step].

Examples:

Hi Amit, I saw you spoke with our AI assistant about brokerage share and fast payouts. I can quickly help you compare this with your current setup.
Hi Priya, I saw you asked for onboarding details. I can quickly walk you through the next steps.
Hi Rahul, I saw your main concern was client support. I can explain how the support process works before you decide.

For Warm or Cold leads, this field can be null or optional.

12. Scoring Output JSON Contract

The scoring LLM must return valid JSON only.

12.1 Required output

```
{
  "classification": "hot",
  "total_score": 82,
  "readiness_score": 34,
  "engagement_score": 29,
  "fit_score": 19,
  "reason": "Lead asked for onboarding details, has relevant network, and
existing broker objection was resolved.",
  "recommended_next_action": "RM should call today before 6 PM and start with
payout comparison.",
  "suggested_opening_line": "Hi Amit, I saw you spoke with our AI assistant
about brokerage share and fast payouts. I can quickly help you compare this
with your current setup.",
  "positive_signals": [
    "Asked for onboarding details",
    "Has 25 to 30 finance contacts",
    "Existing broker experience",
    "Gave WhatsApp consent",
    "Accepted RM callback"
  ],
  "negative_signals": [],
  "objections": [
    {
      "type": "existing_broker",
      "lead_statement": "I already have another broker.",
      "status": "resolved",
      "ai_response_summary": "Compared revenue share and fast payout
benefits.",
      "impact_on_score": "positive"
    }
  ],
  "extracted_data": {
    "language": "hinglish",
    "role": "financial_advisor",
    "network_size": "25 to 30",
    "current_broker_status": true,
    "whatsapp_consent": true,
    "callback_time": "today before 6 PM",
    "buying_intent": "asked_for_onboarding_and_rm_callback",
    "main_objection": "existing_broker"
  }
}
```

12.2 Field rules

classification

Allowed:

```
hot  
warm  
cold
```

scores

All score fields must be numbers.

```
total_score: 0 to 100  
readiness_score: 0 to 40  
engagement_score: 0 to 35  
fit_score: 0 to 25
```

Total must equal:

```
readiness_score + engagement_score + fit_score
```

Backend should validate this. If total differs, backend should recalculate from components.

reason

Must be short and human-readable.

Good:

```
Lead asked for onboarding, has relevant network, and accepted RM callback.
```

Bad:

```
The user has a good score because many factors were positive.
```

positive_signals and negative_signals

Must be arrays of short strings.

objections

Must be array. Empty if no objection.

extracted_data

Can include flexible structured info.

13. Warm Lead Output Example

```
{
  "classification": "warm",
  "total_score": 58,
  "readiness_score": 22,
  "engagement_score": 24,
  "fit_score": 12,
  "reason": "Lead showed interest and asked for details but did not commit to
RM callback.",
  "recommended_next_action": "Send WhatsApp follow-up with onboarding details
and follow up later.",
  "suggested_opening_line": null,
  "positive_signals": [
    "Asked for details",
    "Gave WhatsApp consent",
    "Stayed engaged"
  ],
  "negative_signals": [
    "No confirmed callback time",
    "Network size unclear"
  ],
  "objections": [
    {
      "type": "call_later",
      "lead_statement": "Send details, I will think about it.",
      "status": "partially_resolved",
      "ai_response_summary": "AI offered WhatsApp details and future
callback.",
      "impact_on_score": "neutral"
    }
  ],
  "extracted_data": {
    "language": "english",
    "role": "referrer",
    "network_size": "unclear",
    "whatsapp_consent": true,
    "callback_time": null,
    "buying_intent": "wants_details_first",
    "main_objection": "call_later"
  }
}
```

14. Cold Lead Output Example

```
{
  "classification": "cold",
```

```

"total_score": 18,
"readiness_score": 2,
"engagement_score": 8,
"fit_score": 8,
"reason": "Lead said they are not interested and did not want follow-up.",
"recommended_next_action": "Close lead as not interested.",
"suggested_opening_line": null,
"positive_signals": [],
"negative_signals": [
  "No next-step intent",
  "Rejected follow-up",
  "Low engagement"
],
"objections": [],
"extracted_data": {
  "language": "hindi",
  "role": "other",
  "network_size": "unknown",
  "whatsapp_consent": false,
  "callback_time": null,
  "buying_intent": "not_interested",
  "main_objection": "none"
}
}

```

15. Scoring System Prompt

Use a separate scoring prompt from the conversation agent.

15.1 Scoring prompt draft

You are LeadOS Scoring Engine.

Your job is to evaluate a completed sales conversation between an AI assistant and a lead for a financial partner program.

You must score the lead using three dimensions:

1. Readiness, 0 to 40
2. Interest and Engagement, 0 to 35
3. Fit and Network, 0 to 25

The final score is the sum of these three dimensions, out of 100.

Classify the lead:

- hot: strong next-step intent, high interest, or ready for RM/onboarding
- warm: interested but needs follow-up, details, verification, or callback later
- cold: low intent, poor fit, no interest, or rejected follow-up

Do not classify only from score. Use override rules:

- If the lead asks for onboarding or RM callback soon, classify hot even if score is slightly below 70.

- If the lead wants details first or asks to verify, classify warm even if score is above 70.
- If the lead says not interested or refuses follow-up, classify cold even if score is above 40.

Extract objections:

existing_broker, not_enough_contacts, client_support_concern, trust_concern, call_later, other, none.

For each objection, mark status:

resolved, partially_resolved, unresolved.

Return only valid JSON in the required schema. Do not include markdown. Do not include explanation outside JSON.

16. Backend Validation Rules

After LLM returns JSON, backend must validate it.

16.1 Required validation

Check:

classification is hot, warm, or cold
scores are numbers
scores are within range
total equals component sum or can be corrected
reason exists
positive_signals is array
negative_signals is array
objections is array
recommended_next_action exists

16.2 If JSON parsing fails

Retry once with repair prompt.

Repair prompt:

The previous response was not valid JSON. Return the same scoring result as valid JSON only, using the required schema.

If still fails:

Use fallback rule-based scoring
classification = warm
reason = scoring model failed, manual review suggested

For MVP, fallback can classify as Warm to avoid losing leads.

16.3 If score and classification conflict

Example:

```
total_score = 85
classification = cold
```

Backend should check override reason.

If no valid override reason:

```
Recalculate classification from score
or mark needs review
```

For MVP, simpler:

```
Trust classification if reason is clear.
Otherwise classify by thresholds.
```

17. Storage Mapping

Scoring output maps to DB tables.

17.1 lead_scores table

Insert:

```
classification → lead_scores.classification
total_score → lead_scores.total_score
readiness_score → lead_scores.readiness_score
engagement_score → lead_scores.engagement_score
fit_score → lead_scores.fit_score
reason → lead_scores.reason
recommended_next_action → lead_scores.recommended_next_action
positive_signals → lead_scores.positive_signals
negative_signals → lead_scores.negative_signals
objections → lead_scores.objections
extracted_data → lead_scores.extracted_data
raw_llm_output → lead_scores.raw_llm_output
```

17.2 leads table update

Update:

```
leads.classification
leads.latest_score
leads.latest_summary
leads.latest_next_action
leads.status after routing
```

Latest summary can be generated from:

```
conversation summary + scoring reason
```

18. Routing After Scoring

18.1 Hot routing

```
classification = hot
→ update lead.status = assigned_to_rm
→ assign RM
→ create rm_task
→ create notification
```

RM task fields:

```
title = Follow up with Hot lead
recommended_action = scoring recommended_next_action
suggested_opening_line = scoring suggested_opening_line
priority = high
status = pending
```

18.2 Warm routing

```
classification = warm
→ update lead.status = follow_up_scheduled
→ generate WhatsApp message
→ generate wa.me link
→ create follow_up
```

WhatsApp message should use:

```
lead name
summary
recommended next action
generic onboarding link or demo link
```

Example:

Hi Amit, thanks for speaking with our AI assistant about the partner program. Here are the details you asked for: [demo link]. You can reply here if you want an RM to guide you.

18.3 Cold routing

```
classification = cold  
→ update lead.status = closed  
→ no RM task  
→ no follow-up by default
```

19. RM Feedback

RM can correct classification or score.

Feedback fields:

```
original_classification  
corrected_classification  
original_score  
corrected_score  
feedback_type  
comment
```

For MVP, feedback does not automatically change model behavior.

It is stored for future calibration.

Rule:

No scoring change goes live automatically.
Admin review required in future.

20. Dashboard Usage

Scoring data powers:

```
Hot/Warm/Cold chart  
Lead detail score card  
RM handoff card  
Objection trends  
RM performance  
Conversion funnel  
Follow-up routing
```

Admin analytics reads:

```
leads.classification  
leads.status  
lead_scores.objections
```

lead_scores.total_score
rm_tasks.status
follow_ups.status

21. Frontend Display Requirements

21.1 Admin lead detail

Show:

Final score
Classification
Reason
Readiness score
Engagement score
Fit score
Positive signals
Negative signals
Objections
Recommended next action

21.2 RM lead detail

Show:

Why Hot
Score breakdown
Objections
Resolution status
Suggested opening line
Recommended next action
Transcript

21.3 Dashboard

Show:

Hot count
Warm count
Cold count
Average score optional
Objection distribution

22. Scoring Examples by Scenario

Scenario A: Hot

Lead:

Financial advisor
Has 25 to 30 contacts
Already with broker
Interested in fast payout
Asks for WhatsApp and RM call today

Score:

Readiness: 34
Engagement: 29
Fit: 19
Total: 82
Classification: Hot

Reason:

Asked for onboarding details, has relevant network, and existing broker objection was resolved.

Scenario B: Warm

Lead:

General referrer
Has some contacts
Says send details
Wants to think
Gives WhatsApp consent

Score:

Readiness: 22
Engagement: 23
Fit: 13
Total: 58
Classification: Warm

Reason:

Interested enough to receive details but not ready for RM callback.

Scenario C: Cold

Lead:

No finance network
Says not interested
Does not want follow-up

Score:

Readiness: 2
Engagement: 8
Fit: 5
Total: 15
Classification: Cold

Reason:

Lead rejected the offer and did not want further follow-up.

23. MVP Implementation Plan

Phase 1: Basic scoring

Use LLM to return structured JSON.

Implement:

Transcript input
Lead profile input
Scoring prompt
JSON validation
lead_scores insert
leads update

Phase 2: Routing

Implement:

Hot → RM task
Warm → Follow-up
Cold → Closed

Phase 3: Frontend display

Expose score data to:

Admin Lead Detail
RM Lead Detail
Dashboard

Phase 4: Feedback

Add:

```
RM feedback form  
rm_feedback insert
```

Phase 5: Calibration later

Not required in MVP.

24. Success Criteria

Scoring is complete for MVP if:

```
It runs after chat or voice ends  
It produces valid JSON  
It gives Hot/Warm/Cold classification  
It gives score breakdown  
It extracts objections  
It explains the score  
It gives recommended next action  
It generates suggested RM opening line for Hot leads  
It updates lead status correctly  
It creates RM task for Hot leads  
It creates WhatsApp follow-up for Warm leads  
It closes Cold leads  
It displays correctly in Admin and RM portals
```

This scoring spec is enough to satisfy the theme and power the full demo pipeline.