
**51. Match the following columns:**

| Column I (Parts/organs) | Column II (Functions) |
|---|---|
| A. Statocysts | 1. Radiating plates |
| B. Radula | 2. Respiratory function |
| C. Gills | 3. Organs of balance |
| D. Tentacles | 4. Sensory organs |
| | 5. Organs of feeding |

**Codes :**

| | A | B | C | D |
|---|---|---|---|---|
| (1) | 4 | 1 | 3 | 6 |
| (2) | 3 | 5 | 2 | 4 |
| (3) | 4 | 1 | 5 | 6 |
| (4) | 2 | 3 | 5 | 4 |

**52. Here two basic body forms of cniderians are given :**




(1) A and B are free-swimming forms

(2) A and B are sessile form

(3) A produce B asexually and B form the 'A' sexually

(4) B produce A asexually and A form the 'B' sexually

**53. Match the following columns :**

| Column I (Specialised cell or part) | Column II (Animal phylum) |
|---|---|
| A. Choanocytes | 1. Platyhelminthes |
| B. Cnidoblasts | 2. Ctenophora |
| C. Flame cells | 3. Porifera |
| D. Nephridia | 4. Coelenterata |
| E. Comb Plates | 5. Annelida |

**Codes :**

| | A | B | C | D | E |
|---|---|---|---|---|---|
| (1) | 2 | 1 | 4 | 5 | 3 |
| (2) | 2 | 4 | 1 | 5 | 3 |
| (3) | 5 | 4 | 3 | 2 | 4 |
| (4) | 3 | 4 | 1 | 5 | 2 |

**54. Given below are two statements :**

**Statement I :**

**In Echinodermata water vascular system present which help in locomotion, capture and transport of food and respiration.**

**Statement II :**

**In *Scoliodon* notochord is persistent through out life.**

**Choose the correct answer from the options given below**

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

**55. The space between hump and mantle is called mantle cavity in which .....A..... are present:**

(1) A – foot

(2) A – feather like gills

(3) A – Radula

(4) A – Eyes

**56. Read the following statement and choose correct option:**

**(i) Cyclostomes are marine but migrate for spawning to fresh water.**

**(ii) Cyclostomes have 6–15 pairs of gill slits for respiration.**

**(iii) In aves oil gland present at the base of tail**

**(iv) In aves hind limbs are modified into wings.**

(1) Only (i),(ii) are correct

(2) Only (ii), (iii), (iv) are correct

(3) Only (i), (ii),(iii) are correct

(4) (i),(ii), (iii), (iv) are correct

**57. Which one of the following matching are correct :**

(1) *Polyp* – Jelly fish

(2) *Gorgonia* – Sea pen

(3) *Pennatula* – Sea fan

(4) *Meandrina* – Brain coral

**58. Match the following columns :**

| Column-I | Column-II |
|---|---|
| a. ***Ascaris*** | i. **King crab** |
| b. ***Gorgonia*** | ii. **Sea lily** |
| c. ***Limulus*** | iii. **Round worm** |
| d. ***Antedon*** | iv. **Sea fan** |

(1) a-iii, b-i, c-iv, d-ii

(2) a-iii, b-ii, c-i, d-iv

(3) a-iv, b-iii, c-ii, d-i

(4) a-iii, b-iv, c-i, d-ii

**59. Match the following columns :**

| Column-I | Column-II |
|---|---|
| a. ***Pristis*** | i. **Electric organ** |
| b. ***Trygon*** | ii. **Flying fish** |
| c. ***Carcharodon*** | iii. **Saw fish** |
| d. ***Torpedo*** | iv. **Great white shark** |
| e. ***Exocoetus*** | v. **sting ray** |

(1) a-iii, b-v, c-iv, d-ii, e-i

(2) a-iii, b-v, c-iv, d-i, e-ii

(3) a-iv, b-iii, c-i, d-v, e-ii

(4) a-iii, b-i, c-ii, d-iv, e-v

**60. Which is a correct matching set :**

| Column I | Column II |
|---|---|
| a. Metamerism | i. Canal system constituent |
| b. Spongocoel | ii. Leech |
| c. Acoelomate | iii. *Apis* |
| d. Honey bee | iv. Platyhelminthes |

(1) a-ii, b-i, c-iv, d-iii

(2) a-i, b-ii, c-iii, d-iv

(3) a-i, b-iii, c-ii, d-iv

(4) a-iv, b-iii, c-ii, d-i

New Light Institute

**61. Which is the correct matching set :**

| Column – I | Column – II |
|---|---|
| (a) Compound eye | (i) Arthropoda |
| (b) Stomochord | (ii) Mollusca |
| (c) Gills | (iii) *Saccoglossus* |
| (d) Mantle cavity | (iv) *Pisces* |

(1) a-ii, b-iii, c-iv, d-i

(2) a-i, b-iii, c-iv, d-ii

(3) a-i, b-ii, c-iv, d-iii

(4) a-i, b-iv, c-iii, d-ii

**62. How many animals among following have jointed appendages :**

***Bombyx, Apis, Limulus, Sepia, Octopus,*** **Earthworm**

(1) 3

(2) 4

(3) 5

(4) 6

**63. Given below are two statements :**

**Statement I :**

**Platyhelminthes are hermaphrodite and fertilisation is internal occur.**

**Statement II :**

**Sponges are exclusively marine and mostly are asymetrical.**

**Choose the correct answer from the options given below**

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

**64. Notochord is derived from :**

(1) Ectoderm

(2) Mesoderm

(3) Endoderm

(4) Both 1 and 3

**65. Match the following columns :**

| Column I (Cnidarian) | Column II (Common names) |
|---|---|
| A. *Pennatula* | 1. Brain coral |
| B. *Meandrina* | 2. Sea fan |
| C. *Gorgonia* | 3. Sea pen |
| D. *Adamsia* | 4. Sea anemone |

| | A | B | C | D |
|---|---|---|---|---|
| (1) | 3 | 1 | 2 | 4 |
| (2) | 1 | 3 | 2 | 4 |
| (3) | 2 | 4 | 1 | 3 |
| (4) | 2 | 3 | 4 | 1 |

**66. Match the following columns :**

| Column I (Common name arthropdoes) | Column II (Scientific names) |
|---|---|
| A. Honeybee | 1. *Aedes* |
| B. Mosquito | 2. *Apis* |
| C. Lac insect | 3. *Laccifer* |
| D. Silkworm | 4. *Bombyx* |

| | A | B | C | D |
|---|---|---|---|---|
| (1) | 1 | 2 | 3 | 4 |
| (2) | 3 | 1 | 2 | 4 |
| (3) | 2 | 1 | 3 | 4 |
| (4) | 4 | 1 | 3 | 2 |

**67. Given below are two statements :**

**Statement I :**

**In chondrichthyes Notochord persistant throught life.**

**Statement II :**

**In Aves respiration occur by lungs and airsacs connected to lungs suppliment respiration.**

**Choose the correct answer from the options given below**

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

New Light Institute

**68. Match the column I with column II and choose correct option:**

| Column I | Column II |
|---|---|
| A. Viviparous Vertebrate | (i) *Scoliodon* |
| B. Oviparous Vertibrate | (ii) *Labeo* |
| C. Flying vertebrate | (iii) *Pteropus* |
| | (iv) *Macropus* |
| | (v) *Neophron* |

(1) A - i,ii, B - ii,v, C-iii,v
(2) A - i,iii,iv B - ii,v, C-iii,v
(3) A - iii,iv, B - i,ii,v, C-iv
(4) A - iii,iv B -v, C-iii,iv,v

**69. How many of the following organism is not hermaphrodite**

**sponge, cockroach, leech, earthworm, tape worm**

(1) One (2) Two
(3) Three (4) All of these

**70. Given below are two statements :**

**Statement I :**

**In Cephalochordates notochord is present only in larval tail.**

**Statement II :**

**In urochordates notochord extends from head to tail and persist throughout life.**

**Choose the correct answer from the options given below**

(1) Both Statement I and Statement II are incorrect
(2) Statement I is correct but Statement II is incorrect
(3) Statement I is incorrect but Statement II is correct
(4) Both, Statement I and Statement II are correct

**71. In phylum porifera, water transport is helpful in**

(1) Food gathering
(2) Respiratory exchange
(3) Removal of waste
(4) All of these

**72. Match the following columns**

| Column–A | Column–B |
|---|---|
| (a) *Columba* | i. Vulture |
| (b) *Psittacula* | ii. Penguin |
| (c) *Aptenodytes* | iii. Parrot |
| (d) *Neophron* | iv. Pigeon |

(1) a–i, b–ii, c–iii, d–iv (2) a–iii, b–iv, c–i, d–ii
(3) a–iv, b–iii, c–ii, d–i (4) a–ii, b–i, c–iv, d–iii

**73. Match the following column:**

| Column–I | Column–II |
|---|---|
| A. *Bufo* | i. Frog |
| B. *Hyla* | ii. Tree frog |
| C. *Ichthyophis* | iii. Toad |
| D. *Rana* | iv. Limbless amphibia |

(1) A–i, B–ii, C–iii, D–iv
(2) A–iii, B–i, C–ii, D–iv
(3) A–iii, B–ii, C–iv, D–i
(4) A–iv, B–iii, C–ii, D–i

**74. Choose the correct statement about the phylum chordata:**

(1) The presence of notochord a ventral hallow nerve cord & paired pharyngeal gill slits
(2) All vertebrates are chordates but all chordates are not vertebrates
(3) All member of subphylum vertebrata possess notochord during the adult period
(4) The notochord is replaced by a cartilaginous or bony vertebral column in the embronic period

**75. Which one of the following is not a characteristics of phylum annelida :**

(1) Ventral nerve cord
(2) Pseudocoelomate
(3) Closed circulatory system
(4) Segmentation

**76. Which one of the following kinds of animals are triploblastic:**

(1) *Ascaris*
(2) Ctenophores
(3) *Pennatula*
(4) Sponges

**77. Select the correct statements for amphibia :**

(1) They have eyelids
(2) Tympanum represent the ear
(3) They are viviparous
(4) 1 and 2 both

**78. Choose the economically important insects :**

(1) Honey bee (2) Silkworm
(3) Lac insect (4) All of these

New Light Institute

**79. Match the following:**

| Column–I | Column–II |
|---|---|
| A. *Hippocampus* | i. Fighting fish |
| B. *Beta* | ii. Sea horse |
| C. *Clarias* | iii. Rohu |
| D. *Labeo* | iv. Magur |

(1) A–ii; B–i; C–iv; D–iii

(2) A–iii; B–i; C–iv; D–ii

(3) A–i; B–ii; C–iv; D–iii

(4) A–i; B–iv; C–ii; D–iii

**80. Malpighian tubules are :**

(1) Excretory organ of arthropoda

(2) Excretory organ of annelids

(3) Respiratory organ of insects

(4) Respiratory organ of annelids

**81. Select the correct statements with reference to sponge:**

**a. These are primitive multicellular animals and have cellular level of organization**

**b. Sponges have a water canal system**

**c. Sponges reproduce sexually by fragmentation and asexually by formation of gametes**

**d. Choanocytes or collar cells line the spongocoel and the canals**

(1) a, b & c

(2) a & b

(3) a, b & d

(4) only c

**82. Match column I with column II and select the correct option :**

| Column –I | Column–II |
|---|---|
| A. Wings | i. Reptiles |
| B. Operculum | ii. Chondrichthyes |
| C. Scutes | iii. Birds |
| D. Cartilaginous endoskeleton | iv. Osteichthyes |

(1) A–iii, B–iv, C–i, D–ii

(2) A–i, B–ii, C–iv, D–iii

(3) A–iv, B–i, C–i, D–ii

(4) A–iii, B–ii, C–iv, D–i

**83. How many statements are incorrect with respect to class reptilia**

**(A) Creeping or crawling mode of locomotion**

**(B) They are mostly terrestrial animal**

**(C) They have external ear opening**

**(D) Snakes and lizard shed their scales as skin cast**

**(E) Limbs when present are two pairs**

**(F) Heart is usually four chambered but three chambered in crocodile**

**(G) They are Homoiotherms**

(1) A, B, C, D,G

(2) A, B, D, E

(3) A, C, E, F

(4) Only C, F and G

**84. Given below are two statements :**

**Statement I :**

Bioluminescence is well marked in ctenophores

**Statement II :**

Feather like gills are present in molluscs which help in respiration and excreation.

**In the light of the above statements, choose the correct answer from the options given below**

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct.

**85. Which is the correct matching set :**

| Column–I | Column–II |
|---|---|
| a. *Pinctada* | i. Tusk shell |
| b. *Sepia* | ii. Devil fish |
| c. *Dentalium* | iii. Pearl oyster |
| d. *Octopus* | iv. Cuttle fish |

(1) a-iii, b-iv, c-i, d-ii

(2) a-i, b-ii, c-iii, d-iv

(3) a-i, b-iii, c-ii, d-iv

(4) a-iv, b-ii, c-iii, d-i

New Light Institute

**86. Which one of the following pair of animals are jawless**

(1) Hagfish, *petromyzon*

(2) Lamprey, *myxine*

(3) Hagfish, Fighting fish

(4) Two of the above are correct

**87. In the given below example, How many animals in which two chambered heart occurs :**

**Dog fish, Saw fish, Flying fish,**
**Hyla, Bufo, Salamandra, Clarias**

(1) 4

(2) 3

(3) 2

(4) 5

**88. The radial symmetry occurs in which phylum**

**a. Coelenterata**

**b. Ctenophora**

**c. Adult antedon**

**d. Chordata**

(1) a, b, c

(2) b, c, d

(3) a, b, c, d

(4) Only a, b

**89. Match the following columns :**

| | Column I (Scientific names) | | Column II (Common names) |
|---|---|---|---|
| **A.** | ***Ancylostoma*** | **1.** | **Hook worm** |
| **B.** | ***Wuchereria*** | **2.** | **Filaria worm** |
| **C.** | ***Ascaris*** | **3.** | **Roundworm** |
| **D.** | ***Fasciola*** | **4.** | **Liver fluke** |
| | | **5.** | **Flatworms** |

**Codes :**

| | A | B | C | D |
|---|---|---|---|---|
| (1) | 1 | 4 | 3 | 5 |
| (2) | 2 | 5 | 1 | 3 |
| (3) | 4 | 1 | 5 | 3 |
| (4) | 1 | 2 | 3 | 4 |

**90. Match the following columns.**

| | Column I (Scientific names) | | Column II (Common names) |
|---|---|---|---|
| **A.** | ***Branchiostoma*** | **1.** | **Hagfish** |
| **B.** | ***Petromyzon*** | **2.** | **Lamprey** |
| **C.** | ***Trygon*** | **3.** | **Sting ray** |
| **D.** | ***Myxine*** | **4.** | **Ascidia** |
| | | **5.** | **Amphioxus** |

**Codes**

| | A | B | C | D |
|---|---|---|---|---|
| (1) | 1 | 5 | 2 | 4 |
| (2) | 3 | 1 | 2 | 5 |
| (3) | 5 | 4 | 1 | 2 |
| (4) | 5 | 2 | 3 | 1 |

**91. Funaria plant body is attached to the substratum by**

(1) Rhizoids

(2) Stripe

(3) Holdfast

(4) Root

**92. In *cycas***

(1) Male cones and megasporophylls are borne on same trees

(2) Male cones and magasporophylls are borne on different trees

(3) May be on same or different trees

(4) Both 1 and 2

**93. Which of the following is not a member of phylum porifera**

(1) *Sycon*

(2) *Sea Anemon*

(3) *Euspongia*

(4) *Spongilla*

**94. In how many groups Aristotle divided animals on the basis of presence/absence of RBC?**

(1) 1


(2) 2

(3) 3

(4) 4

New Light Institute

**95. Examine the figures A, B and C. In which one of the four options about the animals (poriferans) are correct?**



**A** **B** **C**

(1) A - *Sycon*, B - *Euspongia*, C - *Spongilla*

(2) A - *Euspongia*, B - *Spongilla*, C - *Sycon*

(3) A - *Spongilla*, B - *Sycon*, C - *Euspongia*

(4) A - *Euspongia*, B - *Sycon*, C - *Spongilla*

**96. An undifferentiated layer Mesoglea is present in :**

(1) Mollusca

(2) Echinodermata

(3) Coelenterata

(4) Porifera

**97. In the given below example how many are dioecious animals :**
**Leech, Earthworm, Hookworm, Fasciola, Tapeworm, Nereis**

(1) 3
(2) 4
(3) 2
(4) 1

**98. Following features belong to**

**A. Complete lacking of cell wall**

**B. Anaerobic**

**C. Smallest living cell**

**D. Many of them are pathogenic to plants and animals**

(1) Chrysophytes

(2) Prions

(3) Viroids

(4) Mycoplasma

**99. Order Carnivora includes family:**

(1) Felidae

(2) Canidae

(3) 1 and 2 both

(4) None

**100. Which of the following organism form water bloom in polluted water body:**

(1) *Albugo candida*

(2) Archaebacteria

(3) Cynobacteria

(4) *Gonyaulax*

New Light Institute