Bài 1

B1:

```
abstract class Xemay {
        abstract void brake ();
  }
    class XemayTT extends Xemay {
        @Override
          public ~~class~~ void brake () {
            System.out.println ("Xe may TT dung");
        }
    class XemayLN extends Xemay {
          @Override
        public ~~class~~ void brake () {
            System.out.println ("Xe mg LN dung");
     }
  class Main {
        public ~~class~~ static void main (String [] args) {
          XemayTT  xe1 = new XemayTT ();
          XemgLN  xe2 = new XemgLN ();
           xe1.brake ();
           xe2.brake ();
  }
```

Bài 2

B2:

```
abstract class Shape {
        abstract void draw ();
    public String getColor () {
        return "màu đỏ";
    }
class Rectangle extends Shape {
    public void draw () {
        System.out.println ("Ve Hinh Chu Nhat co mau"
+ getColor ());
    }
}

class Circle extends Shape {
        public void draw () {
        System.out.println ("Ve hinh tron co mau:"
+ getColor () );
    }
}

class main {
    public static void main (String [] args ) {
    Rectangle h1 = new Rectangle ();
    ~~Recto~~ Circle h2 = new Circle ();
    h1 . draw ();
```

GIBOOK

Bài 3

B3:

```
abstract class HinhHoc {
    public float PI = 3.14;
    public String ten;
    public float chuVi;
    public float dienTich;
    public float theTich;
  abstract void HinhHoc ();
  public void xuatTen () {
      System.out.println ("Ten Hinh:" + ten);
  }
  public void inChuVi () {
    System.out.println ("Chu vi:" + chuVi);
  }
  ~~System~~ public void inDienTich () {
    System.out.println ("Dien Tich:" + dienTich);
  }
    public void inTheTich () {
      System.out.println ("The Tich: " + theTich
  }
}
```

GIBOOK

```
class HinhChuNhat extends HinhHoc {
    public float dai;
    public float rong;
  public class HinhChuNhat {
      this.ten = "Hinh Chu Nhat";
  }
  public void NhapCD (float dai) {
      this.dai = dai;
  }
  public void NhapCR (float rong) {
      this.rong = rong;
  public void tinhChuVi () {
      chuVi = (dai + rong)* 2 ;
  }
  public void tinhDienTich () {
      dienTich = dai * rong;
  }

~~class HinhVuong extends HinhChuNhat~~ {
   public String toString {                          this
return super.toString (); + "(dai :" + this.dai +
```

```
"Crong:" + thi.rong + "Chu vi:" + chuVi + "Dien Tich:"
+ dienTich ;
}
class HinhVuong extends HinhChuNhat {
    ~~public float canh;~~
    public HinhVuong () {
        this.ten = " Hinh Vuong ";
    }
    public void NhapCanh ( float canh ) {
        this . dai = canh ;
        ~~this . rong = canh~~
    }
    public String toString {
        return . super . toString () + "Canh : " + this.dai ;
}
class HinhTron extends HinhHoc {
    public float banKinh ;
    public HinhTron () {
        this . ten = " Hinh Tron " ;
    }
    public void ~~tinhChuVi () {~~ nhapBK ( float bankinh ) {
        this . bankinh = q bankinh ;
    }
```

GIBOOK

```
public void tinhChuVi () {
  chuVi = PI * banKinh * 2 ;
}
public void tinhDienTich () {
    dientich = PI * bankinh * bankinh ;
}
public String toString {
  return super.toString () + "BKinh: " + bankinh +
"ChuVi: " + chuVi + "Dien Tich " + dienTich ;

class HinhTru extends HinhHoc {
   public float chieuCao ;
  public HinhTru () {
    this.ten = "Hinh Tru" ;
  }
  public void nhapChieuCao (float chieucao) {
    this.chieucao = chieucao ;
  }
  public void tinhTheTich () {
    theTich = dientich * chieucao ;
  }
  public String toString () {
```
GIBOOK

```
return super.toString() + "Chieu Cao: " + this.
chieu cao + "The Tich: " + this.theTich;
}
class main {
public static void main(String[] args) {

HinhChuNhat h1 = new HinhChuNhat ~~()~~ (6,8);
HinhVuong h2 = new HinhVuong(4);
HinhTron h3 = new HinhTron(5);
HinhTru h4 = new HinhTru(9);
h1.tinhChuVi();
h1.tinhDienTich();
h2.tinhChuVi();
h2.tinhDienTich();
h3.tinhChuVi();
h3.tinhDienTich();
h4.tinhTheTich();
}
```

Bài 4

B4.

```
~~pr~~ abstract class Person {
    private String name ;
    private String address ;

    public Person ( String name , String address ) {
        this . name = name ;
        this . address = address ;
    }
    public void setName ( String name ) {
        this . name = name ;
    }
    public ~~void~~ String getName () {
        return name ;
    }
    public void setAddress ( String address ) {
        this . address = address ;
    }
    public ~~void get~~ String getAddress () {
        return address ;
    }
```

GIBOOK

```
    abstract void display();
}

    class Employee extends Person {
        private int salary;

        public Employee (~~String name, String address~~,
int salary) {
            this.name = getName();
            this.address = getAddress(),
            this salary = salary,
        }
    @Override
        public String display {
            return "Nhan vien: " + this.name + "Dia chi
+ address + "Luong: " + salary;
        }
}

    class Customer extends Person {
        private int balance;
    public Customer (int balance) {
        this.name = getName();
        this address = getAddress();
        this.balance = balance;
    }
```

GIBOOK

```
@ Override
    public String display {
return " Khach hang " + ge thi. name + " Dia chi " +
address + " Tien " + balance ;
    }
}

    class main {
public static void main ( String [] args ) {
Person h1 = new Person ();
h1. setName (" Hoang ")
h1. set Address (" Quan 1 ") ;
Employee nv1 = new Employee () ;
nv1. setName (' Qua Huy ') ;
nv1. set Salary (' 1000.0 ') ;
System. out. println (nv1. Display ) ;

Customer c1 = new Customer () ,
    c1. Customer ( 200000 ) ;
System. out. println (c1. Display ) ;
```

GIBOO