

81.

```
class MathHoc {
```

```
    public void hinhDienTich () {
```

```
        System.out.println ("Tích diện tích hinh hoc");
```

```
    }
```

```
}
```

```
public class HinhTron extends MathHoc {
```

```
    private double banKinh;
```

```
    public HinhTron (double banKinh) {
```

```
        this.banKinh = banKinh;
```

```
    }
```

```
@Override
```

```
    public void hinhDienTich () {
```

```
        double dienTich = Math.PI * banKinh * banKinh;
```

```
        System.out.println ("Diện tích Hinh Tron " +
```

```
        dienTich);
```

```
public class HCN extends HinhHoc {
```

```
    private double chieuDai;
```

```
    private double chieuRong;
```

```

public HCN extends HinhHoc {
private double

```

```

public HCN ( double chieu, double chuong ) {
    this.chieu = chieu;
    this.chuong = chuong;
}

```

@Override

```

public void tinhDienTich () {
    double dienTich = chieu * chuong;
    System.out.println ( "Dien tich HCN : " + dienTich );
}

```

```

public class main {

```

```

    public static void main (String args[]) {
        // upcasting

```

```

        HinhHoc H1 = new HinhTron ( 5 );

```

```

        HinhHoc H2 = new HCN ( 6, 8 );

```

```

        H1 tinhDienTich ();

```

```

        H2 tinhDienTich ();
    }
}

```



```
class XeDap {
```

```
    public void run() {
```

```
        System.out.println("Dap bang Cham"),
```

```
    }
```

```
}
```

```
class XeDapDien extends XeDap {
```

```
    @Override
```

```
    public void run() {
```

```
        System.out.println("Chay Bang Dien"),
```

```
    }
```

```
}
```

```
class main {
```

```
    public static void main (String args[]) {
```

```
        XeDap a = new XeDap(),
```

```
        XeDapDien b = new XeDapDien();
```

```
        a.run();
```

```
        b.run();
```

```
    }
```

```
}
```

```
}
```

B3.

```

class Person {
    private String name;
    private Date birthday;
    public String setName (String)

    public void setName (String name) {
        this.name = name;
    }

    public void setBirthday (Date Birthday) {
        this.Birthday = Birthday;
    }

    public String get + getDetails () {
        return Details;
        return "Ten:" + this.name + " My nit:" + this.Birthday;
    }
}

```

```

class Employee extends Person () {
    private double salary;
    public void setSalary (double salary) {
        this.salary = salary;
    }
}

```


@Override

```
public String getDetails () {  
    return super.toString () + " " + salary;  
}
```

```
class Manager extends Employee {  
    private Employee assistant;
```

```
    public void setAssistant (Employee assistant)
```

```
{
```

```
    this.assistant = assistant;
```

```
@Override
```

```
public String getDetails () {
```

```
    return super.toString () + " " + "Trợ lý" + assistant;
```

```
public class main {
```

```
    public static void main (String args[]) {
```

```
        Employee nv = new Employee ();
```

```
        nv.setName ("Nguyen Quoc Huy");
```

```
        nv.setSalary (1000.0);
```

```

Manager rep = new Manager ();
rep.setName ("le Quoi Vuet");
rep.setSalary (20000.0);
rep.setAssistant (nv);

```

```

System.out.println (rep.getDetails ());

```

B4:

~~Bank~~

```

class Bank Bank {
    public float lay lai suat () {
        return "lai 0";
    }
}

```

```

class SBI extends Bank {

```

@Override

```

    public float lay lai suat () {
        return 8.0f;
    }
}

```



```

class ICI extends Bank {
    @Override
    public float layOutSum () {
        @Override
        return 7.0f;
    }
}

```

```

class AX AXIS extends Bank {
    @Override
    public float layOutSum () {
        return 9.0f;
    }
}

```

```

public class main {
    public static void main (String args[]) {
        SBI a = new SBI();
        AXIS b = new AXIS();
        ICI c = new ICI ICI();
        System.out.println ("La sum a SBI : " + a);
        System.out.println ("La sum a AXIS : " + b);
        System.out.println ("La sum a ICI : " + c);
    }
}

```

BT5:

```
class Car {  
    public void Move() {  
        System.out.println("Xe chay");  
    }  
}
```

```
class Ford extends Car {  
    @Override  
    public void Move() {  
        System.out.println("Xe Ford chay");  
    }  
}
```

```
class Landrover extends Car {  
    @Override  
    public void Move() {  
        System.out.println("Xe Landrover chay");  
    }  
}
```

```
class Honda extends Car {  
    @Override  
    public void Move() {  
        System.out.println("Xe Honda chay");  
    }  
}
```



```
System.out.println("Xe Honda chng");  
}
```

```
{
```

```
class main {
```

```
public static void main (String args []) {
```

```
Ford xe F = new Ford ();
```

```
Land rover xe L = new Landrover ();
```

```
Honda xe H = new Honda ();
```

```
xe F . Move ();
```

```
xe L . Move ();
```

```
xe H . Move ();
```

```
}
```

```
}
```