User Prompt	Bot Reply
hi	Hi! How can I help you?
helloo	Hello!
give recipe of panipuri	Panipuri (also known as Golgappas) is a popular Indian street food. Here's a simple recipe: Ingredients: * 1 cup boondi (deep-fried gram flour dumplings) * 1/2 cup tamarind chutney * 1/4 cup green chutney * 1/4 cup yogurt * Salt and chili powder to taste * 10-12 pani puri breads or shells * Ice cubes Instructions: 1. Soak the boondi in water for 30 minutes. 2. Mix tamarind, green chutney, yogurt, salt, and chili powder in a bowl. 3. Fill the pani puri breads with the above mixture and add soaked boondi. 4. Serve immediately with ice cubes. Enjoy your Panipuri!

give code for print hello world in c++	Sure! Here's a simple C++ program that prints "Hello World": ```cpp #include using namespace std; int main() { cout << "Hello, World!"; // Output the string to console return 0; } ``` In this code: - `#include` is a preprocessor command that includes iostream standard library. This allows us to use input/output streams in our program which are used for reading and writing data related operations on the console device (standard output devices like cout, cerr etc). - The keyword "using namespace std;" can be removed if we only require 'cout' from iostream library. This is a good practice as it allows you to use short names instead of full fully qualified names whenever possible in your code. Here the standard (std) has been explicitly mentioned while referring for cout and other stream objects which also helps avoid ambiguity between different kinds/classes when there are several similar types already defined by some libraries or user-defined headers on top level(s). - `int main()`: This is where our program starts execution. “main” function in C++ represents the entry point of a console application, and it returns an integer which indicates whether to continue running (0) when we finish executing that particular piece code or not (!=0), hence indicating termination/exit condition for this main method within your app's lifecycle - `cout` is object from iostream library used here. The operator '<<'(insertion operation stream)' prints the argument(passed as parameter) after it and returns reference to cout, which allows chaining of calls by using a "fluent" interface in C++ (a style that prioritizes code readability above all else). - `` is not part of standard library or namespace. It's only used for input/output related functionalities and it may be different if you include other libraries like 'string', etc., depending on your specific use case (like in some big project where multiple such header files are included).