

Individual Lab-Work Record

MODULE 4

Robot Framework Automation Exercises

Assignment 4

Student Name: Protyusha Mondal | Roll No.: 12023052002072

1. Problem Statement

Implement the Robot Framework exercises specified in the assignment to demonstrate keyword-driven browser automation, variables and data-driven execution, custom Python keywords and libraries, assertions and verification, test setup and teardown, tags and test execution, and reports and logs.

2. Objective

- Understand Robot Framework syntax, settings, variables, test cases and keywords.
- Automate browser interactions using SeleniumLibrary.
- Use variables and reusable test data in automation.
- Create and execute custom Python keywords.
- Perform assertions and API response verification.
- Demonstrate test setup and teardown.
- Use tags for selective execution and Pabot for parallel execution.
- Generate and inspect Robot Framework reports and logs.

3. Tools, Software and Concepts

- Python 3.x
- Robot Framework
- SeleniumLibrary
- RequestsLibrary
- Pabot
- Google Chrome
- ChromeDriver / Selenium Manager
- PowerShell or Command Prompt
- VS Code or PyCharm

4. Theory

4.1 Robot Framework

Robot Framework is a keyword-driven automation framework. Test cases are written in a readable tabular syntax and use libraries and keywords to perform automation tasks.

4.2 SeleniumLibrary

SeleniumLibrary provides browser automation keywords such as Open Browser, Input Text, Click Button and Page Should Contain Element.

4.3 Variables and Data-Driven Automation

Robot Framework variables allow values such as URLs, usernames and passwords to be defined separately from the test steps. Test templates can also execute the same keyword with different input data.

4.4 Custom Keywords and Libraries

Robot Framework can import Python modules and expose Python functions as custom keywords. This allows reusable Python functionality to be called directly from Robot test cases.

4.5 Assertions, Setup, Teardown and Tags

Assertions verify expected results. Test Setup prepares the environment before a test and Test Teardown performs cleanup. Tags classify tests so selected groups can be included or excluded during execution.

5. Project Structure

```
Assignment4_RobotFramework/
|
├── 01_basic.robot
├── 02_variables.robot
├── 03_data_driven.robot
├── 04_custom_keywords.robot
├── 05_assertions_api.robot
├── 06_setup_teardown.robot
├── 07_tags.robot
├── 08_reports.robot
|
└── custom_library.py
```

6. Installation and Verification

```
python -m pip install robotframework
python -m pip install robotframework-seleniumlibrary
python -m pip install robotframework-requests
python -m pip install robotframework-pabot
robot --version
```

7. Exercise 1 · Basic Syntax and Keywords

This exercise demonstrates basic Robot Framework syntax and browser keywords. The test opens the login page, enters a username, verifies the password field and closes the browser.

```
*** Settings ***
Library      SeleniumLibrary

*** Test Cases ***
Open Page And Verify Element
    Open Browser      https://the-internet.herokuapp.com/login    chrome
    Maximize Browser Window
    Input Text        id=username    tomsmith
    Page Should Contain Element    id=password
    Log      Username entered successfully
    Sleep    10s
    Close Browser

Execution command: robot 01_basic.robot
```

[– Exercise 1 – Basic Syntax and Keywords]

01 Basic Log

Generated
20260926 21:41:07 UTC+05:30
1 minute 17 seconds ago

Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	1	1	0	0	00:00:17	

Statistics by Tag	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags						

Statistics by Suite	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
01 Basic	1	1	0	0	00:00:17	

Execution Log

SUITE 01 Basic

Full Name:

01 Basic

Source:

C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\01_basic.robot

Start / End / Elapsed:

20260926 21:40:50.839 / 20260926 21:41:07.784 / 00:00:16.945

Status:

1 test total, 1 passed, 0 failed, 0 skipped

TEST Open Page And Verify Element

[– Exercise 1 – Basic Syntax and Keywords – 2]

```
PS C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework> robot 01_basic.robot
=====
01 Basic
=====
Open Page And Verify Element | PASS |
-----
01 Basic | PASS |
1 test, 1 passed, 0 failed
=====
Output: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\output.xml
Log: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\log.html
Report: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\report.html
```

8. Exercise 2 · Variables and Data-Driven Automation

Variables are used for the URL and login credentials so that test data is separated from the test actions.

```
*** Settings ***
Library    SeleniumLibrary

*** Variables ***
${URL}     https://the-internet.herokuapp.com/login
${USERNAME} tomsmith
${PASSWORD} SuperSecretPassword!

*** Test Cases ***
Login Using Variables
    Open Browser    ${URL}    chrome
    Maximize Browser Window
    Input Text      id=username    ${USERNAME}
    Input Password  id=password    ${PASSWORD}
    Click Button    css=button[type="submit"]
    Location Should Contain    /secure
    Log    Login successful using variables
    [Teardown]    Close All Browsers
```

8.1 Data-Driven Version

```
*** Settings ***
Library      SeleniumLibrary
Test Template    Login Test
Test Teardown   Close All Browsers

*** Test Cases ***
Valid Login
    tomsmith      SuperSecretPassword!

Invalid Login
    wronguser     wrongpassword

*** Keywords ***
Login Test
    [Arguments]   ${username}    ${password}
    Open Browser   https://the-internet.herokuapp.com/login    chrome
    Input Text     id=username    ${username}
    Input Password id=password    ${password}
    Click Button   css=button[type="submit"]

Execution command: robot 02_variables.robot
```

[– Exercise 2 – Variables and Data-Driven Automation]

02 Variables Log Generated
20260926 21:51:12 UTC+05:30
2 minutes 8 seconds ago

Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	1	1	0	0	00:00:21	

Statistics by Tag

Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags					

Statistics by Suite

Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip	
02 Variables	1	1	0	0	00:00:21	

Execution Log

SUITE 02 Variables

Full Name: 02 Variables
Source: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\02_variables.robot
Start / End / Elapsed: 20260926 21:50:51.127 / 20260926 21:51:11.996 / 00:00:20.869
Status: 1 test total, 1 passed, 0 failed, 0 skipped

TEST Login Using Variables

Full Name: 02 Variables.Login Using Variables
Start / End / Elapsed: 20260926 21:50:51.399 / 20260926 21:51:11.996 / 00:00:20.597
Status: **PASS**

- KEYWORD SeleniumLibrary.Open Browser \${URL} chrome
- KEYWORD SeleniumLibrary.Maximize Browser Window
- KEYWORD SeleniumLibrary.Input Text id=username \${USERNAME}
- KEYWORD SeleniumLibrary.Input Password id=password \${PASSWORD}
- KEYWORD SeleniumLibrary.Click Button css=button[type="submit"]
- KEYWORD SeleniumLibrary.Location Should Contain /secure
- KEYWORD BuiltIn.Log Login successful using variables
- TEARDOWN SeleniumLibrary.Close All Browsers

[– Exercise 2 – Variables and Data-Driven Automation – 2]

```
PS C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework> robot 02_variables.robot
=====
02 Variables
=====
Login Using Variables                                     | PASS |
-----
02 Variables                                             | PASS |
1 test, 1 passed, 0 failed
=====
Output: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\output.xml
Log:     C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\log.html
Report:  C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\report.html
PS C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework> robot 04_custom_keywords.robot
=====
```

9. Exercise 3 · Custom Keywords and Libraries

A Python library is created to provide reusable Robot Framework keywords. The final version uses the String library for the Convert To Upper Case operation.

```
from robot.api.deco import keyword

@keyword("Calculate Sum")
def calculate_sum(a, b):
    return float(a) + float(b)

@keyword("Multiply Numbers")
def multiply_numbers(a, b):
    return float(a) * float(b)

*** Settings ***
Library    custom_library.py
Library    String

*** Test Cases ***
Use Custom Python Keyword
    ${sum}=    Calculate Sum    12    8
    Should Be Equal As Numbers    ${sum}    20
    Log    Sum calculated successfully: ${sum}

Use String Library Keyword
    ${text}=    Convert To Upper Case    robot framework
    Should Be Equal As Strings    ${text}    ROBOT FRAMEWORK
    Log    String operation completed successfully

Use Multiplication Keyword
    ${result}=    Multiply Numbers    6    7
    Should Be Equal As Numbers    ${result}    42
    Log    Multiplication calculated successfully: ${result}
```

The earlier BuiltIn-only version of this exercise produced the error “No keyword with name 'Convert To Upper Case' found”. The corrected implementation imports the String library and should be used for the final evidence.

Execution command: robot 04_custom_keywords.robot

[– Exercise 3 – Custom Keywords and Libraries]

03 Custom Keywords Log

Generated 20260926 22:05:27 UTC+05:30
23 seconds ago

REPORT

Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	3	3	0	0	00:00:00	

Execution Log

SUITE 03 Custom Keywords00:00:00.220

Full Name: 03 Custom Keywords
Source: C:\Users\admin\OneDrive\Desktop\Assignment4_RobotFramework\03_custom_keywords.robot
Start / End / Elapsed: 20260926 22:05:27.405 / 20260926 22:05:27.625 / 00:00:00.220
Status: 3 tests total, 3 passed, 0 failed, 0 skipped

TEST Use Custom Python Keyword00:00:00.004

Full Name: 03 Custom Keywords.Use Custom Python Keyword
Start / End / Elapsed: 20260926 22:05:27.591 / 20260926 22:05:27.595 / 00:00:00.004
Status: PASS

KEYWORD \${sum} = custom_library.Calculate Sum 12 800:00:00.000

KEYWORD name: Should Be Equal As Numbers \${sum} 2000:00:00.000

KEYWORD name: Log Sum calculated successfully: \${sum}00:00:00.000

TEST Use String Library Keyword00:00:00.012

Full Name: 03 Custom Keywords.Use String Library Keyword
Start / End / Elapsed: 20260926 22:05:27.595 / 20260926 22:05:27.607 / 00:00:00.012
Status: PASS

KEYWORD \${text} = String.Convert To Upper Case robot framework00:00:00.000

KEYWORD name: Should Be Equal As Strings \${text} ROBOT FRAMEWORK00:00:00.000

KEYWORD name: Log String operation completed successfully00:00:00.000

TEST Use Multiplication Keyword00:00:00.009

Full Name: 03 Custom Keywords.Use Multiplication Keyword
Start / End / Elapsed: 20260926 22:05:27.615 / 20260926 22:05:27.624 / 00:00:00.009
Status: PASS

KEYWORD \${result} = custom_library.Multiply Numbers 6 700:00:00.000

KEYWORD name: Should Be Equal As Numbers \${result} 4200:00:00.000

KEYWORD name: Log Multiplication calculated successfully: \${result}00:00:00.000

[– Exercise 3 – Custom Keywords and Libraries – 2]

```
03 Custom Keywords
=====
Use Custom Python Keyword | PASS |
-----
Use String Library Keyword | PASS |
-----
Use Multiplication Keyword | PASS |
-----
03 Custom Keywords | PASS |
3 tests, 3 passed, 0 failed
=====
Output: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\output.xml
Log: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\log.html
Report: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\report.html
```

10. Exercise 4 · Assertions and Verification

This exercise verifies API status codes and response content using RequestsLibrary and Robot Framework assertions.

```
*** Settings ***
Library    RequestsLibrary

*** Test Cases ***
Verify API Status
    ${response}=    GET    https://httpbin.org/status/200
    Should Be Equal As Strings    ${response.status_code}    200
    Log    API status verified successfully

Verify API Response
    ${response}=    GET    https://httpbin.org/get
    Should Be Equal As Strings    ${response.status_code}    200
    Should Contain    ${response.text}    url
    Log    API response verification completed

Execution command: robot 05_assertions_api.robot
```

[– Exercise 4 – Assertions and Verification]

04 Assertions Api Log

Generated
20260926 22:19:27 UTC+05:30
28 seconds ago

Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	2	2	0	0	00:00:03	

Statistics by Tag

Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags					

Statistics by Suite

Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip	
04 Assertions Api	2	2	0	0	00:00:04	

Execution Log

SUITE

04 Assertions Api

Full Name: 04 Assertions Api
Source: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\04_assertions_api.robot
Start / End / Elapsed: 20260926 22:19:23.885 / 20260926 22:19:27.543 / 00:00:03.658
Status: 2 tests total, 2 passed, 0 failed, 0 skipped

TEST

Verify API Status

Full Name: 04 Assertions Api.Verify API Status
Start / End / Elapsed: 20260926 22:19:24.432 / 20260926 22:19:25.951 / 00:00:01.519
Status: PASS

KEYWORD

RequestLibrary

GET https://httpbin.org/status/200

FAIL

Should Be Equal As Strings \${response.status_code} 200

FAIL

Log API status verified successfully

TEST

Verify API Response

Full Name: 04 Assertions Api.Verify API Response
Start / End / Elapsed: 20260926 22:19:25.951 / 20260926 22:19:27.542 / 00:00:01.591
Status: PASS

KEYWORD

RequestLibrary

GET https://httpbin.org/get

FAIL

Should Be Equal As Strings \${response.status_code} 200

FAIL

Should Contain \${response.text} url

FAIL

Log API response verification completed

[– Exercise 4 – Assertions and Verification – 2]

```
PS C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework> robot 04_assertions_api.robot

=====
04 Assertions Api
=====
Verify API Status | PASS |
-----
Verify API Response | PASS |
-----
04 Assertions Api | PASS |
2 tests, 2 passed, 0 failed
=====
Output: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\output.xml
Log: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\log.html
Report: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\report.html
```

11. Exercise 5 · Test Setup and Teardown

Test Setup is executed before each test and Test Teardown is executed after each test. This example opens the login page before each test and closes all browsers afterward.

*** Settings ***

Library SeleniumLibrary
Test Setup Open Login Page
Test Teardown Close All Browsers

*** Keywords ***

Open Login Page

Open Browser https://the-internet.herokuapp.com/login chrome
Maximize Browser Window

*** Test Cases ***

Verify Username Field

Page Should Contain Element id=username

Verify Password Field

Page Should Contain Element id=password

Verify Login Button

Page Should Contain Element css=button[type="submit"]

Execution command: robot 06_setup_teardown.robot

[– Exercise 5 – Setup and Teardown]

05 Setup Teardown Log Generated 20260926 22:26:13.010+09:30 1 second ago

Statistics

Total Statistics		Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests		3	3	0	0	00:02:25	3 / 0 / 0

Statistics by Tag		Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags							

Statistics by Suite		Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
05 Setup Teardown		3	3	0	0	00:02:25	3 / 0 / 0

Execution Log

- SUITE** 05 Setup Teardown
 - Full Name: 05 Setup Teardown
 - Source: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\05_setup_teardown.robot
 - Start / End / Elapsed: 20260926 22:23:48.047 / 20260926 22:26:13.030 / 00:02:24.983
 - Status: 3 tests total, 3 passed, 0 failed, 0 skipped
 - TEST** Verify Username Field
 - Full Name: 05 Setup Teardown Verify Username Field
 - Start / End / Elapsed: 20260926 22:23:48.324 / 20260926 22:24:28.327 / 00:00:40.003
 - Status: **PASS**
 - SETUP** Open Login Page
 - KEYWORD** SeleniumLibrary Page Should Contain Element id=username
 - TEARDOWN** SeleniumLibrary Close All Browsers
 - TEST** Verify Password Field
 - Full Name: 05 Setup Teardown Verify Password Field
 - Start / End / Elapsed: 20260926 22:24:28.328 / 20260926 22:25:34.896 / 00:01:06.568
 - Status: **PASS**
 - SETUP** Open Login Page
 - KEYWORD** SeleniumLibrary Page Should Contain Element id=password
 - TEARDOWN** SeleniumLibrary Close All Browsers
 - TEST** Verify Login Button
 - Full Name: 05 Setup Teardown Verify Login Button
 - Start / End / Elapsed: 20260926 22:25:34.896 / 20260926 22:26:13.030 / 00:00:38.134
 - Status: **PASS**
 - SETUP** Open Login Page
 - KEYWORD** SeleniumLibrary Page Should Contain Element css=button[type="submit"]
 - TEARDOWN** SeleniumLibrary Close All Browsers

Microsoft Store

[– Exercise 5 – Setup and Teardown – 2]

05 Setup Teardown

Verify Username Field | PASS |

Verify Password Field | PASS |

Verify Login Button | PASS |

05 Setup Teardown | PASS |

3 tests, 3 passed, 0 failed

Output: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\output.xml

Log: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\log.html

Report: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\report.html

12. Exercise 6 · Tags and Test Execution

Tags classify tests and allow selected tests to be included or excluded. Pabot can be used for parallel Robot Framework execution.

*** Test Cases ***

Smoke Test

[Tags] smoke

Log Running Smoke Test

Regression Test

[Tags] regression

Log Running Regression Test

Critical Test

[Tags] critical

Log Running Critical Test

Smoke Login Test

[Tags] smoke login

Log Running Smoke Login Test

robot --include smoke 07_tags.robot

robot --exclude regression 07_tags.robot

robot --include critical 07_tags.robot

pabot --processes 2 07_tags.robot

[– Exercise 6 – Tags and Test Execution]

06 Tags Log

Generated
20260926 22:29:42 UTC+05:30
1 second ago

Statistics

Total Statistics		Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests		2	2	0	0	00:00:00	
Statistics by Tag		Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
login		1	1	0	0	00:00:00	
smoke		2	2	0	0	00:00:00	
Statistics by Suite		Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
06 Tags		2	2	0	0	00:00:00	

Execution Log

SUITE06 Tags

Full Name:

Source:

Start / End / Elapsed:

Status:

06 Tags
C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\06_tags.robot
20260926 22:29:42.003 / 20260926 22:29:42.035 / 00:00:00.032
2 tests total, 2 passed, 0 failed, 0 skipped

TESTSmoke Test

Full Name:

Tags:

Start / End / Elapsed:

Status:

06 Tags.Smoke Test
smoke
20260926 22:29:42.035 / 20260926 22:29:42.035 / 00:00:00.000
PASS

KEYWORDLog

Running Smoke Test

TESTSmoke Login Test

Full Name:

Tags:


Start / End / Elapsed:

Status:

06 Tags.Smoke Login Test
login smoke
20260926 22:29:42.035 / 20260926 22:29:42.035 / 00:00:00.000
PASS

KEYWORDLog

Running Smoke Login Test



13. Exercise 7 · Reports and Logs

Robot Framework generates execution artifacts including output.xml, log.html and report.html. The output directory option can be used to keep the generated files together.

```

*** Settings ***
Library    BuiltIn

*** Test Cases ***
Logging Demonstration
    Log     =====
    Log     Test execution started
    Log     =====
    ${value}=    Evaluate    5 * 6
    Log     Calculated value: ${value}
    Should Be Equal As Integers    ${value}    30
    Log     Calculated value verified successfully
    Log     Test execution completed

mkdir results
robot --outputdir results 08_reports.robot

start .\results\report.html
start .\results\log.html

```

[– Exercise 7 – Reports and Logs]

07 Reports Log

Generated
20260926 22:34:39 UTC+05:30
50 seconds ago

Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	1	1	0	0	00:00:00	

Statistics by Tag	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags						

Statistics by Suite	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
07 Reports	1	1	0	0	00:00:00	

Execution Log

SUITE 07 Reports

Full Name: 07 Reports
Source: C:\Users\adrij\OneDrive\Desktop\Assignment4_RobotFramework\07_reports.robot
Start / End / Elapsed: 20260926 22:34:39.762 / 20260926 22:34:39.794 / 00:00:00.032
Status: 1 test total, 1 passed, 0 failed, 0 skipped

TEST Logging Demonstration

Full Name: 07 Reports.Logging Demonstration
Start / End / Elapsed: 20260926 22:34:39.794 / 20260926 22:34:39.794 / 00:00:00.000
Status: PASS

KEYWORD BuiltIn.Log

=====

KEYWORD BuiltIn.Log

Test execution started

KEYWORD BuiltIn.Log

=====

KEYWORD BuiltIn.Evaluate

5 * 6

KEYWORD BuiltIn.Log

Calculated value: \${value}

KEYWORD BuiltIn.Should Be Equal As Integers

\${value} 30

KEYWORD BuiltIn.Log

Calculated value verified successfully

KEYWORD BuiltIn.Log

Test execution completed

[– Exercise 7 – Reports and Logs – 2]

07 Reports Report

Generated
20260926 22:34:39 UTC+05:30
2 minutes 54 seconds ago

Summary

Status: All tests passed
Start Time: 20260926 22:34:39.762
End Time: 20260926 22:34:39.794
Elapsed Time: 00:00:00.032
Log File: log.html

Statistics

Total Statistics	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
All Tests	1	1	0	0	00:00:00	

Statistics by Tag	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
No Tags						

Statistics by Suite	Total	Pass	Fail	Skip	Elapsed	Pass / Fail / Skip
07 Reports	1	1	0	0	00:00:00	

Details

All Tags Suites Search

Suite:

Test:

Include:

Exclude:

Search Clear Help

15. Result

The Assignment 4 lab work is organized into seven Robot Framework exercise areas covering browser automation, variables and data-driven testing, custom libraries, assertions, test lifecycle management, execution tags, parallel execution, and reporting. Final execution results should be recorded after each exercise has been run successfully.

16. Observation

Robot Framework provides readable keyword-driven syntax and supports reusable libraries. The exercises demonstrate how browser actions, test data, Python functions, assertions, setup/teardown, tags and reporting can be combined in an automation workflow.

17. Conclusion

This assignment provides practical experience with Robot Framework and its supporting libraries. It demonstrates how automated tests can be structured using reusable keywords, externalized variables, custom Python functions, assertions, lifecycle controls, execution filters and generated reports.