

Project Introduction

❖ Purpose

- To make resort booking easy and fast for users.
- To allow users to search resorts anytime and from anywhere.
- To provide complete information like price, images, and facilities.
- To help users compare different resorts before booking.
- To save time by avoiding manual booking and phone calls.
- To give a smooth and user-friendly experience.
- To allow online booking and instant confirmation.
- To help resort owners manage their bookings easily.
- To reduce paperwork and manual work.
- To provide a secure and reliable booking system.

❖ Project Definition

The Online Resort Booking System (H Resort) is a web-based application that allows users to search, view, and book resorts online. The system provides complete information about resorts such as images, prices, location, and available facilities.

Users can easily select their preferred resort and make bookings from anywhere at any time. The website is designed with a simple and user-friendly interface to ensure a smooth experience.

The system also includes an admin panel that helps manage resort details, bookings, and user data efficiently. Overall, this website provides a convenient, fast, and reliable way to book resorts online.

❖ **Objectives**

- To make the resort booking process simple and fast.
- To allow users to search for resorts easily.
- To provide complete information such as price, images, and facilities in one place.
- To help users choose the best resort by comparing different options.
- To enable online booking anytime and from anywhere.
- To provide a smooth and user-friendly experience.
- To reduce manual work and save time.
- To manage bookings and user data efficiently.
- To provide a secure and reliable booking system.
- To improve overall customer satisfaction.

❖ **Actors**

- **User (Customer)**
 - Searches for resorts
 - Views resort details (price, images, facilities)
 - Books resorts online
 - Manages their bookings
- **Admin**
 - Manages resort details (add, update, delete)
 - Manages user data
 - Handles bookings and cancellations
 - Monitors and controls the system

System Overview

❖ **Modules of the website**


- **User Authentication & Security Module**
 - User registration and login
 - Role-based access (User/Admin)
 - Password reset using OTP
 - Profile management and security
- **Resort Catalog & Browsing Module**
 - Search and filter resorts
 - View resort listings and details
 - View images (gallery)
 - View amenities and dining options
- **Booking & Reservation Module**
 - Check room availability
 - Book resorts and select rooms
 - View booking history
 - Manage reservations
- **Payment Module**
 - Online payment process
 - Secure transactions
 - Payment history
- **Customer Engagement Module**
 - Give reviews and ratings
 - View user feedback
 - Add resorts to wishlist
- **Admin Module**
 - Admin login
 - Manage resorts (add, update, delete)
 - Manage users
 - Manage bookings
 - Monitor system
- **Informational Module**
 - About Us page
 - Contact page
 - Terms and policies

❖ **Functionality of each module**


- **User Authentication & Security Module**
 - Allows users to register and login
 - Verifies user identity for security
 - Helps users reset password using OTP
 - Allows users to update profile details
- **Browsing & Search Module**
 - Allows users to search for resorts
 - Shows list of available resorts
 - Displays resort details (rooms, price, images)
 - Shows amenities like food, pool, spa, etc.
- **Booking Module**
 - Checks room availability for selected dates
 - Allows users to book resorts step-by-step
 - Confirms reservation
 - Shows past and upcoming bookings
- **Payment Module**
 - Provides secure online payment
 - Allows users to pay using card or other methods
 - Generates payment confirmation
 - Stores payment history
- **Customer Interaction Module**
 - Allows users to give reviews and ratings
 - Displays feedback from other users
 - Lets users save resorts in wishlist
 - Helps users choose better resorts
- **Admin Module**
 - Allows admin to login
 - Manage resorts, users, and bookings
 - Monitor system performance
 - Manage and control user reviews
- **Information Module**
 - Provides "About Us" information
 - Shows contact details for help
 - Displays terms, policies, and rules

Website Design


Sitemap



Flow of the website




User Workflow



Wireframe Diagrams

Login Page:



A wireframe diagram of a login page. It features a central white card on a light gray background. The card has a title "Welcome Back", a subtitle "Sign in to continue your experience.", and two input fields: "Email Address" with an envelope icon and "Password" with a lock icon and a toggle eye icon. Below the inputs is a black "Sign In" button. At the bottom of the card, there is a link "Forgot Password?" and a link "Don't have an account? Sign up".

Welcome Back

Sign in to continue your experience.

Email Address


Password

Sign In

[Forgot Password?](#)

Don't have an account? [Sign up](#)

Registration Page:



A wireframe diagram of a registration page. It features a central white card on a light gray background. The card has a title "Create Account", a subtitle "Join the experience. It only takes a moment.", and five input fields: "Full Name" with a person icon, "Email Address" with an envelope icon, "Password" with a lock icon and a toggle eye icon, "Confirm Password" with a lock icon and a toggle eye icon, and "Phone Number" with a phone icon. Below the inputs is a black "Create Account →" button. At the bottom of the card, there is a link "Already have an account? Sign in".

Create Account

Join the experience. It only takes a moment.

Full Name

Email Address

Password

Confirm Password

Phone Number

Create Account →

Already have an account? [Sign in](#)

Admin Dashboard:

Admin Panel

Dashboard

Resorts

Bookings

Reviews

Content

Contacts

Users

Logout

Page Title

Short description

Feature Title

Short text

Feature Title

Short text

Feature Title

Short text

Feature Title

Short text

Feature Title

Short text

User manage:

Admin Panel

Dashboard

Resorts

Bookings

Reviews

Content

Contacts

Users

Logout

Page Title

Column	Column	Column	Column	Column	Column
Text	Text	Text	Status	Role	Make Admin
Text	Text	Text	Status	Role	Make User
Text	Text	Text	Status	Role	Make Admin
Text	Text	Text	Status	Role	Make User
Text	Text	Text	Status	Role	Make Admin
Text	Text	Text	Status	Role	Make User

9

Resort Manage:

Admin Panel

Dashboard

Resorts

Bookings

Reviews

Content

Contacts

Users

Logout

Page Title

Add New

Column	Column	Column	Column	Column
Text Text	Text	Text Text	Text	Manage Delete
Text Text	Text	Text Text	Text	Manage Delete
Text Text	Text	Text Text	Text	Manage Delete
Text Text	Text	Text Text	Text	Manage Delete
Text Text	Text	Text Text	Text	Manage Delete
Text Text	Text	Text Text	Text	Manage Delete
Text Text	Text	Text Text	Text	Manage Delete

Booking Manage:

Admin Panel

Dashboard

Resorts

Bookings

Reviews

Content

Contacts

Users

Logout

Bookings Management

Booking ID	Guest	Resort	Dates	Amount	Status	Actions
Text Text	Text Text	Text Text	Text - Text	Text	Text	Button
Text Text	Text Text	Text Text	Text - Text	Text	Text	Button
Text Text	Text Text	Text Text	Text - Text	Text	Text	Button
Text Text	Text Text	Text Text	Text - Text	Text	Text	Button
Text Text	Text Text	Text Text	Text - Text	Text	Text	Button

Contact:

Admin Panel

Dashboard

Resorts

Bookings

Reviews

Content

Contacts

Users

Logout

Messages & Requests

User Name

Text

Message text

Reply

Mark as
Read

Mark as
Replied

Review Manage:

ADMIN PANEL

Dashboard

Resorts

Bookings

Reviews

Content

Contacts

Users

Logout

Page Title

Short description

User Name

email@example.com

★★★★★

Review text

BUTTON

BUTTON

Date / Time

User Name

email@example.com

★★★★★

Review text

BUTTON

BUTTON

Date / Time

User Name

email@example.com

★★★★★

Review text

BUTTON

BUTTON

Date / Time

User Dashboard:

User Panel

Overview

Profile

Security

Bookings

Wishlist

Payments

Logout

Page Title

Short description

View Profile

Card Title

00

Details

Card Title

00

Details

Card Title

00

Details

Card Title

00

Details

Section Title

View All

Status

Card Title

Details

Details

View Booking

Status

Card Title

Details

Details

View Booking

User Profile:

User Panel

Overview

Profile

Security

Bookings

Wishlist

Payments

Logout

Page Title

Short description

Edit Profile

Section Title

Short description

Field Label

Input Text

Field Label

Input Text

Field Label

Input Text

Save Changes

User Security:

User Panel

Overview

Profile

Security

Bookings

Wishlist

Payments

Logout

Page Title

Short description

Book New Stay

Section Title

Short description

Current Password

Input Field

New Password

Input Field

Confirm Password

Input Field

Update Password

User Booking:

User Panel

Overview

Profile

Security

Bookings

Wishlist

Payments

Logout

Page Title

Short description

New Booking

Section Title

Filter

Status

Image placeholder

Resort Name

Location

Date

View Booking

Status

Image placeholder

Resort Name

Location

Date

View Booking

Status

Image placeholder

Resort Name

Location

Date

View Booking

Status

Image placeholder

Resort Name

Location

Date

View Booking

User Wishlist:

14

User Panel

Overview

Profile

Security

Bookings

Wishlist

Payments

Logout

Page Title

Short description

Add New Stay

Section Title

Price

Item Name

Details

Details

View Details

Price

Item Name

Details

Details

View Details

Price

Item Name

Details

Details

View Details

User Payment:

User Panel

Overview

Profile

Security

Bookings

Wishlist

Payments

Logout

Page Title

Short description

Book New Stay

Section Title

Column	Column	Column	Column	Column
Data	Data	Data	Data	Status
Data	Data	Data	Data	Status
Data	Data	Data	Data	Status
Data	Data	Data	Data	Status
Data	Data	Data	Data	Status

Home Page:

15

Email

LOGO

Contact Number

HomeResortsExploreAbout UsContact

SearchLogin

<

BOOK NOW

>

LOCATION

CHECK-IN

CHECK-OUT

GUESTS

CHECK AVAILABILITY

Available Resorts

Price

Resort Name

Location

VIEW RESORT

Price

Resort Name

Location

VIEW RESORT

Price

Resort Name

Location

VIEW RESORT

Experiences

Title

Description

Title

Description

Title

Description

Title

Description


LOGO / DESCRIPTION

CONTACT INFO

EXPLORE LINKS

INFORMATION LINKS

Resort Page:



Search Page:

Find Your Perfect Resort

Search by resort name, city, or state...

Showing all resorts

Resort Name

City, State

Room Types

VIEW DETAILS

Resort Name

City, State

Room Types

VIEW DETAILS

Resort Name

City, State

Room Types

VIEW DETAILS

Resort Name

City, State

Room Types

VIEW DETAILS

Resort Name

City, State

Room Types

VIEW DETAILS

Resort Name

City, State

Room Types

VIEW DETAILS

Resort Details Page:

Email

LOGO

Contact Number

HOME

RESORTS

EXPLORE

ABOUT US

CONTACT

SEARCH

LOGIN

Badge Label

Resort Name

Location

***** (Rating Placeholder)

Show all photos

About The Property

Amenities

All Amenities

LOCATION MAP

Map Placeholder

Available Rooms

Check in

Check out

Date

Date

Room Name

Guests Size

Features

Room Availability

₹ Price

taxes/night

Select Room

Room Name

Guests Size

Features

Room Availability

₹ Price

taxes/night

Select Room

Write your review

Rating

Your review

Text area placeholder...

Submit

Guest reviews

Overall Rating

User Name

Short review text placeholder goes here describing the experience.

LOGO / DESCRIPTION

CONTACT INFO

EXPLORE LINKS

INFORMATION LINKS

Booking Page:

[← Back to Resort](#)

LOGO

Complete Your Booking

Fill in your details to secure your stay

Guest Information

First Name

Enter First Name

Last Name

Enter Last Name

Email Address

Enter Your Email

Phone Number

Enter Your Phone Number

Stay Details

Check-in Date

04 / 19 / 2026

Check-out Date

04 / 20 / 2026

Number of Guests

-

1

+

Requires 1 room out of 5 available.

Important Policies

Cancellation Policy

Free cancellation up to 48 hours before check-in. Cancellations made within 48 hours will incur a 1-night penalty.

Check-in / Check-out

Standard check-in is at 2:00 PM and check-out is at 11:00 AM local time.

Identification Required

A valid government-issued photo ID is required for all guests upon formal check-in.

House Rules

Smoking is strictly prohibited inside the rooms. Damage to property will be billed to your registered payment method.

Enhance Your Stay (Add-on Services)

Buffet Breakfast

Fresh international buffet & live counters

+ Price / day

Add

Premium Lunch

A la carte luxury dining experience

+ Price / day

Add

Gourmet Dinner

Exquisite multi-course evening meals

+ Price / day

Add

Evening BBQ & Bonfire

Private bonfire grilling experience

+ Price

Add

Spa & Wellness Access

Unlimited access to saunas and thermal pools

+ Price flat fee

Add

In-Room Massage Therapy

60-minute full body relaxing massage

+ Price flat fee

Add

Resort Name Placeholder

Room Type Name
City Name

Price Details

Room price x 1 night

Amount

Subtotal

Amount

Taxes & Fees (18%)

Amount

Total

Amount

Proceed to Payment →


Secure Booking

Your payment is processed with secure encryption.


Instant Confirmation

Your booking is instantly confirmed directly with the property.

Payment Page:



Forgot Password:



My Booking Page:

Page Title

Short description

UpcomingPast & Confirm

Status Image Placeholder	Resort Name Location Check-in: DateCheck-out: Date Price Cancel BookingDownload InvoiceView Resort
Status Image Placeholder	Resort Name Location Check-in: DateCheck-out: Date Price Cancel BookingDownload InvoiceView Resort
Status Image Placeholder	Resort Name Location Check-in: DateCheck-out: Date Price Cancel BookingDownload InvoiceView Resort

Add New Password Page:

Reset Password

Enter your new password below.

 New Password




 Confirm Password




Reset Password

Verify OTP Page:

Gallery Page:



Dining Page:



About Page:

Email

HomeResortsExplore▼About UsContact

LOGO

Contact Number

SearchLogin

Our Heritage

Short tagline

Redefining the Art of Travel

Thoughtful stays, calm spaces, and refined service.
Every visit is planned with comfort in mind.

Image Placeholder

The Heart of Our Resorts

Private suites, open views, and attentive hospitality.
Each stay is shaped around ease and warm service.

Button Placeholder

Image Box

Bespoke Details

Personalized luxury services.
Designed for each guest.

Image Box

Private Escapes

Exclusive villas with comfort.
Quiet spaces to unwind.

Image Box

Culinary Mastery

Seasonal dining and crafted menus.
Simple fine service.

Image Box

Holistic Harmony

Spa and wellness services.
Made for balance and rest.

Sustainable Purity

We follow eco-friendly practices across our stays.
Responsible materials and mindful operations guide each property.

Image Placeholder

Image Placeholder

A Global Family

Connecting cultures through luxury.
Our resorts welcome guests with care and shared experiences.

LOGO / DESCRIPTION


CONTACT INFO

EXPLORE LINKS


INFORMATION LINKS

© 2026 Resort | All Rights Reserved

Amenities Page:



Contact Page:



Contact Us

Name

Phone number

Name

Phone number

Name

Phone number

Contact / E-Concierge Form

Select Title

First Name

Last Name

Email Address

Phone Number

Country

Comments


☐ Notify me about special offers

☐ I have read and agree to the Privacy Policy

Submit



Policy Page:



Contact Us

Name
Phone number

Name
Phone number

Name
Phone number

Contact / E-Concierge Form

Select Title ▼

First Name

Last Name

Email Address

Phone Number

Country ▼

Comments

☐ Notify me about special offers

☐ I have read and agree to the Privacy Policy

Submit



Environmental Characteristics

➤ **Hardware Requirements:**

Server-side (Deployment):

- Processor: Intel Core i5 / AMD Ryzen 5 (or equivalent cloud instance).
- RAM: 8 GB minimum (16 GB recommended for high concurrent traffic).
- Storage: 50 GB SSD (Expandable based on database growth and study material uploads).
- Network: High-speed broadband/fiber connection.

Client-side (User End):

- Processor: Dual-Core processor or equivalent mobile CPU.
- RAM: 4 GB minimum.
- Display: Minimum resolution of 1280x720.
- Internet: Stable broadband or 3G/4G data connection (5G recommended).

➤ **Tools and Technologies Used:**

- Frontend Environment: React.js

- Frontend Core: HTML, CSS, JavaScript
- Backend Environment: Node.js
- Backend Framework: Express.js
- Database: MongoDB (NoSQL database)
- Authentication: JSON Web Tokens (JWT)
- Data Handling: Multer (file upload processing for images/documents)

Data Dictionary

1. User (users collection).

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
name	String	-	User full name
email	String	-	User email (unique)
password	String	-	Hashed password
phone	String	-	Contact number
role	String	user	User role (user/admin)
isVerified	Boolean	false	Email verification status
resetToken	String	-	Password reset token
resetTokenExpiry	Date	-	Token expiry date
wishlist	Array(ObjectId)	[]	Saved resort IDs
createdAt	Date	Auto	Creation timestamp
updatedAt	Date	Auto	Last update timestamp

2. Resort (resorts collection).

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
Name	String	-	Resort name
location.city	String	-	City name
location.state	String	-	State name
location.address	String	-	Address
Description	String	-	Resort description
Amenities	Array(String)	[]	General amenities
Images	Array(String)	[]	Image URLs
Rating	Number	0	Average rating
createdAt	Date	Auto	Creation timestamp

2.1. Inside roomTypes Sub-document Array:

Field	Data Type	Default	Description
title	String	-	Room name
description	String	-	Room details
maxGuests	Number	-	Max guests
basePrice	Number	-	Price per night
inventoryCount	Number	-	Available rooms
amenities	Array(String)	[]	Room amenities
categorizedAmenities	Object	[]	Category wise amenities
images	Array(String)	[]	Room images

3. Booking (bookings collection)

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
user	ObjectId	-	User reference
resort	ObjectId	-	Resort reference
roomTypeTitle	String	-	Room type
quantity	Number	-	Rooms booked
checkInDate	Date	-	Check-in date
checkOutDate	Date	-	Check-out date
guestName	String	-	Guest name
guestEmail	String	-	Guest email
guestPhone	String	-	Guest phone
totalGuests	Number	-	Total guests
totalAmount	Number	-	Total amount
addons	Array(Object)	[]	Extra services
status	String	Pending_Payment	Booking status
tempLockExpiresAt	Date	-	Payment expiry lock
createdAt	Date	Auto	Creation timestamp
updatedAt	Date	Auto	Last update timestamp

4. Payment (payment collection)

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
user	ObjectId	-	User reference
booking	ObjectId	-	Booking reference
razorpay_order_id	String	-	Order ID
razorpay_payment_id	String	-	Payment ID
razorpay_signature	String	-	Signature
amount	Number	-	Amount
currency	String	INR	Currency
status	String	Created	Payment status
createdAt	Date	Auto	Creation timestamp
updatedAt	Date	Auto	Last update timestamp

5. Review (reviews collection)

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
user	ObjectId	-	User reference
resort	ObjectId	-	Resort reference
booking	ObjectId	-	Booking reference
rating	Number	-	Rating (1-5)
comment	String	-	Review text
isApproved	Boolean	false	Admin approval
createdAt	Date	Auto	Creation timestamp

6. ExploreContent (explorecontents collection)

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
type	String	-	Content type
title	String	-	Title
description	String	-	Description
imageUrl	String	-	Image URL
createdAt	Date	Auto	Creation timestamp

7. Contact (contacts collection)

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
title	String	-	Mr/Mrs
firstName	String	-	First name
lastName	String	-	Last name
email	String	-	Email
phone	String	-	Phone
country	String	-	Country
comments	String	-	Message
status	String	New	Ticket status
createdAt	Date	Auto	Creation timestamp

8. OTP (otps collection)

Field	Data Type	Default	Description
_id	ObjectId	-	Unique identifier
email	String	-	User email
otp	String	-	OTP code
expiresAt	Date	-	Expiry time

Code Snippets

1. Backend:

File: Server\config\db.js

```
const mongoose = require("mongoose");
const connectDB = async () => {
  try {
    await mongoose.connect(process.env.MONGO_URI, {
      family: 4,
    });
    console.log("MongoDB connected");
  } catch (error) {
    console.log("DB error:", error.message);
  }
};
module.exports = connectDB;
```

File: Server\controllers\bookingController.js

```
const Booking = require("../models/Booking");
const Resort = require("../models/Resort");
const Review = require("../models/Review");
const stayPolicy = require("../utils/stayPolicy");
exports.createDraftBooking = async (req, res) => {
  try {
    const { resortId, roomTypeTitle, quantity, checkInDate, checkOutDate,
      totalGuests, addons, guestName, guestEmail, guestPhone } = req.body;
    const userId = req.user ? req.user.id : req.body.userId;
```



```

if (!userId) return res.status(401).json({ message: "User not authenticated"
});

const checkIn = new Date(checkInDate);
const checkOut = new Date(checkOutDate);
const now = new Date();
const overlappingBookings = await Booking.find({
  resort: resortId,
  roomTypeTitle: roomTypeTitle,
  checkInDate: { $lt: checkOut },
  checkOutDate: { $gt: checkIn },
  $or: [
    { status: "Confirmed" },
    { status: "Pending_Payment", tempLockExpiresAt: { $gt: now } },
  ],
});

const bookedRoomsCount = overlappingBookings.reduce((sum, b) => sum +
b.quantity, 0);

const resort = await Resort.findById(resortId);
if (!resort) return res.status(404).json({ message: "Resort not found" });

const roomTypeParams = resort.roomTypes.find(rt => rt.title ===
roomTypeTitle);

if (!roomTypeParams) return res.status(404).json({ message: "Room type not
found in this resort" });

const availableInventory = roomTypeParams.inventoryCount -
bookedRoomsCount;

if (availableInventory < quantity) {
  return res.status(409).json({

```

message: `Collision Detected! Only \${availableInventory} rooms available.
Someone might have just booked them!`

```

    });
  }

  const nights = (checkOut - checkIn) / (1000 * 60 * 60 * 24);

  let calculatedAmount = roomTypeParams.basePrice * quantity * (nights > 0 ?
nights : 1);

  const parsedAddons = addons || [];

  let addonsTotal = 0;

  parsedAddons.forEach(addon => {
    addonsTotal += (addon.price * (addon.quantity || 1));
  });

  calculatedAmount += addonsTotal;

  const taxes = calculatedAmount * 0.18;

  calculatedAmount += Math.round(taxes);

  const newBooking = new Booking({
    user: userId,
    resort: resortId,
    roomTypeTitle,
    quantity,
    checkInDate: checkIn,
    checkOutDate: checkOut,
    totalGuests,
    totalAmount: calculatedAmount,
    addons: addons || [],
    guestName,
    guestEmail,
  });

```

```

    guestPhone,
    status: "Pending_Payment",
    tempLockExpiresAt: new Date(Date.now() + 10 * 60 * 1000)
  });
  await newBooking.save();
  res.status(201).json({
    success: true,
    message: "Booking temporarily locked for 10 minutes. Please proceed to payment.",
    booking: newBooking
  });
} catch (error) {
  console.error("Checkout Error:", error);
  res.status(500).json({ message: "Server Error during checkout process" });
}
};

exports.getMyBookings = async (req, res) => {
  try {
    const userId = req.user.id;
    const bookings = await Booking.find({
      user: userId,
      status: { $ne: "Pending_Payment" }
    })
      .populate("resort", "name images location")
      .sort({ createdAt: -1 });
    const bookingIds = bookings.map((b) => b._id);

```

```

const reviewRows =
  bookingIds.length === 0
    ? []
    : await Review.find({ booking: { $in: bookingIds } })
      .select("booking isApproved")
      .lean();

const reviewByBooking = new Map(
  reviewRows.map((row) => [String(row.booking), row])
);

const bookingsOut = bookings.map((b) => {
  const plain = b.toObject();
  const rev = reviewByBooking.get(String(b._id));
  plain.hasReview = Boolean(rev);
  plain.reviewPending = Boolean(rev && !rev.isApproved);
  plain.reviewApproved = Boolean(rev && rev.isApproved);
  return plain;
});

res.status(200).json({ success: true, bookings: bookingsOut });
} catch (error) {
  console.error("Error fetching bookings:", error);
  res.status(500).json({ message: "Server Error fetching user bookings" });
}
};

exports.cancelBooking = async (req, res) => {
  try {
    const bookingId = req.params.id;

```

```

const userId = req.user.id;

const booking = await Booking.findOne({ _id: bookingId, user: userId });

if (!booking) {
  return res.status(404).json({ message: "Booking not found or not
authorized." });
}

if (booking.status === "Cancelled") {
  return res.status(400).json({ message: "Booking is already cancelled." });
}

if (stayPolicy.isStayCompletedByCheckoutDate(booking.checkOutDate)) {
  return res.status(400).json({
    message:
      "This stay has already ended (check-out was 11:00 AM on your check-out
day); it cannot be cancelled.",
  });
}

if (stayPolicy.isCheckInStartedByCheckInDate(booking.checkInDate)) {
  return res.status(400).json({
    message:
      "Cancellations are not allowed after check-in time (2:00 PM on check-in
day), per property policy.",
  });
}

if (!stayPolicy.canUserCancelBooking(booking)) {
  return res.status(400).json({ message: "This booking cannot be cancelled."
});
}

```

```

const cancellationPenaltyApplies =
  stayPolicy.isWithin48HoursBeforePolicyCheckIn(booking.checkInDate);
booking.status = "Cancelled";
await booking.save();
res.status(200).json({
  success: true,
  message: "Booking successfully cancelled.",
  cancellationPenaltyApplies,
});
} catch (error) {
  console.error("Error cancelling booking:", error);
  res.status(500).json({ message: "Server Error cancelling the booking." });
}
};

exports.getAllBookings = async (req, res) => {
  try {
    const bookings = await Booking.find()
      .populate("resort", "name location")
      .populate("user", "name email phone")
      .sort({ createdAt: -1 });
    res.status(200).json({ success: true, bookings });
  } catch (error) {
    console.error("Error fetching all bookings for admin:", error);
    res.status(500).json({ message: "Server Error fetching bookings" });
  }
};

```

```

exports.adminUpdateBookingStatus = async (req, res) => {
  try {
    const bookingId = req.params.id;
    const { status } = req.body;
    if (!["Confirmed", "Cancelled", "Pending_Payment",
"Completed"].includes(status)) {
      return res.status(400).json({ message: "Invalid status update" });
    }
    const updateQuery = { $set: { status } };
    if (status === "Confirmed" || status === "Completed" || status ===
"Cancelled") {
      updateQuery.$unset = { tempLockExpiresAt: "" };
    }
    const booking = await Booking.findByIdAndUpdate(bookingId, updateQuery,
{ new: true });
    if (!booking) {
      return res.status(404).json({ message: "Booking not found" });
    }
    res.status(200).json({ success: true, message: `Booking marked as ${status}`,
booking });
  } catch (error) {
    console.error("Error updating booking status:", error);
    res.status(500).json({ message: "Server error updating status" });
  }
};

```

File: Server\controllers\contactController.js

```
const Contact = require("../models/Contact");

exports.submitContactForm = async (req, res) => {
  try {
    const { title, firstName, lastName, email, phone, country, comments } =
req.body;

    const newContact = new Contact({
      title, firstName, lastName, email, phone, country, comments
    });

    await newContact.save();

    res.status(201).json({ success: true, message: "Thank you for contacting us!
We will get back to you shortly." });
  } catch (err) {
    console.error("Error submitting contact:", err);

    res.status(500).json({ success: false, message: "Server error submitting form"
});
  }
};

exports.getContacts = async (req, res) => {
  try {
    const contacts = await Contact.find().sort({ createdAt: -1 });

    res.status(200).json({ success: true, contacts });
  } catch (err) {
    res.status(500).json({ message: "Server error fetching contacts" });
  }
};

exports.updateContactStatus = async (req, res) => {
```



```

try {
  const { id } = req.params;
  const { status } = req.body;
  const contact = await Contact.findByIdAndUpdate(id, { status }, { new: true });
  if (!contact) return res.status(404).json({ message: "Message not found" });
  res.status(200).json({ success: true, contact });
} catch (err) {
  res.status(500).json({ message: "Error updating status" });
}
};

```

File: Server\controllers\exploreController.js

```

const ExploreContent = require("../models/ExploreContent");
exports.getContentByType = async (req, res) => {
  try {
    const { type } = req.query;
    if (!type) return res.status(400).json({ message: "Type query parameter is required" });
    const content = await ExploreContent.find({ type }).sort({ createdAt: -1 });
    res.status(200).json({ success: true, content });
  } catch (error) {
    console.error("Error fetching ExploreContent:", error);
    res.status(500).json({ message: "Server error fetching content" });
  }
};

exports.createContent = async (req, res) => {

```

```

try {
  const { type, title, description } = req.body;
  const imageUrl = req.file ? `/uploads/${req.file.filename}` :
req.body.imageUrl;
  if (!type || !title || !imageUrl) {
    return res.status(400).json({ message: "Missing required fields or image" });
  }
  const newItem = new ExploreContent({ type, title, description, imageUrl });
  await newItem.save();
  res.status(201).json({ success: true, item: newItem });
} catch (error) {
  console.error("Error creating content:", error);
  res.status(500).json({ message: "Server error creating content" });
}
};

exports.deleteContent = async (req, res) => {
  try {
    const item = await ExploreContent.findByIdAndDelete(req.params.id);
    if (!item) return res.status(404).json({ message: "Item not found" });
    res.status(200).json({ success: true, message: "Item deleted successfully" });
  } catch (error) {
    console.error("Error deleting content:", error);
    res.status(500).json({ message: "Server error deleting content" });
  }
};

```

File: Server\controllers\paymentController.js

```

const Razorpay = require("razorpay");
const crypto = require("crypto");
const Booking = require("../models/Booking");
const Payment = require("../models/Payment");
let instance = null;
const razorpayKeyId = "";
const razorpayKeySecret = "";
exports.createOrder = async (req, res) => {
  try {
    const { amount, bookingId } = req.body;
    const userId = req.user ? req.user.id : null;
    if (!userId) return res.status(401).json({ message: "Not authenticated" });
    if (!amount || amount <= 0) {
      return res.status(400).json({ message: "Invalid payment amount" });
    }
    if (!bookingId) {
      return res.status(400).json({ message: "bookingId is required" });
    }
    if (!instance) {
      const mockOrderId = `order MOCK_${Date.now()}`;
      await Payment.create({
        user: userId,
        booking: bookingId,
        razorpay_order_id: mockOrderId,
        amount: Number(amount),

```

```

    status: "Created",
  });
  return res.status(200).json({
    success: true,
    keyId: razorpayKeyId || "",
    order: { id: mockOrderId, amount: Math.round(Number(amount) * 100),
currency: "INR" },
  });
}

const order = await instance.orders.create({
  amount: Math.round(Number(amount) * 100),
  currency: "INR",
  receipt: `receipt_${bookingId}`,
});

await Payment.create({
  user: userId,
  booking: bookingId,
  razorpay_order_id: order.id,
  amount: Number(amount),
  status: "Created",
});

res.status(200).json({
  success: true,
  keyId: razorpayKeyId,
  order,
});

```

```

} catch (error) {
  console.error("Create Order Error:", error);
  const razorpayMessage =
    error?.error?.description ||
    error?.error?.reason ||
    error?.message ||
    "Failed to create razorpay order";
  res.status(500).json({ message: razorpayMessage });
}
};

exports.verifyPayment = async (req, res) => {
  try {
    const { razorpay_order_id, razorpay_payment_id, razorpay_signature,
    bookingId } = req.body;

    const userId = req.user ? req.user.id : null;
    if (!userId) return res.status(401).json({ message: "Not authenticated" });
    if (!bookingId) {
      return res.status(400).json({ message: "bookingId is required" });
    }
    if (razorpay_order_id &&
String(razorpay_order_id).startsWith("order MOCK")) {
      await Payment.findOneAndUpdate(
        { razorpay_order_id },
        { razorpay_payment_id, razorpay_signature, status: "Success" }
      );
      await Booking.findByIdAndUpdate(bookingId, {
        status: "Confirmed",

```

```

    $unset: { tempLockExpiresAt: 1 },
  });

  return res.status(200).json({ success: true, message: "Mock payment
verified and booking confirmed" });
}

const body = `${razorpay_order_id}|${razorpay_payment_id}`;
const expectedSignature = crypto
  .createHmac("sha256", razorpayKeySecret)
  .update(body)
  .digest("hex");

if (expectedSignature !== razorpay_signature) {
  return res.status(400).json({ success: false, message: "Invalid Signature" });
}

await Payment.findOneAndUpdate(
  { razorpay_order_id },
  {
    razorpay_payment_id,
    razorpay_signature,
    status: "Success",
  }
);

await Booking.findByIdAndUpdate(bookingId, {
  status: "Confirmed",
  $unset: { tempLockExpiresAt: 1 },
});

res.status(200).json({ success: true, message: "Payment verified and booking
confirmed" });

```

```

    } catch (error) {
      console.error("Verification Error:", error);
      res.status(500).json({ message: error?.message || "Payment Verification
Failed" });
    }
  };

exports.getMyPayments = async (req, res) => {
  try {
    const userId = req.user.id;
    if (!userId) return res.status(401).json({ message: "Not authenticated" });
    const payments = await Payment.find({ user: userId })
      .populate({
        path: "booking",
        populate: {
          path: "resort",
          select: "name location"
        }
      })
      .sort({ createdAt: -1 });
    res.status(200).json({ success: true, payments });
  } catch (error) {
    console.error("Fetch Payments Error:", error);
    res.status(500).json({ message: "Failed to fetch payments" });
  }
};

```

File: Server\controllers\resortController.js

```

const Resort = require("../models/Resort");
const Booking = require("../models/Booking");
async function getOverlappingBookingsForRange(checkInDate, checkOutDate) {
  const now = new Date();
  return Booking.find({
    checkInDate: { $lt: checkOutDate },
    checkOutDate: { $gt: checkInDate },
    $or: [
      { status: "Confirmed" },
      { status: "Pending_Payment", tempLockExpiresAt: { $gt: now } },
    ],
  });
}

function attachAvailabilityToRoomTypes(resortDoc, overlappingBookings) {
  const rid = resortDoc._id.toString();
  const plain = resortDoc.toObject();
  plain.roomTypes = plain.roomTypes.map((room) => {
    const bookedRoomsCount = overlappingBookings
      .filter(
        (b) =>
          b.resort.toString() === rid && b.roomTypeTitle === room.title
      )
      .reduce((sum, b) => sum + b.quantity, 0);

    const availableInventory = Math.max(0, room.inventoryCount -
      bookedRoomsCount);
  });
}

```



```

    return { ...room, availableInventory, bookedRoomsCount };
  });
  return plain;
}

exports.getAllResorts = async (req, res) => {
  try {
    const resorts = await Resort.find().sort({ _id: -1 });
    res.json(resorts);
  } catch (err) {
    res.status(500).json({ message: "Error fetching resorts" });
  }
};

exports.searchResorts = async (req, res) => {
  try {
    const { checkIn, checkOut, guests, rooms } = req.query;
    if (!checkIn || !checkOut || !guests || !rooms) {
      const resorts = await Resort.find().sort({ _id: -1 });
      return res.json(resorts);
    }
    const checkInDate = new Date(checkIn);
    const checkOutDate = new Date(checkOut);
    if (checkOutDate <= checkInDate) {
      checkOutDate.setDate(checkInDate.getDate() + 1);
    }
    const roomsNeeded = parseInt(rooms);
    const guestsNeeded = parseInt(guests);

```

```

const overlappingBookings = await getOverlappingBookingsForRange(
  checkInDate,
  checkOutDate
);

const resorts = await Resort.find();
const availableResorts = [];
for (const resort of resorts) {
  let filteredRoomTypes = [];
  for (const room of resort.roomTypes) {
    const requiredCapacityPerRoom = Math.ceil(guestsNeeded /
roomsNeeded);
    if (room.maxGuests >= requiredCapacityPerRoom) {
      const bookedRoomsCount = overlappingBookings
        .filter(b => b.resort.toString() === resort._id.toString() &&
b.roomTypeTitle === room.title)
        .reduce((sum, b) => sum + b.quantity, 0);
      const availableInventory = room.inventoryCount - bookedRoomsCount;
      if (availableInventory >= roomsNeeded) {
        const nights = (checkOutDate - checkInDate) / (1000 * 60 * 60 * 24);
        filteredRoomTypes.push({
          ...room.toObject(),
          availableInventory,
          calculatedTotalPrice: room.basePrice * roomsNeeded * nights
        });
      }
    }
  }
}

```

```

    if (filteredRoomTypes.length > 0) {
      const resortData = resort.toObject();
      resortData.roomTypes = filteredRoomTypes;
      availableResorts.push(resortData);
    }
  }
  res.json(availableResorts);
} catch (err) {
  console.error("Search Error:", err);
  res.status(500).json({ message: "Error searching for available resorts" });
}
};

exports.getResortById = async (req, res) => {
  try {
    const { id } = req.params;
    const { checkIn, checkOut } = req.query;
    const resort = await Resort.findById(id);
    if (!resort) {
      return res.status(404).json({ message: "Resort not found" });
    }
    if (checkIn && checkOut) {
      const checkInDate = new Date(checkIn);
      const checkOutDate = new Date(checkOut);
      if (Number.isNaN(checkInDate.getTime()) ||
        Number.isNaN(checkOutDate.getTime())) {
        return res.status(400).json({ message: "Invalid checkIn or checkOut" });
      }
    }
  }
}

```

```

    }
    if (checkOutDate <= checkInDate) {
      checkOutDate.setDate(checkInDate.getDate() + 1);
    }
    const overlappingBookings = await getOverlappingBookingsForRange(
      checkInDate,
      checkOutDate
    );
    return res.json(attachAvailabilityToRoomTypes(resort,
      overlappingBookings));
  }
  res.json(resort);
} catch (err) {
  console.error("Error fetching resort by id:", err);
  res.status(500).json({ message: "Error fetching resort details" });
}
};

exports.createResort = async (req, res) => {
  try {
    const payload = req.body;
    let images = [];
    if (req.files) {
      if (req.files.coverImage && req.files.coverImage.length > 0) {
        images.push(`/uploads/${req.files.coverImage[0].filename}`);
      }
      if (req.files.galleryImages && req.files.galleryImages.length > 0) {

```

```

    req.files.galleryImages.forEach(file => {
      images.push(`/uploads/${file.filename}`);
    });
  }
}

let roomTypes = [];
if (payload.basePrice) {
  roomTypes = [{
    title: "Standard Room",
    maxGuests: 4,
    basePrice: Number(payload.basePrice),
    inventoryCount: Number(payload.inventory) || 5
  }];
}

const resortData = {
  name: payload.name,
  location: { city: payload.city },
  description: payload.description || "",
  amenities: payload.amenities ?
payload.amenities.split(/[,\\n]+/).map(s=>s.trim()).filter(Boolean) : [],
  images: images,
  roomTypes: roomTypes
};

const newResort = new Resort(resortData);
await newResort.save();
res.status(201).json({ success: true, resort: newResort });

```

```

    } catch (err) {
      console.error("Error creating resort:", err);
      res.status(500).json({ message: "Error creating resort" });
    }
  };

  exports.updateResort = async (req, res) => {
    try {
      const updatedResort = await Resort.findByIdAndUpdate(req.params.id,
        req.body, { new: true });
      if (!updatedResort) return res.status(404).json({ message: "Resort not found"
    });
      res.status(200).json({ success: true, resort: updatedResort });
    } catch (err) {
      console.error("Error updating resort:", err);
      res.status(500).json({ message: "Error updating resort" });
    }
  };

  exports.deleteResort = async (req, res) => {
    try {
      const deletedResort = await Resort.findByIdAndDelete(req.params.id);
      if (!deletedResort) return res.status(404).json({ message: "Resort not found"
    });
      res.status(200).json({ success: true, message: "Resort deleted successfully"
    });
    } catch (err) {
      console.error("Error deleting resort:", err);
    }
  }

```

```

};

exports.addRoomType = async (req, res) => {
  try {
    const resortId = req.params.id;
    const roomData = req.body;
    if (req.files && req.files.length > 0) {
      roomData.images = req.files.map(file => `/uploads/${file.filename}`);
    } else {
      roomData.images = [];
    }

    if (roomData.basePrice) roomData.basePrice =
      Number(roomData.basePrice);

    if (roomData.inventoryCount) roomData.inventoryCount =
      Number(roomData.inventoryCount);

    if (roomData.maxGuests) roomData.maxGuests =
      Number(roomData.maxGuests);

    if (roomData.amenities && typeof roomData.amenities === 'string') {
      roomData.amenities =
        roomData.amenities.split(/[,\\n]+/).map(s=>s.trim()).filter(Boolean);
    }

    const resort = await Resort.findById(resortId);
    if (!resort) return res.status(404).json({ message: "Resort not found" });
    resort.roomTypes.push(roomData);
    await resort.save();
    res.status(201).json({ success: true, message: "Room added", resort });
  } catch (err) {
    console.error("Error adding room:", err);
  }
}

```

```

    res.status(500).json({ message: "Error adding room" });
  }
};

exports.removeRoomType = async (req, res) => {
  try {
    const { id: resortId, roomId } = req.params;
    const resort = await Resort.findById(resortId);
    if (!resort) return res.status(404).json({ message: "Resort not found" });
    resort.roomTypes = resort.roomTypes.filter(r => r._id.toString() !== roomId);
    await resort.save();
    res.status(200).json({ success: true, message: "Room removed", resort });
  } catch (err) {
    console.error("Error removing room:", err);
    res.status(500).json({ message: "Error removing room" });
  }
};

exports.updateRoomType = async (req, res) => {
  try {
    const { id: resortId, roomId } = req.params;
    const bodyArgs = req.body || {};
    const resort = await Resort.findById(resortId);
    if (!resort) return res.status(404).json({ message: "Resort not found" });
    const room = resort.roomTypes.id(roomId);
    if (!room) return res.status(404).json({ message: "Room not found" });
    if (bodyArgs.amenities !== undefined) {
      if (typeof bodyArgs.amenities === 'string') {

```



```

    room.amenities =
bodyArgs.amenities.split(/[,\\n]+/).map(s=>s.trim()).filter(Boolean);
    } else if (Array.isArray(bodyArgs.amenities)) {
        room.amenities = bodyArgs.amenities;
    }
}
await resort.save();
res.json({ success: true, message: "Room updated", resort });
} catch (err) {
    console.error("Error updating room:", err);
    res.status(500).json({ message: "Error updating room" });
}
};

```

File: Server\controllers\reviewController.js

```

const mongoose = require("mongoose");
const Review = require("../models/Review");
const Booking = require("../models/Booking");
const Resort = require("../models/Resort");
const stayPolicy = require("../utils/stayPolicy");
async function syncResortRatingFromApprovedReviews(resortId) {
    const agg = await Review.aggregate([
        {
            $match: {
                resort: new mongoose.Types.ObjectId(resortId),
                isApproved: true,
            }
        }
    ]);
}

```

```

    },
  },
  { $group: { _id: null, avgRating: { $avg: "$rating" } } },
]);
if (agg[0]?.avgRating !== null) {
  const rounded = Math.round(agg[0].avgRating * 10) / 10;
  await Resort.findByIdAndUpdate(resortId, { rating: rounded });
} else {
  await Resort.findByIdAndUpdate(resortId, { rating: 0 });
}
}

exports.createReview = async (req, res) => {
  try {
    const userId = req.user.id;
    const { bookingId, rating, comment } = req.body;
    if (!bookingId || rating === undefined || rating === null || !comment) {
      return res.status(400).json({
        message: "bookingId, rating, and comment are required",
      });
    }
    const r = Number(rating);
    if (!Number.isInteger(r) || r < 1 || r > 5) {
      return res.status(400).json({ message: "Rating must be a whole number from 1 to 5" });
    }
    const text = String(comment).trim();

```

```

    if (text.length < 3) {
        return res.status(400).json({ message: "Comment must be at least 3
characters" });
    }
    if (text.length > 2000) {
        return res.status(400).json({ message: "Comment is too long (max 2000
characters)" });
    }
    const booking = await Booking.findOne({ _id: bookingId, user: userId });
    if (!booking) {
        return res.status(404).json({ message: "Booking not found" });
    }
    if (booking.status !== "Confirmed") {
        return res.status(400).json({
            message: "Only confirmed stays can be reviewed after check-out",
        });
    }
    if (!stayPolicy.isStayCompletedByCheckoutDate(booking.checkOutDate)) {
        return res.status(400).json({
            message:
                "You can leave a review after check-out (11:00 AM on your check-out
day), per property policy",
        });
    }
    const duplicate = await Review.findOne({ booking: bookingId });
    if (duplicate) {

```

```

    return res.status(400).json({ message: "You have already submitted a review
for this stay" });
  }
  await Review.create({
    user: userId,
    resort: booking.resort,
    booking: bookingId,
    rating: r,
    comment: text,
    isApproved: false,
  });
  res.status(201).json({
    success: true,
    message:
      "Thank you! Your review was sent for approval. It will appear after an
admin confirms it.",
  });
} catch (err) {
  if (err.code === 11000) {
    return res.status(400).json({ message: "You have already submitted a review
for this stay" });
  }
  console.error("createReview:", err);
  res.status(500).json({ message: "Could not submit review" });
}
};

exports.getReviewEligibility = async (req, res) => {

```

```
try {
  const userId = req.user.id;
  const { resortId } = req.params;
  if (!mongoose.Types.ObjectId.isValid(resortId)) {
    return res.status(400).json({ message: "Invalid resort id" });
  }
  const bookings = await Booking.find({
    user: userId,
    resort: resortId,
    status: "Confirmed",
  })
    .sort({ checkOutDate: -1 })
    .lean();
  let anyPending = false;
  for (const b of bookings) {
    if (!stayPolicy.isStayCompletedByCheckoutDate(b.checkOutDate)) continue;
    const rev = await Review.findOne({ booking: b._id
  }).select("isApproved").lean();
    if (!rev) {
      return res.json({
        eligible: true,
        bookingId: String(b._id),
        pendingReview: false,
      });
    }
    if (rev.isApproved === false) anyPending = true;
  }
}
```

```

    }
    if (anyPending) {
      return res.json({ eligible: false, pendingReview: true, bookingId: null });
    }
    res.json({ eligible: false, pendingReview: false, bookingId: null });
  } catch (err) {
    console.error("getReviewEligibility:", err);
    res.status(500).json({ message: "Could not check review eligibility" });
  }
};

exports.getReviewsByResort = async (req, res) => {
  try {
    const { resortId } = req.params;
    if (!mongoose.Types.ObjectId.isValid(resortId)) {
      return res.status(400).json({ message: "Invalid resort id" });
    }
    const reviews = await Review.find({ resort: resortId, isApproved: true })
      .populate("user", "name")
      .sort({ createdAt: -1 })
      .lean();
    const agg = await Review.aggregate([
      {
        $match: {
          resort: new mongoose.Types.ObjectId(resortId),
          isApproved: true,
        },
      },
    ],

```

```

    },
    {
      $group: {
        _id: null,
        avgRating: { $avg: "$rating" },
        count: { $sum: 1 },
      },
    },
  ]);

const summary = agg[0] || { avgRating: null, count: 0 };
const avg =
  summary.count > 0 ? Math.round(summary.avgRating * 10) / 10 : null;
res.json({
  success: true,
  reviews: reviews.map((rev) => ({
    _id: rev._id,
    rating: rev.rating,
    comment: rev.comment,
    createdAt: rev.createdAt,
    userName: rev.user?.name || "Guest",
  })),
  averageRating: avg,
  reviewCount: summary.count,
});
} catch (err) {
  console.error("getReviewsByResort:", err);
}

```

```
res.status(500).json({ message: "Could not load reviews" });
}
};

exports.listPendingReviews = async (req, res) => {
  try {
    const list = await Review.find({ isApproved: false })
      .populate("user", "name email")
      .populate("resort", "name")
      .sort({ createdAt: -1 })
      .lean();
    res.json({
      success: true,
      reviews: list.map((r) => ({
        _id: r._id,
        rating: r.rating,
        comment: r.comment,
        createdAt: r.createdAt,
        userName: r.user?.name || "Guest",
        userEmail: r.user?.email || "",
        resortName: r.resort?.name || "Resort",
        resortId: r.resort?._id,
        bookingId: r.booking,
      })),
    });
  } catch (err) {
    console.error("listPendingReviews:", err);
  }
}
```



```

    res.status(500).json({ message: "Could not load pending reviews" });
  }
};

exports.approveReview = async (req, res) => {
  try {
    const { reviewId } = req.params;
    if (!mongoose.Types.ObjectId.isValid(reviewId)) {
      return res.status(400).json({ message: "Invalid review id" });
    }
    const review = await Review.findById(reviewId);
    if (!review) {
      return res.status(404).json({ message: "Review not found" });
    }
    if (review.isApproved) {
      return res.status(400).json({ message: "Review is already approved" });
    }
    review.isApproved = true;
    await review.save();
    await syncResortRatingFromApprovedReviews(review.resort);
    res.json({ success: true, message: "Review approved and published" });
  } catch (err) {
    console.error("approveReview:", err);
    res.status(500).json({ message: "Could not approve review" });
  }
};

exports.rejectReview = async (req, res) => {

```

```

try {
  const { reviewId } = req.params;
  if (!mongoose.Types.ObjectId.isValid(reviewId)) {
    return res.status(400).json({ message: "Invalid review id" });
  }
  const review = await Review.findById(reviewId);
  if (!review) {
    return res.status(404).json({ message: "Review not found" });
  }
  if (review.isApproved) {
    return res.status(400).json({ message: "Cannot reject an already published review" });
  }
  const resortId = review.resort;
  await Review.deleteOne({ _id: reviewId });
  await syncResortRatingFromApprovedReviews(resortId);
  res.json({ success: true, message: "Review rejected and removed" });
} catch (err) {
  console.error("rejectReview:", err);
  res.status(500).json({ message: "Could not reject review" });
}
};

```

File: Server\middleware\adminMiddleware.js

```

function adminMiddleware(req, res, next) {
  if (!req.user || req.user.role !== "admin") {

```

```

    return res.status(403).json({ message: "Admin access required" });
  }
  next();
}
module.exports = { adminMiddleware };

```

File: Server\middleware\authMiddleware.js

```

const jwt = require("jsonwebtoken");
function getJwtSecret() {
  const raw = process.env.JWT_SECRET;
  if (raw == null || raw === "") return "";
  return String(raw).trim();
}
function authMiddleware(req, res, next) {
  const secret = getJwtSecret();
  if (!secret) {
    console.error("[auth] JWT_SECRET is missing — add it to Server/.env and restart the server.");
    return res.status(500).json({
      message: "Server misconfiguration: JWT_SECRET is not set",
    });
  }
  const authHeader = req.headers.authorization;
  if (!authHeader || typeof authHeader !== "string") {
    return res.status(401).json({ message: "Unauthorized" });
  }
}

```

```
const trimmed = authHeader.trim();
const parts = trimmed.split(/\s+/);
const token =
  parts.length === 2 && parts[0].toLowerCase() === "bearer"
    ? parts[1].trim()
    : trimmed.startsWith("Bearer ")
      ? trimmed.slice(7).trim()
      : null;
if (!token) {
  return res.status(401).json({ message: "Unauthorized" });
}
try {
  const decoded = jwt.verify(token, secret);
  req.user = decoded;
  next();
} catch (err) {
  if (err.name === "TokenExpiredError") {
    return res.status(401).json({
      message: "Session expired. Please login again.",
    });
  }
  return res.status(401).json({ message: "Invalid token" });
}
}
module.exports = { authMiddleware, getJwtSecret };
```

File: Server\middleware\uploadMiddleware.js

```
const multer = require('multer');
const path = require('path');
const fs = require('fs');
const uploadDir = path.join(__dirname, '../uploads');
if (!fs.existsSync(uploadDir)) {
  fs.mkdirSync(uploadDir, { recursive: true });
}
const storage = multer.diskStorage({
  destination: function (req, file, cb) {
    cb(null, uploadDir);
  },
  filename: function (req, file, cb) {
    const uniqueSuffix = Date.now() + '-' + Math.round(Math.random() * 1E9);
    cb(null, file.fieldname + '-' + uniqueSuffix + path.extname(file.originalname));
  }
});
const fileFilter = (req, file, cb) => {
  if (file.mimetype.startsWith('image/')) {
    cb(null, true);
  } else {
    cb(new Error('Only image files are allowed!'), false);
  }
};
const upload = multer({
  storage: storage,
```

```

fileFilter: fileFilter,
limits: {
  fileSize: 10 * 1024 * 1024
}
});
module.exports = upload;

```

File: Server\models\Booking.js

```

const mongoose = require("mongoose");
const bookingSchema = new mongoose.Schema({
  user: { type: mongoose.Schema.Types.ObjectId, ref: "User", required: true },
  resort: { type: mongoose.Schema.Types.ObjectId, ref: "Resort", required: true },
  roomTypeTitle: { type: String, required: true },
  quantity: { type: Number, required: true },
  checkInDate: { type: Date, required: true },
  checkOutDate: { type: Date, required: true },
  guestName: { type: String },
  guestEmail: { type: String },
  guestPhone: { type: String },
  totalGuests: { type: Number, required: true },
  totalAmount: { type: Number, required: true },
  addons: [{
    title: { type: String, required: true },
    price: { type: Number, required: true },
    quantity: { type: Number, default: 1 }
  ]
});

```

```

  }},
  status: {
    type: String,
    enum: ["Draft", "Pending_Payment", "Confirmed", "Cancelled", "Expired",
"Completed"],
    default: "Pending_Payment",
  },
  tempLockExpiresAt: { type: Date },
}, { timestamps: true });
bookingSchema.index({ tempLockExpiresAt: 1 }, { expireAfterSeconds: 0 });
module.exports = mongoose.model("Booking", bookingSchema);

```

File: Server\models\Contact.js

```

const mongoose = require("mongoose");
const contactSchema = new mongoose.Schema({
  title: { type: String, required: true },
  firstName: { type: String, required: true },
  lastName: { type: String, required: true },
  email: { type: String, required: true },
  phone: { type: String, required: true },
  country: { type: String, required: true },
  comments: { type: String, required: true },
  status: { type: String, enum: ["New", "Read", "Replied"], default: "New" },
}, { timestamps: true });
module.exports = mongoose.model("Contact", contactSchema);

```

File: Server\models\ExploreContent.js

```
const mongoose = require("mongoose");

const exploreContentSchema = new mongoose.Schema({
  type: {
    type: String,
    enum: ["amenity", "dining", "gallery"],
    required: true,
  },
  title: {
    type: String,
    required: true,
  },
  description: {
    type: String,
  },
  imageUrl: {
    type: String,
    required: true,
  },
  createdAt: {
    type: Date,
    default: Date.now,
  },
});

module.exports = mongoose.model("ExploreContent",
exploreContentSchema);
```


File: Server\models\otp.js

```
const mongoose = require("mongoose");
const otpSchema = new mongoose.Schema({
  email: String,
  otp: String,
  expiresAt: Date,
});
module.exports = mongoose.model("OTP", otpSchema);
```

File: Server\models\Payment.js

```
const mongoose = require("mongoose");
const paymentSchema = new mongoose.Schema({
  user: { type: mongoose.Schema.Types.ObjectId, ref: "User", required: true },
  booking: { type: mongoose.Schema.Types.ObjectId, ref: "Booking", required: true },
  razorpay_order_id: { type: String, required: true },
  razorpay_payment_id: { type: String },
  razorpay_signature: { type: String },
  amount: { type: Number, required: true },
  currency: { type: String, default: "INR" },
  status: {
    type: String,
    enum: ["Created", "Success", "Failed", "Refunded"],
    default: "Created",
  },
},
```

```

}, { timestamps: true });
module.exports = mongoose.model("Payment", paymentSchema);

```

File: Server\models\Resort.js

```

const mongoose = require("mongoose");
const roomTypeSchema = new mongoose.Schema({
  title: { type: String, required: true },
  description: { type: String },
  maxGuests: { type: Number, required: true },
  basePrice: { type: Number, required: true },
  inventoryCount: { type: Number, required: true },
  amenities: [{ type: String }],
  categorizedAmenities: [
    {
      category: String,
      items: [String]
    }
  ],
  images: [{ type: String }],
});
const resortSchema = new mongoose.Schema({
  name: {
    type: String,
    required: true,
  },
  location: {

```

```
    city: String,
    state: String,
    address: String,
  },
  description: {
    type: String,
  },
  amenities: [
    {
      type: String,
    },
  ],
  images: [
    {
      type: String,
    },
  ],
  rating: {
    type: Number,
    default: 0,
  },
  roomTypes: [roomTypeSchema],
  createdAt: {
    type: Date,
    default: Date.now,
  },
},
```

```
});  
module.exports = mongoose.model("Resort", resortSchema);
```

File: Server\models\Review.js

```
const mongoose = require("mongoose");  
const reviewSchema = new mongoose.Schema({  
  user: { type: mongoose.Schema.Types.ObjectId, ref: "User", required: true },  
  resort: { type: mongoose.Schema.Types.ObjectId, ref: "Resort", required: true  
},  
  booking: {  
    type: mongoose.Schema.Types.ObjectId,  
    ref: "Booking",  
    required: true,  
    unique: true,  
  },  
  rating: {  
    type: Number,  
    required: true,  
    min: 1,  
    max: 5,  
  },  
  comment: {  
    type: String,  
    required: true,  
  },  
  isApproved: {
```

```
    type: Boolean,  
    default: false,  
  },  
}, { timestamps: true });  
module.exports = mongoose.model("Review", reviewSchema);
```

File: Server\models\User.js

```
const mongoose = require("mongoose");  
const userSchema = new mongoose.Schema(  
  {  
    name: {  
      type: String,  
      required: true,  
      trim: true,  
    },  
    email: {  
      type: String,  
      unique: true,  
      required: true,  
      lowercase: true,  
      trim: true,  
    },  
    password: {  
      type: String,  
      required: true,  
    },  
  },
```

```
    phone: {
      type: String,
    },
    role: {
      type: String,
      default: "user",
    },
    isVerified: {
      type: Boolean,
      default: false,
    },
    resetToken: String,
    resetTokenExpiry: Date,
    wishlist: [{
      type: mongoose.Schema.Types.ObjectId,
      ref: "Resort"
    }],
  },
  { timestamps: true }
);
module.exports = mongoose.model("User", userSchema);
```

File: Server\package.json

```
{
  "name": "server",
  "version": "1.0.0",
```

```
"description": "",  
"main": "server.js",  
"scripts": {  
  "start": "node server.js",  
  "dev": "nodemon server.js"  
},  
"keywords": [],  
"author": "",  
"license": "ISC",  
"type": "commonjs",  
"dependencies": {  
  "bcryptjs": "^3.0.3",  
  "cors": "^2.8.6",  
  "dotenv": "^17.3.1",  
  "express": "^5.2.1",  
  "jsonwebtoken": "^9.0.3",  
  "mongoose": "^9.3.1",  
  "multer": "^2.1.1",  
  "nodemailer": "^8.0.4",  
  "razorpay": "^2.9.6"  
},  
"devDependencies": {  
  "nodemon": "^3.1.14"  
}  
}
```

File: Server\routes\bookingRoutes.js

```
const express = require("express");
const router = express.Router();
const bookingController = require("../controllers/bookingController");
const { authMiddleware } = require("../middleware/authMiddleware");
const { adminMiddleware } = require("../middleware/adminMiddleware");
router.post("/checkout", authMiddleware,
bookingController.createDraftBooking);
router.get("/my-bookings", authMiddleware,
bookingController.getMyBookings);
router.put("/cancel/:id", authMiddleware, bookingController.cancelBooking);
router.get("/admin/all", authMiddleware, adminMiddleware,
bookingController.getAllBookings);
router.put("/admin/:id/status", authMiddleware, adminMiddleware,
bookingController.adminUpdateBookingStatus);
module.exports = router;
```

File: Server\routes\contactRoutes.js

```
const express = require("express");
const router = express.Router();
const contactController = require("../controllers/contactController");
const { authMiddleware } = require("../middleware/authMiddleware");
const { adminMiddleware } = require("../middleware/adminMiddleware");
router.post("/", contactController.submitContactForm);
router.get("/admin", authMiddleware, adminMiddleware,
contactController.getContacts);
router.put("/admin/:id", authMiddleware, adminMiddleware,
contactController.updateContactStatus);
```



```
module.exports = router;
```

File: Server\routes\exploreRoutes.js

```
const express = require("express");
const router = express.Router();
const exploreController = require("../controllers/exploreController");
const { authMiddleware } = require("../middleware/authMiddleware");
const { adminMiddleware } = require("../middleware/adminMiddleware");
const upload = require("../middleware/uploadMiddleware");
router.get("/", exploreController.getContentByType);
router.post("/admin", authMiddleware, adminMiddleware,
upload.single("image"), exploreController.createContent);
router.delete("/admin/:id", authMiddleware, adminMiddleware,
exploreController.deleteContent);
module.exports = router;
```

File: Server\routes\paymentRoutes.js

```
const express = require("express");
const router = express.Router();
const paymentController = require("../controllers/paymentController");
const { authMiddleware } = require("../middleware/authMiddleware");
router.post("/create-order", authMiddleware, paymentController.createOrder);
router.post("/verify-payment", authMiddleware,
paymentController.verifyPayment);
router.get("/my-payments", authMiddleware,
paymentController.getMyPayments);
module.exports = router;
```

File: Server\routes\resortRoutes.js

```

const express = require("express");
const router = express.Router();
const resortController = require("../controllers/resortController");
const { authMiddleware } = require("../middleware/authMiddleware");
const { adminMiddleware } = require("../middleware/adminMiddleware");
const upload = require("../middleware/uploadMiddleware");
router.get("/", resortController.searchResorts);
router.get("/:id", resortController.getResortById);
router.post("/admin", authMiddleware, adminMiddleware, upload.fields([
  { name: 'coverImage', maxCount: 1 }, { name: 'galleryImages', maxCount: 15 }]),
  resortController.createResort);
router.put("/admin/:id", authMiddleware, adminMiddleware,
  resortController.updateResort);
router.delete("/admin/:id", authMiddleware, adminMiddleware,
  resortController.deleteResort);
router.post("/admin/:id/rooms", authMiddleware, adminMiddleware,
  upload.array('roomImages', 5), resortController.addRoomType);
router.put("/admin/:id/rooms/:roomId", authMiddleware, adminMiddleware,
  resortController.updateRoomType);
router.delete("/admin/:id/rooms/:roomId", authMiddleware,
  adminMiddleware, resortController.removeRoomType);
module.exports = router;

```

File: Server\routes\reviewRoutes.js

```

const express = require("express");
const router = express.Router();

```

```
const { authMiddleware } = require("../middleware/authMiddleware");
const { adminMiddleware } = require("../middleware/adminMiddleware");
const reviewController = require("../controllers/reviewController");
router.get("/resort/:resortId", reviewController.getReviewsByResort);
router.get(
  "/eligibility/:resortId",
  authMiddleware,
  reviewController.getReviewEligibility
);
router.post("/", authMiddleware, reviewController.createReview);
router.get(
  "/admin/pending",
  authMiddleware,
  adminMiddleware,
  reviewController.listPendingReviews
);
router.patch(
  "/admin/:reviewId/approve",
  authMiddleware,
  adminMiddleware,
  reviewController.approveReview
);
router.delete(
  "/admin/:reviewId",
  authMiddleware,
  adminMiddleware,
```

```

    reviewController.rejectReview
  );
  module.exports = router;

```

File: Server\routes\userRoutes.js

```

const express = require("express");
const router = express.Router();
const bcrypt = require("bcryptjs");
const User = require("../models/User");
const nodemailer = require("nodemailer");
const crypto = require("crypto");
const jwt = require("jsonwebtoken");
const OTP = require("../models/otp");
const { getJwtSecret } = require("../middleware/authMiddleware");
const transporter = nodemailer.createTransport({
  service: "Gmail",
  auth: {
    user: process.env.EMAIL_USER,
    pass: process.env.EMAIL_PASS,
  },
});
router.post("/register", async (req, res) => {
  try {
    const { name, email, password, phone } = req.body;
    const existingUser = await User.findOne({ email });
    if (existingUser) {

```

```
    return res.status(400).json({ message: "User already exists" });
  }
  const hashedPassword = await bcrypt.hash(password, 10);
  const newUser = new User({
    name,
    email,
    password: hashedPassword,
    phone,
    role: "user",
    isVerified: false,
  });
  await newUser.save();
  const otp = Math.floor(100000 + Math.random() * 900000).toString();
  await OTP.deleteMany({ email });
  await OTP.create({
    email,
    otp,
    expiresAt: new Date(Date.now() + 5 * 60 * 1000),
  });
  await transporter.sendMail({
    to: email,
    subject: "OTP Verification",
    text: `Your OTP is ${otp}`,
  });
  res.json({ message: "OTP sent" });
} catch {
```

```
    res.status(500).json({ message: "Error registering user" });
  }
});

router.post("/verify-otp", async (req, res) => {
  const { email, otp } = req.body;
  const record = await OTP.findOne({ email, otp });
  if (!record) {
    return res.status(400).json({ message: "Invalid OTP" });
  }
  if (record.expiresAt < new Date()) {
    return res.status(400).json({ message: "OTP expired" });
  }
  await User.updateOne({ email }, { isVerified: true });
  await OTP.deleteMany({ email });
  res.json({ message: "Verified successfully" });
});

router.post("/resend-otp", async (req, res) => {
  try {
    const { email } = req.body;
    const user = await User.findOne({ email });
    if (!user) {
      return res.status(400).json({ message: "User not found" });
    }
    if (user.isVerified) {
      return res.status(400).json({ message: "Already verified" });
    }
  }
});
```

```

const otp = Math.floor(100000 + Math.random() * 900000).toString();
await OTP.deleteMany({ email });
await OTP.create({
  email,
  otp,
  expiresAt: new Date(Date.now() + 5 * 60 * 1000),
});
await transporter.sendMail({
  to: email,
  subject: "Resend OTP",
  text: `Your OTP is ${otp}`,
});
res.json({ message: "OTP resent" });
} catch {
  res.status(500).json({ message: "Error resending OTP" });
}
});
router.post("/login", async (req, res) => {
  try {
    const { email, password } = req.body;
    const user = await User.findOne({ email });
    if (!user) {
      return res.status(401).json({ message: "Invalid email or password" });
    }
    if (!user.isVerified) {
      return res.status(400).json({

```

```

    message: "Please verify OTP first",
  });
}
const isMatch = await bcrypt.compare(password, user.password);
if (!isMatch) {
  return res.status(401).json({ message: "Invalid email or password" });
}
const secret = getJwtSecret();
if (!secret) {
  return res.status(500).json({
    message: "Server misconfiguration: JWT_SECRET is not set",
  });
}
const token = jwt.sign(
  { id: user._id.toString(), role: user.role },
  secret,
  { expiresIn: "7d" }
);
res.json({
  message: "Login successful",
  token,
  user,
});
} catch {
  res.status(500).json({ message: "Error logging in" });
}

```



```

});
router.post("/forgot-password", async (req, res) => {
  try {
    const { email } = req.body;
    const user = await User.findOne({ email });
    if (!user) {
      return res.status(404).json({ message: "Email not found" });
    }
    const token = crypto.randomBytes(32).toString("hex");
    user.resetToken = token;
    user.resetTokenExpiry = Date.now() + 5 * 60 * 1000;
    await user.save();
    await transporter.sendMail({
      from: process.env.EMAIL_USER,
      to: user.email,
      subject: "Reset Password",
      html: `Reset Password`,
    });
    res.json({ message: "Reset link sent" });
  } catch {
    res.status(500).json({ message: "Error sending email" });
  }
});
router.post("/reset-password", async (req, res) => {
  try {

```

```

const { token, newPassword } = req.body;
const user = await User.findOne({
  resetToken: token,
  resetTokenExpiry: { $gt: Date.now() },
});
if (!user) {
  return res.status(400).json({ message: "Invalid or expired token" });
}
const hashedPassword = await bcrypt.hash(newPassword, 10);
user.password = hashedPassword;
user.resetToken = undefined;
user.resetTokenExpiry = undefined;
await user.save();
res.json({ message: "Password reset successful" });
} catch {
  res.status(500).json({ message: "Error resetting password" });
}
});
const { authMiddleware } = require("../middleware/authMiddleware");
router.put("/update-profile", authMiddleware, async (req, res) => {
  try {
    const { name, phone } = req.body;
    const userId = req.user.id;
    const user = await User.findById(userId);
    if (!user) {
      return res.status(404).json({ message: "User not found" });
    }
  }
});

```

```

    }
    if (name) user.name = name;
    if (phone) user.phone = phone;
    await user.save();
    res.json({ message: "Profile updated successfully", user });
  } catch (err) {
    console.error("Error updating profile:", err);
    res.status(500).json({ message: "Error updating profile" });
  }
});

router.put("/update-password", authMiddleware, async (req, res) => {
  try {
    const { currentPassword, newPassword } = req.body;
    const userId = req.user.id;
    const user = await User.findById(userId);
    if (!user) {
      return res.status(404).json({ message: "User not found" });
    }
    const isMatch = await bcrypt.compare(currentPassword, user.password);
    if (!isMatch) {
      return res.status(400).json({ message: "Incorrect current password" });
    }
    const hashedPassword = await bcrypt.hash(newPassword, 10);
    user.password = hashedPassword;
    await user.save();
    res.json({ message: "Password updated successfully" });
  }
});

```

```

    } catch (err) {
      console.error("Error updating password:", err);
      res.status(500).json({ message: "Error updating password" });
    }
  });

router.get("/profile", authMiddleware, async (req, res) => {
  try {
    const userId = req.user.id;
    const user = await User.findById(userId).select('-password');
    if (!user) {
      return res.status(404).json({ message: "User not found" });
    }
    res.json({ user });
  } catch (err) {
    console.error("Error fetching profile:", err);
    res.status(500).json({ message: "Error fetching profile" });
  }
});

router.post("/wishlist/toggle", authMiddleware, async (req, res) => {
  try {
    const { resortId } = req.body;
    const userId = req.user.id;
    const user = await User.findById(userId);
    if (!user) return res.status(404).json({ message: "User not found" });
    const index = user.wishlist.indexOf(resortId);
    if (index > -1) {

```

```

    user.wishlist.splice(index, 1);
  } else {
    user.wishlist.push(resortId);
  }
  await user.save();
  res.json({ message: "Wishlist updated", wishlist: user.wishlist });
} catch (err) {
  console.error("Error toggling wishlist:", err);
  res.status(500).json({ message: "Server error" });
}
});

router.get("/wishlist", authMiddleware, async (req, res) => {
  try {
    const userId = req.user.id;
    const user = await User.findById(userId).populate('wishlist');
    if (!user) return res.status(404).json({ message: "User not found" });
    res.json({ wishlist: user.wishlist });
  } catch (err) {
    console.error("Error fetching wishlist:", err);
    res.status(500).json({ message: "Server error" });
  }
});

const { adminMiddleware } = require("../middleware/adminMiddleware");
router.get("/admin/all", authMiddleware, adminMiddleware, async (req, res)
=> {
  try {

```

```

    const users = await User.find().select("-password").sort({ createdAt: -1 });
    res.json(users);
  } catch (err) {
    console.error("Error fetching users for admin:", err);
    res.status(500).json({ message: "Server error fetching users" });
  }
});

router.put("/admin/:id/role", authMiddleware, adminMiddleware, async (req,
res) => {
  try {
    const { role } = req.body;
    if (!["admin", "user"].includes(role)) {
      return res.status(400).json({ message: "Invalid role" });
    }
    await User.findByIdAndUpdate(req.params.id, { role });
    res.json({ message: "Role updated successfully" });
  } catch (err) {
    console.error("Error updating user role:", err);
    res.status(500).json({ message: "Server error updating role" });
  }
});

module.exports = router;

```

File: Server\server.js

```

const express = require("express");
const cors = require("cors");

```

```

const dotenv = require("dotenv");
const path = require("path");
const connectDB = require("./config/db");
dotenv.config();
connectDB();
const jwtSecretConfigured = Boolean(
  String(process.env.JWT_SECRET || "").trim()
);
if (!jwtSecretConfigured) {
  console.error(
    "[auth] JWT_SECRET is empty — login and payments will fail until you set\nJWT_SECRET in Server/.env"
  );
}
const razorpayKeyId = (process.env.RAZORPAY_KEY_ID || "").trim();
const razorpaySecret = (process.env.RAZORPAY_KEY_SECRET || "").trim();
const maskedKeyId = razorpayKeyId
  ? `${razorpayKeyId.slice(0, 12)}...${razorpayKeyId.slice(-4)}`
  : "missing";
console.log(
  `[Razorpay Config] keyId=${maskedKeyId}, secretLoaded=${razorpaySecret ?\n"yes" : "no"}`
);
const app = express();
app.use(cors());
app.use(express.json());
app.use('/uploads', express.static(path.join(__dirname, 'uploads')));

```

```

const userRoutes = require("./routes/userRoutes");
app.get("/", (req, res) => {
  res.send("Server is running");
});
app.use("/api/users", userRoutes);
const resortRoutes = require("./routes/resortRoutes");
const bookingRoutes = require("./routes/bookingRoutes");
app.use("/api/resorts", resortRoutes);
app.use("/api/bookings", bookingRoutes);
const paymentRoutes = require("./routes/paymentRoutes");
app.use("/api/payments", paymentRoutes);
const reviewRoutes = require("./routes/reviewRoutes");
app.use("/api/reviews", reviewRoutes);
const exploreRoutes = require("./routes/exploreRoutes");
app.use("/api/explore", exploreRoutes);
const contactRoutes = require("./routes/contactRoutes");
app.use("/api/contact", contactRoutes);
app.listen(process.env.PORT, () => {
  console.log(`Server running on port ${process.env.PORT}`);
});

```

File: Server\test_rzp.js

```

const Razorpay = require("razorpay");
const instance = new Razorpay({
  key_id: "rzp_test_Sbojm7oNvOFLyi",
  key_secret: "isdzb8tdPL4mdn4C0fCwnMcg",

```



```
});
instance.orders.create({
  amount: 50000,
  currency: "INR",
  receipt: "receipt_test",
}).then(console.log).catch(console.error);
```

File: Server\utils\stayPolicy.js

```
const POLICY_CHECK_IN_HOUR = 14;
const POLICY_CHECK_OUT_HOUR = 11;
const FREE_CANCEL_MS = 48 * 60 * 60 * 1000;
function atLocalHour(dateInput, hour, minute = 0) {
  const t = new Date(dateInput);
  if (Number.isNaN(t.getTime())) return null;
  return new Date(t.getFullYear(), t.getMonth(), t.getDate(), hour, minute, 0, 0);
}
function isStayCompletedByCheckoutDate(checkOutDate) {
  const deadline = atLocalHour(checkOutDate, POLICY_CHECK_OUT_HOUR, 0);
  if (!deadline) return false;
  return Date.now() >= deadline.getTime();
}
function isCheckInStartedByCheckInDate(checkInDate) {
  const start = atLocalHour(checkInDate, POLICY_CHECK_IN_HOUR, 0);
  if (!start) return false;
  return Date.now() >= start.getTime();
}
```

```

function isWithin48HoursBeforePolicyCheckIn(checkInDate) {
  const start = atLocalHour(checkInDate, POLICY_CHECK_IN_HOUR, 0);
  if (!start) return false;
  const ms = start.getTime() - Date.now();
  return ms > 0 && ms < FREE_CANCEL_MS;
}

function canUserCancelBooking(booking) {
  if (
    !booking ||
    (booking.status !== "Confirmed" && booking.status !== "Pending_Payment")
  ) {
    return false;
  }
  if (isStayCompletedByCheckoutDate(booking.checkOutDate)) return false;
  if (isCheckInStartedByCheckInDate(booking.checkInDate)) return false;
  return true;
}

module.exports = {
  POLICY_CHECK_IN_HOUR,
  POLICY_CHECK_OUT_HOUR,
  atLocalHour,
  isStayCompletedByCheckoutDate,
  isCheckInStartedByCheckInDate,
  isWithin48HoursBeforePolicyCheckIn,
  canUserCancelBooking,
};

```

Frontend

File: Client\src\AdminRoute.jsx

```
import { Navigate, useLocation } from "react-router-dom";

function isAdminFromToken() {

  const t = sessionStorage.getItem("token")?.trim();

  if (!t) return false;

  try { const p = JSON.parse(atob(t.split(".")[1]));

    return p.role === "admin";

  } catch { return false;}}

export default function AdminRoute({ children }) {

  const location = useLocation();

  if (!sessionStorage.getItem("token")?.trim()) {

    return <Navigate to="/login" replace state={{ from: location.pathname }} />;

  if (!isAdminFromToken()) { return <Navigate to="/" replace />;}

  return children;}
```

File: Client\src\App.jsx

```
import { BrowserRouter, Routes, Route } from "react-router-dom";

import ScrollToTop from "./components/ScrollToTop";

import Login from "./pages/user/login";

import Register from "./pages/user/register";

import Home from "./pages/home";

import ResetPassword from "./pages/user/ResetPassword";

import ProtectedRoute from "./ProtectedRoute";

import VerifyOtp from "./pages/user/verifyotp";

import About from "./pages/about";

import Contact from "./pages/contact";

import Policy from "./pages/policy";

import Resort from "./pages/resort";

import ResortDetails from "./pages/resortDetails";

import Search from "./pages/search";
```

```

import Payment from "./pages/payment";
import Gallery from "./pages/Gallery";
import Amenities from "./pages/Amenities";
import Dining from "./pages/Dining";
import MyBookings from "./pages/user/myBookings";
import UserDashboard from "./pages/user/pages/Dashboard";
import AdminRoute from "./AdminRoute";
import AdminLayout from "./pages/admin/AdminLayout";
import AdminReviews from "./pages/admin/AdminReviews";
import AdminDashboard from "./pages/admin/AdminDashboard";
import AdminResorts from "./pages/admin/AdminResorts";
import AdminBookings from "./pages/admin/AdminBookings";
import AdminUsers from "./pages/admin/AdminUsers";
import AdminExplore from "./pages/admin/AdminExplore";
import AdminContacts from "./pages/admin/AdminContacts";
function App() {
  return (
    <BrowserRouter>
      <ScrollToTop />
      <Routes>
        <Route path="/" element={<Home />} />
        <Route path="/home" element={<Home />} />
        <Route path="/login" element={<Login />} />
        <Route path="/register" element={<Register />} />
        <Route path="/reset-password" element={<ResetPassword />} />
        <Route path="/verify-otp" element={<VerifyOtp />} />
        <Route path="/about" element={<About />} />
        <Route path="/contact" element={<Contact />} />
        <Route path="/policy" element={<Policy />} />
        <Route path="/resorts" element={<Resort />} />
        <Route path="/search" element={<Search />} />

```

```

    <Route path="/resort/:id" element={<ResortDetails />} />
    <Route path="/payment" element={<Payment />} />
    <Route path="/gallery" element={<Gallery />} />
    <Route path="/amenities" element={<Amenities />} />
    <Route path="/dining" element={<Dining />} />
    <Route path="/user/dashboard" element={<ProtectedRoute><UserDashboard
/></ProtectedRoute>} />
    <Route path="/bookings" element={<ProtectedRoute><MyBookings /></ProtectedRoute>} />
    <Route path="/admin" element={<AdminRoute><AdminLayout /></AdminRoute>} />
    <Route path="dashboard" element={<AdminDashboard />} />
    <Route path="reviews" element={<AdminReviews />} />
    <Route path="resorts" element={<AdminResorts />} />
    <Route path="bookings" element={<AdminBookings />} />
    <Route path="users" element={<AdminUsers />} />
    <Route path="explore" element={<AdminExplore />} />
    <Route path="contacts" element={<AdminContacts />} />
  </Route>
</Routes>
</BrowserRouter>
);
}

```

```
export default App;
```

File: Client\src\components\Footer.jsx

```

import './Footer.css';
import { Link } from 'react-router-dom';
export default function Footer() {
  return (
    <footer className="footer">
      <div className="footer-main">
        <div className="footer-container">

```

```

<div className="footer-brand">

  <h3 className="footer-logo">H Resort</h3>

  <p className="brand-tagline">Luxury Resort Booking Platform</p>

  <div className="social-links">

    <a href="https://facebook.com" target="_blank" rel="noopener noreferrer" aria-
label="Facebook"><svg width="18" height="18" viewBox="0 0 320 512" fill="currentColor"><path
d="M279.14 288l14.22-92.66h-88.91v-60.13c0-25.35 12.42-50.06 52.24-50.06h40.42V6.26S260.43 0
225.36 0c-73.22 0-121.08 44.38-121.08
124.72v70.62H22.89V288h81.39v224h100.17V288z"/></svg></a>

    <a href="https://instagram.com" target="_blank" rel="noopener noreferrer" aria-
label="Instagram"><svg width="18" height="18" viewBox="0 0 448 512" fill="currentColor"><path
d="M224.1 141c-63.6 0-114.9 51.3-114.9 114.9s51.3 114.9 114.9 114.9S339 319.5 339 255.9 287.7
141 224.1 141zm0 189.6c-41.1 0-74.7-33.5-74.7-74.7s33.5-74.7 74.7-74.7 74.7 33.5 74.7 74.7-33.6
74.7-74.7 74.7zm146.4-194.3c0 14.9-12 26.8-26.8 26.8-14.9 0-26.8-12-26.8-26.8s12-26.8 26.8-26.8
26.8 12 26.8 26.8zm76.1 27.2c-1.7-35.9-9.9-67.7-36.2-93.9-26.2-26.2-58-34.4-93.9-36.2-37-2.1-
147.9-2.1-184.9 0-35.8 1.7-67.6 9.9-93.9 36.1s-34.4 58-36.2 93.9c-2.1 37-2.1 147.9 0 184.9 1.7 35.9
9.9 67.7 36.2 93.9s58 34.4 93.9 36.2c37 2.1 147.9 2.1 184.9 0 35.9-1.7 67.7-9.9 93.9-36.2 26.2-26.2
34.4-58 36.2-93.9 2.1-37 2.1-147.8 0-184.8zM398.8 388c-7.8 19.6-22.9 34.7-42.6 42.6-29.5 11.7-99.5
9-132.1 9s-102.7 2.6-132.1-9c-19.6-7.8-34.7-22.9-42.6-42.6-11.7-29.5-9-99.5-9-132.1s2.6-102.7 9-
132.1c7.8-19.6 22.9-34.7 42.6-42.6 29.5-11.7 99.5-9 132.1-9s102.7-2.6 132.1 9c19.6 7.8 34.7 22.9
42.6 42.6 11.7 29.5 9 99.5 9 132.1s2.7 102.7 9 132.1z"/></svg></a>

    <a href="https://twitter.com" target="_blank" rel="noopener noreferrer" aria-
label="Twitter"><svg width="18" height="18" viewBox="0 0 512 512" fill="currentColor"><path
d="M459.37 151.716c.325 4.548.325 9.097.325 13.645 0 138.72-105.583 298.558-298.558 298.558-
59.452 0-114.68-17.219-161.137-47.106 8.447.974 16.568 1.299 25.34 1.299 49.055 0 94.213-
16.568 130.274-44.832-46.132-.975-84.792-31.188-98.112-72.772 6.498.974 12.995 1.624 19.818
1.624 9.421 0 18.843-1.3 27.614-3.573-48.081-9.747-84.143-51.98-84.143-102.985v-1.299c13.969
7.792 30.214 12.67 47.431 13.319-28.264-18.843-46.781-51.005-46.781-87.391 0-19.492 5.197-
37.36 14.294-52.954 51.655 63.675 129.3 105.258 216.365 109.807-1.624-7.792-2.599-15.918-
2.599-24.04 0-57.828 46.782-104.934 104.934-104.934 30.213 0 57.502 12.67 76.67 33.137 23.715-
4.548 46.456-13.32 66.599-25.34-7.798 24.366-24.366 44.833-46.132 57.827 21.117-2.273 41.584-
8.122 60.426-16.245-14.292 20.791-32.161 39.308-52.628 54.253z"/></svg></a>

  </div>

</div>

<div className="footer-section">

  <h4 className="section-title">Get in Touch</h4>

  <article className="contact-block">

    <h5>Customer Support</h5>

    <p className="contact-detail">📍 123 Resort Avenue, Paradise City</p>

    <p className="contact-detail">☎ +91 98765 43210</p>

  </article>

</div>

```

```

    <p className="contact-detail">✉ support.hresort@gmail.com</p>
  </article>

  <article className="contact-block">

    <h5>Opening Hours</h5>

    <p className="contact-detail">🕒 Check-In: 2:00 PM</p>

    <p className="contact-detail">🕒 Check-Out: 11:00 AM</p>

    <p className="contact-detail">☀ 24/7 Front Desk Available</p>
  </article>
</div>

<div className="footer-section">

  <h4 className="section-title">Explore</h4>

  <ul className="footer-links">

    <li><Link to="/">Home</Link></li>

    <li><Link to="/resorts">Resorts</Link></li>

    <li><Link to="/search">Find a Resort</Link></li>

    <li><Link to="/Gallery">Gallery</Link></li>
  </ul>
</div>

<div className="footer-section">

  <h4 className="section-title">Information</h4>

  <ul className="footer-links">

    <li><Link to="/Amenities">Amenities</Link></li>

    <li><Link to="/Dining">Dining</Link></li>

    <li><Link to="/about">About Us</Link></li>

    <li><Link to="/contact">Contact Us</Link></li>
  </ul>
</div>
</div>

<div className="footer-bottom" style={{ justifyContent: "center", gap: "10px" }}>

  <p className="copyright">© 2026 H Resort | All Rights Reserved.</p>

```

```

    <span className="separator" style={{ color: "#4f5b73" }}>•</span>
    <div className="footer-bottom-links">
      <Link to="/policy">Policies</Link>
    </div>
  </div>
</footer>
);
}

```

File: Client\src\components\Navbar.jsx

```

import { Link, useNavigate, useLocation } from "react-router-dom";
import { useState, useEffect } from "react";
import "./Navbar.css";

function isAdminFromToken() {
  const t = sessionStorage.getItem("token")?.trim();
  if (!t) return false;
  try {
    const p = JSON.parse(atob(t.split(".")[1]));
    return p.role === "admin";
  } catch {
    return false;
  }
}

export default function Navbar() {
  const navigate = useNavigate();
  const location = useLocation();
  const currentPath = location.pathname;
  const token = sessionStorage.getItem("token");
  const isAdmin = isAdminFromToken();
  const handleLogout = (e) => {
    e.preventDefault();

```



```

sessionStorage.removeItem("token");
navigate("/login");
};
const [show, setShow] = useState(true);
const [lastScrollY, setLastScrollY] = useState(0);
useEffect(() => {
  const controlNavbar = () => {
    if (typeof window !== 'undefined') {
      if (window.scrollY > lastScrollY && window.scrollY > 80) {
        setShow(false);
      } else {
        setShow(true);
      }
      setLastScrollY(window.scrollY);
    }
  };
  window.addEventListener('scroll', controlNavbar);
  return () => {
    window.removeEventListener('scroll', controlNavbar);
  };
}, [lastScrollY]);
return (
  <header className={`resort-header ${show ? '' : 'hidden'}`>
    <div className="top-header-contact">
      <div className="contact-left">
        <div className="contact-item">
          <span className="icon">  </span>
          <div className="contact-text">
            <span className="contact-title">DROP US A EMAIL:</span>
            <span className="contact-value">hresort.stay@gmail.com</span>
          </div>
        </div>
      </div>
    </div>
  </header>
)

```

```

</div>
</div>
<div className="center-logo">
  <h1>H</h1>
  <span>RESORT</span>
</div>
<div className="contact-right">
  <div className="contact-item text-right">
    <div className="contact-text">
      <span className="contact-title">ANY QUESTIONS? CALL US:</span>
      <span className="contact-value">+91 90909 80808 / +91 02692 255555 </span>
    </div>
    <span className="icon"> 📞 </span>
  </div>
</div>
</div>
<div>
  <nav className="dark-navbar">
    <ul className="dark-nav-links">
      <li><Link to="/" className={currentPath === '/' || currentPath === '/home' ? 'active' : ''}>HOME</Link></li>
      <li><Link to="/resorts" className={currentPath.startsWith('/resort') ? 'active' : ''}>RESORTS</Link></li>
      <li className="nav-dropdown">
        <span className={`dropdown-toggle ${['/gallery', '/amenities', '/dining'].includes(currentPath) ? 'active' : ''}`>EXPLORE ▼</span>
        <div className="dropdown-menu">
          <Link to="/gallery" className={currentPath === '/gallery' ? 'active' : ''}>Gallery</Link>
          <Link to="/amenities" className={currentPath === '/amenities' ? 'active' : ''}>Amenities</Link>
          <Link to="/dining" className={currentPath === '/dining' ? 'active' : ''}>Dining</Link>
        </div>
      </li>
    </ul>
  </nav>
</div>

```

```

    <li><Link to="/policy" className={currentPath === '/policy' ? 'active' : ''}>Privacy
Policy</Link></li>

    <li><Link to="/about" className={currentPath === '/about' ? 'active' : ''}>ABOUT
US</Link></li>

    <li><Link to="/contact" className={currentPath === '/contact' ? 'active' :
''}>CONTACT</Link></li>

</ul>

<div className="nav-right-actions">

  <button className="nav-search-btn" onClick={() => navigate('/search')}>SEARCH</button>

  {token ? (

    <div className="nav-dropdown user-dropdown right-side-profile">

      <span

        className="dropdown-toggle profile-icon-only"

        onClick={() => navigate(isAdmin ? '/admin/dashboard' : '/user/dashboard')}

        title="Go to Dashboard"

      >

        <span className="user-icon-round">  </span>

      </span>

      <div className="dropdown-menu">

        {!isAdmin && (

          <Link to="/bookings">My Bookings</Link>

        )}

        <a href="#" onClick={handleLogout}>Logout</a>

      </div>

    </div>

  ) : (

    <Link to="/login" className="nav-login-btn">LOGIN</Link>

  )}

</div>

</nav>

</header>

);

```

```
}
```

File: Client\src\components\ResortCard.jsx

```
import { Link } from "react-router-dom";
import "./ResortCard.css";
export default function ResortCard({ resort }) {
  const price = resort.roomTypes?.[0]?.basePrice || resort.price || 0;
  return (
    <div className="card">
      <div className="card-img-container">
        <img
          src={resort.images?.[0] ? (resort.images[0].startsWith('http') ? resort.images[0] :
`http://${window.location.hostname}:5000${resort.images[0]}`) :
"https://images.unsplash.com/photo-1540541338287-
41700207dee6?auto=format&fit=crop&q=80&w=600"}
          alt={resort.name}
        />
        <div className="card-price-badge">
          ₹{price} <span className="text-small">/night</span>
        </div>
      </div>
      <div className="card-content">
        <h3>{resort.name}</h3>
        <p className="resort-location">
          <svg viewBox="0 0 24 24" width="14" height="14" fill="none" stroke="currentColor"
strokeWidth="2"><path d="M21 10c0 7-9 13s-9-6-9-13a9 9 0 0 1 18 0z"></path><circle cx="12"
cy="10" r="3"></circle></svg>
          {resort.location?.city || 'Location unavailable'}
        </p>
      </div>
      <div className="card-bottom">
        <span className="card-rating">★ {resort.rating?.toFixed(1) || "5.0"}</span>
        <Link to={`/resort/${resort._id}`} className="card-book-btn">
```

```
        Book Now
      </Link>
    </div>
  </div>
</div>
);
}
```

File: Client\src\components\ScrollToTop.jsx

```
import { useEffect } from "react";
import { useLocation } from "react-router-dom";
export default function ScrollToTop() {
  const { pathname } = useLocation();
  useEffect(() => {
    window.scrollTo(0, 0);
  }, [pathname]);
  return null;
}
```

File: Client\src\pages\about.jsx

```
import { useNavigate } from "react-router-dom";
import "./about.css";
import Navbar from "../components/Navbar";
import Footer from "../components/Footer";
function About() {
  const navigate = useNavigate();
  return (
    <div className="about-page">
      <Navbar />
```

```

<section className="about-hero">

  <div className="about-hero-overlay">

    <h1>Our Heritage</h1>

    <p>The Pinnacle of Luxury Hospitality</p>

  </div>

</section>

<section className="about-intro">

  <h2>Redefining the Art of Travel</h2>

  <p>

    Since our inception, we have set out to create more than just places to stay.

    We curate immersive experiences that blend breathtaking architecture,

    flawless service, and profound emotional connection. Whether nestled

    on pristine private islands or perched high above majestic valleys,

    our resorts remain completely dedicated to exceeding your highest expectations.

  </p>

</section>

<section className="about-story">

  <div className="about-story-img">

  </div>

  <div className="about-story-content">

    <h3>The Heart of Our Resorts</h3>

```

```

<p>
    At the center of every resort lies an unwavering commitment to timeless elegance.
    We believe that true luxury is found in the details—from the thread count of our
    artisanal linens to the locally-sourced ingredients prepared by Michelin-star culinary
    visionaries. Every element is thoughtfully designed so your journey becomes a memory
    worth returning to.
</p>
<button className="btn-gold" onClick={() => navigate("/resorts")}>Explore Our
Resorts</button>
</div>
</section>
<section className="about-features">
    <article className="feature-box">
        
        <div className="feature-box-text">
            <h4>Bespoke Details</h4>
            <p>Signature arrivals, express VIP check-in, and uncompromising personalized
attention.</p>
        </div>
    </article>
    <article className="feature-box">
        
        <div className="feature-box-text">
            <h4>Private Escapes</h4>
            <p>Secluded suites featuring private infinity pools and dedicated concierge service.</p>
        </div>
    </article>
    <article className="feature-box">
        
        <div className="feature-box-text">

```

```

    <h4>Culinary Mastery</h4>

    <p>Curated culinary journeys featuring renowned international and local flavors.</p>
  </div>
</article>

<article className="feature-box">

  <div className="feature-box-text">

    <h4>Holistic Harmony</h4>

    <p>World-class therapeutic spa retreats intended to restore youth and vigor.</p>
  </div>
</article>
</section>

<section className="about-zigzag">
  <div className="zigzag-row">
    <div className="zigzag-img">
      
    </div>
    <div className="zigzag-text">
      <h3>Sustainable Purity</h3>
      <p>
        We are fiercely devoted to ecological mindfulness. Our modern building practices
        minimize
        environmental impact while integrating seamlessly into the local flora. From zero-
        waste
        initiatives to 100% renewable energy integration in our newest developments,
        choosing
        us means investing in a greener tomorrow without sacrificing luxury today.
      </p>
    </div>
  </div>
  <div className="zigzag-row reverse">

```



```

    <div className="zigzag-img">
      
    </div>

    <div className="zigzag-text">
      <h3>A Global Family</h3>

      <p>
        We embrace the cultural heritage of every location we touch. By partnering with
        local artisans, guides, and agricultural producers, our resorts act as a gateway
        to authentic community connection. Allow our local experts to guide you into the
        pulse of the destination and experience the unseen marvels of local living.
      </p>
    </div>
  </div>
</section>
<Footer />
</div>
);
}
export default About;

```

File: Client\src\pages\admin\AdminBookings.jsx

```

import { useEffect, useState } from "react";
function getAuthToken() {
  const t = sessionStorage.getItem("token");
  return t ? t.trim() : "";
}
export default function AdminBookings() {
  const [bookings, setBookings] = useState([]);
  const [loading, setLoading] = useState(true);

```

```

const loadBookings = async () => {
  setLoading(true);
  try {
    const res = await fetch(`http://${window.location.hostname}:5000/api/bookings/admin/all`, {
      headers: { Authorization: `Bearer ${getAuthToken()}` },
    });
    const data = await res.json();
    if (res.ok) setBookings(data.bookings);
  } catch (e) {
    console.error(e);
  } finally {
    setLoading(false);
  }
};

useEffect(() => {
  loadBookings();
}, []);

const updateStatus = async (bookingId, newStatus) => {
  if (!window.confirm(`Mark as ${newStatus}?`)) return;
  try {
    const res = await
fetch(`http://${window.location.hostname}:5000/api/bookings/admin/${bookingId}/status`, {
      method: "PUT",
      headers: {
        "Content-Type": "application/json",
        Authorization: `Bearer ${getAuthToken()}`
      },
      body: JSON.stringify({ status: newStatus })
    });
    if (res.ok) {
      await loadBookings();
    }
  }
};

```

```

    } else {
      alert("Failed to update status");
    }
  } catch (e) {
    alert("Error: " + e.message);
  }
};

return (
  <div className="admin-page-content">
    <div className="admin-page-header" style={{ padding: "0 0 2rem 0" }}>
      <h1>Bookings Management</h1>
    </div>
    {loading ? (
      <p>Loading bookings...</p>
    ) : (
      <div className="admin-table-container">
        <table className="admin-table">
          <thead>
            <tr>
              <th>Booking ID</th>
              <th>Guest</th>
              <th>Resort</th>
              <th>Dates</th>
              <th>Amount</th>
              <th>Status</th>
              <th>Actions</th>
            </tr>
          </thead>
          <tbody>
            {bookings.map(b => (
              <tr key={b._id}>

```

```

<td style={{ fontSize: "0.85rem", opacity: 0.8 }}>{b._id.slice(-6)}</td>

<td>

  {b.user?.name}<br />

  <small style={{ opacity: 0.7 }}>{b.user?.email}</small>

</td>

<td>

  {b.resort?.name}<br />

  <small style={{ opacity: 0.7 }}>{b.roomTypeTitle} x{b.quantity}</small>

</td>

<td>

  {new Date(b.checkInDate).toLocaleDateString()} - <br />

  {new Date(b.checkOutDate).toLocaleDateString()}

</td>

<td>₹{b.totalAmount}</td>

<td>

  <span className={`admin-badge ${b.status === "Confirmed" ? "success" : b.status ===
"Cancelled" ? "danger" : b.status === "Completed" ? "neutral" : "warning"}`}>

    {b.status}

  </span>

</td>

<td>

  <select

    value=""

    style={{ padding: "0.25rem", borderRadius: "4px", background: "rgba(255,255,255,0.1)",
color: "#fff", border: "none" }}

    onChange={(e) => updateStatus(b._id, e.target.value)}

    >

    <option value="" disabled>Change Status...</option>

    <option value="Confirmed">Confirm</option>

    <option value="Completed">Complete</option>

    <option value="Cancelled">Cancel</option>

```

```

        </select>
      </td>
    </tr>
  )}
</tbody>
</table>
</div>
  )}
</div>
);
}

```

File: Client\src\pages\admin\AdminContacts.jsx

```

import React, { useState, useEffect } from "react";
export default function AdminContacts() {
  const [contacts, setContacts] = useState([]);
  const [loading, setLoading] = useState(true);
  const getAuthToken = () => sessionStorage.getItem("token") || localStorage.getItem("token");
  useEffect(() => {
    fetchContacts();
  }, []);
  const fetchContacts = async () => {
    try {
      const res = await fetch(`http://${window.location.hostname}:5000/api/contact/admin`, {
        headers: { Authorization: `Bearer ${getAuthToken()}` },
      });
      if (res.ok) {
        const data = await res.json();
        setContacts(data.contacts);
      }
    }
  }
}

```

```

    } catch (e) {
      console.error("Error fetching contacts:", e);
    } finally {
      setLoading(false);
    }
  };

const updateStatus = async (id, newStatus) => {
  try {
    const res = await fetch(`http://${window.location.hostname}:5000/api/contact/admin/${id}`, {
      method: "PUT",
      headers: {
        "Content-Type": "application/json",
        Authorization: `Bearer ${getAuthToken()}`
      },
      body: JSON.stringify({ status: newStatus })
    });
    if (res.ok) {
      setContacts(contacts.map(c => c._id === id ? { ...c, status: newStatus } : c));
    } else {
      alert("Failed to update status");
    }
  } catch (e) {
    alert("Error updating status");
  }
};

if (loading) return <p style={{color: "white"}}>Loading messages...</p>;

return (
  <div className="admin-page-content" style={{ padding: '2rem' }}>
    <h1 className="admin-page-title" style={{ color: '#c9a96b', marginBottom: '2rem' }}>Guest
    Messages & Concierge Requests</h1>

    {contacts.length === 0 ? <p style={{color: "#a0a5b5"}}>No messages found.</p> : null}
  </div>
);

```

```

<div style={{ display: 'flex', flexDirection: 'column', gap: '1.5rem' }}>
  {contacts.map((msg) => (
    <div key={msg._id} style={{
      background: msg.status === 'New' ? "rgba(201, 169, 107, 0.15)" : "rgba(0,0,0,0.3)",
      padding: "1.5rem",
      borderRadius: "12px",
      border: msg.status === 'New' ? "1px solid #c9a96b" : "1px solid rgba(255,255,255,0.1)"
    }}>
      <div style={{ display: "flex", justifyContent: "space-between", marginBottom: "1rem" }}>
        <div>
          <strong style={{ color: "#fff", fontSize: "1.2rem" }}>
            {msg.title.toUpperCase()} {msg.firstName} {msg.lastName}
          </strong>
          <span style={{ marginLeft: "10px", padding: "3px 8px", background:
msg.status==='New'?"#f59e0b":(msg.status==='Replied'?"#10b981":"#6b7280"), color: "#fff",
borderRadius: "12px", fontSize: "0.8rem", fontWeight: "bold" }}>
            {msg.status}
          </span>
        </div>
        <div style={{ color: "#a0a5b5", fontSize: "0.9rem", marginTop: "5px" }}>
          📧 {msg.email} | 📞 {msg.phone} | 🌐 {msg.country}
        </div>
      </div>
      <div style={{ color: "#a0a5b5", fontSize: "0.85rem" }}>
        {new Date(msg.createdAt).toLocaleString()}
      </div>
    </div>
    <div style={{ background: "rgba(255,255,255,0.05)", padding: "1rem", borderRadius: "8px",
color: "#e2e8f0", marginBottom: "1rem" }}>
      <p style={{ margin: 0, whiteSpace: "pre-wrap", lineHeight: "1.5" }}>{msg.comments}</p>
    </div>
    <div style={{ display: "flex", gap: "10px" }}>
      <button

```

```

        className="admin-btn"

        onClick={() => window.location.href = `mailto:${msg.email}?subject=Reply to your inquiry at
H Resort`}

        style={{ background: "#c9a96b", color: "#000", padding: "0.5rem 1rem", border: "none",
borderRadius: "6px", cursor: "pointer", fontWeight: "bold" }}

    >

    Reply via Email

</button>

{msg.status !== "Read" && (

    <button onClick={() => setStatus(msg._id, "Read")} style={{ background: "transparent",
color: "#a0a5b5", border: "1px solid #a0a5b5", padding: "0.5rem 1rem", borderRadius: "6px", cursor:
"pointer" }}>Mark as Read</button>

    )}

{msg.status !== "Replied" && (

    <button onClick={() => setStatus(msg._id, "Replied")} style={{ background:
"transparent", color: "#10b981", border: "1px solid #10b981", padding: "0.5rem 1rem",
borderRadius: "6px", cursor: "pointer" }}>Mark as Replied</button>

    )}

</div>

</div>

)}}

</div>

</div>

);
}

```

File: Client\src\pages\admin\adminDashboard.css

```

.admin-dashboard-page {
    min-height: 100vh;
    background-color: #0f1115;
    color: #fff;
    font-family: 'Inter', sans-serif;
}

```



```
}  
.admin-dashboard-inner {  
  max-width: 1200px;  
  margin: 0 auto;  
  padding: 0 2rem 4rem;  
}  
.admin-header {  
  margin-bottom: 3rem;  
  border-bottom: 1px solid rgba(255, 255, 255, 0.05);  
  padding-bottom: 2rem;  
}  
.admin-header h1 {  
  font-size: 2.5rem;  
  font-weight: 600;  
  margin: 0 0 0.5rem;  
  background: linear-gradient(135deg, #fff 0%, #a0a5b5 100%);  
  -webkit-background-clip: text;  
  -webkit-text-fill-color: transparent;  
}  
.admin-lead {  
  font-size: 1.1rem;  
  color: #a0a5b5;  
  margin: 0;  
}  
.admin-grid {  
  display: grid;  
  grid-template-columns: repeat(auto-fill, minmax(320px, 1fr));  
  gap: 1.5rem;  
}  
.admin-card {  
  background: rgba(255, 255, 255, 0.02);
```

```
border: 1px solid rgba(255, 255, 255, 0.05);
border-radius: 16px;
padding: 2rem;
text-decoration: none;
color: inherit;
transition: all 0.3s ease;
position: relative;
overflow: hidden;
display: flex;
flex-direction: column;
}

.admin-card:hover:not(.disabled) {
  background: rgba(255, 255, 255, 0.04);
  border-color: rgba(201, 169, 107, 0.3);
  transform: translateY(-4px);
  box-shadow: 0 12px 24px rgba(0, 0, 0, 0.2);
}

.admin-card-icon {
  width: 48px;
  height: 48px;
  background: rgba(201, 169, 107, 0.1);
  color: #c9a96b;
  border-radius: 12px;
  display: flex;
  align-items: center;
  justify-content: center;
  margin-bottom: 1.5rem;
}

.admin-card-icon svg {
  width: 24px;
  height: 24px;
```

```
}  
.admin-card h2 {  
  font-size: 1.25rem;  
  font-weight: 500;  
  margin: 0 0 0.75rem;  
  color: #fff;  
}  
.admin-card p {  
  font-size: 0.95rem;  
  color: #a0a5b5;  
  line-height: 1.5;  
  margin: 0;  
  flex-grow: 1;  
}  
.admin-card.disabled {  
  opacity: 0.6;  
  cursor: not-allowed;  
  filter: grayscale(100%);  
}  
.coming-soon {  
  position: absolute;  
  top: 1.5rem;  
  right: 1.5rem;  
  background: rgba(255, 255, 255, 0.1);  
  color: #a0a5b5;  
  font-size: 0.75rem;  
  padding: 0.25rem 0.75rem;  
  border-radius: 99px;  
  font-weight: 500;  
  text-transform: uppercase;  
  letter-spacing: 0.05em;
```

```

}
@media (max-width: 768px) {
  .admin-dashboard-inner {
    padding: 100px 1.5rem 3rem;
  }
  .admin-header h1 {
    font-size: 2rem;
  }
  .admin-grid {
    grid-template-columns: 1fr;
  }
}

```

File: Client\src\pages\admin\AdminDashboard.jsx

```

import { Link } from "react-router-dom";
import "./adminDashboard.css";
export default function AdminDashboard() {
  return (
    <div className="admin-page-content">
      <div className="admin-dashboard-inner">
        <header className="admin-header">
          <h1>Admin Dashboard</h1>
          <p className="admin-lead">Welcome back. Manage your resort platform from here.</p>
        </header>
        <div className="admin-grid">
          <Link to="/admin/reviews" className="admin-card">
            <div className="admin-card-icon">
              <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2">
                <path d="M21 11.5a8.38 8.38 0 0 1-.9 3.8 8.5 8.5 0 0 1-7.6 4.7 8.38 8.38 0 0 1-3.8-.9L3
                21l1.9-5.7a8.38 8.38 0 0 1-.9-3.8 8.5 8.5 0 0 1 4.7-7.6 8.38 8.38 0 0 1 3.8-.9h.5a8.48 8.48 0 0 1 8
                8v5z"/>

```

```

</svg>
</div>
<h2>Reviews Moderation</h2>
<p>Approve or reject guest reviews before they appear publicly.</p>
</Link>
<Link to="/admin/bookings" className="admin-card">
  <div className="admin-card-icon">
    <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2">
      <rect x="3" y="4" width="18" height="18" rx="2" ry="2"/>
      <line x1="16" y1="2" x2="16" y2="6"/>
      <line x1="8" y1="2" x2="8" y2="6"/>
      <line x1="3" y1="10" x2="21" y2="10"/>
    </svg>
  </div>
  <h2>Manage Bookings</h2>
  <p>View all reservations, modify status, and handle cancellations.</p>
</Link>
<Link to="/admin/users" className="admin-card">
  <div className="admin-card-icon">
    <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2">
      <path d="M17 21v-2a4 4 0 0 0-4-4H5a4 4 0 0 0-4 4v2"/>
      <circle cx="9" cy="7" r="4"/>
      <path d="M23 21v-2a4 4 0 0 0-3-3.87"/>
      <path d="M16 3.13a4 4 0 0 1 0 7.75"/>
    </svg>
  </div>
  <h2>User Management</h2>
  <p>Manage user accounts, admin roles, and guest profiles.</p>
</Link>
<Link to="/admin/resorts" className="admin-card">
  <div className="admin-card-icon">

```

```

    <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M3
21h18M5 21V5a2 2 0 0 1 2-2h10a2 2 0 0 1 2 2v16M9 9h6M9 13h6"/></svg>

    </div>

    <h2>Resorts Database</h2>

    <p>Add new resorts, configure rooms, set pricing and inventory.</p>

    </Link>

    <Link to="/admin/contacts" className="admin-card">

    <div className="admin-card-icon">

        <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M4
4h16c1.1 0 2 .9 2 2v12c0 1.1-.9 2-2 2H4c-1.1 0-2-.9-2-2V6c0-1.1.9-2 2-2z"></path><polyline
points="22,6 12,13 2,6"></polyline></svg>

    </div>

    <h2>Inbox & Messages</h2>

    <p>Read and reply to user queries from the Contact page.</p>

    </Link>

    </div>

</div>

</div>

);
}

```

File: Client\src\pages\admin\AdminExplore.jsx

```

import { useEffect, useState } from "react";

function getAuthToken() {
    const t = sessionStorage.getItem("token");
    return t ? t.trim() : "";
}

export default function AdminExplore() {
    const [activeTab, setActiveTab] = useState("gallery");
    const [content, setContent] = useState([]);
    const [loading, setLoading] = useState(true);
    const [showAddForm, setShowAddForm] = useState(false);

```

```

const [formData, setFormData] = useState({
  title: "",
  description: "",
  image: null
});

const loadContent = async () => {
  setLoading(true);
  try {
    const res = await
fetch(`http://${window.location.hostname}:5000/api/explore?type=${activeTab}`);
    const data = await res.json();
    if (res.ok) setContent(data.content || []);
  } catch (e) {
    console.error(e);
  } finally {
    setLoading(false);
  }
};

useEffect(() => {
  loadContent();
}, [activeTab]);

const handleDelete = async (itemId) => {
  if (!window.confirm("Delete this item?")) return;
  try {
    const res = await fetch(`http://${window.location.hostname}:5000/api/explore/admin/${itemId}`,
{
  method: "DELETE",
  headers: { Authorization: `Bearer ${getAuthToken()}` }
});
    if (res.ok) await loadContent();
  } catch (e) {

```

```

    alert("Error deleting item");
  }
};

const handleCreate = async (e) => {
  e.preventDefault();
  if (!formData.title || !formData.image) return alert("Fill required fields");
  const payload = new FormData();
  payload.append("type", activeTab);
  payload.append("title", formData.title);
  if (formData.description) payload.append("description", formData.description);
  payload.append("image", formData.image);
  try {
    const res = await fetch(`http://${window.location.hostname}:5000/api/explore/admin`, {
      method: "POST",
      headers: {
        Authorization: `Bearer ${getAuthToken()}`
      },
      body: payload
    });
    if (res.ok) {
      setShowAddForm(false);
      setFormData({ title: "", description: "", image: null });
      await loadContent();
    } else {
      alert("Failed to add item");
    }
  } catch (e) {
    alert("Error adding item");
  }
};

return (

```



```

<div className="admin-page-content">

  <div className="admin-page-header" style={{ padding: "0 0 2rem 0", display: "flex",
justifyContent: "space-between", alignItems: "center" }}>

    <h1>Explore Pages Management</h1>

    <button className="admin-btn" onClick={() => setShowAddForm(!showAddForm)}>

      {showAddForm ? "Cancel" : `+ Add ${activeTab}`}

    </button>

  </div>

  <div style={{ display: "flex", gap: "1rem", marginBottom: "2rem", borderBottom: "1px solid
rgba(255,255,255,0.1)", paddingBottom: "1rem" }}>

    [{"gallery", "dining", "amenity"].map(tab => (

      <button

        key={tab}

        onClick={() => setActiveTab(tab)}

        style={{

          padding: "0.5rem 1.5rem",

          background: activeTab === tab ? "rgba(201, 169, 107, 0.2)" : "transparent",

          color: activeTab === tab ? "#c9a96b" : "#a0a5b5",

          border: "none",

          borderRadius: "8px",

          cursor: "pointer",

          fontWeight: "500",

          textTransform: "capitalize",

          transition: "0.2s"

        }}

      >

        {tab}

      </button>

    )))

  </div>

  {showAddForm && (

```

```

    <form onSubmit={handleCreate} style={{ background: "rgba(255,255,255,0.02)", padding:
    "2rem", borderRadius: "12px", border: "1px solid rgba(255,255,255,0.05)", marginBottom: "2rem",
    display: "grid", gap: "1rem" }}>

      <div>

        <label style={{display: "block", marginBottom: "0.5rem", color: "#a0a5b5"}}>Upload Image
        (Required)</label>

        <input type="file" accept="image/*" required onChange={e => setFormData({...formData,
        image: e.target.files[0]})} style={{width: "100%", padding: "0.75rem", background: "rgba(0,0,0,0.5)",
        border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px"}}/>

      </div>

      <div>

        <label style={{display: "block", marginBottom: "0.5rem", color: "#a0a5b5"}}>Title
        (Required)</label>

        <input type="text" required value={formData.title} onChange={e => setFormData({...formData,
        title: e.target.value})} style={{width: "100%", padding: "0.75rem", background: "rgba(0,0,0,0.5)",
        border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px"}}/>

      </div>

      {activeTab !== "gallery" && (

        <div>

          <label style={{display: "block", marginBottom: "0.5rem", color:
          "#a0a5b5"}}>Description</label>

          <textarea value={formData.description} onChange={e => setFormData({...formData,
          description: e.target.value})} style={{width: "100%", padding: "0.75rem", background:
          "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px",
          minHeight: "80px"}}/>

        </div>

      )}

      <button type="submit" className="admin-btn" style={{ padding: "1rem", marginTop: "0.5rem"
      }}>Create Selected Item</button>

    </form>

  )}

  {loading ? (

    <p>Loading {activeTab} data...</p>

  ) : (

    <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fill, minmax(250px, 1fr))", gap:
    "1.5rem" }}>

```

```

{content.map(c => (
  <div key={c._id} style={{ background: "rgba(255,255,255,0.02)", border: "1px solid
  rgba(255,255,255,0.05)", borderRadius: "12px", overflow: "hidden" }}>
    <div style={{ height: "160px", backgroundImage: `url(${c.imageUrl?.startsWith('/') ?
    'http://' + window.location.hostname + ':5000' + c.imageUrl : c.imageUrl})`, backgroundSize: "cover",
    backgroundPosition: "center" }}></div>
    <div style={{ padding: "1.25rem" }}>
      <h3 style={{ margin: "0 0 0.5rem 0", fontSize: "1.1rem" }}>{c.title}</h3>
      {c.description && <p style={{ fontSize: "0.85rem", color: "#a0a5b5", margin: "0 0 1rem 0"
      }}>{c.description}</p>}
      <button className="admin-btn-outline" onClick={() => handleDelete(c._id)} style={{ width:
      "100%", padding: "0.5rem", borderRadius: "6px", border: "1px solid rgba(248,113,113,0.3)", color:
      "#f87171", background: "transparent", cursor: "pointer" }}>Delete Item</button>
    </div>
  </div>
)}}
{content.length === 0 && (
  <p style={{ color: "#a0a5b5", gridColumn: "1 / -1" }}>No items found for {activeTab}. Please
  add some!</p>
)}
</div>
)}
</div>
);
}

```

File: Client\src\pages\admin\adminLayout.css

```

.admin-layout-root {
  display: flex;
  min-height: 100vh;
  background-color: #0c0d10;
  color: #fff;
  font-family: 'Inter', sans-serif;

```

```
}  
.admin-sidebar {  
  width: 260px;  
  background-color: #121418;  
  border-right: 1px solid rgba(255, 255, 255, 0.05);  
  display: flex;  
  flex-direction: column;  
  flex-shrink: 0;  
  position: sticky;  
  top: 0;  
  height: 100vh;  
}  
.admin-sidebar-header {  
  height: 80px;  
  display: flex;  
  align-items: center;  
  padding: 0 1.5rem;  
  border-bottom: 1px solid rgba(255, 255, 255, 0.05);  
}  
.admin-sidebar-header h2 {  
  font-size: 1.5rem;  
  font-weight: 700;  
  margin: 0;  
  color: #fff;  
  letter-spacing: -0.02em;  
}  
.admin-sidebar-header span {  
  color: #c9a96b;  
  font-weight: 400;  
  margin-left: 0.25rem;  
}
```

```
.admin-sidebar-nav {  
  padding: 1.5rem 1rem;  
  display: flex;  
  flex-direction: column;  
  gap: 0.5rem;  
  flex-grow: 1;  
}  
  
.admin-nav-item {  
  display: flex;  
  align-items: center;  
  gap: 0.75rem;  
  padding: 0.75rem 1rem;  
  color: #a0a5b5;  
  text-decoration: none;  
  font-weight: 500;  
  border-radius: 8px;  
  transition: all 0.2s ease;  
}  
  
.admin-nav-item svg {  
  width: 20px;  
  height: 20px;  
  opacity: 0.7;  
}  
  
.admin-nav-item:hover {  
  background-color: rgba(255, 255, 255, 0.03);  
  color: #fff;  
}  
  
.admin-nav-item:hover svg {  
  opacity: 1;  
}  
  
.admin-nav-item.active {
```

```
background-color: rgba(201, 169, 107, 0.1);
color: #c9a96b;
}
.admin-nav-item.active svg {
  opacity: 1;
  color: #c9a96b;
}
.admin-sidebar-footer {
  padding: 1.5rem 1rem;
  border-top: 1px solid rgba(255, 255, 255, 0.05);
}
.admin-logout-btn {
  width: 100%;
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 0.5rem;
  padding: 0.75rem;
  background-color: transparent;
  color: #f87171;
  border: 1px solid rgba(248, 113, 113, 0.2);
  border-radius: 8px;
  font-size: 0.95rem;
  font-weight: 500;
  cursor: pointer;
  transition: all 0.2s ease;
}
.admin-logout-btn svg {
  width: 18px;
  height: 18px;
}
```

```
.admin-logout-btn:hover {  
  background-color: rgba(248, 113, 113, 0.1);  
}  
.admin-main-content {  
  flex-grow: 1;  
  display: flex;  
  flex-direction: column;  
  overflow-y: auto;  
  position: relative;  
}  
.admin-page-header {  
  padding: 2rem;  
  border-bottom: 1px solid rgba(255, 255, 255, 0.05);  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
}  
.admin-page-header h1 {  
  margin: 0;  
  font-size: 1.75rem;  
  font-weight: 600;  
}  
.admin-page-content {  
  padding: 2rem;  
}  
.admin-table-container {  
  background: rgba(255, 255, 255, 0.02);  
  border: 1px solid rgba(255, 255, 255, 0.05);  
  border-radius: 12px;  
  overflow: hidden;  
}
```

```
.admin-table {  
  width: 100%;  
  border-collapse: collapse;  
}  
.admin-table th,  
.admin-table td {  
  padding: 1rem 1.5rem;  
  text-align: left;  
  border-bottom: 1px solid rgba(255, 255, 255, 0.05);  
}  
.admin-table th {  
  font-weight: 500;  
  color: #a0a5b5;  
  font-size: 0.85rem;  
  text-transform: uppercase;  
  letter-spacing: 0.05em;  
  background-color: rgba(255, 255, 255, 0.01);  
}  
.admin-table tr:last-child td {  
  border-bottom: none;  
}  
.admin-table tr:hover td {  
  background-color: rgba(255, 255, 255, 0.01);  
}  
.admin-badge {  
  padding: 0.25rem 0.6rem;  
  border-radius: 99px;  
  font-size: 0.75rem;  
  font-weight: 500;  
}  
.admin-badge.success {
```



```
background: rgba(52, 211, 153, 0.1);
color: #34d399;
}
.admin-badge.warning {
background: rgba(251, 191, 36, 0.1);
color: #fbbf24;
}
.admin-badge.danger {
background: rgba(248, 113, 113, 0.1);
color: #f87171;
}
.admin-badge.neutral {
background: rgba(160, 165, 181, 0.1);
color: #a0a5b5;
}
.admin-btn {
background: #c9a96b;
color: #000;
border: none;
padding: 0.5rem 1rem;
border-radius: 6px;
font-weight: 500;
cursor: pointer;
transition: all 0.2s ease;
}
.admin-btn:hover {
background: #b89a61;
}
.admin-btn-outline {
background: transparent;
border: 1px solid rgba(255, 255, 255, 0.2);
```

```

    color: #fff;
  }
  .admin-btn-outline:hover {
    background: rgba(255, 255, 255, 0.05);
  }
  @media (max-width: 768px) {
    .admin-layout-root {
      flex-direction: column;
    }
    .admin-sidebar {
      width: 100%;
      height: auto;
      position: static;
    }
    .admin-sidebar-nav {
      flex-direction: row;
      overflow-x: auto;
      padding: 1rem;
    }
    .admin-nav-item {
      white-space: nowrap;
    }
  }
}

```

File: Client\src\pages\admin\AdminLayout.jsx

```

import { Outlet, NavLink, useNavigate } from "react-router-dom";
import "./adminLayout.css";
export default function AdminLayout() {
  const navigate = useNavigate();
  const handleLogout = () => {

```

```

sessionStorage.removeItem("token");

navigate("/login");

};

return (
  <div className="admin-layout-root">
    <aside className="admin-sidebar">
      <div className="admin-sidebar-header">
        <h2>Admin<span>Dashboard</span></h2>
      </div>
      <nav className="admin-sidebar-nav">
        <NavLink to="/admin/dashboard" end className={({ isActive }) => isActive ? "admin-nav-item active" : "admin-nav-item"}>
          <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M3 9l9-7 9 7v11a2 2 0 0 1-2 2h5a2 2 0 0 1-2 2z" /><polyline points="9 22 9 12 15 12 15 22" /></svg>
          Dashboard
        </NavLink>
        <NavLink to="/admin/resorts" className={({ isActive }) => isActive ? "admin-nav-item active" : "admin-nav-item"}>
          <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M3 21h18M5 21v5a2 2 0 0 1 2 2h10a2 2 0 0 1 2 2v16M9 9h6M9 13h6M9 17h6" /></svg>
          Resorts
        </NavLink>
        <NavLink to="/admin/bookings" className={({ isActive }) => isActive ? "admin-nav-item active" : "admin-nav-item"}>
          <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><rect x="3" y="4" width="18" height="18" rx="2" ry="2" /><line x1="16" y1="2" x2="16" y2="6" /><line x1="8" y1="2" x2="8" y2="6" /><line x1="3" y1="10" x2="21" y2="10" /></svg>
          Bookings
        </NavLink>
        <NavLink to="/admin/reviews" className={({ isActive }) => isActive ? "admin-nav-item active" : "admin-nav-item"}>
          <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M21 11.5a8.38 8.38 0 0 1-.9 3.8 8.5 8.5 0 0 1-7.6 4.7 8.38 8.38 0 0 1-3.8-.9L3 21l1.9-5.7a8.38 8.38 0 0 1-.9-3.8 8.5 8.5 0 0 1 4.7-7.6 8.38 8.38 0 0 1 3.8-.9h.5a8.48 8.48 0 0 1 8 8v.5z" /></svg>

```

Reviews

</NavLink>

<NavLink to="/admin/explore" className={{ { isActive }} => isActive ? "admin-nav-item active" : "admin-nav-item"}>

<svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><rect x="3" y="3" width="18" height="18" rx="2" ry="2"></rect><circle cx="8.5" cy="8.5" r="1.5"></circle><polyline points="21 15 16 10 5 21"></polyline></svg>

Explore Content

</NavLink>

<NavLink to="/admin/contacts" className={{ { isActive }} => isActive ? "admin-nav-item active" : "admin-nav-item"}>

<svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M4 4h16c1.1 0 2.9 2 2v12c0 1.1-.9 2-2 2H4c-1.1 0-2-.9-2-2V6c0-1.1-.9-2-2-2z"></path><polyline points="22,6 12,13 2,6"></polyline></svg>

Contacts & Inbox

</NavLink>

<NavLink to="/admin/users" className={{ { isActive }} => isActive ? "admin-nav-item active" : "admin-nav-item"}>

<svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M17 21v-2a4 4 0 0 0-4-4H5a4 4 0 0 0-4-4v2"/><circle cx="9" cy="7" r="4" /><path d="M23 21v-2a4 4 0 0 0-3-3.87" /><path d="M16 3.13a4 4 0 0 1 0 7.75" /></svg>

Users

</NavLink>

</nav>

<div className="admin-sidebar-footer">

<button onClick={handleLogout} className="admin-logout-btn">

<svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"><path d="M9 21H5a2 2 0 0 1-2-2V5a2 2 0 0 1 2-2h4M16 17I5-5-5M21 12H9" /></svg>

Log Out

</button>

</div>

</aside>

<main className="admin-main-content">

<Outlet />

```

    </main>
  </div>
);
}

```

File: Client\src\pages\admin\AdminResorts.jsx

```

import { useEffect, useState } from "react";
function getAuthToken() {
  const t = sessionStorage.getItem("token");
  return t ? t.trim() : "";
}
export default function AdminResorts() {
  const [resorts, setResorts] = useState([]);
  const [loading, setLoading] = useState(true);
  const [showAddForm, setShowAddForm] = useState(false);
  const [formData, setFormData] = useState({
    name: "",
    city: "",
    basePrice: "",
    inventory: "",
    description: "",
    amenities: "",
    coverImage: null,
    galleryImages: []
  });
  const [editingResort, setEditingResort] = useState(null);
  const [newRoom, setNewRoom] = useState({ title: "", description: "", basePrice: "", inventoryCount:
  "", maxGuests: 2, amenities: "", roomImages: [] });
  const loadResorts = async () => {
    setLoading(true);

```

```

try {
  const res = await fetch(`http://${window.location.hostname}:5000/api/resorts/`);
  const data = await res.json();
  setResorts(Array.isArray(data) ? data : []);
} catch (e) {
  console.error(e);
} finally {
  setLoading(false);
}
};

useEffect(() => {
  loadResorts();
}, []);

const handleDelete = async (resortId) => {
  if (!window.confirm("Delete this resort?")) return;
  try {
    const res = await
fetch(`http://${window.location.hostname}:5000/api/resorts/admin/${resortId}`, {
      method: "DELETE",
      headers: { Authorization: `Bearer ${getAuthToken()}` }
    });
    if (res.ok) await loadResorts();
  } catch (e) {
    alert("Error deleting resort");
  }
};

const handleCreate = async (e) => {
  e.preventDefault();
  if (!formData.name || !formData.city || !formData.basePrice) return alert("Fill required fields");
  const payload = new FormData();
  payload.append("name", formData.name);

```

```

payload.append("city", formData.city);
payload.append("description", formData.description || "");
if (formData.amenities) payload.append("amenities", formData.amenities);
payload.append("basePrice", formData.basePrice);
payload.append("inventory", formData.inventory);
if (formData.coverImage) {
  payload.append("coverImage", formData.coverImage);
}
if (formData.galleryImages.length > 0) {
  Array.from(formData.galleryImages).forEach(file => {
    payload.append("galleryImages", file);
  });
}
try {
  const res = await fetch(`http://${window.location.hostname}:5000/api/resorts/admin`, {
    method: "POST",
    headers: {
      Authorization: `Bearer ${getAuthToken()}`
    },
    body: payload
  });
  if (res.ok) {
    setShowAddForm(false);
    setFormData({ name: "", city: "", basePrice: "", inventory: "", description: "", amenities: "",
    coverImage: null, galleryImages: [] });
    await loadResorts();
  } else {
    alert("Failed to create resort");
  }
} catch (e) {
  alert("Error creating resort");
}

```

```

    }
  };

  const addRoom = async (resortId) => {
    if (!newRoom.title || !newRoom.basePrice) return alert("Room title and price required");
    const payload = new FormData();
    payload.append("title", newRoom.title);
    payload.append("description", newRoom.description || "");
    payload.append("basePrice", newRoom.basePrice);
    payload.append("inventoryCount", newRoom.inventoryCount);
    payload.append("maxGuests", newRoom.maxGuests);
    if (newRoom.amenities) payload.append("amenities", newRoom.amenities);
    if (newRoom.roomImages.length > 0) {
      Array.from(newRoom.roomImages).forEach(file => {
        payload.append("roomImages", file);
      });
    }
    try {
      const res = await
fetch(`http://${window.location.hostname}:5000/api/resorts/admin/${resortId}/rooms`, {
  method: "POST",
  headers: { Authorization: `Bearer ${getAuthToken()}` },
  body: payload
});
      if (res.ok) {
        setNewRoom({ title: "", description: "", basePrice: "", inventoryCount: "", maxGuests: 2,
amenities: "", roomImages: [] });
        const updatedResort = await res.json();
        setResorts(resorts.map(r => r._id === resortId ? updatedResort.resort : r));
        setEditingResort(updatedResort.resort);
      }
    } catch (e) {

```



```

    alert("Error adding room");
  }
};

const deleteRoom = async (resortId, roomId) => {
  if (!window.confirm("Remove this room type?")) return;
  try {
    const res = await
fetch(`http://${window.location.hostname}:5000/api/resorts/admin/${resortId}/rooms/${roomId}`, {
  method: "DELETE",
  headers: { Authorization: `Bearer ${getAuthToken()}` }
});
    if (res.ok) {
      const updatedResort = await res.json();
      setResorts(resorts.map(r => r._id === resortId ? updatedResort.resort : r));
      setEditingResort(updatedResort.resort);
    }
  } catch (e) {
    alert("Error deleting room");
  }
};

const updateRoomFeatures = async (resortId, roomId, currentAmenities) => {
  const currentStr = currentAmenities && currentAmenities.length > 0 ? currentAmenities.join(', ') :
  "";
  const newFeatures = window.prompt("Update Room Features (Comma separated):", currentStr);
  if (newFeatures === null) return;
  try {
    const res = await
fetch(`http://${window.location.hostname}:5000/api/resorts/admin/${resortId}/rooms/${roomId}`, {
  method: "PUT",
  headers: {
    "Content-Type": "application/json",
    Authorization: `Bearer ${getAuthToken()}`
  }
});
  }
};

```

```

    },
    body: JSON.stringify({ amenities: newFeatures })
  });
  if (res.ok) {
    const updatedResort = await res.json();
    setResorts(resorts.map(r => r._id === resortId ? updatedResort.resort : r));
    setEditingResort(updatedResort.resort);
  } else {
    alert("Failed to update features");
  }
} catch (e) {
  alert("Error updating room features");
}
};

if (editingResort) {
  return (
    <div className="admin-page-content">
      <div className="admin-page-header" style={{ padding: "0 0 2rem 0", display: 'flex',
        justifyContent: 'space-between' }}>
        <div>
          <h1 style={{marginBottom: "0.25rem"}}>Manage Resort: {editingResort.name}</h1>
          <p style={{color: "#a0a5b5"}}>{editingResort.location?.city}</p>
        </div>
        <button className="admin-btn-outline" onClick={() => setEditingResort(null)}>Back to
        Resorts</button>
      </div>
      <div style={{ background: "rgba(255,255,255,0.02)", padding: "2rem", borderRadius: "12px",
        border: "1px solid rgba(255,255,255,0.05)", marginBottom: "2rem" }}>
        <h2>Resort Room Types</h2>
        <div className="rooms-grid" style={{ display: 'grid', gap: '1rem', marginTop: '1rem' }}>
          {editingResort.roomTypes?.map(rt => (

```

```

    <div key={rt._id} style={{ background: "rgba(0,0,0,0.3)", padding: "1rem", borderRadius:
    "8px", border: "1px solid rgba(255,255,255,0.1)", display: "flex", justifyContent: "space-between",
    alignItems: "center" }}>

      <div>

        <strong style={{color:"#c9a96b", fontSize: "1.1rem"}}>{rt.title}</strong>

        <div style={{color:"#a0a5b5", fontSize: "0.9rem", marginTop: "4px"}}>₹{rt.basePrice} |
        Guests: {rt.maxGuests} | Total Inventory: {rt.inventoryCount}</div>

        {rt.amenities?.length > 0 && <div style={{color:"#a0a5b5", fontSize: "0.85rem",
        marginTop: "2px", opacity: 0.8}}>Features: {rt.amenities.join(', ')}</div>}

      </div>

      <div style={{ display: 'flex', gap: '8px', alignItems: 'center' }}>

        <button className="admin-btn" onClick={() => updateRoomFeatures(editingResort._id,
        rt._id, rt.amenities)} style={{ padding: "0.4rem 0.8rem", fontSize: "0.85rem" }}>Edit
        Features</button>

        <button className="admin-btn-outline" onClick={() => deleteRoom(editingResort._id,
        rt._id)} style={{ padding: "0.4rem 0.8rem", color: "#f87171", borderColor: "rgba(248,113,113,0.3)"
        }}>Remove</button>

      </div>

    </div>

  )})
</div>

<h3 style={{marginTop: "2rem", paddingTop: "2rem", borderTop: "1px solid
rgba(255,255,255,0.1)}}>Add New Room Type</h3>

<div style={{ display: "grid", gap: "1rem", gridTemplateColumns: "1fr 1fr", marginTop: "1rem"
}}>

  <input type="text" placeholder="Title (e.g. Presidential Suite)" value={newRoom.title}
  onChange={e=>setNewRoom({...newRoom, title:e.target.value}}) style={{padding: "0.75rem",
  background: "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius:
  "6px"}}/>

  <input type="number" placeholder="Base Price (₹)" value={newRoom.basePrice}
  onChange={e=>setNewRoom({...newRoom, basePrice:e.target.value}}) style={{padding: "0.75rem",
  background: "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius:
  "6px"}}/>

  <input type="number" placeholder="Max Guests" value={newRoom.maxGuests}
  onChange={e=>setNewRoom({...newRoom, maxGuests:e.target.value}}) style={{padding: "0.75rem",
  background: "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius:
  "6px"}}/>

```

```

    <input type="number" placeholder="Inventory Count" value={newRoom.inventoryCount}
    onChange={e=>setNewRoom({...newRoom, inventoryCount:e.target.value})} style={{padding:
    "0.75rem", background: "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff",
    borderRadius: "6px"}}/>

    <textarea placeholder="Room Amenities & Features (Comma separated)"
    value={newRoom.amenities} onChange={e=>setNewRoom({...newRoom, amenities:e.target.value})}
    style={{gridColumn: "1 / -1", padding: "0.75rem", background: "rgba(0,0,0,0.5)", border: "1px solid
    rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px", minHeight: "60px"}}/>

    <label style={{ gridColumn: "1 / -1", color: "#a0a5b5" }}>Room Images (Select
    Multiple)</label>

    <input type="file" multiple accept="image/*" onChange={e=>setNewRoom({...newRoom,
    roomImages: e.target.files})} style={{ gridColumn: "1 / -1", padding: "0.75rem", background:
    "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px"}}/>

    <button className="admin-btn" onClick={() => addRoom(editingResort._id)} style={{
    gridColumn: "1 / -1", padding: "1rem" }}>+ Add Room</button>

  </div>

</div>

</div>

);
}

return (

  <div className="admin-page-content">

    <div className="admin-page-header" style={{ padding: "0 0 2rem 0", display: 'flex',
    justifyContent: 'space-between' }}>

      <h1>Resorts Management</h1>

      <button className="admin-btn" onClick={() => setShowAddForm(!showAddForm)}>

        {showAddForm ? "Cancel" : "+ Add New Resort"}

      </button>

    </div>

    {showAddForm && (

      <form onSubmit={handleCreate} style={{ background: "rgba(255,255,255,0.02)", padding:
      "2rem", borderRadius: "12px", border: "1px solid rgba(255,255,255,0.05)", marginBottom: "2rem",
      display: "grid", gap: "1rem", gridTemplateColumns: "1fr 1fr" }}>

        <div>

          <label style={{display: "block", marginBottom: "0.5rem", color: "#a0a5b5"}}>Resort
          Name</label>

```

```

    <input type="text" required value={formData.name} onChange={e =>
setFormData({...formData, name: e.target.value})} style={{width: "100%", padding: "0.75rem",
background: "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius:
"6px"}}/>

    </div>

    <div>

        <label style={{display: "block", marginBottom: "0.5rem", color: "#a0a5b5"}}>City</label>

        <input type="text" required value={formData.city} onChange={e => setFormData({...formData,
city: e.target.value})} style={{width: "100%", padding: "0.75rem", background: "rgba(0,0,0,0.5)",
border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px"}}/>

    </div>

    <div style={{ gridColumn: "1 / -1" }}>

        <label style={{display: "block", marginBottom: "0.5rem", color:
"#a0a5b5"}}>Description</label>

        <textarea value={formData.description} onChange={e => setFormData({...formData,
description: e.target.value})} style={{width: "100%", padding: "0.75rem", background:
"rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px",
minHeight: "80px"}} placeholder="Escape to this luxury resort..."/>

    </div>

    <div style={{ gridColumn: "1 / -1" }}>

        <label style={{display: "block", marginBottom: "0.5rem", color: "#c9a96b"}}>Cover Image
(Required)</label>

        <input type="file" accept="image/*" required onChange={e => setFormData({...formData,
coverImage: e.target.files[0]})} style={{width: "100%", padding: "0.75rem", background:
"rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px"}}/>

    </div>

    <div style={{ gridColumn: "1 / -1" }}>

        <label style={{display: "block", marginBottom: "0.5rem", color: "#c9a96b"}}>Gallery Images
(Select Multiple, Max 10)</label>

        <input type="file" multiple accept="image/*" onChange={e => setFormData({...formData,
galleryImages: e.target.files})} style={{width: "100%", padding: "0.75rem", background:
"rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px"}}/>

    </div>

    <div style={{ gridColumn: "1 / -1" }}>

        <label style={{display: "block", marginBottom: "0.5rem", color: "#c9a96b"}}>Amenities
(Comma Separated)</label>

```

```

    <textarea value={formData.amenities || ""} onChange={e => setFormData({...formData,
amenities: e.target.value})} style={{width: "100%", padding: "0.75rem", background:
"rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius: "6px",
minHeight: "80px"}} placeholder="Pool, Spa, Gym, WiFi"/>

  </div>

  <h3 style={{ gridColumn: "1 / -1", borderTop: "1px solid rgba(255,255,255,0.1)", paddingTop:
"1rem", marginTop: "1rem" }}>Initial Room Setup</h3>

  <div>

    <label style={{display: "block", marginBottom: "0.5rem", color: "#a0a5b5"}}>Standard Room
Base Price (₹)</label>

    <input type="number" required value={formData.basePrice} onChange={e =>
setFormData({...formData, basePrice: e.target.value})} style={{width: "100%", padding: "0.75rem",
background: "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius:
"6px"}}/>

  </div>

  <div>

    <label style={{display: "block", marginBottom: "0.5rem", color: "#a0a5b5"}}>Standard Room
Inventory Count</label>

    <input type="number" required value={formData.inventory} onChange={e =>
setFormData({...formData, inventory: e.target.value})} style={{width: "100%", padding: "0.75rem",
background: "rgba(0,0,0,0.5)", border: "1px solid rgba(255,255,255,0.1)", color: "#fff", borderRadius:
"6px"}}/>

  </div>

  <button type="submit" className="admin-btn" style={{ gridColumn: "1 / -1", padding: "1rem"
}}>Create Resort</button>

</form>

)}

{loading ? (
  <p>Loading resorts...</p>
) : (
  <div className="admin-table-container">

    <table className="admin-table">

      <thead>

        <tr>

          <th>Resort</th>

```

```

<th>City</th>

<th>Stats</th>

<th>Actions</th>

</tr>

</thead>

<tbody>

{resorts.map(r => (

  <tr key={r._id}>

    <td>

      <strong>{r.name}</strong>

      <div style={{fontSize: "0.8rem", color: "#a0a5b5"}}>{r.images?.length || 0} Images</div>

    </td>

    <td>{r.location?.city}</td>

    <td>

      <div style={{fontSize: "0.85rem"}}>

        {r.roomTypes?.length || 0} Room Types<br/>

        {r.amenities?.length || 0} Amenities

      </div>

    </td>

    <td>

      <div style={{display: "flex", gap: "0.5rem"}}>

        <button className="admin-btn" onClick={() => setEditingResort(r)} style={{ padding:
"0.25rem 0.75rem", fontSize: "0.85rem" }}>

          Manage

        </button>

        <button className="admin-btn admin-btn-outline" onClick={() => handleDelete(r._id)}
style={{ padding: "0.25rem 0.75rem", fontSize: "0.85rem", color: "#f87171", borderColor:
"rgba(248,113,113,0.3)" }}>

          Delete

        </button>

      </div>

    </td>
  </tr>
)

```

```

        </tr>
    }}}
</tbody>
</table>
</div>
    })
</div>
);
}

```

File: Client\src\pages\admin\adminReviews.css

```

.admin-reviews-inner {
    max-width: 1100px;
    margin: 0 auto;
    padding: 40px 2px;
}
.admin-reviews-inner h1 {
    margin: 0 0 12px;
    font-size: 28px;
    color: #ffffff;
}
.admin-reviews-lead {
    color: #cbd5e1;
    margin: 0 0 28px;
    line-height: 1.5;
}
.admin-reviews-status,
.admin-reviews-empty {
    color: #94a3b8;
    font-size: 16px;
}

```



```
margin-top: 20px;
}
.admin-reviews-error {
  color: #ef4444;
  font-weight: 500;
  margin-top: 20px;
}
.admin-review-list {
  list-style: none;
  margin: 0;
  padding: 0;
  display: flex;
  flex-direction: column;
  gap: 16px;
}
.admin-review-item {
  background: rgba(255, 255, 255, 0.05);
  border-radius: 12px;
  padding: 24px;
  border: 1px solid rgba(255, 255, 255, 0.1);
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.2);
}
.admin-review-meta {
  display: flex;
  flex-wrap: wrap;
  gap: 10px 16px;
  align-items: center;
  margin-bottom: 14px;
  font-size: 14px;
}
.admin-review-meta strong {
```

```
    color: #f8fafc;
    font-size: 15px;
}
.admin-review-stars {
    color: #f9a826;
    letter-spacing: 2px;
}
.admin-review-user {
    color: #94a3b8;
}
.admin-review-time {
    color: #64748b;
    font-size: 13px;
}
.admin-review-comment {
    margin: 0 0 20px;
    color: #e2e8f0;
    line-height: 1.6;
    white-space: pre-wrap;
    font-size: 15px;
}
.admin-review-actions {
    display: flex;
    gap: 12px;
}
.admin-btn-approve {
    padding: 10px 24px;
    border: none;
    border-radius: 8px;
    font-weight: 600;
    font-size: 14px;
```

```

    cursor: pointer;
    background: linear-gradient(135deg, #10b981, #059669);
    color: #fff;
    transition: opacity 0.2s;
  }
  .admin-btn-approve:hover:not(:disabled) {
    opacity: 0.9;
  }
  .admin-btn-reject {
    padding: 10px 24px;
    border: 1px solid #ef4444;
    border-radius: 8px;
    font-weight: 600;
    font-size: 14px;
    cursor: pointer;
    background: transparent;
    color: #ef4444;
    transition: all 0.2s;
  }
  .admin-btn-reject:hover:not(:disabled) {
    background: rgba(239, 68, 68, 0.1);
  }
  .admin-btn-approve:disabled,
  .admin-btn-reject:disabled {
    opacity: 0.5;
    cursor: not-allowed;
  }

```

File: Client\src\pages\admin\AdminReviews.jsx

```
import { useEffect, useState } from "react";
```

```

import "./adminReviews.css";

function getAuthToken() {
  const t = sessionStorage.getItem("token");
  return t ? t.trim() : "";
}

export default function AdminReviews() {
  const [reviews, setReviews] = useState([]);
  const [loading, setLoading] = useState(true);
  const [error, setError] = useState("");
  const [actionId, setActionId] = useState(null);
  const loadPending = async () => {
    setError("");
    setLoading(true);
    try {
      const res = await fetch(`http://${window.location.hostname}:5000/api/reviews/admin/pending`, {
        headers: { Authorization: `Bearer ${getAuthToken()}` },
      });
      const data = await res.json();
      if (res.status === 401 || res.status === 403) {
        setError(data.message || "Not authorized");
        setReviews([]);
        return;
      }
      if (!res.ok) throw new Error(data.message || "Failed to load");
      setReviews(data.reviews || []);
    } catch (e) {
      setError(e.message);
      setReviews([]);
    } finally {
      setLoading(false);
    }
  }
}

```

```

};

useEffect(() => {
  loadPending();
}, []);

const approve = async (reviewId) => {
  setActionId(reviewId);
  try {
    const res = await fetch(
      `http://${window.location.hostname}:5000/api/reviews/admin/${reviewId}/approve`,
      {
        method: "PATCH",
        headers: { Authorization: `Bearer ${getAuthToken()}` },
      }
    );
    const data = await res.json();
    if (!res.ok) throw new Error(data.message || "Approve failed");
    await loadPending();
  } catch (e) {
    alert(e.message);
  } finally {
    setActionId(null);
  }
};

const reject = async (reviewId) => {
  if (!window.confirm("Reject and delete this review? The guest can submit again.")) return;
  setActionId(reviewId);
  try {
    const res = await
    fetch(`http://${window.location.hostname}:5000/api/reviews/admin/${reviewId}`, {
      method: "DELETE",
      headers: { Authorization: `Bearer ${getAuthToken()}` },

```

```

});

const data = await res.json();

if (!res.ok) throw new Error(data.message || "Reject failed");

await loadPending();

} catch (e) {

  alert(e.message);

} finally {

  setActionId(null);

}

};

return (

  <div className="admin-page-content">

    <div className="admin-reviews-inner">

      <h1>Review Moderation</h1>

      <p className="admin-reviews-lead">

        Manage guest feedback. Approve reviews to display them publicly on resort pages, or reject
        inappropriate ones to clear them from pending.

      </p>

      {loading && <p className="admin-reviews-status">Loading...</p>}

      {error && <p className="admin-reviews-error">{error}</p>}

      {!loading && !error && reviews.length === 0 && (

        <p className="admin-reviews-empty">No pending reviews.</p>

      )}

      {!loading && reviews.length > 0 && (

        <ul className="admin-review-list">

          {reviews.map((r) => (

            <li key={r._id} className="admin-review-item">

              <div className="admin-review-meta">

                <strong>{r.resortName}</strong>

                <span className="admin-review-stars">{"★".repeat(r.rating)}{"☆".repeat(5 -
r.rating)}</span>


```

```

    <span className="admin-review-user">
      {r.userName} · {r.userEmail}
    </span>

    <time className="admin-review-time">
      {new Date(r.createdAt).toLocaleString()}
    </time>
  </div>

  <p className="admin-review-comment">{r.comment}</p>
  <div className="admin-review-actions">
    <button
      type="button"
      className="admin-btn-approve"
      disabled={actionId === r._id}
      onClick={() => approve(r._id)}
    >
      {actionId === r._id ? "..." : "Approve"}
    </button>

    <button
      type="button"
      className="admin-btn-reject"
      disabled={actionId === r._id}
      onClick={() => reject(r._id)}
    >
      Reject
    </button>
  </div>
</li>
  )}
</ul>
)}
</div>

```

```

    </div>
  );
}

```

File: Client\src\pages\admin\AdminUsers.jsx

```

import { useEffect, useState } from "react";
function getAuthToken() {
  const t = sessionStorage.getItem("token");
  return t ? t.trim() : "";
}
export default function AdminUsers() {
  const [users, setUsers] = useState([]);
  const [loading, setLoading] = useState(true);
  const loadUsers = async () => {
    setLoading(true);
    try {
      const res = await fetch(`http://${window.location.hostname}:5000/api/users/admin/all`, {
        headers: { Authorization: `Bearer ${getAuthToken()}` },
      });
      const data = await res.json();
      if (res.ok) setUsers(data);
    } catch (e) {
      console.error(e);
    } finally {
      setLoading(false);
    }
  };
  useEffect(() => {
    loadUsers();
  }, []);

```



```

const toggleRole = async (userId, currentRole) => {
  const newRole = currentRole === "admin" ? "user" : "admin";
  if (!window.confirm(`Are you sure you want to make this user ${newRole}?`)) return;
  try {
    const res = await
    fetch(`http://${window.location.hostname}:5000/api/users/admin/${userId}/role`, {
      method: "PUT",
      headers: {
        "Content-Type": "application/json",
        Authorization: `Bearer ${getAuthToken()}`
      },
      body: JSON.stringify({ role: newRole })
    });
    if (res.ok) {
      await loadUsers();
    } else {
      alert("Failed to update role");
    }
  } catch (e) {
    alert("Error: " + e.message);
  }
};

return (
  <div className="admin-page-content">
    <div className="admin-page-header" style={{ padding: "0 0 2rem 0" }}>
      <h1>Users Management</h1>
    </div>
    {loading ? (
      <p>Loading users...</p>
    ) : (
      <div className="admin-table-container">

```

```

<table className="admin-table">
  <thead>
    <tr>
      <th>Name</th>
      <th>Email</th>
      <th>Phone</th>
      <th>Status</th>
      <th>Role</th>
      <th>Actions</th>
    </tr>
  </thead>
  <tbody>
    {users.map(u => (
      <tr key={u._id}>
        <td>{u.name}</td>
        <td>{u.email}</td>
        <td>{u.phone}</td>
        <td>
          <span className={`admin-badge ${u.isVerified ? "success" : "warning"}`}>
            {u.isVerified ? "Verified" : "Pending"}
          </span>
        </td>
        <td>
          <span className={`admin-badge ${u.role === "admin" ? "danger" : "neutral"}`}>
            {u.role}
          </span>
        </td>
        <td>
          <button
            className="admin-btn admin-btn-outline"
            onClick={() => toggleRole(u._id, u.role)}

```

```

        style={{ padding: "0.25rem 0.75rem", fontSize: "0.85rem" }}
      >
        Make {u.role === "admin" ? "User" : "Admin"}
      </button>
    </td>
  </tr>
))}
</tbody>
</table>
</div>
)}
</div>
);
}

```

File: Client\src\pages\Amenities.jsx

```

import React, { useState, useEffect } from 'react';
import './ExplorePages.css';
import Navbar from '../components/Navbar';
import Footer from '../components/Footer';
const defaultAmenities = [
  { _id: '1', imageUrl: 'https://images.unsplash.com/photo-1582719508461-905c673771fd?auto=format&fit=crop&q=80&w=500', title: 'Swimming Pool', desc: 'Olympic-sized infinity pool with temperature control.' },
  { _id: '2', imageUrl: 'https://images.unsplash.com/photo-1540555700392-696668ce01c6?auto=format&fit=crop&q=80&w=500', title: 'Spa & Wellness', desc: 'Rejuvenate your senses with luxury massage and therapies.' },
  { _id: '3', imageUrl: 'https://images.unsplash.com/photo-1534438327276-14e5300c3a48?auto=format&fit=crop&q=80&w=500', title: 'Fitness Center', desc: 'State-of-the-art gym equipment and personal trainers.' },
  { _id: '4', imageUrl: 'https://images.unsplash.com/photo-1570535977936-ce47eb5957b4?auto=format&fit=crop&q=80&w=500', title: 'Tennis Court', desc: 'Professional outdoor floodlit tennis courts.' },

```

```
{ _id: '5', imageUrl: 'https://images.unsplash.com/photo-1558269784-
fb73be5c6e8e?auto=format&fit=crop&q=80&w=500', title: 'Kids Play Zone', desc: 'Safe and engaging
indoor and outdoor active play areas.' },
```

```
{ _id: '6', imageUrl: 'https://images.unsplash.com/photo-1600566753190-
17f0baa2a6c3?auto=format&fit=crop&q=80&w=500', title: 'Concierge Desk', desc: '24/7 premium
assistance for all your travel needs.' }
```

```
];
```

```
export default function Amenities() {
```

```
  const [amenities, setAmenities] = useState(defaultAmenities);
```

```
  useEffect(() => {
```

```
    fetch(`http://${window.location.hostname}:5000/api/explore?type=amenity`)
```

```
      .then(r => r.json())
```

```
      .then(d => {
```

```
        if (d.success && d.content && d.content.length > 0) {
```

```
          setAmenities(d.content);
```

```
        }
```

```
      })
```

```
      .catch(console.error);
```

```
    }, []);
```

```
    return (
```

```
      <>
```

```
      <Navbar />
```

```
      <div className="explore-page-container" style={{ paddingTop: '80px' }}>
```

```
        <div className="explore-hero" style={{ backgroundImage:
`url('https://images.unsplash.com/photo-1544161515-
4ab6ce6db874?auto=format&fit=crop&q=80&w=2000')` }}>
```

```
          <div className="explore-hero-content">
```

```
            <h1>Premium Amenities</h1>
```

```
            <p>Experience world-class luxury & comfort</p>
```

```
          </div>
```

```
        </div>
```

```
        <div className="explore-grid" style={{ marginBottom: '60px' }}>
```

```
          {amenities.map(item => (
```

```

    <div key={item._id || item.id} className="explore-card">
      <img src={item.imageUrl?.startsWith('/') ?
`http://${window.location.hostname}:5000${item.imageUrl}` : item.imageUrl} alt={item.title}
className="explore-card-img" />
      <div className="explore-card-body">
        <h3>{item.title}</h3>
        <p>{item.desc}</p>
      </div>
    </div>
  </div>
  )}
</div>
</div>
<Footer />
</>
);
}

```

File: Client\src\pages\contact.css

```

body {
  margin: 0;
  font-family: 'Inter', 'Helvetica Neue', Arial, sans-serif;
  background: #f7f7f9;
}

.contact-hero {
  position: relative;
  height: 44vh;
  min-height: 320px;
  max-height: 420px;
  overflow: hidden;
  margin-top: 120px;
}

```

```
}  
.contact-hero img {  
  width: 100%;  
  height: 100%;  
  object-fit: cover;  
  filter: brightness(0.7);  
  transition: transform 0.6s ease;  
}  
.contact-hero:hover img {  
  transform: scale(1.05);  
}  
.contact-hero-overlay {  
  position: absolute;  
  inset: 0;  
  display: grid;  
  place-items: center;  
  color: #fff;  
  text-shadow: 0 10px 28px rgba(0, 0, 0, 0.32);  
  font-size: clamp(1.2rem, 2.2vw, 2rem);  
  font-weight: 700;  
  text-transform: uppercase;  
  letter-spacing: 1.2px;  
}  
.hero::after {  
  content: "";  
  position: absolute;  
  width: 100%;  
  height: 100%;  
  background: rgba(0, 0, 0, 0.4);  
  top: 0;  
  left: 0;
```

```
}  
.contact-page {  
  max-width: 1140px;  
  margin: 0 auto;  
  padding: 38px 20px 64px;  
}  
.contact-intro {  
  text-align: center;  
  padding: 2rem 2rem;  
  max-width: 980px;  
  margin: 0 auto;  
  animation: fadeInUp 0.8s ease-out;  
}  
.contact-intro h1 {  
  font-size: clamp(1.6rem, 3vw, 2.8rem);  
  font-weight: 800;  
  margin-bottom: 1.2rem;  
  color: #0a1428;  
  letter-spacing: -0.01em;  
  position: relative;  
  display: inline-block;  
}  
.contact-intro h1::after {  
  content: "";  
  position: absolute;  
  bottom: -8px;  
  left: 50%;  
  transform: translateX(-50%);  
  width: 60px;  
  height: 4px;  
  background: linear-gradient(90deg, #d18737, #e8ac52);
```

```
border-radius: 2px;
}
.contact-intro p {
font-size: 1.08rem;
color: #536278;
line-height: 1.85;
max-width: 800px;
margin: 0.5rem auto 10px;
font-weight: 400;
}
.contact-locations {
display: flex;
justify-content: center;
gap: 18px;
flex-wrap: wrap;
}
.contact-locations article {
background: #fff;
border: 1px solid #e8e9ee;
border-radius: 14px;
padding: 16px 22px;
box-shadow: 0 10px 24px rgba(15, 31, 61, 0.08);
min-width: 240px;
}
.contact-locations h3 {
margin: 0 0 0.35rem;
color: #0e1a39;
font-size: 1rem;
}
.contact-locations p {
margin: 0;
```



```
color: #2f3f61;
font-size: 0.98rem;
font-weight: 600;
}
.contact-form-section {
background: #ffffff;
border-radius: 22px;
border: 1px solid #e3e6ed;
box-shadow: 0 20px 45px rgba(29, 45, 78, 0.09);
padding: 30px;
margin-bottom: 45px;
}
.contact-form-section h2 {
margin-top: 0;
line-height: 1.2;
color: #1e2a4d;
font-size: clamp(1.8rem, 2.5vw, 2.4rem);
text-align: center;
font-family: 'Playfair Display', serif;
letter-spacing: 1px;
font-weight: 500;
}
.contact-form-section h2+p {
color: #607095;
margin-top: 0.5rem;
}
.contact-form {
margin-top: 1.4rem;
}
.form-row {
display: grid;
```

```
grid-template-columns: repeat(3, 1fr);
gap: 16px;
margin-bottom: 14px;
}

.form-row.form-full {
  grid-template-columns: 1fr;
}

.form-row input,
.form-row select,
.form-row textarea {
  width: 100%;
  padding: 12px 14px;
  border: 1px solid #ced6e5;
  border-radius: 10px;
  font-size: 0.95rem;
  color: #2a3a5b;
  background: #fff;
  box-shadow: inset 0 1px 2px rgba(15, 28, 58, 0.06);
}

.form-row input:focus,
.form-row select:focus,
.form-row textarea:focus {
  outline: none;
  border-color: #3d69ff;
  box-shadow: 0 0 4px rgba(61, 105, 255, 0.14);
}

.textarea {
  resize: vertical;
}

.checkbox-grid {
  display: grid;
```

```
grid-template-columns: 1fr 1fr;
row-gap: 10px;
margin: 0.5rem 0 1rem;
}

.checkbox-grid label {
display: flex;
align-items: center;
gap: 10px;
color: #2a3753;
font-size: 0.93rem;
line-height: 1.3;
}

.contact-form button {
border: 0;
border-radius: 999px;
background: linear-gradient(125deg, #1725c0, #1725c0);
color: white;
font-weight: 700;
font-size: 1rem;
padding: 12px 30px;
cursor: pointer;
transition: transform 0.25s ease, box-shadow 0.25s ease;
}

.contact-form button:hover {
transform: translateY(-2px);
box-shadow: 0 10px 24px rgba(26, 101, 122, 0.35);
}

.faq-section {
margin-bottom: 62px;
}

.faq-section h2 {
```

```
color: #1e2a4f;
font-size: clamp(1.65rem, 2.2vw, 2rem);
margin: 0 0 0.35rem;
}

.faq-section p {
margin: 0 0 1.2rem;
color: #69798f;
}

.faq-list details {
border: 1px solid #d7dee8;
border-radius: 12px;
padding: 0.95rem 1rem;
margin-bottom: 10px;
background: #ffffff;
box-shadow: 0 8px 16px rgba(30, 48, 82, 0.05);
}

.faq-list summary {
cursor: pointer;
font-weight: 700;
color: #17284b;
font-size: 1rem;
}

.faq-list p {
margin: 0.65rem 0 0;
color: #405170;
font-size: 0.96rem;
line-height: 1.5;
}

@media (max-width: 960px) {
.faq-row {
grid-template-columns: 1fr;
```

```

}

.checkbox-grid {
  grid-template-columns: 1fr;
}

.contact-locations {
  flex-direction: column;
  align-items: center;
}
}

@media (max-width: 640px) {
  .contact-page {
    padding: 24px 14px 34px;
  }

  .contact-hero {
    height: 34vh;
    min-height: 230px;
  }

  .contact-hero-overlay {
    font-size: 1.25rem;
  }
}

```

File: Client\src\pages\contact.jsx

```

import { useState } from "react";
import "./contact.css";
import Navbar from "../components/Navbar";
import Footer from "../components/Footer";
function Contact() {
  const [formData, setFormData] = useState({
    title: "", firstName: "", lastName: "", email: "", phone: "", country: "", comments: ""

```

```

});

const [statusMsg, setStatusMsg] = useState("");

const handleInputChange = (e) => {
  const { name, value } = e.target;
  setFormData(prev => ({ ...prev, [name]: value }));
};

const handleSubmit = async (e) => {
  e.preventDefault();
  setStatusMsg("Submitting...");
  try {
    const res = await fetch(`http://${window.location.hostname}:5000/api/contact`, {
      method: "POST",
      headers: { "Content-Type": "application/json" },
      body: JSON.stringify(formData)
    });
    const data = await res.json();
    if (res.ok) {
      setStatusMsg(data.message);
      setFormData({ title: "", firstName: "", lastName: "", email: "", phone: "", country: "", comments: "" });
    } else {
      setStatusMsg(data.message || "Failed to submit.");
    }
  } catch (err) {
    setStatusMsg("Error submitting form.");
  }
};

return (
  <>
  <Navbar />
  <section className="contact-hero">

```

```


<div className="contact-hero-overlay">
  <p>Contact for our Concierge services</p>
</div>

</section>

<main className="contact-page">
  <section className="contact-intro">
    <h1>Contact Us</h1>
    <p>
      Get in touch with Serena Hotels, Resorts, Lodges, Camps, Forts &
      Palaces. Our team is ready to assist with booking, group stays and
      bespoke travel experiences.
    </p>
    <div className="contact-locations">
      <article>
        <h3>BHAVIN HALPATI</h3>
        <p>+91 6356 438 525</p>
      </article>
      <article>
        <h3>DEV DALWADI</h3>
        <p>+91 7874 811 012</p>
      </article>
      <article>
        <h3>PRINCE AKBARI</h3>
        <p>+91 6353 550 989</p>
      </article>
    </div>
  </section>
```

```

<section className="contact-form-section">
  <h2>Contact / E-Concierge Form</h2>
  <form className="contact-form" onSubmit={handleSubmit}>
    <div className="form-row">
      <select name="title" required value={formData.title} onChange={handleInputChange}>
        <option value="">Select Title</option>
        <option value="mr">Mr</option>
        <option value="ms">Ms</option>
        <option value="mrs">Mrs</option>
      </select>
      <input type="text" name="firstName" placeholder="First Name" required
value={formData.firstName} onChange={handleInputChange} />
      <input type="text" name="lastName" placeholder="Last Name" required
value={formData.lastName} onChange={handleInputChange} />
    </div>
    <div className="form-row">
      <input type="email" name="email" placeholder="Email Address" required
value={formData.email} onChange={handleInputChange} />
      <input type="tel" name="phone" placeholder="Phone Number" required
value={formData.phone} onChange={handleInputChange} />
      <select name="country" required value={formData.country}
onChange={handleInputChange}>
        <option value="">Country</option>
        <option value="india">India</option>
        <option value="kenya">Kenya</option>
        <option value="pakistan">Pakistan</option>
      </select>
    </div>
    <div className="form-row form-full">
      <textarea name="comments" placeholder="Comments" rows="5" required
value={formData.comments} onChange={handleInputChange}></textarea>
    </div>
    <div className="checkbox-grid">

```



```

    <label><input type="checkbox" name="updates" /> Notify me about special offers.</label>

    <label><input type="checkbox" name="privacy" required /> I have read and agree to the
Privacy Policy.</label>

  </div>

  <button type="submit">Submit</button>

  {statusMsg && <p style={{ marginTop: "10px", color: statusMsg.includes("Error") ||
statusMsg.includes("Failed") ? "red" : "green", fontWeight: "bold" }}>{statusMsg}</p>}

  </form>

</section>

</main>

<Footer />

</>

)
}

export default Contact;

```

File: Client\src\pages\Dining.jsx

```

import React, { useState, useEffect } from 'react';

import './ExplorePages.css';

import Navbar from '../components/Navbar';

import Footer from '../components/Footer';

const defaultDining = [

  { _id: '1', imageUrl: 'https://images.unsplash.com/photo-1517248135467-
4c7edcad34c4?auto=format&fit=crop&q=80&w=500', title: 'The Ocean Grill', desc: 'Exquisite seafood
varieties by the beach.' },

  { _id: '2', imageUrl: 'https://images.unsplash.com/photo-1550966871-
3ed3cdb5ed0c?auto=format&fit=crop&q=80&w=500', title: 'Royal Feast', desc: 'Authentic local
cuisine and lavish buffet spreads.' },

  { _id: '3', imageUrl: 'https://images.unsplash.com/photo-1525610553991-
2bede1a236e2?auto=format&fit=crop&q=80&w=500', title: 'Skyline Bar', desc: 'Premium cocktails
and spirits with panoramic views.' },

```

```

    { _id: '4', imageUrl: 'https://images.unsplash.com/photo-1544148103-
0773bf10d330?auto=format&fit=crop&q=80&w=500', title: 'La Pizzeria', desc: 'Wood-fired authentic
Italian pizza and pasta.' },

    { _id: '5', imageUrl: 'https://images.unsplash.com/photo-1554118811-
1e0d58224f24?auto=format&fit=crop&q=80&w=500', title: 'Coffee Lounge', desc: 'Specialty coffee,
pastries, and peaceful ambiance.' },

    { _id: '6', imageUrl: 'https://images.unsplash.com/photo-1514933651103-
005eec06c04b?auto=format&fit=crop&q=80&w=500', title: 'In-Room Dining', desc: '24/7 private
dining experience in your comfort.' }

];

export default function Dining() {

  const [dining, setDining] = useState(defaultDining);

  useEffect(() => {

    fetch(`http://${window.location.hostname}:5000/api/explore?type=dining`)

      .then(r => r.json())

      .then(d => {

        if (d.success && d.content && d.content.length > 0) {

          setDining(d.content);

        }

      })

      .catch(console.error);

  }, []);

  return (

    <>

    <Navbar />

    <div className="explore-page-container" style={{ paddingTop: '80px' }}>

      <div className="explore-hero" style={{ backgroundImage:
`url('https://images.unsplash.com/photo-1414235077428-
338989a2e8c0?auto=format&fit=crop&q=80&w=2000')` }}>

        <div className="explore-hero-content">

          <h1>Exquisite Dining</h1>

          <p>Taste the flavors of perfection</p>

        </div>

      </div>

    </div>

  );
}

```

```

<div className="explore-grid" style={{ marginBottom: '60px' }}>
  {dining.map(item => (
    <div key={item._id || item.id} className="explore-card">
      <img src={item.imageUrl?.startsWith('/') ?
`http://${window.location.hostname}:5000${item.imageUrl}` : item.imageUrl} alt={item.title}
className="explore-card-img" />
      <div className="explore-card-body">
        <h3>{item.title}</h3>
        <p>{item.desc}</p>
      </div>
    </div>
  ))}
</div>
</div>
<Footer />
</>
);
}

```

File: Client\src\pages\ExplorePages.css

```

.explore-page-container {
  font-family: 'Montserrat', sans-serif;
  color: #333;
  padding-bottom: 80px;
  background-color: #f8f8f8;
  min-height: 100vh;
}

.explore-hero {
  height: 60vh;
  min-height: 400px;
}

```

```
background-size: cover;
background-position: center;
position: relative;
display: flex;
align-items: center;
justify-content: center;
text-align: center;
margin-bottom: 60px;
}
.explore-hero::before {
  content: "";
  position: absolute;
  top: 0; left: 0; width: 100%; height: 100%;
  background: rgba(0, 0, 0, 0.5);
}
.explore-hero-content {
  position: relative;
  z-index: 2;
  color: white;
}
.explore-hero-content h1 {
  font-family: 'Playfair Display', serif;
  font-size: 56px;
  margin-bottom: 10px;
  letter-spacing: 2px;
}
.explore-hero-content p {
  font-size: 18px;
  font-weight: 300;
  letter-spacing: 1px;
}
```

```
.explore-grid {  
  display: grid;  
  grid-template-columns: repeat(auto-fill, minmax(320px, 1fr));  
  gap: 30px;  
  max-width: 1200px;  
  margin: 0 auto;  
  padding: 0 5%;  
}  
  
.explore-card {  
  background: white;  
  border-radius: 10px;  
  overflow: hidden;  
  box-shadow: 0 10px 30px rgba(0,0,0,0.08);  
  transition: transform 0.3s ease, box-shadow 0.3s ease;  
}  
  
.explore-card:hover {  
  transform: translateY(-5px);  
  box-shadow: 0 15px 40px rgba(0,0,0,0.12);  
}  
  
.explore-card-img {  
  width: 100%;  
  height: 250px;  
  object-fit: cover;  
}  
  
.explore-card-body {  
  padding: 25px;  
  text-align: center;  
}  
  
.explore-card-body h3 {  
  font-family: 'Playfair Display', serif;  
  font-size: 24px;
```

```
margin-bottom: 15px;
color: #1a1a1a;
}
.explore-card-body p {
font-size: 14px;
color: #666;
line-height: 1.6;
}
.gallery-title {
text-align: center;
font-family: 'Playfair Display', serif;
font-size: 42px;
color: #111827;
margin-bottom: 50px;
}
.gallery-grid {
display: grid;
grid-template-columns: repeat(4, 1fr);
gap: 20px;
max-width: 1400px;
margin: 0 auto;
padding: 0 5%;
}
.gallery-item {
height: 300px;
border-radius: 8px;
overflow: hidden;
position: relative;
cursor: pointer;
box-shadow: 0 4px 6px -1px rgba(0, 0, 0, 0.1);
}
```

```
.gallery-item img {  
  width: 100%;  
  height: 100%;  
  object-fit: cover;  
  transition: transform 0.5s ease;  
}  
.gallery-item:hover img {  
  transform: scale(1.05);  
}  
.gallery-caption {  
  position: absolute;  
  bottom: 0;  
  left: 0;  
  width: 100%;  
  padding: 20px;  
  background: linear-gradient(0deg, rgba(0,0,0,0.8) 0%, transparent 100%);  
  color: white;  
  opacity: 0;  
  transition: opacity 0.3s ease;  
  font-family: 'Montserrat', sans-serif;  
  text-align: left;  
}  
.gallery-caption h4 {  
  margin: 0;  
  font-size: 16px;  
  letter-spacing: 0.5px;  
}  
.gallery-item:hover .gallery-caption {  
  opacity: 1;  
}  
.view-all-container {
```

```
display: flex;
justify-content: center;
margin-top: 50px;
}

.btn-view-all {
background: #f59e0b;
color: white;
font-size: 16px;
font-weight: 600;
padding: 14px 40px;
border: none;
border-radius: 30px;
cursor: pointer;
transition: all 0.3s ease;
box-shadow: 0 4px 14px rgba(245, 158, 11, 0.4);
}

.btn-view-all:hover {
background: #d97706;
transform: translateY(-2px);
box-shadow: 0 6px 20px rgba(245, 158, 11, 0.6);
}

@media (max-width: 1024px) {
.explore-hero-content h1 {
font-size: 40px;
}

.gallery-grid {
grid-template-columns: repeat(3, 1fr);
}

.gallery-title {
font-size: 36px;
}
```



```

}

@media (max-width: 768px) {
  .gallery-grid {
    grid-template-columns: repeat(2, 1fr);
  }
  .gallery-title {
    font-size: 32px;
  }
}

@media (max-width: 480px) {
  .gallery-grid {
    grid-template-columns: 1fr;
  }
}

```

File: Client\src\pages\Gallery.jsx

```

import React, { useState, useEffect } from 'react';
import './ExplorePages.css';
import Navbar from '../components/Navbar';
import Footer from '../components/Footer';
const defaultPhotos = [
  { _id: '1', imageUrl: 'https://images.unsplash.com/photo-1582719508461-905c673771fd?auto=format&fit=crop&q=80&w=800', title: 'Luxury Poolside' },
  { _id: '2', imageUrl: 'https://images.unsplash.com/photo-1540541338287-41700207dee6?auto=format&fit=crop&q=80&w=800', title: 'Ocean View Resort' },
  { _id: '3', imageUrl: 'https://images.unsplash.com/photo-1566073771259-6a8506099945?auto=format&fit=crop&q=80&w=800', title: 'Private Villa' },
  { _id: '4', imageUrl: 'https://images.unsplash.com/photo-1520250497591-112f2f40a3f4?auto=format&fit=crop&q=80&w=800', title: 'Tropical Paradise' },
  { _id: '5', imageUrl: 'https://images.unsplash.com/photo-1571896349842-33c89424de2d?auto=format&fit=crop&q=80&w=800', title: 'Resort Evening' },

```

```

    { _id: '6', imageUrl: 'https://images.unsplash.com/photo-1499793983690-
e29da59ef1c2?auto=format&fit=crop&q=80&w=800', title: 'Beachfront Relaxing' },
    { _id: '7', imageUrl: 'https://images.unsplash.com/photo-1618140052121-
39fc6db33972?auto=format&fit=crop&q=80&w=800', title: 'Cozy Room' },
    { _id: '8', imageUrl: 'https://images.unsplash.com/photo-1512626120412-
faf41adb4874?auto=format&fit=crop&q=80&w=800', title: 'Spa & Wellness' },
    { _id: '9', imageUrl: 'https://images.unsplash.com/photo-1584132967334-
10e028bd69f7?auto=format&fit=crop&q=80&w=800', title: 'Pool Party' },
    { _id: '10', imageUrl: 'https://images.unsplash.com/photo-1533898840698-
c11516eef247?auto=format&fit=crop&q=80&w=800', title: 'Dining by the Sea' },
    { _id: '11', imageUrl: 'https://images.unsplash.com/photo-1544365558-
35aa4afcf11f?auto=format&fit=crop&q=80&w=800', title: 'Sunset Views' },
    { _id: '12', imageUrl: 'https://images.unsplash.com/photo-1573843981267-
be1999ff37cd?auto=format&fit=crop&q=80&w=800', title: 'Maldives Overwater' }
];

export default function Gallery() {
  const [photos, setPhotos] = useState(defaultPhotos);
  const [showAll, setShowAll] = useState(false);
  useEffect(() => {
    fetch(`http://${window.location.hostname}:5000/api/explore?type=gallery`)
      .then(r => r.json())
      .then(d => {
        if (d.success && d.content && d.content.length > 0) {
          setPhotos(d.content);
        }
      })
      .catch(console.error);
  }, []);
  const displayedPhotos = showAll ? photos : photos.slice(0, 12);
  return (
    <>
    <Navbar />
    <div className="explore-page-container" style={{ paddingTop: '80px' }}>

```

```

    <div className="explore-hero" style={{backgroundImage:
`url('https://images.unsplash.com/photo-1499793983690-
e29da59ef1c2?auto=format&fit=crop&q=80&w=2000')`}}>

    <div className="explore-hero-content">

    <h1>Our Gallery</h1>

    <p>A Glimpse into Paradise</p>

    </div>

</div>

<div className="gallery-grid" style={{ marginTop: '20px', marginBottom: '40px' }}>
    {displayedPhotos.map(photo => (
        <div key={photo._id || photo.id} className="gallery-item">

            <img src={photo.imageUrl?.startsWith('/') ?
`http://${window.location.hostname}:5000${photo.imageUrl}` : photo.imageUrl} alt={photo.title} />

            <div className="gallery-caption">

                <h4>{photo.title}</h4>

            </div>

        </div>

    ))}

</div>

{!showAll && photos.length > 12 && (
    <div className="view-all-container" style={{ paddingBottom: '40px' }}>

        <button className="btn-view-all" onClick={() => setShowAll(true)}>

            View All Photos

        </button>

    </div>

)}

</div>

<Footer />

</>

);
}

```

File: Client\src\pages\home.css

```
@import
url('https://fonts.googleapis.com/css2?family=Playfair+Display:wght@400;600;700&family=Montser
rat:wght@400;600;700&display=swap');

body {
  margin: 0;

  font-family: 'Montserrat', sans-serif;
  background: white;
}

.theme-orange-home {
  width: 100%;
}

.theme-hero {
  position: relative;
  height: 100vh;
  min-height: 700px;
  display: flex;
  align-items: center;
  justify-content: center;
  text-align: center;
  overflow: hidden;
}

@keyframes smoothFadeInOut {
  0% {
    opacity: 0.6;
    transform: scale(1.05);
  }
  100% {
    opacity: 1;
    transform: scale(1);
  }
}
```

```
}  
}  
.theme-hero-bg {  
  position: absolute;  
  top: 0;  
  left: 0;  
  right: 0;  
  bottom: 0;  
  background-size: cover;  
  background-position: center;  
  z-index: -2;  
  animation: smoothFadeInOut 1s ease-out forwards;  
}  
.theme-overlay {  
  position: absolute;  
  top: 0;  
  left: 0;  
  right: 0;  
  bottom: 0;  
  background: rgba(0, 0, 0, 0.3);  
  z-index: -1;  
}  
.theme-hero-content {  
  z-index: 10;  
  color: white;  
  margin-top: 50px;  
}  
.theme-hero-content h1 {  
  font-family: 'Playfair Display', serif;  
  font-size: 72px;  
  font-weight: 400;
```

```
white-space: pre-line;
margin-bottom: 40px;
letter-spacing: 1px;
}

.theme-book-btn {
background-color: #f9a826;
color: white;
border: none;
padding: 18px 45px;
font-family: 'Montserrat', sans-serif;
font-size: 14px;
font-weight: 700;
letter-spacing: 2px;
cursor: pointer;
text-transform: uppercase;
transition: 0.3s;
text-decoration: none;
}

.theme-book-btn:hover {
background-color: #df9118;
}

.theme-arrow {
position: absolute;
top: 50%;
transform: translateY(-50%);
background-color: #f9a826;
color: white;
border: none;
width: 50px;
height: 50px;
font-size: 24px;
```

```
    cursor: pointer;
    z-index: 10;
    transition: 0.3s;
}
.theme-arrow:hover {
    background-color: #df9118;
}
.left-arrow {
    left: 5%;
}
.right-arrow {
    right: 5%;
}
.home-search-wrapper {
    position: relative;
    max-width: 1000px;
    margin: -130px auto 40px;
    background: white;
    padding: 20px 30px;
    border-radius: 8px;
    box-shadow: 0 10px 40px rgba(0, 0, 0, 0.1);
    z-index: 20;
}
.home-search-form {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 15px;
}
.search-field {
    display: flex;
```

```
flex-direction: column;
flex: 1;
}
.search-field label {
  font-family: 'Montserrat', sans-serif;
  font-size: 11px;
  font-weight: 700;
  text-transform: uppercase;
  color: #666;
  margin-bottom: 6px;
  letter-spacing: 1px;
}
.search-field input,
.search-field select {
  font-family: 'Montserrat', sans-serif;
  font-size: 14px;
  padding: 10px 5px;
  border: none;
  border-bottom: 2px solid #eee;
  outline: none;
  background: transparent;
  color: #333;
  transition: 0.3s;
}
.search-field input:focus,
.search-field select:focus {
  border-bottom-color: #f9a826;
}
.guest-selector-display {
  font-family: 'Montserrat', sans-serif;
  font-size: 14px;
```



```
padding: 10px 5px;
border-bottom: 2px solid #eee;
cursor: pointer;
color: #333;
transition: 0.3s;
min-width: 180px;
display: flex;
align-items: center;
justify-content: flex-start;
min-height: 40px;
}
.guest-selector-display:hover {
border-bottom-color: #f9a826;
}
.guest-dropdown {
position: absolute;
top: 100%;
left: 0;
background: white;
border-radius: 12px;
box-shadow: 0 15px 40px rgba(0, 0, 0, 0.15);
padding: 24px;
width: 280px;
z-index: 999;
margin-top: 15px;
border: 1px solid #eaeaea;
}
.guest-row {
display: flex;
justify-content: space-between;
align-items: center;
```

```
margin-bottom: 20px;
border-bottom: 1px solid #f5f5f5;
padding-bottom: 15px;
}
.guest-row:last-child {
margin-bottom: 0;
border-bottom: none;
padding-bottom: 0;
}
.guest-info {
display: flex;
flex-direction: column;
}
.guest-info strong {
font-family: 'Montserrat', sans-serif;
font-size: 16px;
color: #222;
font-weight: 700;
}
.guest-info span {
font-size: 13px;
color: #888;
margin-top: 4px;
}
.guest-controls {
display: flex;
align-items: center;
gap: 15px;
}
.guest-controls button {
width: 36px;
```

```
height: 36px;
border: 1px solid #ddd;
background: white;
border-radius: 50%;
font-size: 20px;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
transition: all 0.2s;
color: #555;
}

.guest-controls button:hover {
border-color: #f9a826;
background: #f9a826;
color: white;
}

.guest-controls span {
font-family: 'Montserrat', sans-serif;
font-size: 16px;
font-weight: 600;
width: 16px;
text-align: center;
color: #333;
}

.search-submit-btn {
background-color: #f9a826;
color: white;
border: none;
border-radius: 4px;
padding: 15px 30px;
```

```
font-family: 'Montserrat', sans-serif;
font-size: 13px;
font-weight: 700;
letter-spacing: 1px;
cursor: pointer;
height: 50px;
margin-top: 15px;
transition: 0.3s;
}
.search-submit-btn:hover {
  background-color: #df9118;
}
@media (max-width: 900px) {
  .home-search-form {
    flex-wrap: wrap;
  }
  .search-field {
    flex: 1 1 40%;
  }
  .search-submit-btn {
    flex: 1 1 100%;
    margin-top: 20px;
  }
}
@media (max-width: 600px) {
  .search-field {
    flex: 1 1 100%;
  }
}
.popular-rooms-section {
  padding: 30px 5%;
```

```
text-align: center;
}
.popular-rooms-section h2 {
font-family: 'Playfair Display', serif;
font-size: 42px;
color: #222;
margin-bottom: 60px;
}
.popular-grid {
display: grid;
grid-template-columns: repeat(3, 1fr);
gap: 30px;
max-width: 1200px;
margin: 0 auto;
}
.popular-card {
border: 1px solid #e0e0e0;
background: white;
text-align: left;
}
.popular-card-img {
position: relative;
height: 280px;
}
.popular-card-img img {
width: 100%;
height: 100%;
object-fit: cover;
}
.price-tag {
position: absolute;
```

```
top: 0;
right: 0;
background-color: #f9a826;
color: #222;
font-weight: 700;
font-size: 18px;
padding: 10px 20px;
font-family: 'Montserrat', sans-serif;
}
.popular-card-content {
padding: 25px;
}
.popular-card-content h3 {
font-family: 'Playfair Display', serif;
font-size: 24px;
color: #222;
margin: 0 0 10px;
}
.stars {
color: #f9a826;
font-size: 16px;
margin-bottom: 25px;
letter-spacing: 2px;
}
.card-footer-flex {
display: flex;
justify-content: space-between;
align-items: center;
border-top: 1px solid #eee;
padding-top: 20px;
}
```

```
.duration {  
  color: #777;  
  font-size: 13px;  
  display: flex;  
  align-items: center;  
  gap: 5px;  
}  
  
.learn-more-btn {  
  background-color: #f9a826;  
  color: white;  
  border: none;  
  padding: 10px 20px;  
  font-size: 11px;  
  font-weight: 700;  
  letter-spacing: 1px;  
  text-transform: uppercase;  
  cursor: pointer;  
}  
  
.learn-more-btn:hover {  
  background-color: #df9118;  
}  
  
.experiences-section {  
  background-color: #faf9f7;  
  padding: 30px 5%;  
  text-align: center;  
}  
  
.experiences-header h2 {  
  font-family: 'Playfair Display', serif;  
  font-size: 38px;  
  color: #222;  
  margin-bottom: 10px;
```

```
}  
.experiences-header p {  
  color: #666;  
  font-size: 16px;  
  margin-bottom: 50px;  
}  
.experiences-grid {  
  display: grid;  
  grid-template-columns: repeat(4, 1fr);  
  gap: 30px;  
  max-width: 1200px;  
  margin: 0 auto;  
}  
.experience-card {  
  background: white;  
  padding: 40px 20px;  
  border: 1px solid #eee;  
  transition: transform 0.3s ease, box-shadow 0.3s ease;  
}  
.experience-card:hover {  
  transform: translateY(-10px);  
  box-shadow: 0 10px 30px rgba(0, 0, 0, 0.08);  
}  
.exp-icon {  
  font-size: 48px;  
  margin-bottom: 20px;  
  display: inline-block;  
}  
.experience-card h4 {  
  font-family: 'Playfair Display', serif;  
  font-size: 20px;
```



```

color: #333;
margin-bottom: 15px;
}
.experience-card p {
color: #777;
font-size: 14px;
line-height: 1.6;
}
@media (max-width: 900px) {
.popular-grid {
grid-template-columns: repeat(2, 1fr) !important;
}
.experiences-grid {
grid-template-columns: repeat(2, 1fr);
}
}
@media (max-width: 600px) {
.popular-grid {
grid-template-columns: 1fr !important;
}
.experiences-grid {
grid-template-columns: 1fr;
}
.theme-hero-content h1 {
font-size: 48px;
}
}

```

File: Client\src\pages\home.jsx

```
import Navbar from "../components/Navbar";
```

```

import Footer from "../components/Footer";
import { useEffect, useState } from "react";
import { useNavigate } from "react-router-dom";
import { Link } from "react-router-dom";
import "./home.css";
function Home() {
  const [resorts, setResorts] = useState([]);
  const [currentSlide, setCurrentSlide] = useState(0);
  const navigate = useNavigate();
  const [adults, setAdults] = useState(1);
  const [children, setChildren] = useState(0);
  const [roomsCount, setRoomsCount] = useState(1);
  const [checkIn, setCheckIn] = useState("");
  const [checkOut, setCheckOut] = useState("");
  const [locationQuery, setLocationQuery] = useState("");
  const [showGuests, setShowGuests] = useState(false);
  const heroSlides = [
    {
      image: "https://images.unsplash.com/photo-1578683010236-d716f9a3f461?auto=format&fit=crop&w=1920&q=80",
      title: "Enjoy A Luxury\nExperience"
    },
    {
      image: "https://images.unsplash.com/photo-1540541338287-41700207dee6?auto=format&fit=crop&w=1920&q=80",
      title: "Stay Safely\nWith Us"
    }
  ];
  useEffect(() => {
    fetch(`http://${window.location.hostname}:5000/api/resorts`)
      .then((res) => res.json())

```

```

.then((data) => {
  const recentNine = data.slice(0, 6);
  setResorts(recentNine);
})
.catch((err) => console.log(err));
}, []);
useEffect(() => {
  const slideInterval = setInterval(() => {
    setCurrentSlide((prev) => (prev + 1) % heroSlides.length);
  }, 4500);
  return () => clearInterval(slideInterval);
}, [heroSlides.length]);
const handlePrev = () => {
  setCurrentSlide((prev) => (prev - 1 + heroSlides.length) % heroSlides.length);
};
const handleNext = () => {
  setCurrentSlide((prev) => (prev + 1) % heroSlides.length);
};
const today = new Date().toISOString().split("T")[0];
return (
  <>
  <Navbar />
  <main className="theme-orange-home">
    <section className="theme-hero">
      <div
        key={currentSlide}
        className="theme-hero-bg"
        style={{ backgroundImage: `url(${heroSlides[currentSlide].image})` }}
      >
        <div className="theme-overlay"></div>
      </div>
    </section>
  </main>
)

```

```

<button className="theme-arrow left-arrow" onClick={handlePrev}>&lang;</button>

<div className="theme-hero-content">

  <h1>{heroSlides[currentSlide].title}</h1>

  <Link to="/resorts" className="theme-book-btn">BOOK NOW</Link>

</div>

<button className="theme-arrow right-arrow" onClick={handleNext}>&rang;</button>

</section>

<div className="home-search-wrapper">

  <form className="home-search-form" onSubmit={(e) => {

    e.preventDefault();

    navigate('/resorts', { state: { checkIn, checkOut, guests: adults + children, rooms: roomsCount,
locationQuery } });

  }}>

    <div className="search-field">

      <label>Location</label>

      <input type="text" placeholder="Where do you want to go?" value={locationQuery}
onChange={e => setLocationQuery(e.target.value)} />

    </div>

    <div className="search-field">

      <label>Check-in</label>

      <input type="date" min={today} value={checkIn} onChange={e => setCheckIn(e.target.value)}

/>

    </div>

    <div className="search-field">

      <label>Check-out</label>

      <input type="date" min={checkIn || today} value={checkOut} onChange={e =>
setCheckOut(e.target.value)} />

    </div>

    <div className="search-field guest-field" style={{ position: 'relative' }}>

      <label>Rooms & Guests</label>

      <div

        className="guest-selector-display"

```

```

onClick={() => setShowGuests(!showGuests)}
>
    {roomsCount} Room{roomsCount !== 1 ? 's' : ''}, {adults + children} Guest{adults + children
    !== 1 ? 's' : ''}
</div>
{showGuests && (
  <div className="guest-dropdown">
    <div className="guest-row">
      <div className="guest-info">
        <strong>Rooms</strong>
        <span></span>
      </div>
      <div className="guest-controls">
        <button type="button" onClick={() => roomsCount > 1 && setRoomsCount(roomsCount -
1)}></button>
        <span>{roomsCount}</span>
        <button type="button" onClick={() => setRoomsCount(roomsCount + 1)}>+</button>
      </div>
    </div>
    <div className="guest-row">
      <div className="guest-info">
        <strong>Adults</strong>
        <span>Ages 13+</span>
      </div>
      <div className="guest-controls">
        <button type="button" onClick={() => adults > 1 && setAdults(adults - 1)}></button>
        <span>{adults}</span>
        <button type="button" onClick={() => setAdults(adults + 1)}>+</button>
      </div>
    </div>
    <div className="guest-row">

```

```

    <div className="guest-info">
      <strong>Children</strong>
      <span>Ages 2-12</span>
    </div>

    <div className="guest-controls">
      <button type="button" onClick={() => children > 0 && setChildren(children - 1)}>-
</button>

      <span>{children}</span>

      <button type="button" onClick={() => setChildren(children + 1)}>+</button>
    </div>
  </div>
</div>

  </div>

  <button type="submit" className="search-submit-btn">CHECK AVAILABILITY</button>
</form>
</div>

<section className="popular-rooms-section">
  <h2>Available Resorts</h2>
  <div className="popular-grid">
    {resorts.map((resort, index) => {
      const prices = resort.roomTypes?.map(r => r.basePrice) || [];
      const startingPrice = prices.length > 0 ? Math.min(...prices) : null;
      const imageUrl = resort.images?.[0] || "https://images.unsplash.com/photo-1507525428034-b723cf961d3e?auto=format&fit=crop&w=600&q=80";
      return (
        <div className="popular-card" key={resort._id || index}>
          <div
            className="popular-card-img"
            onClick={() => navigate(`/resort/${resort._id}`, { state: { checkIn, checkOut, guests: adults
+ children, rooms: roomsCount } })}
            style={{ cursor: 'pointer' }}

```

```

>
<img src={imageUrl} alt={resort.name} />
{startingPrice} && <div className="price-tag">From ₹{startingPrice}</div>
</div>
<div className="popular-card-content">
  <h3>{resort.name}</h3>
  <div className="stars">
    {'★'.repeat(Math.max(1, Math.round(resort.rating || 5))) + '☆'.repeat(5 - Math.max(1,
Math.round(resort.rating || 5)))}
  </div>
  <div style={{ color: '#666', fontSize: '14px', marginBottom: '15px' }}>
    📍 {resort.location?.city || "Unknown Location"}
  </div>
  <div className="card-footer-flex">
    <div className="duration"> 🕒 {resort.roomTypes?.length || 0} Room Types</div>
    <button
      type="button"
      className="learn-more-btn"
      onClick={() => navigate(`/resort/${resort._id}`, { state: { checkIn, checkOut, guests:
adults + children, rooms: roomsCount } })}
    >
      VIEW RESORT
    </button>
  </div>
</div>
</div>
);
}}}
</div>
</section>
<section className="experiences-section">

```

```

<div className="experiences-header">
  <h2>Unforgettable Experiences</h2>
  <p>Elevate your stay with our world-class amenities</p>
</div>
<div className="experiences-grid">
  <div className="experience-card">
    <span className="exp-icon"> 🍷 </span>
    <h4>Gourmet Dining</h4>
    <p>Savor culinary masterpieces crafted by top chefs.</p>
  </div>
  <div className="experience-card">
    <span className="exp-icon"> 🧖 </span>
    <h4>Spa & Wellness</h4>
    <p>Rejuvenate your mind and body in our luxury spas.</p>
  </div>
  <div className="experience-card">
    <span className="exp-icon"> 🏊 </span>
    <h4>Private Pools</h4>
    <p>Infinity pools with breathtaking scenic views.</p>
  </div>
  <div className="experience-card">
    <span className="exp-icon"> 🛶 </span>
    <h4>Adventure</h4>
    <p>Thrilling outdoor activities curated just for you.</p>
  </div>
</div>
</section>
</main>
<Footer />
</>
);

```



```
}  
  
export default Home;
```

File: Client\src\pages\payment.css

```
.payment-page {  
  background-color: #f7f9fc;  
  min-height: 100vh;  
  padding-top: 40px;  
  padding-bottom: 60px;  
  font-family: 'Inter', sans-serif;  
}  
  
.payment-minimal-header {  
  display: flex;  
  align-items: center;  
  justify-content: space-between;  
  padding: 0 5%;  
  max-width: 1200px;  
  margin: 0 auto 40px;  
}  
  
.payment-back-btn {  
  display: flex;  
  align-items: center;  
  gap: 8px;  
  text-decoration: none;  
  font-weight: 600;  
  color: #1a1a1a;  
  font-size: 15px;  
  transition: all 0.2s ease;  
}  
  
.payment-back-btn:hover {
```

```
color: #f7a02d;
transform: translateX(-4px);
}
.payment-logo-min {
display: flex;
flex-direction: column;
align-items: center;
font-family: 'Playfair Display', serif;
font-size: 28px;
line-height: 1;
color: #111;
}
.payment-logo-min span {
font-size: 8px;
font-family: 'Montserrat', sans-serif;
letter-spacing: 2px;
font-weight: 700;
margin-top: 3px;
}
.payment-layout {
max-width: 1400px;
margin: 0 auto;
padding: 0 5%;
display: grid;
grid-template-columns: 1fr 480px;
gap: 50px;
align-items: start;
}
@media (max-width: 968px) {
.payment-layout {
grid-template-columns: 1fr;
```

```
    flex-direction: column-reverse;
    display: flex;
  }
}

.payment-header {
  margin-bottom: 30px;
}

.payment-header h1 {
  font-size: 32px;
  font-weight: 700;
  color: #1a1a1a;
  margin-bottom: 8px;
}

.payment-header p {
  color: #666;
  font-size: 16px;
}

.payment-form-section {
  background: white;
  border-radius: 20px;
  padding: 35px;
  box-shadow: 0 10px 40px rgba(0,0,0,0.03);
  margin-bottom: 30px;
}

.payment-form-section h2 {
  font-size: 22px;
  font-weight: 600;
  margin-bottom: 25px;
  color: #1a1a1a;
  display: flex;
  align-items: center;
```

```
    gap: 10px;
  }
.payment-form-section h2 svg {
  color: #f7a02d;
}
.form-grid {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 20px;
}
.form-grid.full {
  grid-template-columns: 1fr;
}
.input-group {
  display: flex;
  flex-direction: column;
}
.input-group label {
  display: block;
  font-size: 14px;
  font-weight: 700;
  color: #374151;
  margin-bottom: 8px;
}
.input-group input {
  width: 100%;
  padding: 14px 16px;
  border: 1px solid #d1d5db;
  border-radius: 12px;
  font-size: 15px;
  color: #111827;
```

```
transition: all 0.2s;
background-color: #fafafa;
}
.input-group input:focus {
  outline: none;
  border-color: #f7a02d;
  background-color: #fff;
  box-shadow: 0 0 4px rgba(247, 160, 45, 0.1);
}
.guest-qty-selector {
  display: flex;
  align-items: center;
  justify-content: space-between;
  border: 1px solid #d1d5db;
  border-radius: 12px;
  padding: 6px 12px;
  background: #fafafa;
  width: 100%;
  height: 52px;
  transition: all 0.2s;
}
.guest-qty-selector:hover {
  border-color: #9ca3af;
}
.guest-qty-selector button {
  background: white;
  border: 1px solid #e5e7eb;
  font-size: 20px;
  color: #111;
  width: 36px;
  height: 36px;
```

```
display: flex;
align-items: center;
justify-content: center;
border-radius: 8px;
cursor: pointer;
transition: all 0.2s;
box-shadow: 0 2px 4px rgba(0,0,0,0.02);
}

.guest-qty-selector button:hover:not(:disabled) {
background: #f7a02d;
color: white;
border-color: #f7a02d;
}

.guest-qty-selector button:disabled {
opacity: 0.4;
cursor: not-allowed;
}

.guest-qty-selector span {
font-size: 16px;
font-weight: 700;
color: #111;
}

.room-requirement-note {
margin-top: 10px;
font-size: 13.5px;
color: #f7a02d;
font-weight: 600;
display: flex;
align-items: center;
gap: 6px;
}
```

```
.extras-grid {  
  display: grid;  
  grid-template-columns: repeat(2, 1fr);  
  gap: 20px;  
}  
  
@media (max-width: 600px) {  
  .extras-grid {  
    grid-template-columns: 1fr;  
  }  
}  
  
.extra-card {  
  background: white;  
  border: 1px solid #e5e7eb;  
  border-radius: 16px;  
  padding: 24px;  
  display: flex;  
  flex-direction: column;  
  transition: all 0.3s ease;  
  position: relative;  
  overflow: hidden;  
  box-shadow: 0 2px 10px rgba(0,0,0,0.01);  
}  
  
.extra-card.selected {  
  border-color: #f7a02d;  
  background: #fffaf0;  
  box-shadow: 0 4px 15px rgba(247, 160, 45, 0.08);  
}  
  
.extra-card:hover {  
  transform: translateY(-4px);  
  box-shadow: 0 10px 25px rgba(0,0,0,0.05);  
  border-color: #d1d5db;
```

```
}  
.extra-card.selected:hover {  
  border-color: #f7a02d;  
}  
.extra-card-header {  
  display: flex;  
  justify-content: space-between;  
  align-items: flex-start;  
  margin-bottom: 12px;  
  gap: 15px;  
}  
.extra-card-title {  
  font-weight: 800;  
  font-size: 17px;  
  color: #111;  
  margin-bottom: 6px;  
  line-height: 1.3;  
}  
.extra-card-desc {  
  font-size: 13.5px;  
  color: #6b7280;  
  line-height: 1.5;  
}  
.extra-price-tag {  
  background: #fdfdfd;  
  color: #f7a02d;  
  padding: 6px 10px;  
  border-radius: 8px;  
  font-size: 13px;  
  font-weight: 700;  
  white-space: nowrap;
```



```
border: 1px solid #f3f4f6;
}
.extra-card.selected .extra-price-tag {
  background: white;
  border-color: #fce7cb;
}
.extra-card-footer {
  margin-top: auto;
  padding-top: 18px;
  border-top: 1px dashed #e5e7eb;
}
.extra-qty-controls {
  display: flex;
  align-items: center;
  justify-content: space-between;
  background: #f9fafb;
  border: 1px solid #e5e7eb;
  border-radius: 8px;
  padding: 6px;
  width: 100%;
}
.extra-card.selected .extra-qty-controls {
  background: white;
}
.add-service-btn {
  background: white;
  border: 1.5px solid #f7a02d;
  color: #f7a02d;
  padding: 10px 16px;
  border-radius: 8px;
  font-size: 14px;
```

```
font-weight: 700;
cursor: pointer;
transition: all 0.2s;
width: 100%;
}
.add-service-btn:hover {
  background: #ffff00;
  box-shadow: 0 2px 8px rgba(247,160,45,0.2);
}
.add-service-btn.added {
  background: #f7a02d;
  border-color: #f7a02d;
  color: white;
}
.add-service-btn.added:hover {
  background: #e59020;
  box-shadow: 0 4px 12px rgba(247, 160, 45, 0.3);
}
.payment-policies {
  background: white;
  padding: 30px;
  border-radius: 16px;
  border: 1px solid #e5e7eb;
  margin-top: 30px;
}
.payment-policies h2 {
  margin-bottom: 16px !important;
  color: #111827 !important;
}
.payment-policies ul {
  list-style: none;
```

```
padding: 0;
margin: 0;
}
.payment-policies li {
font-size: 14.5px;
color: #4b5563;
line-height: 1.6;
margin-bottom: 12px;
display: flex;
gap: 10px;
}
.payment-policies li strong {
color: #1f2937;
}
.invoice-sidebar {
background: white;
border-radius: 20px;
padding: 35px;
box-shadow: 0 10px 40px rgba(0,0,0,0.04);
position: sticky;
top: 40px;
border: 2px solid #f3f4f6;
}
.invoice-resort-info {
display: flex;
gap: 20px;
margin-bottom: 25px;
padding-bottom: 25px;
border-bottom: 1px dashed #e5e7eb;
}
.invoice-resort-info img {
```

```
width: 120px;
height: 100px;
object-fit: cover;
border-radius: 12px;
}
.inv-r-details {
display: flex;
flex-direction: column;
justify-content: center;
}
.inv-r-details h3 {
font-size: 20px;
font-weight: 800;
margin-bottom: 6px;
color: #111827;
line-height: 1.2;
}
.inv-r-details p {
color: #6b7280;
font-size: 14px;
margin-bottom: 4px;
}
.inv-r-details .room-badge {
display: inline-block;
background: #f3f4f6;
padding: 4px 10px;
border-radius: 20px;
font-size: 12px;
font-weight: 600;
color: #374151;
width: max-content;
```

```
}  
.invoice-summary-row {  
  display: flex;  
  justify-content: space-between;  
  margin-bottom: 16px;  
  font-size: 15px;  
  color: #4b5563;  
}  
.invoice-summary-row.bold {  
  font-weight: 600;  
  color: #111827;  
}  
.invoice-summary-row.extra-item {  
  color: #6b7280;  
  font-size: 14px;  
  padding-left: 10px;  
  position: relative;  
}  
.invoice-summary-row.extra-item::before {  
  content: "•";  
  position: absolute;  
  left: 0;  
  color: #f7a02d;  
}  
.invoice-divider {  
  height: 1px;  
  background: #e5e7eb;  
  margin: 20px 0;  
}  
.invoice-total {  
  display: flex;
```

```
justify-content: space-between;
font-size: 22px;
font-weight: 800;
color: #111827;
margin-bottom: 25px;
}
.checkout-btn {
width: 100%;
padding: 16px;
background: #111827;
color: white;
border: none;
border-radius: 12px;
font-size: 16px;
font-weight: 600;
cursor: pointer;
transition: all 0.3s ease;
display: flex;
justify-content: center;
align-items: center;
gap: 10px;
}
.checkout-btn:hover {
background: #f7a02d;
transform: translateY(-2px);
box-shadow: 0 8px 20px rgba(247, 160, 45, 0.3);
}
.checkout-btn:disabled {
background: #d1d5db;
cursor: not-allowed;
transform: none;
```

```
    box-shadow: none;
}

.trust-badges {
    margin-top: 30px;
    display: flex;
    flex-direction: column;
    gap: 16px;
    padding-top: 25px;
    border-top: 1px dashed #e5e7eb;
}

.trust-badge {
    display: flex;
    align-items: flex-start;
    gap: 12px;
}

.trust-icon {
    background: #ffffaf;
    color: #f7a02d;
    width: 36px;
    height: 36px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    flex-shrink: 0;
}

.trust-content h4 {
    font-size: 14px;
    font-weight: 700;
    color: #111;
    margin-bottom: 4px;
```

```

}

.trust-content p {
  font-size: 13px;
  color: #6b7280;
  line-height: 1.4;
}

```

File: Client\src\pages\payment.jsx

```

import React, { useState, useEffect } from 'react';
import { useLocation, useNavigate, Link } from 'react-router-dom';
import './payment.css';
const MOCK_UPI_SUCCESS = 'success@razorpay';
function getStoredAuthToken() {
  const raw = sessionStorage.getItem('token');
  if (!raw) return '';
  return raw.trim();
}
export default function Payment() {
  const location = useLocation();
  const navigate = useNavigate();
  const resort = location.state?.resort;
  const room = location.state?.room;
  const checkInState = location.state?.checkIn || '';
  const checkOutState = location.state?.checkOut || '';
  const guestsState = location.state?.guests || 2;
  const [formData, setFormData] = useState({
    firstName: '',
    lastName: '',
    email: '',
    phone: '',

```



```

    checkIn: checkInState,
    checkOut: checkOutState,
    guests: guestsState,
  });
  const currentGuests = parseInt(formData.guests) || 1;
  const maxRoomGuests = room?.maxGuests || 2;
  const availableRoomsCount =
    room?.availableInventory ?? room?.inventoryCount ?? 5;
  const maxAllowedGuests = availableRoomsCount * maxRoomGuests;
  const requiredRooms = Math.ceil(currentGuests / maxRoomGuests);
  const handleGuestsChange = (delta, e) => {
    if (e) e.preventDefault();
    setFormData(prev => {
      const newGuests = Math.max(1, Math.min(maxAllowedGuests, parseInt(prev.guests) + delta));
      return { ...prev, guests: newGuests };
    });
  };
  const [extras, setExtras] = useState({
    breakfast: 0,
    lunch: 0,
    dinner: 0,
    bbq: 0,
    spa: false,
    massage: false,
    fitness: false,
    cabana: false,
    earlyCheckIn: false,
    lateCheckOut: false
  });
  const [isProcessing, setIsProcessing] = useState(false);
  const [paymentError, setPaymentError] = useState("");

```

```

const [showMockUpi, setShowMockUpi] = useState(false);
const [mockUpInput, setMockUpInput] = useState("");
const [mockModalError, setMockModalError] = useState("");
const [currentMockOrder, setCurrentMockOrder] = useState(null);
const [currentMockBooking, setCurrentMockBooking] = useState(null);
const handleMockSuccess = async () => {
  try {
    setMockModalError("");
    setIsProcessing(true);
    const token = getStoredAuthToken();
    const verifyRes = await fetch(`http://${window.location.hostname}:5000/api/payments/verify-payment`, {
      method: "POST",
      headers: {
        "Content-Type": "application/json",
        Authorization: `Bearer ${token}`,
      },
      body: JSON.stringify({
        razorpay_order_id: currentMockOrder.id,
        razorpay_payment_id: "pay MOCK_" + Date.now(),
        razorpay_signature: "mock_signature_for_testing",
        bookingId: currentMockBooking
      }),
    });
    const verifyData = await verifyRes.json();
    if (!verifyRes.ok || !verifyData.success) {
      throw new Error(verifyData.message || "Payment verification failed.");
    }
    alert("Payment successful. Booking confirmed via UPI.");
    navigate("/bookings");
  } catch (err) {

```

```

    setMockModalError(err.message || "Mock verification failed.");
  } finally {
    setIsProcessing(false);
  }
};

const handleMockConfirm = () => {
  setMockModalError("");
  const entered = mockUpilInput.trim().toLowerCase();
  if (!entered) {
    setMockModalError('Please enter your UPI ID.');
```

return;

```

  }
  if (entered !== MOCK_UPI_SUCCESS.toLowerCase()) {
    setMockModalError('Invalid UPI ID or payment could not be completed. Please check and try
again.');
```

return;

```

  }
  handleMockSuccess();
};

const updateExtraQuantity = (extraName, delta, e) => {
  e.stopPropagation();
  setExtras(prev => ({ ...prev, [extraName]: Math.max(0, prev[extraName] + delta) }));
};

const toggleExtra = (extraName, e) => {
  e.stopPropagation();
  setExtras(prev => ({ ...prev, [extraName]: !prev[extraName] }));
};

const extraPrices = {
  breakfast: 500,
  lunch: 800,
  dinner: 1200,

```

```

    bbq: 1500,
    spa: 2000,
    massage: 2500,
    fitness: 1000,
    cabana: 3000,
    earlyCheckIn: 2000,
    lateCheckOut: 2000
  };

  const serviceConfig = [
    { id: 'breakfast', type: 'qty', title: 'Buffet Breakfast', desc: 'Fresh international buffet & live counters', priceLabel: '+₹500 / pax / day' },
    { id: 'lunch', type: 'qty', title: 'Premium Lunch', desc: 'A la carte luxury dining experience', priceLabel: '+₹800 / pax / day' },
    { id: 'dinner', type: 'qty', title: 'Gourmet Dinner', desc: 'Exquisite multi-course evening meals', priceLabel: '+₹1200 / pax / day' },
    { id: 'bbq', type: 'qty', title: 'Evening BBQ & Bonfire', desc: 'Private bonfire grilling experience', priceLabel: '+₹1500 / pax' },
    { id: 'spa', type: 'toggle', title: 'Spa & Wellness Access', desc: 'Unlimited access to saunas and thermal pools', priceLabel: '+₹2000 flat fee' },
    { id: 'massage', type: 'toggle', title: 'In-Room Massage Therapy', desc: '60-minute full body relaxing massage', priceLabel: '+₹2500 flat fee' },
    { id: 'fitness', type: 'toggle', title: 'Fitness Center & Yoga', desc: 'Unlimited gym access & sunrise yoga classes', priceLabel: '+₹1000 flat fee' },
    { id: 'cabana', type: 'toggle', title: 'Poolside Cabana', desc: 'Reserved luxury cabana for your entire stay', priceLabel: '+₹3000 flat fee' },
    { id: 'earlyCheckIn', type: 'toggle', title: 'Guaranteed Early Check-in', desc: 'Access your room from 9:00 AM', priceLabel: '+₹2000 flat fee' },
    { id: 'lateCheckOut', type: 'toggle', title: 'Late Check-out Request', desc: 'Keep your room until 4:00 PM', priceLabel: '+₹2000 flat fee' }
  ];

  useEffect(() => {
    window.scrollTo(0, 0);
    if (!resort || !room) {
      navigate('/');
    }
  });

```

```

    }
  }, [resort, room, navigate]);

const handleInputChange = (e) => {
  const { name, value } = e.target;
  setFormData(prev => ({ ...prev, [name]: value }));
};

const calculateNights = () => {
  if (!formData.checkIn || !formData.checkOut) return 0;
  const cin = new Date(formData.checkIn);
  const cout = new Date(formData.checkOut);
  const nights = (cout - cin) / (1000 * 60 * 60 * 24);
  return nights > 0 ? nights : 0;
};

const nights = calculateNights();

const calculateSubtotal = () => {
  if (nights <= 0) return 0;
  return nights * requiredRooms * (room?.basePrice || 0);
};

const calculateExtrasTotal = () => {
  let total = 0;
  const stayNights = nights || 1;
  const guestCount = parseInt(formData.guests) || 1;
  if (extras.breakfast > 0) total += extraPrices.breakfast * stayNights * extras.breakfast;
  if (extras.lunch > 0) total += extraPrices.lunch * stayNights * extras.lunch;
  if (extras.dinner > 0) total += extraPrices.dinner * stayNights * extras.dinner;
  if (extras.bbq > 0) total += extraPrices.bbq * extras.bbq;
  if (extras.spa) total += extraPrices.spa;
  if (extras.massage) total += extraPrices.massage;
  if (extras.fitness) total += extraPrices.fitness;
  if (extras.cabana) total += extraPrices.cabana;
  if (extras.earlyCheckIn) total += extraPrices.earlyCheckIn;

```

```

    if (extras.lateCheckOut) total += extraPrices.lateCheckOut;

    return total;
};

const subtotal = calculateSubtotal();
const extrasTotal = calculateExtrasTotal();
const taxes = (subtotal + extrasTotal) * 0.18;
const totalAmount = subtotal + extrasTotal + Math.round(taxes);

const loadRazorpayCore = () => {
    return new Promise((resolve) => {
        if (window.Razorpay) {
            resolve(true);
            return;
        }

        const script = document.createElement("script");
        script.src = "https://checkout.razorpay.com/v1/checkout.js";
        script.onload = () => resolve(true);
        script.onerror = () => resolve(false);
        document.body.appendChild(script);
    });
};

const getSelectedAddonsArray = () => {
    const arr = [];

    const stayNights = nights || 1;

    if (extras.breakfast > 0) arr.push({ title: 'Breakfast', price: extraPrices.breakfast * stayNights,
    quantity: extras.breakfast });

    if (extras.lunch > 0) arr.push({ title: 'Lunch', price: extraPrices.lunch * stayNights, quantity:
    extras.lunch });

    if (extras.dinner > 0) arr.push({ title: 'Dinner', price: extraPrices.dinner * stayNights, quantity:
    extras.dinner });

    if (extras.bbq > 0) arr.push({ title: 'BBQ Bonfire', price: extraPrices.bbq, quantity: extras.bbq });

    if (extras.spa) arr.push({ title: 'Spa Access', price: extraPrices.spa, quantity: 1 });

    if (extras.massage) arr.push({ title: 'In-Room Massage', price: extraPrices.massage, quantity: 1 });

```

```

    if (extras.fitness) arr.push({ title: 'Fitness & Yoga', price: extraPrices.fitness, quantity: 1 });
    if (extras.cabana) arr.push({ title: 'Poolside Cabana', price: extraPrices.cabana, quantity: 1 });
    if (extras.earlyCheckIn) arr.push({ title: 'Early Check-In', price: extraPrices.earlyCheckIn, quantity: 1
  });
    if (extras.lateCheckOut) arr.push({ title: 'Late Check-Out', price: extraPrices.lateCheckOut, quantity:
  1 });
    return arr;
  };
  const createDraftBooking = async (token) => {
    const checkoutRes = await
  fetch(`http://${window.location.hostname}:5000/api/bookings/checkout`, {
    method: "POST",
    headers: {
      "Content-Type": "application/json",
      Authorization: `Bearer ${token}`,
    },
    body: JSON.stringify({
      resortId: resort._id,
      roomTypeTitle: room.title,
      quantity: requiredRooms,
      checkInDate: formData.checkIn,
      checkOutDate: formData.checkOut,
      totalGuests: parseInt(formData.guests, 10) || 1,
      guestName: `${formData.firstName} ${formData.lastName}`.trim(),
      guestEmail: formData.email,
      guestPhone: formData.phone,
      addons: getSelectedAddonsArray(),
    }),
  });
  const checkoutData = await checkoutRes.json();
  if (!checkoutRes.ok) {
    throw new Error(checkoutData.message || "Unable to lock room for booking.");
  }

```

```

}

const bookingId = checkoutData.booking?._id;

if (!bookingId) {
  throw new Error("Booking lock created but booking id missing.");
}

return bookingId;
};

const handleSubmit = async (e) => {
  e.preventDefault();
  setPaymentError("");
  if (nights <= 0 || !room?.title || !resort?._id) {
    setPaymentError("Please select valid stay details before payment.");
    return;
  }
  const token = getStoredAuthToken();
  if (!token) {
    navigate("/login", { state: { from: "/payment", message: "Please login first" } });
    return;
  }
  try {
    setIsProcessing(true);
    const bookingId = await createDraftBooking(token);
    const orderRes = await fetch(`http://${window.location.hostname}:5000/api/payments/create-order`, {
      method: "POST",
      headers: {
        "Content-Type": "application/json",
        Authorization: `Bearer ${token}`,
      },
      body: JSON.stringify({
        amount: totalAmount,

```



```

        bookingId,
    }},
});
const orderData = await orderRes.json();
if (!orderRes.ok) {
    throw new Error(orderData.message || "Unable to initialize payment.");
}
if (orderData.order?.id && orderData.order.id.startsWith("order MOCK")) {
    setCurrentMockOrder(orderData.order);
    setCurrentMockBooking(bookingId);
    setMockUpiInput("");
    setMockModalError("");
    setShowMockUpi(true);
    setIsProcessing(false);
    return;
}
const isScriptLoaded = await loadRazorpayCore();
if (!isScriptLoaded) {
    throw new Error("Could not load Razorpay SDK.");
}
if (!orderData.order?.id) {
    throw new Error("Invalid order response from server.");
}
const razorpayKeyId = orderData.keyId || import.meta.env.VITE_RAZORPAY_KEY_ID;
if (!razorpayKeyId) throw new Error("Razorpay key missing. Please configure payment keys.");
const options = {
    key: razorpayKeyId,
    amount: orderData.order.amount,
    currency: orderData.order.currency || "INR",
    name: resort?.name || "Booking",
    description: `Booking for ${room?.title || "Room"}`,

```

```

order_id: orderData.order.id,
prefill: {
  name: `${formData.firstName} ${formData.lastName}`.trim(),
  email: formData.email,
  contact: formData.phone,
},
theme: { color: "#f7a02d" },
config: {
  display: {
    blocks: {
      upi: {
        name: "Pay via UPI",
        instruments: [{ method: "upi" }]
      }
    },
    sequence: ["block.upi"],
    preferences: { show_default_blocks: false }
  },
},
handler: async function (paymentResponse) {
  try {
    const verifyRes = await fetch(`http://${window.location.hostname}:5000/api/payments/verify-payment`, {
      method: "POST",
      headers: {
        "Content-Type": "application/json",
        Authorization: `Bearer ${token}`,
      },
      body: JSON.stringify({ ...paymentResponse, bookingId }),
    });
    const verifyData = await verifyRes.json();

```

```

    if (!verifyRes.ok || !verifyData.success) {
      throw new Error(verifyData.message || "Payment verification failed.");
    }
    alert("Payment successful. Booking confirmed.");
    navigate("/bookings");
  } catch (err) {
    setPaymentError(err.message || "Payment done but verification failed.");
  } finally {
    setIsProcessing(false);
  }
},
};

const razorpayObj = new window.Razorpay(options);
razorpayObj.on("payment.failed", function (resp) {
  setPaymentError(resp?.error?.description || "Payment failed.");
  setIsProcessing(false);
});
razorpayObj.open();
} catch (err) {
  setPaymentError(err.message || "Payment could not be started.");
  setIsProcessing(false);
}
};

if (!resort || !room) return null;
return (
  <div className="payment-page">
    <div className="payment-minimal-header">
      <Link to={`/resort/${resort._id}`} className="payment-back-btn">
        <svg viewBox="0 0 24 24" width="20" height="20" fill="none" stroke="currentColor"
strokeWidth="2.5" strokeLinecap="round" strokeLinejoin="round"><line x1="19" y1="12" x2="5"
y2="12"></line><polyline points="12 19 5 12 12 5"></polyline></svg>

```

Back to Resort

</Link>

<div className="payment-logo-min">HRESORT</div>

</div>

<form id="checkout-form" onSubmit={handleSubmit}>

<div className="payment-layout">

<div className="payment-main">

<div className="payment-header">

<h1>Complete Your Booking</h1>

<p>You're almost there! Fill in your details to secure your stay at {resort.name}.</p>

</div>

<div className="payment-form-section">

<h2>

<svg viewBox="0 0 24 24" width="24" height="24" fill="none" stroke="currentColor" stroke-width="2" stroke-linecap="round" stroke-linejoin="round"><path d="M20 21v-2a4 4 0 0 0-4-4H8a4 4 0 0 0-4 4v2"></path><circle cx="12" cy="7" r="4"></circle></svg>

Guest Information

</h2>

<div className="form-grid">

<div className="input-group">

<label>First Name</label>

<input type="text" name="firstName" value={formData.firstName} onChange={handleInputChange} required placeholder="Enter First Name" />

</div>

<div className="input-group">

<label>Last Name</label>

<input type="text" name="lastName" value={formData.lastName} onChange={handleInputChange} required placeholder="Enter Last Name" />

</div>

<div className="input-group">

<label>Email Address</label>

<input type="email" name="email" value={formData.email} onChange={handleInputChange} required placeholder="Enter Your Email" />

```

</div>

<div className="input-group">

  <label>Phone Number</label>

  <input type="tel" name="phone" value={formData.phone}
onChange={handleInputChange} required placeholder="Enter Your Phone Number" />

</div>

</div>

</div>

<div className="payment-form-section">

  <h2>

    <svg viewBox="0 0 24 24" width="24" height="24" fill="none" stroke="currentColor"
strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"><rect x="3" y="4" width="18"
height="18" rx="2" ry="2"></rect><line x1="16" y1="2" x2="16" y2="6"></line><line x1="8" y1="2"
x2="8" y2="6"></line><line x1="3" y1="10" x2="21" y2="10"></line></svg>

    Stay Details

  </h2>

  <div className="form-grid">

    <div className="input-group">

      <label>Check-in Date</label>

      <input type="date" name="checkIn" value={formData.checkIn}
onChange={handleInputChange} min={new Date().toISOString().split("T")[0]} required />

    </div>

    <div className="input-group">

      <label>Check-out Date</label>

      <input type="date" name="checkOut" value={formData.checkOut}
onChange={handleInputChange} min={formData.checkIn || new Date().toISOString().split("T")[0]}
required />

    </div>

    <div className="input-group">

      <label>Number of Guests</label>

      <div className="guest-qty-selector">

        <button type="button" onClick={(e) => handleGuestsChange(-1, e)}
disabled={currentGuests <= 1}></button>

        <span>{currentGuests}</span>


```

```

    <button type="button" onClick={(e) => handleGuestsChange(1, e)}
disabled={currentGuests >= maxAllowedGuests}>+</button>

</div>

<div className="room-requirement-note">

    <svg viewBox="0 0 24 24" width="14" height="14" fill="none" stroke="currentColor"
strokeWidth="2.5" strokeLinecap="round" strokeLinejoin="round"><circle cx="12" cy="12"
r="10"></circle><line x1="12" y1="16" x2="12" y2="12"></line><line x1="12" y1="8" x2="12.01"
y2="8"></line></svg>

    Requires {requiredRooms} room{requiredRooms > 1 ? 's' : ''} out of
{availableRoomsCount} available.

</div>

</div>

</div>

</div>

<div className="payment-policies">

<h2>

    <svg viewBox="0 0 24 24" width="22" height="22" fill="none" stroke="currentColor"
strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"><path d="M12 22s8-4 8-10V5l-8-3-
8 3v7c0 6 8 10 8 10z"></path></svg>

    Important Policies

</h2>

<ul className="policy-list">

    <li className="policy-item">

        <div className="policy-icon"><svg viewBox="0 0 24 24" width="18" height="18"
fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
strokeLinejoin="round"><circle cx="12" cy="12" r="10"></circle><line x1="12" y1="8" x2="12"
y2="12"></line><line x1="12" y1="16" x2="12.01" y2="16"></line></svg></div>

        <div className="policy-text">

            <h4>Cancellation Policy</h4>

            <p>Free cancellation up to 48 hours before check-in. Cancellations made within 48 hours
will incur a 1-night penalty.</p>

        </div>

    </li>

    <li className="policy-item">

```

```
<div className="policy-icon"><svg viewBox="0 0 24 24" width="18" height="18"
fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
strokeLinejoin="round"><circle cx="12" cy="12" r="10"></circle><polyline points="12 6 12 12 16
14"></polyline></svg></div>
```

```
<div className="policy-text">
```

```
<h4>Check-in / Check-out</h4>
```

```
<p>Standard check-in is at 2:00 PM and check-out is at 11:00 AM local time.</p>
```

```
</div>
```

```
</li>
```

```
<li className="policy-item">
```

```
<div className="policy-icon"><svg viewBox="0 0 24 24" width="18" height="18"
fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
strokeLinejoin="round"><path d="M20 21v-2a4 4 0 0 0-4 4H8a4 4 0 0 0-4 4v2"></path><circle
cx="12" cy="7" r="4"></circle></svg></div>
```

```
<div className="policy-text">
```

```
<h4>Identification Required</h4>
```

```
<p>A valid government-issued photo ID is required for all guests upon formal check-
in.</p>
```

```
</div>
```

```
</li>
```

```
<li className="policy-item">
```

```
<div className="policy-icon"><svg viewBox="0 0 24 24" width="18" height="18"
fill="none" stroke="currentColor" strokeWidth="2" strokeLinecap="round"
strokeLinejoin="round"><path d="M10.29 3.86L1.82 18a2 2 0 0 0 1.71 3h16.94a2 2 0 0 0 1.71-
3L13.71 3.86a2 2 0 0 0-3.42 0z"></path><line x1="12" y1="9" x2="12" y2="13"></line><line x1="12"
y1="17" x2="12.01" y2="17"></line></svg></div>
```

```
<div className="policy-text">
```

```
<h4>House Rules</h4>
```

```
<p>Smoking is strictly prohibited inside the rooms. Damage to property will be billed to
your registered payment method.</p>
```

```
</div>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```

<div className="payment-sidebar" style={{ position: 'sticky', top: '40px', height: 'max-content'
}}>

<div className="invoice-sidebar">
  <div className="invoice-resort-info">
    <img src={room.images?.[0] || resort.images?.[0]} alt="Room Preview" />
    <div className="inv-r-details">
      <h3>{resort.name}</h3>
      <p>{resort.location?.city || "Location"}</p>
      <div className="room-badge">{room.title}</div>
    </div>
  </div>
  <h3 style={{ fontSize: '16px', marginBottom: '16px', color: '#111' }}>Price Details</h3>
  <div className="invoice-summary-row">
    <span>₹{room.basePrice.toLocaleString()} x {requiredRooms} room{requiredRooms > 1 &&
's'} x {nights > 0 ? nights : 1} night{nights > 1 && 's'}</span>
    <span>₹{subtotal.toLocaleString()}</span>
  </div>
  {extras.breakfast > 0 && (
    <div className="invoice-summary-row extra-item">
      <span>Breakfast ({extras.breakfast} pax)</span>
      <span>₹{(extraPrices.breakfast * (nights || 1) * extras.breakfast).toLocaleString()}</span>
    </div>
  )}
  {extras.lunch > 0 && (
    <div className="invoice-summary-row extra-item">
      <span>Lunch ({extras.lunch} pax)</span>
      <span>₹{(extraPrices.lunch * (nights || 1) * extras.lunch).toLocaleString()}</span>
    </div>
  )}
  {extras.dinner > 0 && (
    <div className="invoice-summary-row extra-item">

```



```

    <span>Dinner ({extras.dinner} pax)</span>
    <span>₹{(extraPrices.dinner * (nights || 1) * extras.dinner).toLocaleString()}</span>
  </div>
)}
{extras.bbq > 0 && (
  <div className="invoice-summary-row extra-item">
    <span>BBQ Bonfire ({extras.bbq} pax)</span>
    <span>₹{(extraPrices.bbq * extras.bbq).toLocaleString()}</span>
  </div>
)}
{extras.spa && (
  <div className="invoice-summary-row extra-item">
    <span>Spa Access</span>
    <span>₹{extraPrices.spa.toLocaleString()}</span>
  </div>
)}
{extras.message && (
  <div className="invoice-summary-row extra-item">
    <span>In-Room Massage</span>
    <span>₹{extraPrices.message.toLocaleString()}</span>
  </div>
)}
{extras.fitness && (
  <div className="invoice-summary-row extra-item">
    <span>Fitness & Yoga</span>
    <span>₹{extraPrices.fitness.toLocaleString()}</span>
  </div>
)}
{extras.cabana && (
  <div className="invoice-summary-row extra-item">
    <span>Poolside Cabana</span>

```

```

        <span>₹{extraPrices.cabana.toLocaleString()}</span>
    </div>
  })
  {extras.earlyCheckIn && (
    <div className="invoice-summary-row extra-item">
      <span>Early Check-In</span>
      <span>₹{extraPrices.earlyCheckIn.toLocaleString()}</span>
    </div>
  })
  {extras.lateCheckOut && (
    <div className="invoice-summary-row extra-item">
      <span>Late Check-Out</span>
      <span>₹{extraPrices.lateCheckOut.toLocaleString()}</span>
    </div>
  })
  <div className="invoice-divider"></div>
  <div className="invoice-summary-row">
    <span>Subtotal</span>
    <span>₹{(subtotal + extrasTotal).toLocaleString()}</span>
  </div>
  <div className="invoice-summary-row">
    <span>Taxes & Fees (18%)</span>
    <span>₹{Math.round(taxes).toLocaleString()}</span>
  </div>
  <div className="invoice-divider"></div>
  <div className="invoice-total">
    <span>Total</span>
    <span>₹{totalAmount.toLocaleString()}</span>
  </div>
  <button type="submit" className="checkout-btn" disabled={subtotal === 0 ||
isProcessing}>

```

Proceed to Payment

```

<svg viewBox="0 0 24 24" width="20" height="20" fill="none" stroke="currentColor"
strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"><line x1="5" y1="12" x2="19"
y2="12"></line><polyline points="12 5 19 12 12 19"></polyline></svg>

</button>

{isProcessing && (

  <p style={{ color: "#92400e", fontSize: "13px", marginTop: "10px", textAlign: "center" }}>

    Initializing secure payment...

  </p>

)}

{paymentError && (

  <p style={{ color: "#ef4444", fontSize: "13px", marginTop: "10px", textAlign: "center" }}>

    {paymentError}

  </p>

)}

{(nights <= 0 || !formData.checkIn || !formData.checkOut) && (

  <p style={{ color: '#ef4444', fontSize: '13px', marginTop: '15px', textAlign: 'center' }}>Please
select valid dates to continue</p>

)}

<div className="trust-badges">

  <div className="trust-badge">

    <div className="trust-icon">

      <svg width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor"
strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"><path d="M12 22s8-4 8-10V5l-8-3-
8 3v7c0 6 8 10 8 10z"></path></svg>

    </div>

    <div className="trust-content">

      <h4>Secure Booking</h4>

      <p>Your payment is processed by Razorpay with secure encryption.</p>

    </div>

  </div>

</div>

<div className="trust-badge">

  <div className="trust-icon">

```

```

    <svg width="20" height="20" viewBox="0 0 24 24" fill="none" stroke="currentColor"
strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"><circle cx="12" cy="12"
r="10"></circle><polyline points="12 6 12 12 16 14"></polyline></svg>

    </div>

    <div className="trust-content">

        <h4>Instant Confirmation</h4>

        <p>Your booking is instantly confirmed directly with the property.</p>

    </div>

</div>

</div></div>

</div>

</div>

    <div className="payment-addons-container" style={{ maxWidth: '1400px', margin: '40px auto',
padding: '0 5%' }}>

        <div className="payment-form-section" style={{ marginBottom: '0' }}>

            <h2>

                <svg viewBox="0 0 24 24" width="24" height="24" fill="none" stroke="currentColor"
strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"><rect x="3" y="3" width="7"
height="7"></rect><rect x="14" y="3" width="7" height="7"></rect><rect x="14" y="14" width="7"
height="7"></rect><rect x="3" y="14" width="7" height="7"></rect></svg>

                Enhance Your Stay (Add-on Services)

            </h2>

            <div className="extras-grid full-width">

                {serviceConfig.map(svc => (

                    <div key={svc.id} className={`extra-card ${extras[svc.id] ? 'selected' : ''}`}>

                        <div className="extra-card-header">

                            <div>

                                <h3 className="extra-card-title">{svc.title}</h3>

                                <p className="extra-card-desc">{svc.desc}</p>

                            </div>

                        </div>

                        <div className="extra-card-footer">

                            <div className="extra-price-tag">{svc.priceLabel}</div>

```

```

<div style={{ width: svc.type === 'qty' ? '110px' : '90px' }}>
  {svc.type === 'qty' ? (
    extras[svc.id] === 0 ? (
      <button type="button" className="add-service-btn" onClick={(e) =>
updateExtraQuantity(svc.id, 1, e)}>Add</button>
    ) : (
      <div className="extra-qty-controls">
        <button type="button" onClick={(e) => updateExtraQuantity(svc.id, -1, e)}>-</button>
        <span>{extras[svc.id]}</span>
        <button type="button" onClick={(e) => updateExtraQuantity(svc.id, 1, e)}>+</button>
      </div>
    )
  ) : (
    !extras[svc.id] ? (
      <button type="button" className="add-service-btn" onClick={(e) =>
toggleExtra(svc.id, e)}>Add</button>
    ) : (
      <button type="button" className="add-service-btn added" onClick={(e) =>
toggleExtra(svc.id, e)}>Added ✓</button>
    )
  )}
</div>
</div>
</div>
)))
</div>
</div>
</div>
</form>
{showMockUpi && (

```

```

<div className="upi-mock-overlay" style={{ position: 'fixed', top: 0, left: 0, right: 0, bottom: 0,
backgroundColor: 'rgba(0,0,0,0.7)', zIndex: 9999, display: 'flex', alignItems: 'center', justifyContent:
'center' }}>

  <div className="upi-mock-modal" style={{ background: '#fff', padding: '30px', borderRadius:
'12px', width: '380px', textAlign: 'center', boxShadow: '0 20px 40px rgba(0,0,0,0.2)' }}>

    <div style={{ marginBottom: '20px', display: 'flex', flexDirection: 'column', alignItems: 'center'
}}>

      <span style={{ fontFamily: '"Times New Roman", Times, serif', fontSize: '46px', color:
'#0f172a', lineHeight: '1' }}>H</span>

      <span style={{ fontSize: '11px', fontWeight: 'bold', letterSpacing: '3px', color: '#0f172a',
marginTop: '6px' }}>RESORT</span>

    </div>

    <h2 style={{ marginBottom: '10px', color: '#111' }}>Pay via UPI</h2>

    <p style={{ color: '#666', marginBottom: '20px' }}>Secure Fast Checkout</p>

    <div style={{ background: '#f5f5f5', padding: '15px', borderRadius: '8px', marginBottom: '20px'
}}>

      <p style={{ margin: 0, fontSize: '14px', color: '#555' }}>Amount to Pay</p>

      <h3 style={{ margin: '5px 0 0', fontSize: '24px', color: '#111' }}>₹{{currentMockOrder?.amount
/ 100)?.toLocaleString()}}</h3>

    </div>

    <div style={{ marginBottom: '12px', display: 'flex', flexDirection: 'column', gap: '8px', textAlign:
'left' }}>

      <label htmlFor="mock-upi-input" style={{ fontSize: '13px', fontWeight: 600, color: '#333'
}}>UPI ID</label>

      <input

        id="mock-upi-input"

        type="text"

        value={mockUpiInput}

        onChange={(e) => {

          setMockUpiInput(e.target.value);

          if (mockModalError) setMockModalError("");

        }}

        placeholder="Enter your UPI ID"

        autoComplete="off"

```

```

        style={{ width: '100%', padding: '12px', border: '1px solid #ddd', borderRadius: '6px', color:
'#111', backgroundColor: '#fff', outline: 'none', boxSizing: 'border-box' }}
    />
</div>

{mockModalError && (
    <p style={{ color: '#ef4444', fontSize: '13px', marginBottom: '14px', textAlign: 'center'
}}>{mockModalError}</p>
)}

<button
    type="button"
    onClick={handleMockConfirm}
    disabled={isProcessing}
    style={{ width: '100%', padding: '14px', background: '#f7a02d', color: '#fff', border: 'none',
borderRadius: '6px', fontWeight: 'bold', fontSize: '16px', cursor: isProcessing ? 'not-allowed' :
'pointer', marginBottom: '10px', opacity: isProcessing ? 0.85 : 1 }}
    >
        {isProcessing ? 'Confirming...' : 'Confirm payment'}
    </button>

    <button
        type="button"
        onClick={() => {
            setShowMockUpi(false);
            setMockUpiInput('');
            setMockModalError('');
            setPaymentError('Payment cancelled.');
```

```

    }}
</div>

);
}

```

File: Client\src\pages\policy.css

```

@import
url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght@0,400;0,600;0,700;1,400&family=Montserrat:wght@400;500;600;700&display=swap');

.policy-page {
    background: #f7f7f9;
    font-family: 'Montserrat', sans-serif;
    color: #2a3a5b;
    min-height: 100vh;
}

.policy-hero {
    position: relative;
    height: 44vh;
    min-height: 320px;
    max-height: 420px;
    overflow: hidden;
    margin-top: 120px;
    background: #0a1428;
}

.policy-hero::after {
    content: "";
    position: absolute;
    width: 100%;
    height: 100%;
    background: rgba(10, 20, 40, 0.55);
}

```



```
top: 0;
left: 0;
z-index: 1;
}
.policy-hero img {
position: absolute;
top: 0;
left: 0;
width: 100%;
height: 100%;
object-fit: cover;
transition: transform 0.6s ease;
}
.policy-hero:hover img {
transform: scale(1.05);
}
.policy-hero-text {
position: absolute;
inset: 0;
z-index: 2;
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
text-align: center;
gap: 12px;
padding: 0 20px;
}
.policy-hero-text p {
color: #f9a826;
text-transform: uppercase;
```

```
letter-spacing: 3px;
font-size: 0.85rem;
font-weight: 700;
margin: 0;
}
.policy-hero-text h1 {
color: #ffffff;
font-family: 'Playfair Display', serif;
font-size: clamp(2.5rem, 5vw, 4rem);
font-weight: 600;
margin: 0;
text-shadow: 0 10px 28px rgba(0, 0, 0, 0.32);
}
.policy-container {
max-width: 1140px;
margin: 50px auto 50px;
display: flex;
background: #ffffff;
border-radius: 22px;
border: 1px solid #e3e6ed;
box-shadow: 0 20px 45px rgba(29, 45, 78, 0.09);
overflow: hidden;
min-height: 600px;
}
.policy-sidebar {
width: 300px;
background: #fdfdfd;
padding: 40px 0;
border-right: 1px solid #e3e6ed;
flex-shrink: 0;
}
```

```
.policy-tab {  
  width: 100%;  
  display: flex;  
  align-items: center;  
  gap: 16px;  
  padding: 18px 30px;  
  background: transparent;  
  border: none;  
  border-left: 4px solid transparent;  
  font-family: 'Montserrat', sans-serif;  
  font-size: 0.95rem;  
  font-weight: 600;  
  color: #607095;  
  cursor: pointer;  
  transition: all 0.3s ease;  
  text-align: left;  
}  
.policy-tab:hover {  
  background: #f7f7f9;  
  color: #1e2a4d;  
}  
.policy-tab.active {  
  background: #fafafc;  
  color: #d18737;  
  border-left-color: #f9a826;  
}  
.policy-tab-icon {  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  color: inherit;
```

```
    opacity: 0.8;
    font-size: 1.1rem;
}
.policy-tab.active .policy-tab-icon {
    opacity: 1;
}
.policy-content-wrapper {
    flex: 1;
    padding: 50px 60px;
}
.policy-section {
    display: none;
    animation: fadeIn 0.5s ease forwards;
}
.policy-section.active {
    display: block;
}
@keyframes fadeIn {
    0% {
        opacity: 0;
        transform: translateY(15px);
    }
    100% {
        opacity: 1;
        transform: translateY(0);
    }
}
.policy-section h2 {
    font-family: 'Playfair Display', serif;
    font-size: 2.4rem;
    color: #1e2a4d;
```

```
font-weight: 600;
margin-top: 0;
margin-bottom: 24px;
padding-bottom: 15px;
position: relative;
}
.policy-section h2::after {
  content: "";
  position: absolute;
  bottom: 0;
  left: 0;
  width: 60px;
  height: 4px;
  background: linear-gradient(90deg, #d18737, #e8ac52);
  border-radius: 2px;
}
.policy-section h3 {
  font-family: 'Montserrat', sans-serif;
  font-size: 1.15rem;
  color: #1e2a4d;
  font-weight: 700;
  text-transform: uppercase;
  letter-spacing: 1px;
  margin-top: 40px;
  margin-bottom: 16px;
}
.policy-section p {
  color: #536278;
  line-height: 1.8;
  margin-bottom: 20px;
  font-size: 1rem;
```

```
font-weight: 400;
font-family: 'Montserrat', sans-serif;
}
.policy-section ul {
color: #536278;
line-height: 1.8;
padding-left: 20px;
margin-bottom: 24px;
font-size: 1rem;
font-weight: 400;
font-family: 'Montserrat', sans-serif;
}
.policy-section ul li {
margin-bottom: 12px;
padding-left: 8px;
}
.policy-section ul li::marker {
color: #f9a826;
}
.policy-section strong {
color: #1e2a4d;
font-weight: 600;
}
@media (max-width: 1024px) {
.policy-container {
width: 92%;
}
}
@media (max-width: 860px) {
.policy-container {
flex-direction: column;
```

```
}  
.policy-sidebar {  
  width: 100%;  
  padding: 10px;  
  border-right: none;  
  border-bottom: 1px solid #e3e6ed;  
  display: flex;  
  overflow-x: auto;  
  white-space: nowrap;  
  scrollbar-width: none;  
}  
.policy-sidebar::-webkit-scrollbar {  
  display: none;  
}  
.policy-tab {  
  width: auto;  
  padding: 14px 20px;  
  border-left: none;  
  border-bottom: 3px solid transparent;  
  justify-content: center;  
}  
.policy-tab.active {  
  border-left-color: transparent;  
  border-bottom-color: #f9a826;  
  background: transparent;  
}  
.policy-content-wrapper {  
  padding: 40px 30px;  
}  
}  
@media (max-width: 640px) {
```

```
.policy-hero {  
  height: 34vh;  
  min-height: 230px;  
}  
  
.policy-container {  
  margin: 20px 14px 40px;  
  width: auto;  
  border-radius: 16px;  
}  
  
.policy-content-wrapper {  
  padding: 30px 20px;  
}  
  
.policy-section h2 {  
  font-size: 1.8rem;  
}  
  
.policy-section h3 {  
  font-size: 1.05rem;  
}  
  
.policy-section p,  
.policy-section ul {  
  font-size: 0.95rem;  
}  
}
```

File: Client\src\pages\policy.jsx

```
import { useState, useEffect } from "react";  
import { useLocation } from "react-router-dom";  
import "./policy.css";  
import Navbar from "../components/Navbar";  
import Footer from "../components/Footer";
```



```

import { Shield, FileText, CreditCard, Ban, Bell } from "lucide-react";
import heroBg from "../assets/hero_bg.png";

function Policy() {
  const location = useLocation();
  const [activeTab, setActiveTab] = useState("terms");
  useEffect(() => {
    if (location.hash) {
      const hash = location.hash.replace("#", "");
      if (["terms", "privacy", "cancellation", "payment", "stay"].includes(hash)) {
        setActiveTab(hash);
      }
    }
  }, [location]);
  const policies = [
    { id: "terms", label: "Terms & Conditions", icon: <FileText size={20} /> },
    { id: "privacy", label: "Privacy Policy", icon: <Shield size={20} /> },
    { id: "cancellation", label: "Cancellation & Refund", icon: <Ban size={20} /> },
    { id: "payment", label: "Payment & Security", icon: <CreditCard size={20} /> },
    { id: "stay", label: "Resort Stay Rules", icon: <Bell size={20} /> },
  ];
  return (
    <div className="policy-page">
      <Navbar />
      <section className="policy-hero">
        <img
          src={heroBg}
          alt="Resort View"
        />
        <div className="policy-hero-text">
          <p>Transparent & Secure</p>
          <h1>Our Policies</h1>
        </div>
      </section>
    </div>
  );
}

```

```

    </div>
</section>
<main className="policy-container">
  <aside className="policy-sidebar">
    {policies.map(policy => (
      <button
        key={policy.id}
        className={`policy-tab ${activeTab === policy.id ? "active" : ""}`}
        onClick={() => {
          setActiveTab(policy.id);
          window.history.replaceState(null, "", `#${policy.id}`);
        }}
      >
        <span className="policy-tab-icon">{policy.icon}</span>
        {policy.label}
      </button>
    ))}
  </aside>
  <section className="policy-content-wrapper">
    <div className={`policy-section ${activeTab === "terms" ? "active" : ""}`>
      <h2>Terms & Conditions</h2>
      <p>Welcome to H Resort. By accessing our website and making a reservation, you
agree to comply with and be bound by the following terms and conditions of use. Please read these
terms carefully before proceeding with your booking.</p>
      <h3>1. Agreement Context</h3>
      <p>These terms and conditions apply to all guests and visitors of H Resort properties.
The use of our website signifies your acceptance of these policies.</p>
      <h3>2. User Representations</h3>
      <ul>
        <li>You are at least 18 years of age and hold legal capacity to make a transaction.</li>
        <li>The information you provide during booking is accurate, current, and
complete.</li>

```

You will not use our platform for any fraudulent or speculative bookings.

<h3>3. Liability Limitations</h3>

<p>H Resort shall not be liable for any indirect, incidental, special, or consequential damages arising out of your stay or use of our booking platform, including loss of data, income, or personal property during your visit.</p>

</div>

<div className={`policy-section \${activeTab === "privacy" ? "active" : ""}`}>

<h2>Privacy Policy</h2>

<p>Your privacy is of critical importance to us. This policy dictates how we collect, process, and safeguard your personal data.</p>

<h3>Data Collection</h3>

<p>We may collect the following information when you visit our website or make a booking:</p>

Identity Data: First name, last name, username, and date of birth.

Contact Data: Billing address, email address, and telephone numbers.

Financial Data: Securely tokenized payment details handled fully by certified payment gateways.

<h3>How We Use Your Data</h3>

<p>Your data is used to successfully process your reservations, communicate pre-arrival instructions, enhance user experience, and for strictly relevant promotional communications (which you can opt out of at any time).</p>

<h3>Data Security</h3>

<p>We implement top-tier encryption and restrictive access controls to ensure your data is secure from unauthorized access or alterations.</p>

</div>

<div className={`policy-section \${activeTab === "cancellation" ? "active" : ""}`}>

<h2>Cancellation & Refund</h2>

<p>We understand that plans can change. Our cancellation policy is designed to be fair to our guests while protecting our operational capacity.</p>

<h3>Standard Cancellation Policy</h3>

- 14+ Days Notice:** 100% full refund of the booking amount.

- 7-14 Days Notice:** 50% refund of the booking amount.

- Less than 7 Days Notice:** No refund possible, but specific date modifications may be permitted subject to availability and surcharges.

No Shows & Early Departures

If a guest fails to arrive without prior notice ("No Show"), the total price of the reservation will be charged. Early departures are treated as cancellations for the remaining nights and are non-refundable.

Refund Processing Time

All approved refunds are processed within 5-7 business days to the original instrument of payment.

Payment & Security

At H Resort, ensuring the security of your transactions is our utmost priority.

Accepted Payment Methods

We accept all major credit cards (Visa, MasterCard, American Express), debit cards, and seamless digital wallets (Apple Pay, Google Pay). All transactions are processed in the local currency unless explicitly displayed otherwise.

Payment Security

Our payment infrastructure is completely PCI-DSS compliant. Payment information is securely encrypted during transmission via SSL (Secure Sockets Layer). **We never temporarily or permanently store your complete credit card details on our local servers.**

Taxes & Additional Fees

Rates quoted on the website generally exclude state and local taxes, unless explicitly stated. Resort fees and incidental deposits may be collected upon check-in.

Resort Stay Rules

To ensure a pleasant and safe environment for all our guests, we enforce the following house rules at all H Resort properties.

Timings

264

```

    <ul>
      <li><strong>Check-in Time:</strong> 2:00 PM onwards</li>
      <li><strong>Check-out Time:</strong> 11:00 AM strictly</li>
      <li>Early check-in and late check-out are subject to availability and additional
fees.</li>
    </ul>

    <h3>General Conduct</h3>

    <ul>
      <li><strong>Quiet Hours:</strong> Between 10:00 PM and 7:00 AM, noise must be
kept to a minimum in shared hallways and adjacent rooms.</li>
      <li><strong>Smoking Policy:</strong> All indoor spaces, including guest rooms and
balconies, are strictly non-smoking. Designated outdoor smoking zones are provided.</li>
      <li><strong>Pets:</strong> We are generally not a pet-friendly property, unless a
specific pet-friendly room is exclusively booked. Guide dogs are always welcome.</li>
    </ul>

    <h3>Damage To Property</h3>

    <p>Guests are fully liable for any damage howsoever caused to the allocated room or
to the Resort premises. H Resort reserves the right to charge guests the cost of rectifying damage or
replacing items.</p>
  </div>
</section>
</main>
<Footer />
</div>
);
}
export default Policy;

```

File: Client\src\pages\resort.css

```

:root {
  --primary-color: #c9a961;
  --primary-dark: #a0845c;

```

```
--primary-light: #e8c88a;
--dark-bg: #1a1a1a;
--light-bg: #f9f7f3;
--text-dark: #2a2a2a;
--text-light: #808080;
--white: #ffffff;
--shadow: 0 10px 40px rgba(0, 0, 0, 0.08);
--shadow-lg: 0 20px 60px rgba(0, 0, 0, 0.12);
--transition: all 0.4s cubic-bezier(0.25, 0.46, 0.45, 0.94);
}

.gallery-container {
  width: 100%;
  overflow-x: hidden;
  background: var(--light-bg);
  padding-top: 120px;
}

.gallery-hero {
  position: relative;
  min-height: 450px;
  display: flex;
  align-items: center;
  justify-content: center;
  text-align: center;
  color: var(--white);
  overflow: hidden;
}

.gallery-hero::before {
  content: "";
  position: absolute;
  inset: 0;
```

```

background: url("data:image/svg+xml,%3Csvg width='60' height='60' viewBox='0 0 60 60'
xmlns='http://www.w3.org/2000/svg'%3E%3Cg fill='none' fill-rule='evenodd'%3E%3Cg fill='%23ffffff'
fill-opacity='0.02'%3E%3Cpath d='M36 34v-4h-2v4h-4v2h4v4h2v-4h4v-2h-4zm0-30V0h-2v4h-
4v2h4v4h2V6h4V4h-4zM6 34v-4H4v4H0v2h4v4h2v-4h4v-2H6zM6
4V0H4v4H0v2h4v4h2V6h4V4H6z'/%3E%3C/g%3E%3C/g%3E%3C/svg%3E");

opacity: 0.5;
}

.hero-overlayy {
position: absolute;

inset: 0;

background: rgba(0, 0, 0, 0.3);

z-index: 1;
}

.hero-content {
position: relative;

z-index: 2;

padding: 60px 40px;

animation: slideUp 0.8s ease-out;
}

@keyframes slideUp {
from {
opacity: 0;

transform: translateY(40px);
}

to {
opacity: 1;

transform: translateY(0);
}
}

.gallery-title {
font-size: 4.5rem;

font-weight: 300;

```

```
letter-spacing: 8px;
margin-bottom: 15px;
color: #ffffff !important;
text-shadow: 0 4px 15px rgba(0, 0, 0, 0.7);
}
.gallery-subtitle {
font-size: 0.95rem;
letter-spacing: 3px;
text-transform: uppercase;
color: #ffffff !important;
font-weight: 600;
text-shadow: 0 2px 10px rgba(0, 0, 0, 0.8);
}
.filter-section {
background: var(--light-bg);
padding: 30px 40px;
text-align: center;
}
.filter-container {
max-width: 1000px;
margin: 0 auto;
}
.filters {
display: flex;
gap: 25px;
justify-content: center;
flex-wrap: wrap;
align-items: center;
}
.filter-btn {
background: transparent;
```



```
border: none;
color: var(--text-light);
font-size: 1rem;
font-weight: 500;
letter-spacing: 1px;
cursor: pointer;
padding: 10px 5px;
position: relative;
transition: var(--transition);
text-transform: uppercase;
}
.filter-btn:hover {
  color: var(--primary-color);
}
.filter-btn.active {
  color: var(--primary-color);
  font-weight: 600;
}
.filter-btn.active::after {
  content: "";
  position: absolute;
  bottom: -10px;
  left: 50%;
  transform: translateX(-50%);
  width: 30px;
  height: 3px;
  background: var(--primary-color);
  border-radius: 2px;
}
.gallery-section {
  background: var(--light-bg);
```

```
padding: 60px 40px;
min-height: 600px;
}
.gallery-wrapper {
max-width: 1300px;
margin: 0 auto;
}
.loading-container {
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
min-height: 400px;
gap: 30px;
}
.spinner {
width: 50px;
height: 50px;
border: 4px solid rgba(201, 169, 97, 0.1);
border-top-color: var(--primary-color);
border-radius: 50%;
animation: spin 1s linear infinite;
}
@keyframes spin {
to {
transform: rotate(360deg);
}
}
.error-message,
.no-items-message {
text-align: center;
```

```
padding: 60px 20px;
color: var(--text-light);
font-size: 1.2rem;
}

.resort-grid {
display: grid;
grid-template-columns: repeat(3, 1fr);
gap: 25px;
grid-auto-rows: 350px;
}

.resort-item {
position: relative;
overflow: hidden;
border-radius: 8px;
cursor: pointer;
box-shadow: var(--shadow);
animation: fadeInUp 0.6s ease-out forwards;
opacity: 0;
transition: var(--transition);
}

.resort-item:nth-child(1) {
animation-delay: 0.05s;
}

.resort-item:nth-child(2) {
animation-delay: 0.1s;
}

.resort-item:nth-child(3) {
animation-delay: 0.15s;
}

.resort-item:nth-child(n+4) {
animation-delay: 0.2s;
}
```

```

}
@keyframes fadeInUp {
  from {
    opacity: 0;
    transform: translateY(20px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}
.resort-item:hover {
  transform: scale(1.02);
  box-shadow: var(--shadow-lg);
}
.resort-image {
  width: 100%;
  height: 100%;
  object-fit: cover;
  transition: var(--transition);
}
.resort-item:hover .resort-image {
  transform: scale(1.05);
  filter: brightness(0.7) blur(2px);
}
.resort-overlay {
  position: absolute;
  inset: 0;
  background: rgba(0, 0, 0, 0.2);
  display: flex;
  align-items: center;

```

```
justify-content: center;
opacity: 0;
transition: var(--transition);
}
.resort-item:hover .resort-overlay {
  opacity: 1;
}
.overlay-content {
  text-align: center;
  color: var(--white);
  z-index: 2;
  animation: slideUp 0.4s ease-out;
}
.overlay-title {
  font-family: 'Montserrat', sans-serif;
  font-size: 1.35rem;
  font-weight: 500;
  margin-bottom: 0;
  letter-spacing: 1px;
  text-transform: capitalize;
  text-shadow: 0 2px 8px rgba(0,0,0,0.6);
  padding: 0 15px;
}
.overlay-price {
  font-size: 1.8rem;
  font-weight: 700;
  color: var(--primary-light);
  margin-bottom: 15px;
}
.overlay-btn {
  background: var(--primary-color);
```

```
color: var(--white);
border: none;
padding: 10px 30px;
font-size: 0.9rem;
font-weight: 600;
border-radius: 25px;
cursor: pointer;
transition: var(--transition);
text-transform: uppercase;
letter-spacing: 1px;
box-shadow: 0 5px 20px rgba(201, 169, 97, 0.4);
}

.overlay-btn:hover {
  background: var(--primary-light);
  transform: scale(1.05);
}

.modal-overlay {
  position: fixed;
  inset: 0;
  background: rgba(0, 0, 0, 0.7);
  display: flex;
  align-items: center;
  justify-content: center;
  z-index: 1000;
  padding: 20px;
  animation: fadeIn 0.3s ease-out;
  backdrop-filter: blur(2px);
}

@keyframes fadeIn {
  from {
    opacity: 0;
```

```

}
to {
  opacity: 1;
}
}
.modal-content {
  background: var(--white);
  border-radius: 12px;
  overflow: hidden;
  max-width: 1000px;
  width: 100%;
  display: grid;
  grid-template-columns: 1fr 1fr;
  box-shadow: 0 30px 80px rgba(0, 0, 0, 0.3);
  animation: slideIn 0.4s ease-out;
  max-height: 85vh;
  overflow-y: auto;
}
@keyframes slideIn {
  from {
    opacity: 0;
    transform: translateY(30px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}
.modal-close {
  position: absolute;
  top: 20px;

```

```
right: 20px;
background: rgba(0, 0, 0, 0.6);
color: var(--white);
border: none;
font-size: 2.5rem;
cursor: pointer;
width: 50px;
height: 50px;
border-radius: 50%;
display: flex;
align-items: center;
justify-content: center;
transition: var(--transition);
z-index: 10;
line-height: 1;
}

.modal-close:hover {
background: rgba(0, 0, 0, 0.9);
transform: scale(1.1);
}

.modal-image-container {
position: relative;
overflow: hidden;
background: rgba(0, 0, 0, 0.1);
}

.modal-image {
width: 100%;
height: 100%;
object-fit: cover;
}

.modal-info {
```



```
padding: 40px;
display: flex;
flex-direction: column;
gap: 25px;
overflow-y: auto;
max-height: 85vh;
}
.modal-title {
font-size: 2rem;
color: var(--text-dark);
font-weight: 700;
letter-spacing: -0.5px;
}
.modal-description {
color: var(--text-light);
line-height: 1.8;
font-size: 0.95rem;
}
.modal-amenities {
border-top: 1px solid rgba(0, 0, 0, 0.1);
border-bottom: 1px solid rgba(0, 0, 0, 0.1);
padding: 20px 0;
}
.modal-amenities h4 {
font-size: 0.95rem;
font-weight: 600;
text-transform: uppercase;
letter-spacing: 1px;
margin-bottom: 12px;
color: var(--text-dark);
}
```

```
.modal-amenities ul {  
  list-style: none;  
  padding: 0;  
  margin: 0;  
  display: grid;  
  grid-template-columns: 1fr 1fr;  
  gap: 10px;  
}  
  
.modal-amenities li {  
  color: var(--text-light);  
  font-size: 0.9rem;  
}  
  
.modal-details {  
  display: grid;  
  grid-template-columns: repeat(3, 1fr);  
  gap: 20px;  
}  
  
.detail-item {  
  display: flex;  
  flex-direction: column;  
  gap: 8px;  
}  
  
.detail-label {  
  font-size: 0.8rem;  
  color: var(--text-light);  
  text-transform: uppercase;  
  letter-spacing: 1px;  
  font-weight: 600;  
}  
  
.detail-value {  
  font-size: 1.2rem;
```

```
color: var(--text-dark);
font-weight: 700;
}
.detail-price {
color: var(--primary-color);
font-size: 1.8rem;
}
.modal-actions {
display: grid;
grid-template-columns: 1fr 1fr;
gap: 15px;
}
.btn-primary {
background: linear-gradient(135deg, var(--primary-color), var(--primary-light));
color: var(--white);
border: none;
padding: 15px 30px;
font-size: 0.95rem;
font-weight: 600;
border-radius: 6px;
cursor: pointer;
transition: var(--transition);
text-transform: uppercase;
letter-spacing: 1px;
}
.btn-primary:hover {
transform: translateY(-2px);
box-shadow: 0 10px 25px rgba(201, 169, 97, 0.3);
}
.btn-secondary {
background: rgba(201, 169, 97, 0.1);
```

```

color: var(--primary-color);
border: 2px solid var(--primary-color);
padding: 15px 30px;
font-size: 0.95rem;
font-weight: 600;
border-radius: 6px;
cursor: pointer;
transition: var(--transition);
text-transform: uppercase;
letter-spacing: 1px;
}

.btn-secondary:hover {
background: var(--primary-color);
color: var(--white);
}

.gallery-cta {
position: relative;
background: linear-gradient(135deg, #1a1a1a 0%, #2d2d2d 100%);
padding: 120px 40px;
text-align: center;
color: var(--white);
overflow: hidden;
}

.gallery-cta::before {
content: "";
position: absolute;
inset: 0;
background: url("data:image/svg+xml,%3Csvg width='60' height='60' viewBox='0 0 60 60'
xmlns='http://www.w3.org/2000/svg'%3E%3Cg fill='none' fill-rule='evenodd'%3E%3Cg fill='%23ffffff'
fill-opacity='0.01'%3E%3Cpath d='M36 34v-4h-2v4h-4v2h4v4h2v-4h4v-2h-4zm0-30V0h-2v4h-
4v2h4v4h2V6h4V4h-4zM6 34v-4H4v4H0v2h4v4h2v-4h4v-2H6zM6
4V0H4v4H0v2h4v4h2V6h4V4H6z'/%3E%3C/g%3E%3C/g%3E%3C/svg%3E");

```

```
    pointer-events: none;
}
.cta-overlay {
    position: absolute;
    inset: 0;
    background: rgba(0, 0, 0, 0.2);
}
.cta-content {
    position: relative;
    z-index: 2;
    max-width: 600px;
    margin: 0 auto;
}
.gallery-cta h2 {
    font-size: 2.8rem;
    font-weight: 600;
    margin-bottom: 20px;
    letter-spacing: -0.5px;
}
.gallery-cta p {
    font-size: 1.1rem;
    color: rgba(255, 255, 255, 0.85);
    margin-bottom: 40px;
    line-height: 1.6;
}
.cta-btn {
    background: linear-gradient(135deg, var(--primary-color), var(--primary-light));
    color: var(--white);
    border: none;
    padding: 16px 45px;
    font-size: 1rem;
```

```
font-weight: 600;
border-radius: 6px;
cursor: pointer;
transition: var(--transition);
text-transform: uppercase;
letter-spacing: 1px;
box-shadow: 0 10px 30px rgba(201, 169, 97, 0.3);
}
.cta-btn:hover {
  transform: translateY(-3px);
  box-shadow: 0 15px 45px rgba(201, 169, 97, 0.4);
}
@media (max-width: 1200px) {
  .resort-grid {
    grid-template-columns: repeat(3, 1fr);
    grid-auto-rows: 300px;
  }
  .modal-content {
    grid-template-columns: 1fr;
    max-height: 90vh;
  }
  .modal-image-container {
    min-height: 300px;
  }
}
@media (max-width: 768px) {
  .gallery-hero {
    min-height: 350px;
  }
  .gallery-title {
    font-size: 2.8rem;
  }
}
```

```
    letter-spacing: 4px;
}
.gallery-subtitle {
    font-size: 0.85rem;
    letter-spacing: 2px;
}
.filter-section {
    padding: 40px 20px;
}
.filters {
    gap: 15px;
}
.filter-btn {
    font-size: 0.9rem;
    padding: 8px 3px;
}
.gallery-section {
    padding: 40px 20px;
}
.resort-grid {
    grid-template-columns: repeat(2, 1fr);
    gap: 15px;
    grid-auto-rows: 280px;
}
.modal-info {
    padding: 25px;
    gap: 15px;
}
.modal-title {
    font-size: 1.5rem;
}
```

```
.modal-details {  
  grid-template-columns: 1fr 1fr;  
}  
  
.modal-actions {  
  grid-template-columns: 1fr;  
}  
  
.gallery-cta {  
  padding: 60px 20px;  
}  
  
.gallery-cta h2 {  
  font-size: 2rem;  
}  
  
.gallery-cta p {  
  font-size: 0.95rem;  
}  
}  
  
@media (max-width: 480px) {  
  .gallery-hero {  
    min-height: 300px;  
  }  
  
  .hero-content {  
    padding: 40px 20px;  
  }  
  
  .gallery-title {  
    font-size: 2rem;  
    letter-spacing: 3px;  
    margin-bottom: 10px;  
  }  
  
  .gallery-subtitle {  
    font-size: 0.75rem;  
    letter-spacing: 1px;  
  }  
}
```



```
}  
.filter-section {  
  padding: 30px 15px;  
}  
.filters {  
  gap: 10px;  
  justify-content: space-around;  
}  
.filter-btn {  
  font-size: 0.8rem;  
  padding: 6px 2px;  
}  
.gallery-section {  
  padding: 30px 15px;  
}  
.resort-grid {  
  grid-template-columns: 1fr;  
  gap: 12px;  
  grid-auto-rows: 250px;  
}  
.overlay-title {  
  font-size: 1.1rem;  
}  
.overlay-price {  
  font-size: 1.3rem;  
}  
.overlay-btn {  
  padding: 8px 20px;  
  font-size: 0.8rem;  
}  
.modal-content {
```

```
border-radius: 8px;
max-height: 95vh;
}
.modal-info {
padding: 20px;
}
.modal-title {
font-size: 1.3rem;
}
.modal-description {
font-size: 0.9rem;
}
.detail-item {
gap: 5px;
}
.detail-label {
font-size: 0.7rem;
}
.detail-value {
font-size: 1rem;
}
.modal-amenities li {
font-size: 0.85rem;
}
.btn-primary,
.btn-secondary {
padding: 12px 20px;
font-size: 0.85rem;
}
.gallery-cta {
padding: 40px 15px;
```

```

}

.gallery-cta h2 {
  font-size: 1.6rem;
}

.gallery-cta p {
  font-size: 0.9rem;
}

.cta-btn {
  padding: 12px 30px;
  font-size: 0.85rem;
}
}

@media (prefers-reduced-motion: reduce) {
  * {
    animation-duration: 0.01ms !important;
    animation-iteration-count: 1 !important;
  }
}

@media (prefers-color-scheme: dark) {
  :root {
    --light-bg: #1a1a1a;
    --text-light: #b0b0b0;
  }
}

```

File: Client\src\pages\resort.jsx

```

import { useEffect, useState } from "react";
import { useNavigate, useSearchParams, useLocation } from "react-router-dom";
import Navbar from "../components/Navbar";
import Footer from "../components/Footer";

```

```

import './resort.css';
import heroBg from '../assets/hero_bg.png';
export default function Resort() {
  const [resorts, setResorts] = useState([]);
  const [filteredResorts, setFilteredResorts] = useState([]);
  const [loading, setLoading] = useState(true);
  const [error, setError] = useState(null);
  const [activeFilter, setActiveFilter] = useState("all");
  const [displayCount, setDisplayCount] = useState(6);
  const [selectedResort, setSelectedResort] = useState(null);
  const [searchParams] = useSearchParams();
  const resortId = searchParams.get("resortId");
  const isDetailView = Boolean(resortId);
  const navigate = useNavigate();
  const location = useLocation();
  const searchState = location.state || {};
  const { checkIn: roomsCheckIn, checkOut: roomsCheckOut, guests: roomsGuests, rooms:
searchRoomsCount, locationQuery } = searchState;
  const filters = ["All", "Luxury", "Deluxe", "Standard", "Economy", "Suite"];
  useEffect(() => {
    const fetchResorts = async () => {
      try {
        setLoading(true);
        const qs = new URLSearchParams();
        if (roomsCheckIn && roomsCheckOut) {
          qs.append('checkIn', roomsCheckIn);
          qs.append('checkOut', roomsCheckOut);
        }
        if (roomsGuests) {
          qs.append('guests', roomsGuests);
          qs.append('rooms', searchRoomsCount || '1');
        }
      }
    }
  });

```

```

}

const url = qs.toString()

  ? `http://${window.location.hostname}:5000/api/resorts?${qs.toString()}`
  : `http://${window.location.hostname}:5000/api/resorts`;

const response = await fetch(url);

if (!response.ok) {
  throw new Error("Failed to fetch resorts");
}

const data = await response.json();

const getImageUrl = (url) => url?.startsWith('/uploads') ?
`http://${window.location.hostname}:5000${url}` : url;

let mappedData = Array.isArray(data) ? data.map(resort => {
  if (resort.images) resort.images = resort.images.map(getImageUrl);
  if (resort.roomTypes) {
    resort.roomTypes = resort.roomTypes.map(rt => {
      if (rt.images) rt.images = rt.images.map(getImageUrl);
      return rt;
    });
  }
  return resort;
}) : [];

if (locationQuery && typeof locationQuery === "string" && locationQuery.trim() !== "") {
  const lowerQ = locationQuery.toLowerCase();
  mappedData = mappedData.filter(r => {
    const n = r.name ? String(r.name).toLowerCase() : "";
    const c = r.location?.city ? String(r.location.city).toLowerCase() : "";
    const s = r.location?.state ? String(r.location.state).toLowerCase() : "";
    return n.includes(lowerQ) || c.includes(lowerQ) || s.includes(lowerQ);
  });
}

setResorts(mappedData);

```

```

    setFilteredResorts(mappedData);
    setError(null);
  } catch (err) {
    console.error("Error fetching resorts:", err);
    setError("Unable to load rooms. Please try again later. Error: " + err.message);
  } finally {
    setLoading(false);
  }
};

fetchResorts();
}, []);
useEffect(() => {
  if (!resortId) {
    setSelectedResort(null);
    return;
  }
  const fetchResortDetails = async () => {
    setDetailLoading(true);
    try {
      const qs =
        roomsCheckIn && roomsCheckOut
        ?
        `?checkIn=${encodeURIComponent(roomsCheckIn)}&checkOut=${encodeURIComponent(roomsCheckOut)}`
        : "";
      const response = await fetch(
        `http://${window.location.hostname}:5000/api/resorts/${resortId}${qs}`
      );
      if (!response.ok) {
        throw new Error("Resort not found");
      }
    }
  };

```

```

    const data = await response.json();

    setSelectedResort(data);

    setError(null);
  } catch (err) {
    console.error("Error fetching resort details:", err);
    setError("Unable to load resort details. Please try again later.");
  } finally {
    setDetailLoading(false);
  }
};

fetchResortDetails();
}, [resortId, roomsCheckIn, roomsCheckOut]));

const handleFilterClick = (filter) => {
  setActiveFilter(filter.toLowerCase());
  if (filter.toLowerCase() === "all") {
    setFilteredResorts(resorts);
  } else {
    setFilteredResorts(
      resorts.filter(
        (resort) =>
          resort.category?.toLowerCase() === filter.toLowerCase()
      )
    );
  }
};

const handleBookNow = (resortId) => {
  navigate(`/resort/${resortId}`, { state: searchState });
};

const getMapQuery = (resort) => {
  if (!resort) return "";
  return [resort.location?.address, resort.location?.city, resort.location?.state]

```

```

    .filter(Boolean)
    .join(", ");
};
const renderDetailView = () => {
  if (detailLoading) {
    return (
      <div className="gallery-container">
        <Navbar />
        <div className="detail-loading">Loading resort details...</div>
        <Footer />
      </div>
    );
  }
  if (error) {
    return (
      <div className="gallery-container">
        <Navbar />
        <div className="detail-error">{error}</div>
        <Footer />
      </div>
    );
  }
  if (!selectedResort) {
    return (
      <div className="gallery-container">
        <Navbar />
        <div className="detail-error">Resort not found.</div>
        <Footer />
      </div>
    );
  }
}

```



```

const mapQuery = getMapQuery(selectedResort);

const mapSrc =
`https://maps.google.com/maps?q=${encodeURIComponent(mapQuery)}&t=&z=14&ie=UTF8&iwloc
=&output=embed`;

return (
  <div className="resort-detail-page">
    <Navbar />
    <section className="detail-hero">
      <div
        className="detail-hero-image"
        style={{
          backgroundImage: `url(${selectedResort.images?.[0] ||
"https://images.unsplash.com/photo-1507525428034-
b723cf961d3e?auto=format&fit=crop&w=1920&q=80"})`,
        }}
      >
        <div className="detail-hero-overlay"></div>
        <div className="detail-hero-copy">
          <span>Resort Details</span>
          <h1>{selectedResort.name}</h1>
          <p>
            {selectedResort.location?.city || "Unknown city"}
            {selectedResort.location?.state ? `, ${selectedResort.location.state}` : ""}
          </p>
          <button
            type="button"
            className="detail-back-btn"
            onClick={() => navigate("/rooms")}
          >
            Back to Gallery
          </button>
        </div>
      </div>
    </section>
  </div>
)

```

```

</div>
</section>
<section className="detail-summary">
  <div className="detail-main">
    <h2>About this resort</h2>
    <p>{selectedResort.description || "Beautiful resort with curated amenities and exquisite
rooms."}</p>
    <div className="detail-meta">
      <div>
        <strong>Rating</strong>
        <p>{selectedResort.rating?.toFixed(1) || "N/A"} ★ </p>
      </div>
      <div>
        <strong>Room types</strong>
        <p>{selectedResort.roomTypes?.length || 0}</p>
      </div>
      <div>
        <strong>Location</strong>
        <p>{mapQuery || "Location details not available"}</p>
      </div>
    </div>
    {selectedResort.amenities?.length > 0 && (
      <div className="detail-amenities">
        <h3>Amenities</h3>
        <ul>
          {selectedResort.amenities.map((amenity, idx) => (
            <li key={idx}>{amenity}</li>
          ))}
        </ul>
      </div>
    )}
  </div>

```

```

</div>
<div className="detail-map">
  <h3>Resort location</h3>
  <iframe
    title="Resort location map"
    width="100%"
    height="320"
    frameBorder="0"
    scrolling="no"
    src={mapSrc}
    allowFullScreen
  />
</div>
</section>
<section className="detail-rooms">
  <h2>Room availability</h2>
  <div className="room-types-grid">
    {selectedResort.roomTypes?.length > 0 ? (
      selectedResort.roomTypes.map((room) => (
        <div className="room-card" key={room._id || room.title}>
          <h4>{room.title}</h4>
          <p>{room.description || "Comfortable stay with included amenities."}</p>
          <div className="room-stats">
            <span>Guests: {room.maxGuests || "-"}</span>
            <span>
              Available:{" "}
              {room.availableInventory ?? room.inventoryCount ?? "-"}
              {roomsCheckIn && roomsCheckOut ? " (your dates)" : ""}
            </span>
          </div>
          <div className="room-price">₹{room.basePrice || "-"} / night</div>
        </div>
      ))
    ) : (
      <p>No rooms available</p>
    )}
  </div>
</section>

```

```

    </div>
  ))
  ) : (
    <p>No room types are available for this resort yet.</p>
  )}
</div>
</section>
<section className="detail-gallery">
  <h2>Resort gallery</h2>
  <div className="gallery-images">
    {selectedResort.images?.length > 0 ? (
      selectedResort.images.map((img, index) => (
        <img key={index} src={img} alt={` ${selectedResort.name} ${index + 1}`} />
      ))
    ) : (
      
    )}
  </div>
</section>
<Footer />
</div>
);
};
return isDetailView ? renderDetailView() : (
  <div className="gallery-container">
    <Navbar />
    <div

```

```

    className="gallery-hero"

    style={{ backgroundImage: `url(${heroBg})`, backgroundSize: 'cover', backgroundPosition:
'center' }}
  >

  <div className="hero-overlay"></div>

  <div className="hero-content">

    <p className="gallery-subtitle">Discover Luxury</p>

    <h1 className="gallery-title">OUR RESORTS</h1>

  </div>
</div>

<section className="gallery-section">

  <div className="gallery-wrapper">

    {loading ? (

      <div className="loading-container">

        <div className="spinner"></div>

        <p>Loading gallery...</p>

      </div>

    ) : error ? (

      <div className="error-message">

        <p>{error}</p>

      </div>

    ) : filteredResorts.length === 0 ? (

      <div className="no-items-message">

        <p>No rooms found in this category.</p>

      </div>

    ) : (

      <>

        <div className="resort-grid">

          {filteredResorts.slice(0, displayCount).map((resort, index) => (

            <div

              key={resort._id}

```

```

      className="resort-item"
      onClick={() => handleBookNow(resort._id)}
    >
    <img
      src={resort.images?.[0]}
      alt={resort.name}
      className="resort-image"
    />
    <div className="resort-overlay">
      <div className="overlay-content">
        <h3 className="overlay-title">{resort.name}</h3>
      </div>
    </div>
  </div>
  )))
</div>
{filteredResorts.length > displayCount && (
  <div style={{ marginTop: '50px', textAlign: 'center' }}>
    <span
      onClick={() => setDisplayCount(filteredResorts.length)}
      style={{
        cursor: 'pointer',
        fontSize: '1.1rem',
        fontWeight: '600',
        color: 'var(--primary-dark)',
        letterSpacing: '1px',
        borderBottom: '1px solid var(--primary-dark)',
        paddingBottom: '2px',
        transition: 'all 0.3s ease'
      }}
      onMouseOver={(e) => e.target.style.opacity = '0.7'}

```

```

        onMouseOut={(e) => e.target.style.opacity = '1'}
      >
        Show All &darr;
      </span>
    </div>
  )}
</>
)}
</div>
</section>
<Footer />
</div>
);
}

```

File: Client\src\pages\resortDetails.css

```

.resort-detail-page {
  font-family: 'Inter', system-ui, -apple-system, sans-serif;
  background-color: #f4f6fa;
  min-height: 100vh;
  padding-top: 30px;
}

.resort-premium-header {
  max-width: 1280px;
  margin: 180px auto 40px;
  padding: 0 20px;
  display: flex;
  gap: 30px;
  align-items: stretch;
}

```

```
.resort-header-text {  
  flex: 1;  
  display: flex;  
  flex-direction: column;  
  justify-content: center;  
  background: white;  
  padding: 40px;  
  border-radius: 16px;  
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.05);  
}  
  
.rh-badge {  
  align-self: flex-start;  
  background: rgba(248, 177, 49, 0.1);  
  color: #ca8c3e;  
  padding: 6px 14px;  
  border-radius: 20px;  
  font-size: 13px;  
  font-weight: 700;  
  text-transform: uppercase;  
  letter-spacing: 1px;  
  margin-bottom: 20px;  
  border: 1px solid rgba(248, 177, 49, 0.2);  
}  
  
.resort-header-text h1 {  
  font-size: clamp(32px, 4vw, 55px);  
  margin: 0 0 15px 0;  
  font-weight: 800;  
  font-family: 'Playfair Display', serif;  
  color: #0a1428;  
  line-height: 1.1;  
}
```



```
.resort-location-text {  
  font-size: 16px;  
  font-weight: 500;  
  color: #4f5b73;  
  margin: 0;  
}  
  
.resort-gallery-grid {  
  flex: 1.8;  
  display: grid;  
  grid-template-columns: 2fr 1fr;  
  gap: 10px;  
  position: relative;  
  border-radius: 16px;  
  overflow: hidden;  
  height: 400px;  
}  
  
.resort-gallery-grid.count-1 {  
  grid-template-columns: 1fr;  
}  
  
.resort-gallery-grid.count-2 {  
  grid-template-columns: 1fr 1fr;  
}  
  
.gallery-main-img {  
  height: 100%;  
  overflow: hidden;  
  cursor: pointer;  
}  
  
.gallery-main-img img {  
  width: 100%;  
  height: 100%;  
  object-fit: cover;
```

```
    transition: transform 0.5s ease;
}

.gallery-main-img:hover img {
    transform: scale(1.05);
}

.gallery-side-imgs {
    display: flex;
    flex-direction: column;
    gap: 10px;
    height: 100%;
}

.side-img {
    flex: 1;
    overflow: hidden;
    cursor: pointer;
    position: relative;
}

.side-img img {
    width: 100%;
    height: 100%;
    object-fit: cover;
    transition: transform 0.5s ease;
}

.side-img:hover img {
    transform: scale(1.05);
}

.gallery-overlay-btn {
    position: absolute;
    bottom: 20px;
    right: 20px;
    background: white;
```

```
padding: 10px 20px;
border-radius: 8px;
display: flex;
align-items: center;
gap: 8px;
font-weight: 600;
color: #0a1428;
font-size: 14px;
box-shadow: 0 4px 15px rgba(0, 0, 0, 0.15);
cursor: pointer;
border: 1px solid #e1e7f0;
transition: 0.3s;
}
.gallery-overlay-btn:hover {
  background: #f8fadc;
  transform: translateY(-2px);
}
.gallery-overlay-btn svg {
  width: 18px;
  height: 18px;
}
.detail-content-wrapper {
  max-width: 1280px;
  margin: 0 auto 0;
  padding: 0 20px;
  position: relative;
  z-index: 10;
  display: flex;
  flex-direction: column;
  gap: 40px;
}
```

```
.resort-info-section {  
  display: flex;  
  gap: 30px;  
  background: white;  
  padding: 40px;  
  border-radius: 16px;  
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.05);  
}  
  
.info-block {  
  flex: 1.6;  
}  
  
.info-block h2 {  
  font-size: 26px;  
  font-weight: 800;  
  margin: 0 0 20px 0;  
  color: #0a1428;  
}  
  
.resort-desc-text {  
  color: #4f5b73;  
  line-height: 1.7;  
  font-size: 16px;  
}  
  
.info-block h3 {  
  font-size: 20px;  
  color: #0a1428;  
  font-weight: 700;  
}  
  
.resort-amenities-list {  
  display: flex;  
  gap: 12px;  
  flex-wrap: wrap;
```

```
}  
.am-badge {  
  background: rgba(248, 177, 49, 0.1);  
  color: #ca8c3e;  
  padding: 10px 16px;  
  border-radius: 8px;  
  font-size: 14px;  
  font-weight: 600;  
  display: flex;  
  align-items: center;  
  gap: 8px;  
  border: 1px solid rgba(248, 177, 49, 0.2);  
}  
.am-badge svg {  
  color: #f8b131;  
  width: 18px;  
  height: 18px;  
}  
.go-map-container {  
  flex: 1;  
  border-radius: 12px;  
  overflow: hidden;  
  position: relative;  
  min-height: 280px;  
  box-shadow: inset 0 0 0 1px rgba(0, 0, 0, 0.1);  
}  
.go-map-container iframe {  
  width: 100%;  
  height: 100%;  
  position: absolute;  
  inset: 0;
```

```
}  
.map-overlay-text {  
  position: absolute;  
  top: 15px;  
  right: 15px;  
  background: #0a1428;  
  color: white;  
  padding: 8px 16px;  
  border-radius: 6px;  
  font-size: 12px;  
  font-weight: 700;  
  letter-spacing: 1px;  
  text-transform: uppercase;  
  z-index: 2;  
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.2);  
}  
.rooms-list-container {  
  background: white;  
  padding: 40px;  
  border-radius: 16px;  
  margin-bottom: 20px;  
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.05);  
}  
.rooms-list-container h2 {  
  font-size: 26px;  
  font-weight: 800;  
  color: #0a1428;  
  margin: 0 0 30px 0;  
  border-bottom: 2px solid #f4f6fa;  
  padding-bottom: 15px;  
}
```

```
.rooms-grid {
  display: flex;
  flex-direction: column;
  gap: 25px;
}

.room-card {
  display: flex;
  border: 1px solid #e1e7f0;
  border-radius: 12px;
  overflow: hidden;
  background: #ffffff;
  transition: transform 0.2s, box-shadow 0.2s;
}

.room-card:hover {
  box-shadow: 0 12px 24px rgba(0, 0, 0, 0.08);
  border-color: #cbd5e1;
}

.room-card-image {
  width: 300px;
  position: relative;
  cursor: pointer;
  overflow: hidden;
}

.room-card-image img {
  width: 100%;
  height: 100%;
  object-fit: cover;
  transition: transform 0.4s ease;
}

.room-card-image:hover img {
  transform: scale(1.05);
}
```

```
}  
.view-photos-tag {  
  position: absolute;  
  bottom: 15px;  
  left: 15px;  
  background: rgba(0, 0, 0, 0.7);  
  color: white;  
  padding: 6px 12px;  
  border-radius: 4px;  
  font-size: 12px;  
  font-weight: 600;  
  backdrop-filter: blur(4px);  
  pointer-events: none;  
}  
.room-card-content {  
  flex: 1;  
  padding: 25px;  
  display: flex;  
  flex-direction: column;  
}  
.room-card-title {  
  font-size: 22px;  
  margin: 0 0 10px 0;  
  font-weight: 700;  
  color: #0a1428;  
}  
.room-card-specs {  
  display: flex;  
  gap: 20px;  
  margin-bottom: 25px;  
}
```



```
.room-card-specs span {  
  display: flex;  
  align-items: center;  
  gap: 6px;  
  font-size: 14px;  
  color: #4f5b73;  
  font-weight: 500;  
  background: #f4f6fa;  
  padding: 6px 12px;  
  border-radius: 6px;  
}  
  
.room-card-footer {  
  margin-top: auto;  
  display: flex;  
  justify-content: space-between;  
  align-items: flex-end;  
  border-top: 1px solid #e1e7f0;  
  padding-top: 20px;  
}  
  
.room-card-price {  
  display: flex;  
  flex-direction: column;  
}  
  
.room-card-price strong {  
  font-size: 28px;  
  font-weight: 800;  
  color: #0a1428;  
  line-height: 1;  
  margin-bottom: 4px;  
}  
  
.room-card-price span {
```

```
font-size: 12px;
color: #828fa3;
font-weight: 500;
}

.book-room-btn {
background: linear-gradient(135deg, #f8b131 0%, #ca8c3e 100%);
color: white;
border: none;
padding: 14px 28px;
border-radius: 8px;
font-weight: 700;
font-size: 15px;
cursor: pointer;
transition: all 0.3s ease;
box-shadow: 0 4px 12px rgba(202, 140, 62, 0.3);
}

.book-room-btn:hover:not(:disabled) {
transform: translateY(-2px);
box-shadow: 0 6px 16px rgba(202, 140, 62, 0.4);
}

.book-room-btn:disabled {
opacity: 0.55;
cursor: not-allowed;
box-shadow: none;
background: #94a3b8;
transform: none;
}

.no-rooms-msg {
padding: 40px;
text-align: center;
color: #828fa3;
```

```
font-size: 16px;
background: #f8fafc;
border-radius: 8px;
}
.go-modal-overlay {
position: fixed;
inset: 0;
background: rgba(10, 20, 40, 0.85);
z-index: 10000;
display: flex;
align-items: center;
justify-content: center;
backdrop-filter: blur(8px);
}
.go-modal-content {
background: white;
border-radius: 16px;
width: 900px;
max-width: 95vw;
max-height: 90vh;
overflow-y: auto;
box-shadow: 0 30px 60px rgba(0, 0, 0, 0.3);
display: flex;
flex-direction: column;
}
.go-modal-header {
display: flex;
justify-content: space-between;
padding: 20px 30px;
border-bottom: 1px solid #e1e7f0;
align-items: center;
```

```
position: sticky;
top: 0;
background: white;
z-index: 2;
}
.go-modal-header h2 {
margin: 0;
font-size: 22px;
color: #0a1428;
font-weight: 800;
}
.go-modal-close {
background: #f4f6fa;
border: none;
width: 36px;
height: 36px;
border-radius: 50%;
font-size: 24px;
cursor: pointer;
color: #4f5b73;
line-height: 1;
display: flex;
align-items: center;
justify-content: center;
transition: 0.2s;
}
.go-modal-close:hover {
background: #e1e7f0;
color: #0a1428;
}
.go-modal-body {
```

```
padding: 30px;
}
.go-modal-carousel {
position: relative;
height: 400px;
border-radius: 12px;
overflow: hidden;
margin-bottom: 30px;
}
.go-modal-carousel img {
width: 100%;
height: 100%;
object-fit: cover;
}
.go-m-slider-btn {
position: absolute;
top: 50%;
transform: translateY(-50%);
background: rgba(255, 255, 255, 0.9);
border: none;
width: 44px;
height: 44px;
border-radius: 50%;
box-shadow: 0 4px 12px rgba(0, 0, 0, 0.15);
cursor: pointer;
font-size: 16px;
font-weight: bold;
color: #0a1428;
}
.go-m-slider-btn.left {
left: 20px;
```

```
}  
.go-m-slider-btn.right {  
  right: 20px;  
}  
.go-modal-specs {  
  display: flex;  
  gap: 15px;  
  flex-wrap: wrap;  
  margin-bottom: 30px;  
  background: transparent;  
  padding: 0;  
  border-radius: 0;  
}  
.spec-item {  
  display: flex;  
  align-items: center;  
  gap: 12px;  
  background: #f8fafc;  
  padding: 12px 15px;  
  border-radius: 12px;  
  border: 1px solid #e1e7f0;  
  flex: 1 1 calc(50% - 15px);  
  min-width: 200px;  
}  
.spec-item:hover {  
  border-color: #cbd5e1;  
  background: white;  
}  
.spec-icon {  
  font-size: 20px;  
}
```

```
.spec-text {  
  font-size: 14px;  
  font-weight: 600;  
  color: #0a1428;  
}  
  
.go-modal-section h3 {  
  font-size: 20px;  
  margin: 0 0 15px 0;  
  color: #0a1428;  
  font-weight: 700;  
}  
  
.go-modal-desc {  
  font-size: 16px;  
  color: #4f5b73;  
  line-height: 1.7;  
  margin: 0;  
}  
  
.resort-photos-grid {  
  display: grid;  
  grid-template-columns: repeat(auto-fill, minmax(320px, 1fr));  
  gap: 20px;  
}  
  
.grid-photo-item {  
  width: 100%;  
}  
  
.grid-photo-item img {  
  width: 100%;  
  height: 250px;  
  object-fit: cover;  
  border-radius: 12px;  
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);  
}
```

```
    transition: transform 0.3s ease;
}
.grid-photo-item:hover img {
    transform: translateY(-4px);
    box-shadow: 0 8px 20px rgba(0, 0, 0, 0.15);
}
.gallery-thumbnails {
    display: flex;
    gap: 10px;
    margin-top: 15px;
    overflow-x: auto;
    padding-bottom: 10px;
}
.gallery-thumbnails img {
    width: 80px;
    height: 64px;
    border-radius: 8px;
    object-fit: cover;
    cursor: pointer;
    opacity: 0.5;
    border: 2px solid transparent;
    transition: 0.3s;
}
.gallery-thumbnails img.active,
.gallery-thumbnails img:hover {
    opacity: 1;
    border-color: #f8b131;
}
.dr-drawer-overlay {
    position: fixed;
    inset: 0;
```



```
background: rgba(10, 20, 40, 0.7);
z-index: 10000;
display: flex;
justify-content: flex-end;
backdrop-filter: blur(4px);
}
.dr-drawer {
background: white;
width: 450px;
max-width: 100vw;
height: 100%;
padding: 30px;
display: flex;
flex-direction: column;
overflow-y: auto;
box-shadow: -10px 0 30px rgba(0, 0, 0, 0.2);
}
.dr-dw-header {
display: flex;
justify-content: space-between;
align-items: center;
margin-bottom: 30px;
border-bottom: 2px solid #f4f6fa;
padding-bottom: 15px;
}
.dr-dw-header h3 {
margin: 0;
font-size: 22px;
color: #0a1428;
font-weight: 800;
}
```

```
.dr-dw-close {  
  background: none;  
  border: none;  
  cursor: pointer;  
  color: #828fa3;  
  transition: 0.2s;  
}  
.dr-dw-close:hover {  
  color: #0a1428;  
}  
.dr-dw-form {  
  display: flex;  
  flex-direction: column;  
  gap: 24px;  
}  
.dr-dw-room-preview {  
  display: flex;  
  gap: 15px;  
  padding: 15px;  
  background: #f8fafc;  
  border-radius: 12px;  
  border: 1px solid #e1e7f0;  
}  
.dr-dw-room-preview img {  
  width: 70px;  
  height: 70px;  
  object-fit: cover;  
  border-radius: 8px;  
}  
.dr-dw-room-preview strong {  
  display: block;
```

```
font-size: 16px;
color: #0a1428;
margin-bottom: 4px;
}
.dr-dw-room-preview span {
font-size: 14px;
color: #4f5b73;
font-weight: 600;
}
.dr-dw-row {
display: flex;
gap: 15px;
}
.dr-dw-input {
flex: 1;
display: flex;
flex-direction: column;
gap: 8px;
}
.dr-dw-input label {
font-size: 13px;
font-weight: 700;
color: #0a1428;
text-transform: uppercase;
letter-spacing: 0.5px;
}
.dr-dw-input input[type="date"] {
padding: 12px;
border: 1px solid #cbd5e1;
border-radius: 8px;
font-family: inherit;
```

```
font-size: 14px;
color: #0a1428;
}
.dr-dw-input input[type="date"]:focus {
  outline: none;
  border-color: #f8b131;
  box-shadow: 0 0 0 3px rgba(248, 177, 49, 0.1);
}
.dr-stepper {
  display: flex;
  border: 1px solid #cbd5e1;
  border-radius: 8px;
  overflow: hidden;
  height: 44px;
}
.dr-stepper button {
  flex: 1;
  background: #f4f6fa;
  border: none;
  font-size: 18px;
  cursor: pointer;
  color: #4f5b73;
  transition: 0.2s;
}
.dr-stepper button:hover {
  background: #e1e7f0;
  color: #0a1428;
}
.dr-stepper input {
  flex: 1;
  width: 40px;
```

```
text-align: center;
border: none;
border-left: 1px solid #cbd5e1;
border-right: 1px solid #cbd5e1;
font-weight: 700;
color: #0a1428;
font-size: 15px;
}
.dr-dw-summary {
border-top: 2px dashed #e1e7f0;
padding-top: 24px;
display: flex;
flex-direction: column;
gap: 15px;
}
.sum-row {
display: flex;
justify-content: space-between;
font-size: 15px;
color: #4f5b73;
font-weight: 500;
}
.sum-total {
display: flex;
justify-content: space-between;
font-size: 20px;
font-weight: 800;
margin-top: 10px;
color: #0a1428;
align-items: center;
}
```

```
.dr-dw-submit {  
    background: linear-gradient(135deg, #f8b131 0%, #ca8c3e 100%);  
    color: white;  
    border: none;  
    padding: 18px;  
    border-radius: 8px;  
    font-weight: 700;  
    font-size: 16px;  
    cursor: pointer;  
    margin-top: 10px;  
    transition: 0.3s;  
    box-shadow: 0 6px 20px rgba(202, 140, 62, 0.3);  
}  
.dr-dw-submit:hover {  
    transform: translateY(-2px);  
    box-shadow: 0 8px 25px rgba(202, 140, 62, 0.4);  
}  
.dr-dw-submit:disabled {  
    opacity: 0.5;  
    cursor: not-allowed;  
    transform: none;  
    box-shadow: none;  
}  
.dr-dw-error {  
    background: #fef2f2;  
    color: #b91c1c;  
    padding: 15px;  
    border-radius: 8px;  
    font-size: 14px;  
    font-weight: 500;  
    border: 1px solid #fca5a5;
```

```
}  
.dr-dw-success {  
  text-align: center;  
  padding: 80px 0;  
}  
.dr-dw-success svg {  
  width: 70px;  
  height: 70px;  
  color: #10b981;  
  margin-bottom: 20px;  
}  
.dr-dw-success h4 {  
  font-size: 24px;  
  color: #0a1428;  
  margin: 0 0 10px 0;  
}  
.resort-review-summary {  
  margin: 12px 0 0;  
  font-size: 15px;  
  color: #334155;  
  display: flex;  
  align-items: center;  
  gap: 8px;  
  flex-wrap: wrap;  
}  
.resort-review-summary .rrs-stars {  
  color: #f7a02d;  
  letter-spacing: 1px;  
}  
.resort-review-summary .rrs-num {  
  font-weight: 800;
```

```
    color: #0b1c3d;
}
.resort-review-summary .rrs-count {
    color: #64748b;
    font-size: 14px;
}
.resort-reviews-section {
    max-width: 1400px;
    margin: 48px auto 60px;
    padding: 0 5%;
}
.resort-review-write-card {
    margin-bottom: 40px;
    padding: 28px 28px 26px;
    background: linear-gradient(145deg, #fffbeb 0%, #fff 45%);
    border: 1px solid #fde68a;
    border-radius: 16px;
    box-shadow: 0 8px 28px rgba(247, 160, 45, 0.12);
}
.review-write-title {
    margin: 0 0 8px;
    font-size: 24px;
    color: #0b1c3d;
}
.review-write-sub {
    margin: 0 0 20px;
    font-size: 15px;
    color: #64748b;
    line-height: 1.5;
}
.review-write-form {
```



```
display: flex;
flex-direction: column;
gap: 8px;
}
.review-write-label {
font-size: 13px;
font-weight: 700;
color: #334155;
margin-top: 4px;
}
.review-write-stars {
display: flex;
gap: 8px;
margin-bottom: 8px;
}
.review-write-star {
border: none;
background: transparent;
font-size: 36px;
line-height: 1;
cursor: pointer;
color: #e2e8f0;
padding: 0 4px;
}
.review-write-star.on {
color: #f7a02d;
}
.review-write-textarea {
width: 100%;
box-sizing: border-box;
border: 1px solid #e2e8f0;
```

```
border-radius: 12px;
padding: 14px 16px;
font-size: 15px;
font-family: inherit;
resize: vertical;
min-height: 110px;
}
.review-write-textarea:focus {
  outline: 2px solid #f7a02d;
  outline-offset: 1px;
}
.review-write-error {
  color: #b91c1c;
  font-size: 14px;
  margin: 4px 0 0;
}
.review-write-submit {
  align-self: flex-start;
  margin-top: 12px;
  padding: 14px 28px;
  border: none;
  border-radius: 10px;
  font-weight: 800;
  font-size: 15px;
  cursor: pointer;
  background: linear-gradient(135deg, #f8b131 0%, #ca8c3e 100%);
  color: #fff;
  box-shadow: 0 4px 14px rgba(202, 140, 62, 0.35);
}
.review-write-submit:disabled {
  opacity: 0.75;
```

```
    cursor: not-allowed;
}
.review-login-hint {
    margin: 0 0 28px;
    padding: 14px 18px;
    background: #f8fafc;
    border-radius: 12px;
    border: 1px solid #e2e8f0;
    font-size: 15px;
    color: #475569;
}
.review-login-hint a {
    color: #ca8c3e;
    font-weight: 700;
}
.review-pending-banner {
    margin: 0 0 20px;
    padding: 14px 18px;
    background: #fffbeb;
    border: 1px solid #fde68a;
    border-radius: 12px;
    color: #854d0e;
    font-size: 15px;
    line-height: 1.5;
}
.review-guest-cta {
    margin-top: 8px;
    padding-top: 16px;
    border-top: 1px dashed #e2e8f0;
}
.review-guest-note {
```

```
margin: 0 0 14px;
color: #64748b;
font-size: 15px;
line-height: 1.5;
}

.review-signin-btn {
display: inline-block;
padding: 12px 24px;
border-radius: 10px;
font-weight: 800;
font-size: 15px;
text-decoration: none;
background: linear-gradient(135deg, #f8b131 0%, #ca8c3e 100%);
color: #fff !important;
box-shadow: 0 4px 14px rgba(202, 140, 62, 0.35);
}

.review-policy-inline {
margin: 12px 0 0;
padding: 14px 18px;
background: #f8fafc;
border-radius: 12px;
border: 1px solid #e2e8f0;
color: #475569;
font-size: 15px;
line-height: 1.5;
}

.review-form-inner-title {
margin: 16px 0 12px;
font-size: 18px;
color: #0b1c3d;
}
```

```
.guest-reviews-heading {  
  font-size: 26px;  
  color: #0b1c3d;  
  margin: 0 0 20px;  
  font-weight: 800;  
}  
.reviews-loading,  
.reviews-empty,  
.reviews-error {  
  color: #64748b;  
  font-size: 15px;  
}  
.reviews-error {  
  color: #b91c1c;  
}  
.reviews-summary-bar {  
  display: flex;  
  align-items: center;  
  gap: 12px;  
  flex-wrap: wrap;  
  margin-bottom: 24px;  
  padding: 16px 20px;  
  background: #f8faff;  
  border-radius: 12px;  
  border: 1px solid #e2e8f0;  
}  
.reviews-avg {  
  font-size: 32px;  
  font-weight: 800;  
  color: #0b1c3d;  
}
```

```
.reviews-avg-stars {  
  color: #f7a02d;  
  letter-spacing: 2px;  
  font-size: 18px;  
}  
.reviews-total {  
  color: #64748b;  
  font-size: 14px;  
}  
.reviews-list {  
  list-style: none;  
  margin: 0;  
  padding: 0;  
  display: flex;  
  flex-direction: column;  
  gap: 16px;  
}  
.review-card {  
  padding: 20px 22px;  
  background: #fff;  
  border-radius: 12px;  
  border: 1px solid #e2e8f0;  
  box-shadow: 0 2px 8px rgba(15, 23, 42, 0.04);  
}  
.review-card-top {  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  gap: 12px;  
  flex-wrap: wrap;  
}
```

```
.review-author {  
  color: #0b1c3d;  
  font-size: 16px;  
}  
  
.review-stars {  
  color: #f7a02d;  
  letter-spacing: 1px;  
}  
  
.review-date {  
  display: block;  
  font-size: 13px;  
  color: #94a3b8;  
  margin: 6px 0 10px;  
}  
  
.review-text {  
  margin: 0;  
  color: #334155;  
  line-height: 1.55;  
  font-size: 15px;  
}  
  
@media (max-width: 900px) {  
  .resort-info-section {  
    flex-direction: column;  
  }  
  
  .go-map-container {  
    min-height: 350px;  
  }  
  
  .room-card {  
    flex-direction: column;  
  }  
  
  .room-card-image {
```

```

width: 100%;
height: 250px;
}
.detail-hero-glass-card h1 {
font-size: 36px;
}
}

```

File: Client\src\pages\resortDetails.jsx

```

import { useCallback, useEffect, useState } from "react";
import { useParams, useNavigate, useLocation, Link } from "react-router-dom";
import { Heart } from 'lucide-react';
import Navbar from "../components/Navbar";
import Footer from "../components/Footer";
import "../resortDetails.css";

const Icons = {
  Cross: () => <svg width="24" height="24" viewBox="0 0 24 24" fill="none" stroke="currentColor"
strokeWidth="2" strokeLinecap="round" strokeLinejoin="round"><line x1="18" y1="6" x2="6"
y2="18"></line><line x1="6" y1="6" x2="18" y2="18"></line></svg>,
  Success: () => <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"
strokeLinecap="round" strokeLinejoin="round"><path d="M22 11.08V12a10 10 0 1 1-5.93-
9.14"></path><polyline points="22 4 12 14.01 9 11.01"></polyline></svg>
};

export default function ResortDetails() {
  const { id } = useParams();
  const navigate = useNavigate();
  const location = useLocation();
  const { guests: searchedGuests } = location.state || {};
  const today = new Date().toISOString().split("T")[0];
  const tomorrow = new Date(Date.now() + 86400000).toISOString().split("T")[0];
  const [searchDates, setSearchDates] = useState({

```



```

    checkIn: location.state?.checkIn || today,
    checkOut: location.state?.checkOut || tomorrow,
    guests: searchedGuests || 2
  });
  const [resort, setResort] = useState(null);
  const [loading, setLoading] = useState(true);
  const [error, setError] = useState(null);
  const [isWishlisted, setIsWishlisted] = useState(false);
  const [isWishlistLoading, setIsWishlistLoading] = useState(false);
  useEffect(() => {
    const fetchWishlistStatus = async () => {
      const token = sessionStorage.getItem("token");
      if (!token) return;
      try {
        const res = await fetch("http://localhost:5000/api/users/profile", {
          headers: { Authorization: `Bearer ${token}` }
        });
        const data = await res.json();
        if (data.user && data.user.wishlist) {
          setIsWishlisted(data.user.wishlist.includes(id));
        }
      } catch (err) { }
    };
    fetchWishlistStatus();
  }, [id]);
  const toggleWishlist = async () => {
    const token = sessionStorage.getItem("token");
    if (!token) {
      navigate("/login", { state: { from: `/resort/${id}` } });
      return;
    }
  }

```

```

setIsWishlistLoading(true);
try {
  const res = await fetch("http://localhost:5000/api/users/wishlist/toggle", {
    method: "POST",
    headers: { "Content-Type": "application/json", Authorization: `Bearer ${token}` },
    body: JSON.stringify({ resortId: id })
  });
  const data = await res.json();
  if (res.ok) {
    setIsWishlisted(data.wishlist.includes(id));
  }
} catch (err) { }
finally {
  setIsWishlistLoading(false);
}
};

const [isModalOpen, setIsModalOpen] = useState(false);
const [selectedRoom, setSelectedRoom] = useState(null);
const [currentImgIdx, setCurrentImgIdx] = useState(0);
const [isResortGalleryOpen, setIsResortGalleryOpen] = useState(false);
const [currentResortImgIdx, setCurrentResortImgIdx] = useState(0);
const [showDrawer, setShowDrawer] = useState(false);
const [selectedRoomToBook, setSelectedRoomToBook] = useState(null);
const [checkInDate, setCheckInDate] = useState("");
const [checkOutDate, setCheckOutDate] = useState("");
const [quantity, setQuantity] = useState(1);
const [bookLoading, setBookLoading] = useState(false);
const [bookError, setBookError] = useState(null);
const [bookSuccess, setBookSuccess] = useState(false);
const [reviewsBlock, setReviewsBlock] = useState({
  loading: true,

```

```

reviews: [],
averageRating: null,
reviewCount: 0,
error: null,
});
const [reviewWrite, setReviewWrite] = useState({
  loading: true,
  eligible: false,
  bookingId: null,
  pendingReview: false,
});
const [rwRating, setRwRating] = useState(5);
const [rwComment, setRwComment] = useState("");
const [rwError, setRwError] = useState("");
const [rwSubmitting, setRwSubmitting] = useState(false);
const loadReviewsData = useCallback(async () => {
  if (!id) return;
  setReviewsBlock((s) => ({ ...s, loading: true, error: null }));
  try {
    const r = await fetch(`http://localhost:5000/api/reviews/resort/${id}`);
    const d = await r.json();
    if (!r.ok) throw new Error(d.message || "Failed to load reviews");
    setReviewsBlock({
      loading: false,
      reviews: d.reviews || [],
      averageRating: d.averageRating,
      reviewCount: d.reviewCount ?? 0,
      error: null,
    });
  } catch (e) {
    setReviewsBlock({

```

```

    loading: false,
    reviews: [],
    averageRating: null,
    reviewCount: 0,
    error: e.message || "Could not load reviews",
  });
}
}, [id]));

const loadReviewEligibility = useCallback(async () => {
  if (!id) return;
  const token = sessionStorage.getItem("token")?.trim();
  if (!token) {
    setReviewWrite({
      loading: false,
      eligible: false,
      bookingId: null,
      pendingReview: false,
    });
    return;
  }
  setReviewWrite((s) => ({ ...s, loading: true }));
  try {
    const r = await fetch(`http://localhost:5000/api/reviews/eligibility/${id}`, {
      headers: { Authorization: `Bearer ${token}` },
    });
    const d = await r.json();
    if (r.status === 401) {
      setReviewWrite({
        loading: false,
        eligible: false,
        bookingId: null,

```

```

        pendingReview: false,
    });
    return;
}
setReviewWrite({
    loading: false,
    eligible: Boolean(d.eligible && d.bookingId),
    bookingId: d.bookingId || null,
    pendingReview: Boolean(d.pendingReview),
});
} catch {
    setReviewWrite({
        loading: false,
        eligible: false,
        bookingId: null,
        pendingReview: false,
    });
}
}, [id]);
useEffect(() => {
    loadReviewsData();
}, [loadReviewsData]);
useEffect(() => {
    loadReviewEligibility();
}, [loadReviewEligibility]);
const submitResortPageReview = async (e) => {
    e.preventDefault();
    if (!reviewWrite.bookingId) return;
    setRwError("");
    const text = rwComment.trim();
    if (text.length < 3) {

```

```

    setRwError("Please write at least 3 characters.");
    return;
}
const token = sessionStorage.getItem("token")?.trim();
if (!token) {
    navigate("/login", { state: { from: `/resort/${id}` } });
    return;
}
setRwSubmitting(true);
try {
    const response = await fetch("http://localhost:5000/api/reviews", {
        method: "POST",
        headers: {
            "Content-Type": "application/json",
            Authorization: `Bearer ${token}`,
        },
        body: JSON.stringify({
            bookingId: reviewWrite.bookingId,
            rating: rwRating,
            comment: text,
        }),
    });
    const data = await response.json();
    if (response.status === 401) {
        navigate("/login", { state: { from: `/resort/${id}` } });
        return;
    }
    if (!response.ok) throw new Error(data.message || "Could not submit review");
    setRwComment("");
    setRwRating(5);
    await loadReviewsData();
}

```

```

    await loadReviewEligibility();

    alert(data.message || "Thank you! Your review has been published.");
  } catch (err) {
    setRwError(err.message);
  } finally {
    setRwSubmitting(false);
  }
};

useEffect(() => {
  const fetchResort = async () => {
    try {
      setLoading(true);

      const qs =
        searchDates.checkIn && searchDates.checkOut
          ?
`?checkIn=${encodeURIComponent(searchDates.checkIn)}&checkOut=${encodeURIComponent(sear
chDates.checkOut)}`
          : "";

      const response = await fetch(
        `http://localhost:5000/api/resorts/${id}${qs}`
      );

      if (!response.ok) throw new Error("Resort details not available");

      const data = await response.json();

      if (data && (!data.images || data.images.length < 5)) {
        const mockImages = [
          data.images?.[0] || "https://images.unsplash.com/photo-1507525428034-
b723cf961d3e?auto=format&fit=crop&w=1920&q=80",
          "https://images.unsplash.com/photo-1618773928121-
c32242e63f39?auto=format&fit=crop&w=800",
          "https://images.unsplash.com/photo-1582719478250-
c89cae4dc85b?auto=format&fit=crop&w=800",
          "https://images.unsplash.com/photo-1571896349842-
33c89424de2d?auto=format&fit=crop&w=800",

```

```

    "https://images.unsplash.com/photo-1540541338287-
    41700207dee6?auto=format&fit=crop&w=800"

    ];

    data.images = mockImages;

  }

  setResort(data);

  setError(null);

} catch (err) {

  console.error(err);

  setError("Unable to load resort details.");

} finally {

  setLoading(false);

}

};

fetchResort();

window.scrollTo(0, 0);

}, [id, searchDates.checkIn, searchDates.checkOut]));

const calculateTotal = () => {

  if (!checkInDate || !checkOutDate || !selectedRoomToBook) return 0;

  const cin = new Date(checkInDate);

  const cout = new Date(checkOutDate);

  const nights = (cout - cin) / (1000 * 60 * 60 * 24);

  if (nights <= 0) return 0;

  return nights * quantity * selectedRoomToBook.basePrice;

};

const isRoomSoldOut = (room) => {

  if (searchDates.checkIn && searchDates.checkOut) {

    return (room.availableInventory ?? 0) <= 0;

  }

  return (room.inventoryCount ?? 0) <= 0;

};

```



```

const handleBookNow = (room) => {
  if (!searchDates.checkIn || !searchDates.checkOut) {
    alert("Please select both check-in and check-out dates.");
    return;
  }
  if (searchDates.checkIn === searchDates.checkOut) {
    alert("Enter valid dates: Check-in and Check-out cannot be the same day.");
    return;
  }
  const checkInD = new Date(searchDates.checkIn);
  const checkOutD = new Date(searchDates.checkOut);
  if (checkOutD <= checkInD) {
    alert("Enter valid dates: Check-out must be logically after Check-in.");
    return;
  }
  if (isRoomSoldOut(room)) return;
  const token = sessionStorage.getItem("token");
  if (!token) {
    navigate("/login", { state: { from: location.pathname + location.search, searchState: location.state } });
  }
  return;
}

navigate("/payment", { state: { resort, room, checkIn: searchDates.checkIn, checkOut:
searchDates.checkOut, guests: searchDates.guests } });

};

const loadRazorpayCore = () => {
  return new Promise((resolve) => {
    if (window.Razorpay) { resolve(true); return; }
    const script = document.createElement('script');
    script.src = 'https://checkout.razorpay.com/v1/checkout.js';
    script.onload = () => resolve(true);
  });
}

```

```

script.onerror = () => resolve(false);

document.body.appendChild(script);

});

};

const submitBooking = async (e) => {
  e.preventDefault();
  try {
    setBookLoading(true);
    setBookError(null);
    const token = sessionStorage.getItem("token");
    if (!token) { navigate("/login"); return; }
    const response = await fetch("http://localhost:5000/api/bookings/checkout", {
      method: "POST",
      headers: { "Content-Type": "application/json", "Authorization": `Bearer ${token}` },
      body: JSON.stringify({
        resortId: id, roomTypeTitle: selectedRoomToBook.title, quantity: parseInt(quantity),
        checkInDate, checkOutDate, totalGuests: parseInt(guests)
      })
    });
    if (response.status === 401) { navigate("/login"); return; }
    const data = await response.json();
    if (!response.ok) throw new Error(data.message || "Failed to lock room");
    const draftBookingId = data.booking._id;
    const amountToPay = data.booking.totalAmount;
    const isScriptLoaded = await loadRazorpayCore();
    if (!isScriptLoaded) throw new Error("Could not load Razorpay Payment Gateway.");
    const orderRes = await fetch("http://localhost:5000/api/payments/create-order", {
      method: "POST", headers: { "Content-Type": "application/json", "Authorization": `Bearer ${token}` }, body: JSON.stringify({ amount: amountToPay, bookingId: draftBookingId })
    });
    if (orderRes.status === 401) { navigate("/login"); return; }

```

```

const orderData = await orderRes.json();

if (!orderRes.ok) throw new Error(orderData.message || "Failed to initiate payment");

if (orderData.order.id.startsWith("order MOCK")) {
  setTimeout(async () => {
    const verifyRes = await fetch("http://localhost:5000/api/payments/verify-payment", {
      method: "POST", headers: { "Content-Type": "application/json", "Authorization": `Bearer ${token}` },
      body: JSON.stringify({ razorpay_order_id: orderData.order.id, razorpay_payment_id:
"pay MOCK12345", razorpay_signature: "mock", bookingId: draftBookingId })
    });

    const verifyData = await verifyRes.json();

    if (verifyRes.ok && verifyData.success) {
      setBookSuccess(true);
      setBookLoading(false);
      setTimeout(() => navigate("/bookings"), 2500);
    } else {
      setBookError("Mock payment verification failed.");
    }
  }, 1500);

  return;
}

const razorpayKeyId = orderData.keyId || import.meta.env.VITE_RAZORPAY_KEY_ID;
if (!razorpayKeyId) throw new Error("Razorpay key missing. Please configure payment keys.");

const options = {
  key: razorpayKeyId, amount: orderData.order.amount, currency: orderData.order.currency,
  name: resort?.name || "Booking", description: `Booking for ${selectedRoomToBook.title}`,
  order_id: orderData.order.id,
  handler: async function (paymentResponse) {
    try {
      setBookLoading(true);

      const verifyRes = await fetch("http://localhost:5000/api/payments/verify-payment", {

```

```

        method: "POST", headers: { "Content-Type": "application/json", "Authorization": `Bearer
${token}` },

        body: JSON.stringify({ ...paymentResponse, bookingId: draftBookingId })

    });

    const verifyData = await verifyRes.json();

    if (verifyRes.ok && verifyData.success) { setBookSuccess(true); setTimeout(() =>
navigate("/bookings"), 2500); }

    else { setBookError("Payment verification failed."); }

    } catch (err) { setBookError("Network error during verification."); } finally {
setBookLoading(false); }

    },

    theme: { color: "#f7a02d" }

};

const razorpayObj = new window.Razorpay(options);

razorpayObj.on('payment.failed', function (res) { setBookError(res.error.description || "Payment
Failed."); });

razorpayObj.open();

} catch (err) {

    setBookError(err.message);

} finally {

    if (!bookSuccess && !String(bookError).includes("MOCK")) setBookLoading(false);

}

};

if (loading) {

    return (

        <div className="resort-detail-page">

            <Navbar />

            <div style={{ textAlign: "center", padding: "100px", marginTop: "120px" }}>Loading resort
details...</div>

            <Footer />

        </div>

    );

}

```

```

if (error || !resort) {
  return (
    <div className="resort-detail-page">
      <Navbar />
      <div style={{ textAlign: "center", padding: "100px", marginTop: "120px", color: "red" }}>{error ||
"Resort not found."}</div>
      <Footer />
    </div>
  );
}

const mapQuery = [resort.location?.address, resort.location?.city, resort.location?.state]
  .filter(Boolean)
  .join(", ");

const mapSrc = `https://maps.google.com/maps?q=${encodeURIComponent(mapQuery || "Luxury
Resort")}&t=&z=14&ie=UTF8&iwloc=&output=embed`;

const authToken = sessionStorage.getItem("token")?.trim() ?? "";

const openRoomModal = (room) => {
  setSelectedRoom(room);
  setCurrentImageIdx(0);
  setIsModalOpen(true);
};

const closeRoomModal = () => {
  setIsModalOpen(false);
  setSelectedRoom(null);
};

const nextImg = () => {
  if (!selectedRoom?.images) return;
  setCurrentImageIdx((prev) => (prev + 1) % selectedRoom.images.length);
};

const prevImg = () => {
  if (!selectedRoom?.images) return;

```

```

    setCurrentImageIdx((prev) => (prev - 1 + selectedRoom.images.length) %
selectedRoom.images.length);

};

const nextResortImg = () => {
  if (!resort?.images) return;

  setCurrentResortImageIdx((prev) => (prev + 1) % resort.images.length);
};

const prevResortImg = () => {
  if (!resort?.images) return;

  setCurrentResortImageIdx((prev) => (prev - 1 + resort.images.length) % resort.images.length);
};

return (
  <div className="resort-detail-page">
    <Navbar />
    <section className="resort-premium-header">
      <div className="resort-header-text">
        <div className="rh-badge">Premium Resort</div>
        <div style={{ display: 'flex', alignItems: 'center', gap: '16px', flexWrap: 'wrap' }}>
          <h1 style={{ margin: 0 }}>{resort.name}</h1>
          <button
            onClick={toggleWishlist}
            disabled={isWishlistLoading}
            style={{
              background: 'transparent',
              border: 'none',
              cursor: 'pointer',
              padding: '8px',
              display: 'flex',
              alignItems: 'center',
              justifyContent: 'center',
              borderRadius: '50%',

```

```

        backgroundColor: isWishlisted ? '#fee2e2' : '#f1f5f9',
        transition: 'all 0.2s ease',
    }}
    title={isWishlisted ? "Remove from wishlist" : "Add to wishlist"}
  >
    <Heart
      size={24}
      color={isWishlisted ? '#ef4444' : '#64748b'}
      fill={isWishlisted ? '#ef4444' : 'none'}
    />
  </button>
</div>

<p className="resort-location-text"> 📍 {mapQuery}</p>
{!reviewsBlock.loading && reviewsBlock.reviewCount > 0 && (
  <p className="resort-review-summary" aria-label="Guest rating summary">
    <span className="rrs-stars" aria-hidden>
      {"★".repeat(Math.round(reviewsBlock.averageRating || 0))}
      {"☆".repeat(5 - Math.round(reviewsBlock.averageRating || 0))}
    </span>
    <span className="rrs-num">{reviewsBlock.averageRating?.toFixed(1)}</span>
    <span className="rrs-count">
      ({reviewsBlock.reviewCount} guest{reviewsBlock.reviewCount === 1 ? "" : "s"})
    </span>
  </p>
)}
</div>

<div className={`resort-gallery-grid count-${Math.min(resort.images?.length || 1, 3)}`>
  <div className="gallery-main-img" onClick={() => { setCurrentResortImgIdx(0);
    setIsResortGalleryOpen(true); }}>
    <img

```

```

      src={resort.images?.[0] || "https://images.unsplash.com/photo-1507525428034-b723cf961d3e?auto=format&fit=crop&w=1920&q=80"}
      alt="Resort View"
    />
  </div>

  {(resort.images?.length > 1) && (
    <div className="gallery-side-imgs">
      <div className="side-img" onClick={() => { setCurrentResortImgIdx(1);
setIsResortGalleryOpen(true); }}>
        <img src={resort.images[1]} alt="Resort View 2" />
      </div>
      {resort.images?.length > 2 && (
        <div className="side-img" onClick={() => { setCurrentResortImgIdx(2);
setIsResortGalleryOpen(true); }}>
          <img src={resort.images[2]} alt="Resort View 3" />
        </div>
      )}
    </div>
  )}

  <div className="gallery-overlay-btn" onClick={() => setIsResortGalleryOpen(true)}>
    <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2"
strokeLinecap="round" strokeLinejoin="round"><rect x="3" y="3" width="18" height="18" rx="2"
ry="2"></rect><circle cx="8.5" cy="8.5" r="1.5"></circle><polyline points="21 15 16 10 5
21"></polyline></svg>
    <span>Show all photos</span>
  </div>
</div>
</section>

<div className="detail-content-wrapper">
  <section className="resort-info-section">
    <div className="info-block">
      <h2>About The Property</h2>
      <p className="resort-desc-text">

```



```

    {resort.description || "Escape to this luxury resort offering breathtaking views, modern
amenities, and world-class service. Perfect for both relaxation and adventure."}

</p>

{resort.amenities?.length > 0 && (

  <>

    <h3 style={{ marginTop: "30px", marginBottom: "20px" }}>Amenities</h3>

    <div className="resort-amenities-list">

      {resort.amenities.map((amenity, idx) => (

        <div className="am-badge" key={idx}>

          <svg fill="currentColor" viewBox="0 0 20 20" width="16" height="16"><path
fillRule="evenodd" d="M16.707 5.293a1 1 0 010 1.414l-8 8a1 1 0 01-1.414 0l-4-4a1 1 0 011.414-
1.414L8 12.586l7.293-7.293a1 1 0 011.414 0z" clipRule="evenodd" /></svg>

          {amenity}

        </div>

      )]}

    </div>

  </>

)}

</div>

<div className="go-map-container">

  <iframe title="Resort map" frameBorder="0" src={mapSrc} allowFullScreen />

  <div className="map-overlay-text">

    Location Map

  </div>

</div>

</section>

<section className="rooms-list-container">

  <div style={{ display: 'flex', justifyContent: 'space-between', alignItems: 'center', flexWrap:
'wrap', gap: '20px', marginBottom: '20px' }}>

    <h2 style={{ margin: 0 }}>Available Rooms</h2>

    <div style={{ display: 'flex', gap: '15px', background: '#f8fafc', padding: '15px', borderRadius:
'12px', boxShadow: '0 2px 4px rgba(0,0,0,0.05)' }}>

      <div style={{ display: 'flex', flexDirection: 'column' }}>

```

```

    <label style={{ fontSize: '12px', fontWeight: 'bold', color: '#64748b', marginBottom: '5px'
}}>Check-in</label>

    <input
      type="date"
      min={today}
      value={searchDates.checkIn}
      onChange={e => setSearchDates(s => ({ ...s, checkIn: e.target.value })))}
      style={{ padding: '8px', border: '1px solid #cbd5e1', borderRadius: '6px' }}
    />
  </div>

  <div style={{ display: 'flex', flexDirection: 'column' }}>

    <label style={{ fontSize: '12px', fontWeight: 'bold', color: '#64748b', marginBottom: '5px'
}}>Check-out</label>

    <input
      type="date"
      min={searchDates.checkIn || today}
      value={searchDates.checkOut}
      onChange={e => setSearchDates(s => ({ ...s, checkOut: e.target.value })))}
      style={{ padding: '8px', border: '1px solid #cbd5e1', borderRadius: '6px' }}
    />
  </div>
</div>

<div className="rooms-grid">
  {resort.roomTypes?.length > 0 ? (
    resort.roomTypes.map((room) => (
      <div className="room-card" key={room._id || room.title}>
        <div className="room-card-image" onClick={() => openRoomModal(room)}>
          <img src={room.images?.[0] || resort.images?.[0] ||
"https://images.unsplash.com/photo-1618773928121-
c32242e63f39?auto=format&fit=crop&w=800"} alt={room.title} />
          <div className="view-photos-tag">View Gallery</div>

```

```

</div>

<div className="room-card-content">

  <h3 className="room-card-title">{room.title}</h3>

  <div className="room-card-specs">

    <span><svg viewBox="0 0 24 24" width="16" height="16" fill="currentColor"><path
d="M12 12c2.21 0 4-1.79 4-4s-1.79-4-4-4-4 1.79-4 4 1.79 4 4 4zm0 2c-2.67 0-8 1.34-8 4v2h16v-2c0-
2.66-5.33-4-8-4z" /></svg> {room.maxGuests} || 2} Guests</span>

    <span><svg viewBox="0 0 24 24" width="16" height="16" fill="currentColor"><path
d="M19 3H5c-1.1 0-2 .9-2 2v14c0 1.1 1.9 2 2 2h14c1.1 0 2-.9 2-2V5c0-1.1-.9-2-2-2zM5
19V5h14v14H5z" /></svg> {room.size} || 224} sq.ft</span>

  </div>

  {room.amenities && room.amenities.length > 0 && (

    <div style={{ display: 'flex', flexWrap: 'wrap', gap: '6px', marginTop: '12px' }}>

      {room.amenities.map((feat, idx) => (

        <span key={idx} style={{ background: '#f8fafc', border: '1px solid #e2e8f0', padding:
'4px 8px', borderRadius: '6px', color: '#475569', fontSize: '11px', fontWeight: '600' }}>{feat}</span>

      )))}

    </div>

  )}

  <div className="rooms-left-badge" style={{ color: '#d9534f', fontSize: '13px', fontWeight:
'bold', display: 'flex', alignItems: 'center', gap: '6px', marginTop: '12px' }}>

    <span style={{ display: 'inline-block', width: '8px', height: '8px', background: '#d9534f',
borderRadius: '50%' }}></span>

    {searchDates.checkIn && searchDates.checkOut ? (

      <>

        {(room.availableInventory ?? room.inventoryCount ?? 0)} room

        {(room.availableInventory ?? room.inventoryCount ?? 0) === 1 ? "" : "s"} available for
your dates

      </>

    ) : (

      <>

        {room.inventoryCount ?? 2} room{(room.inventoryCount ?? 2) === 1 ? "" : "s"} total

      </>

    )}

  </div>

```

```

</div>

<div className="room-card-footer">

  <div className="room-card-price">

    <strong>₹{(room.basePrice || 0).toLocaleString()}</strong>

    <span>+ ₹{Math.round(room.basePrice * 0.18).toLocaleString()} taxes/night</span>

  </div>

  <button

    type="button"

    className="book-room-btn"

    disabled={isRoomSoldOut(room)}

    onClick={() => handleBookNow(room)}

  >

    {isRoomSoldOut(room) ? "Sold out" : "Select Room"}

  </button>

</div>

</div>

</div>

))

): (

  <div className="no-rooms-msg">No room types available for this resort.</div>

)}

</div>

</section>

<section className="resort-reviews-section" aria-labelledby="guest-reviews-heading">

  <div className="resort-review-write-card">

    <h2 className="review-write-title">Reviews</h2>

    <p className="review-write-sub">

      Everyone can read <strong>approved</strong> guest reviews below. Sign in to submit your

      own after a completed stay — new reviews are checked by our team before they appear

      publicly.

    </p>

```

```

{!reviewWrite.loading && reviewWrite.pendingReview && (
  <p className="review-pending-banner" role="status">
    Thanks — your review is <strong>waiting for admin approval</strong>. It will show here
    once approved.
  </p>
)}

{!reviewWrite.loading && !authToken && (
  <div className="review-guest-cta">
    <p className="review-guest-note">
      Sign in to rate this resort after your visit. Submission is only available to guests
      with a completed stay.
    </p>
    <Link
      className="review-signin-btn"
      to="/login"
      state={{ from: `/resort/${id}` }}
    >
      Sign in to submit a review
    </Link>
  </div>
)}

{!reviewWrite.loading &&
  authToken &&
  !reviewWrite.eligible &&
  !reviewWrite.pendingReview && (
    <p className="review-policy-inline">
      You can submit a review here after a <strong>confirmed</strong> stay at this resort,
      once check-out has passed (11:00 AM on your check-out day).
    </p>
  )}

{!reviewWrite.loading && reviewWrite.eligible && reviewWrite.bookingId && (

```

```

<form className="review-write-form" onSubmit={submitResortPageReview}>

  <h3 className="review-form-inner-title">Write your review</h3>

  <label className="review-write-label">Rating</label>

  <div className="review-write-stars" role="group" aria-label="Star rating">

    {[1, 2, 3, 4, 5].map((n) => (

      <button

        key={n}

        type="button"

        className={`review-write-star ${n <= rwRating ? "on" : ""}`}

        onClick={() => setRwRating(n)}

        aria-label={` ${n} star${n === 1 ? "" : "s"} `}

      >

        ★

      </button>

    )]}

  </div>

  <label className="review-write-label" htmlFor="resort-review-comment">

    Your review

  </label>

  <textarea

    id="resort-review-comment"

    className="review-write-textarea"

    rows={4}

    value={rwComment}

    onChange={(e) => setRwComment(e.target.value)}

    placeholder="What did you love? Anything others should know?"

    maxLength={2000}

    required

  />

  {rwError && <p className="review-write-error">{rwError}</p>}

  <button type="submit" className="review-write-submit" disabled={rwSubmitting}>

```

```

        {rwSubmitting ? "Submitting..." : "Submit for approval"}
    </button>
</form>
)}
</div>
<h3 id="guest-reviews-heading" className="guest-reviews-heading">
    Guest reviews
</h3>
{reviewsBlock.loading && (
    <p className="reviews-loading">Loading reviews...</p>
)}
{!reviewsBlock.loading && reviewsBlock.error && (
    <p className="reviews-error">{reviewsBlock.error}</p>
)}
{!reviewsBlock.loading && !reviewsBlock.error && reviewsBlock.reviewCount === 0 && (
    <p className="reviews-empty">
        No published reviews yet. Approved guest reviews will appear here.
    </p>
)}
{!reviewsBlock.loading && !reviewsBlock.error && reviewsBlock.reviewCount > 0 && (
    <>
        <div className="reviews-summary-bar">
            <span className="reviews-avg">{reviewsBlock.averageRating?.toFixed(1)}</span>
            <span className="reviews-avg-stars">
                {"★".repeat(Math.round(reviewsBlock.averageRating || 0))}
                {"☆".repeat(5 - Math.round(reviewsBlock.averageRating || 0))}
            </span>
            <span className="reviews-total">
                Based on {reviewsBlock.reviewCount} verified stay
                {reviewsBlock.reviewCount === 1 ? "" : "s"}
            </span>
        </div>
    </>
)
}

```

```

</div>

<ul className="reviews-list">

  {reviewsBlock.reviews.map((rev) => (

    <li key={rev._id} className="review-card">

      <div className="review-card-top">

        <strong className="review-author">{rev.userName}</strong>

        <span className="review-stars" aria-label={` ${rev.rating} out of 5`}>

          {"★".repeat(rev.rating)}

          {"☆".repeat(5 - rev.rating)}

        </span>

      </div>

      <time className="review-date" dateTime={rev.createdAt}>

        {new Date(rev.createdAt).toLocaleDateString(undefined, {

          year: "numeric",

          month: "short",

          day: "numeric",

        })}

      </time>

      <p className="review-text">{rev.comment}</p>

    </li>

  )})

</ul>

</>

)}

</section>

</div>

{isModalOpen && selectedRoom && (

  <div className="go-modal-overlay" onClick={closeRoomModal}>

    <div className="go-modal-content" onClick={(e) => e.stopPropagation()}>

      <div className="go-modal-header">

        <h2>{selectedRoom.title}</h2>

```



```

<button className="go-modal-close" onClick={closeRoomModal}>&times;</button>

</div>

<div className="go-modal-body">
  <div className="go-modal-carousel">
    <img src={selectedRoom.images?.[currentImgIdx] || resort.images?.[0] ||
"https://images.unsplash.com/photo-1618773928121-c32242e63f39"} alt="Room" />
    <button className="go-m-slider-btn left" onClick={prevImg}>&#10094;</button>
    <button className="go-m-slider-btn right" onClick={nextImg}>&#10095;</button>
  </div>
  <h3>Room Features</h3><br></br>
  <div className="go-modal-specs">
    {selectedRoom.amenities && selectedRoom.amenities.length > 0 ? (
      selectedRoom.amenities.map((feat, idx) => {
        const t = feat.toLowerCase();
        let icon = '💎';
        if (t.includes('wifi') || t.includes('internet')) icon = '📶';
        else if (t.includes('tv') || t.includes('television')) icon = '📺';
        else if (t.includes('ac') || t.includes('air conditioning') || t.includes('cool')) icon = '❄️';
        else if (t.includes('bath') || t.includes('shower') || t.includes('toiletries')) icon = '🚿';
        else if (t.includes('coffee') || t.includes('tea')) icon = '☕';
        else if (t.includes('bed')) icon = '🛏';
        else if (t.includes('service') || t.includes('desk')) icon = '👤';
        else if (t.includes('view') || t.includes('balcony')) icon = '🌅';
        else if (t.includes('pool')) icon = '🏊';
        return (
          <div className="spec-item" key={idx}>
            <span className="spec-icon">{icon}</span>
            <span className="spec-text">{feat}</span>
          </div>
        );
      })
    ) : null}
  </div>

```

```

    })
  ): (
    <div className="spec-item" style={{ gridColumn: '1 / -1' }}>
      <span className="spec-icon"> ✨ </span>
      <span className="spec-text">Standard premium amenities are included. Specific room
features will be updated by the administration shortly.</span>
    </div>
  })
  {selectedRoom.maxGuests && (
    <div className="spec-item">
      <span className="spec-icon"> 👤 </span>
      <span className="spec-text">Accommodates up to {selectedRoom.maxGuests}
Guests</span>
    </div>
  )}
</div>
<div className="go-modal-section">
</div>
</div>
</div>
</div>
  )}
  {isResortGalleryOpen && resort && (
    <div className="go-modal-overlay" onClick={() => setIsResortGalleryOpen(false)}>
      <div className="go-modal-content gallery-modal" onClick={(e) => e.stopPropagation()}>
        <div className="go-modal-header">
          <h2>Property Photos</h2>
          <button className="go-modal-close" onClick={() =>
setIsResortGalleryOpen(false)}>&times;</button>
        </div>
        <div className="go-modal-body">
          <div className="resort-photos-grid">

```

```

{resort.images?.map((img, idx) => (
  <div className="grid-photo-item" key={idx}>
    <img src={img} alt={`Resort View ${idx + 1}`} />
  </div>
)}}
{(!resort.images || resort.images.length === 0) && (
  <div className="grid-photo-item">
    
  </div>
)}
</div>
</div>
</div>
)}
{showDrawer && selectedRoomToBook && (
  <div className="dr-drawer-overlay" onClick={() => setShowDrawer(false)}>
    <div className="dr-drawer" onClick={e => e.stopPropagation()}>
      <div className="dr-dw-header">
        <h3>Confirm Booking</h3>
        <button className="dr-dw-close" onClick={() => setShowDrawer(false)}><Icons.Cross
/></button>
      </div>
      {bookSuccess ? (
        <div className="dr-dw-success">
          <Icons.Success />
          <h4>Booking Secured</h4>
          <p>Redirecting to your confirmations...</p>
        </div>
      ) : (

```

```

<form className="dr-dw-form" onSubmit={submitBooking}>
  <div className="dr-dw-room-preview">
    <img src={selectedRoomToBook.images?.[0] || resort.images?.[0]} alt="Room preview" />
    <div>
      <strong>{selectedRoomToBook.title}</strong>
      <span>₹{selectedRoomToBook.basePrice.toLocaleString()} / night</span>
    </div>
  </div>
  {bookError && <div className="dr-dw-error">{bookError}</div>}
  <div className="dr-dw-row">
    <div className="dr-dw-input">
      <label>Check-in</label>
      <input type="date" required value={checkInDate} min={new
Date().toISOString().split("T")[0]} onChange={e => setCheckInDate(e.target.value)} />
    </div>
    <div className="dr-dw-input">
      <label>Check-out</label>
      <input type="date" required value={checkOutDate} min={checkInDate || new
Date().toISOString().split("T")[0]} onChange={e => setCheckOutDate(e.target.value)} />
    </div>
  </div>
  <div className="dr-dw-row">
    <div className="dr-dw-input">
      <label>Rooms</label>
      <div className="dr-stepper">
        <button type="button" onClick={() => setQuantity(q => Math.max(1, q - 1))}>-</button>
        <input type="number" value={quantity} readOnly />
        <button type="button" onClick={() => setQuantity(q =>
Math.min((selectedRoomToBook.availableInventory ?? selectedRoomToBook.inventoryCount ?? 10),
q + 1))}>+</button>
      </div>
    </div>
  </div>

```

```

<div className="dr-dw-input">
  <label>Guests</label>
  <div className="dr-stepper">
    <button type="button" onClick={() => setGuests(g => Math.max(1, g - 1))}>-</button>
    <input type="number" value={guests} readOnly />
    <button type="button" onClick={() => setGuests(g =>
Math.min((selectedRoomToBook.maxGuests | 4) * quantity, g + 1))}>+</button>
  </div>
</div>
</div>
<div className="dr-dw-summary">
  <div className="sum-row">
    <span>Base Price ({quantity} room)</span>
    <span>₹{(selectedRoomToBook.basePrice * quantity).toLocaleString()}</span>
  </div>
  <div className="sum-row">
    <span>Taxes & Fees</span>
    <span>₹{Math.round((calculateTotal() * 0.18)).toLocaleString()}</span>
  </div>
  <div className="sum-total">
    <span>Total Amount</span>
    <strong>₹{calculateTotal() > 0 ? (calculateTotal() + Math.round((calculateTotal() *
0.18))).toLocaleString() : 0}</strong>
  </div>
</div>
<button type="submit" className="dr-dw-submit" disabled={bookLoading ||
calculateTotal() <= 0}>
  {bookLoading ? 'Processing Request...' : 'Proceed to Payment (Razorpay)'}
</button>
</form>
)}
</div>

```

```

        </div>
    })
    <Footer />
</div>

);
}

```

File: Client\src\pages\search.css

```

.search-page {
    padding-top: 180px;
    padding-bottom: 80px;
    min-height: calc(100vh - 150px);
    background-color: #faf9f7;
    font-family: 'Montserrat', sans-serif;
    text-align: center;
}

.search-header {
    margin: 0 auto 50px;
    padding: 0 8%;
}

.search-header h1 {
    font-family: 'Playfair Display', serif;
    font-size: 42px;
    color: #222;
    margin-bottom: 30px;
}

.search-input-wrapper {
    position: relative;
    width: 100%;
}

```

```
.search-input-wrapper input {
  width: 100%;
  padding: 20px 30px;
  font-size: 18px;
  border: 2px solid #ddd;
  border-radius: 50px;
  outline: none;
  font-family: 'Montserrat', sans-serif;
  box-shadow: 0 10px 30px rgba(0,0,0,0.05);
  transition: 0.3s;
  box-sizing: border-box;
}

.search-input-wrapper input:focus {
  border-color: #f9a826;
  box-shadow: 0 10px 40px rgba(249, 168, 38, 0.15);
}

.search-input-icon {
  position: absolute;
  right: 25px;
  top: 50%;
  transform: translateY(-50%);
  font-size: 24px;
  color: #888;
  cursor: pointer;
  transition: 0.3s;
}

.search-input-icon:hover {
  color: #f9a826;
  transform: translateY(-50%) scale(1.1);
}

.search-results {
```

```
margin: 0 auto;
padding: 0 8%;
}
.search-loading {
font-size: 18px;
color: #666;
margin-top: 50px;
}
.search-count {
text-align: left;
font-weight: 600;
color: #666;
margin-bottom: 30px;
font-size: 15px;
}
.search-grid {
display: grid;
grid-template-columns: repeat(3, 1fr);
gap: 30px;
}
.search-no-results {
padding: 80px 20px;
background: white;
border: 1px dashed #ccc;
border-radius: 12px;
margin-top: 20px;
}
.search-no-results h2 {
font-family: 'Playfair Display', serif;
font-size: 32px;
color: #333;
```



```
margin-bottom: 15px;
}
.search-no-results p {
  color: #777;
  font-size: 16px;
  margin-bottom: 30px;
}
.search-card {
  border: 1px solid #e0e0e0;
  background: white;
  text-align: left;
  border-radius: 8px;
  overflow: hidden;
  transition: 0.3s;
  box-shadow: 0 5px 20px rgba(0,0,0,0.05);
  display: flex;
  flex-direction: column;
}
.search-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 15px 30px rgba(0,0,0,0.1);
}
.search-card-img {
  position: relative;
  height: 240px;
}
.search-card-img img {
  width: 100%;
  height: 100%;
  object-fit: cover;
}
```

```
.search-card-price {  
  position: absolute;  
  top: 15px;  
  right: 15px;  
  background-color: #f9a826;  
  color: white;  
  font-weight: 700;  
  font-size: 16px;  
  padding: 8px 15px;  
  border-radius: 30px;  
}  
  
.search-card-content {  
  padding: 25px;  
  flex-grow: 1;  
  display: flex;  
  flex-direction: column;  
}  
  
.search-card-content h3 {  
  font-family: 'Playfair Display', serif;  
  font-size: 22px;  
  color: #222;  
  margin: 0 0 10px;  
}  
  
.search-stars {  
  color: #f9a826;  
  font-size: 14px;  
  margin-bottom: 15px;  
  letter-spacing: 2px;  
}  
  
.search-location {  
  color: #666;
```

```
font-size: 14px;
margin-bottom: auto;
display: flex;
align-items: center;
gap: 5px;
}
.search-card-footer {
display: flex;
justify-content: space-between;
align-items: center;
border-top: 1px solid #eee;
padding-top: 20px;
margin-top: 20px;
}
.search-btn {
background-color: #141e2f;
color: white;
border: none;
padding: 10px 20px;
font-size: 12px;
font-weight: 700;
letter-spacing: 1px;
border-radius: 4px;
cursor: pointer;
transition: 0.3s;
}
.search-btn:hover {
background-color: #f9a826;
}
@media (max-width: 900px) {
.search-grid {
```

```

    grid-template-columns: repeat(2, 1fr);
  }
}
@media (max-width: 600px) {
  .search-grid {
    grid-template-columns: 1fr;
  }
}

```

File: Client\src\pages\search.jsx

```

import { useEffect, useState } from "react";
import { useNavigate, useSearchParams } from "react-router-dom";
import Navbar from "../components/Navbar";
import Footer from "../components/Footer";
import "./search.css";
export default function Search() {
  const navigate = useNavigate();
  const [searchParams, setSearchParams] = useSearchParams();
  const [resorts, setResorts] = useState([]);
  const [loading, setLoading] = useState(true);
  const [query, setQuery] = useState(searchParams.get("query") || searchParams.get("location") || "");
  const [appliedQuery, setAppliedQuery] = useState(query);
  useEffect(() => {
    const fetchResorts = async () => {
      try {
        setLoading(true);
        const response = await fetch(`http://${window.location.hostname}:5000/api/resorts`);
        const data = await response.json();
        setResorts(data);
      }
    }
  });
}

```

```

    } catch (err) {
      console.error("Failed to fetch resorts for search:", err);
    } finally {
      setLoading(false);
    }
  };
  fetchResorts();
}, []);
useEffect(() => {
  const urlQuery = searchParams.get("query") || searchParams.get("location") || "";
  setQuery(urlQuery);
  setAppliedQuery(urlQuery);
}, [searchParams]);
const handleSearchSubmit = (e) => {
  if (e) e.preventDefault();
  setAppliedQuery(query);
  setSearchParams({ query });
};
const filteredResorts = resorts.filter((resort) => {
  if (!appliedQuery) return true;
  const lowerQ = appliedQuery.toLowerCase();
  return (
    resort.name?.toLowerCase().includes(lowerQ) ||
    resort.location?.city?.toLowerCase().includes(lowerQ) ||
    resort.location?.state?.toLowerCase().includes(lowerQ) ||
    resort.description?.toLowerCase().includes(lowerQ)
  );
});
return (
  <>
  <Navbar />

```

```

<main className="search-page">
  <section className="search-header">
    <h1>Find Your Perfect Resort</h1>
    <form className="search-input-wrapper" onSubmit={handleSearchSubmit}>
      <input
        type="text"
        placeholder="Search by resort name, city, or state..."
        value={query}
        onChange={(e) => setQuery(e.target.value)}
        autoFocus
      />
      <span className="search-input-icon" onClick={handleSearchSubmit}>

      </span>
    </form>
  </section>
  <section className="search-results">
    {loading ? (
      <div className="search-loading">Loading amazing locations...</div>
    ) : appliedQuery && filteredResorts.length > 0 ? (
      <div className="search-count">
        Showing {filteredResorts.length} result{filteredResorts.length !== 1 ? 's' : ''} for
        "{appliedQuery}"
      </div>
    ) : appliedQuery && filteredResorts.length === 0 ? (
      <div className="search-no-results">
        <h2>Not Available</h2>
        <p>We couldn't find any resorts matching "{appliedQuery}". Try checking for typos or
        searching by another city!</p>
        <button className="search-btn" onClick={() => { setQuery(""); setAppliedQuery("");
        setSearchParams({}); }}>
          Clear Search

```

```

    </button>
  </div>
) : (
  <div className="search-count">
    Showing all {filteredResorts.length} resorts
  </div>
)}
{filteredResorts.length > 0 && (
  <div className="search-grid">
    {filteredResorts.map((resort) => {
      const prices = resort.roomTypes?.map(r => r.basePrice) || [];
      const startingPrice = prices.length > 0 ? Math.min(...prices) : null;
      const imageUrl = resort.images?.[0] || "https://images.unsplash.com/photo-1507525428034-b723cf961d3e?auto=format&fit=crop&w=600&q=80";
      return (
        <div className="search-card" key={resort._id}>
          <div
            className="search-card-img"
            onClick={() => navigate(`/resort/${resort._id}`)}
            style={{ cursor: 'pointer' }}
          >
            <img src={imageUrl} alt={resort.name} />
            {startingPrice && <div className="search-card-price">From ₹{startingPrice}</div>}
          </div>
          <div className="search-card-content">
            <h3>{resort.name}</h3>
            <div className="search-stars">
              {'★'.repeat(Math.max(1, Math.round(resort.rating || 5)))}
              <span style={{ color: '#eee' }}>
                {'★'.repeat(5 - Math.max(1, Math.round(resort.rating || 5)))}
              </span>
            </div>
          </div>
        </div>
      )
    })}
  </div>
)
}

```

```

    </div>

    <div className="search-location">
       {resort.location?.city}, {resort.location?.state}
    </div>

    <div className="search-card-footer">
      <span>  {resort.roomTypes?.length || 0} Room Types</span>
      <button className="search-btn" onClick={() => navigate(`/resort/${resort._id}`)}>
        VIEW DETAILS
      </button>
    </div>
  </div>
</div>
);
}}
</div>
)}
</section>
</main>
<Footer />
</>
);
}

```

File: Client\src\pages\user\components\BookingCard.css

```

.booking-card {
  background: #ffffff;
  border-radius: 24px;
  overflow: hidden;
  display: flex;
  flex-direction: column;

```



```
box-shadow: 0 4px 20px rgba(0, 0, 0, 0.04);
transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
border: 1px solid #f1f5f9;
position: relative;
height: 100%;
}
.booking-card:hover {
  transform: translateY(-6px);
  box-shadow: 0 12px 30px rgba(0, 0, 0, 0.08);
  border-color: #e2e8f0;
}
.booking-image {
  position: relative;
  width: 100%;
  aspect-ratio: 1 / 1;
  overflow: hidden;
}
.booking-image img {
  width: 100%;
  height: 100%;
  object-fit: cover;
  transition: transform 0.5s ease;
}
.booking-card:hover .booking-image img {
  transform: scale(1.05);
}
.booking-image::after {
  content: "";
  position: absolute;
  bottom: 0; left: 0; right: 0;
  height: 60%;
```

```
background: linear-gradient(to top, rgba(0,0,0,0.4) 0%, transparent 100%);
pointer-events: none;
}
.booking-status {
  position: absolute;
  top: 16px;
  left: 16px;
  padding: 6px 14px;
  border-radius: 20px;
  font-size: 12px;
  font-weight: 700;
  letter-spacing: 0.5px;
  text-transform: uppercase;
  backdrop-filter: blur(8px);
  box-shadow: 0 2px 10px rgba(0,0,0,0.1);
  z-index: 2;
}
.status-confirmed { background: rgba(22, 163, 74, 0.95); color: white; }
.status-pending { background: rgba(245, 158, 11, 0.95); color: white; }
.status-cancelled { background: rgba(220, 38, 38, 0.95); color: white; }
.status-completed { background: rgba(79, 70, 229, 0.95); color: white; }
.booking-details {
  padding: 24px;
  display: flex;
  flex-direction: column;
  flex-grow: 1;
}
.booking-header {
  display: flex;
  justify-content: space-between;
  align-items: flex-start;
```

```
margin-bottom: 16px;
}
.booking-header h3 {
margin: 0;
font-size: 20px;
font-weight: 700;
color: #0f172a;
line-height: 1.3;
}
.featured-badge {
background: linear-gradient(135deg, #4f46e5, #7c3aed);
color: white;
padding: 4px 12px;
border-radius: 12px;
font-size: 12px;
font-weight: 600;
box-shadow: 0 2px 8px rgba(79, 70, 229, 0.3);
}
.booking-info {
display: flex;
flex-direction: column;
gap: 12px;
margin-bottom: 24px;
}
.info-item {
display: flex;
align-items: center;
gap: 10px;
color: #64748b;
font-size: 14px;
font-weight: 500;
```

```
}  
.info-item svg {  
  color: #94a3b8;  
}  
.booking-actions {  
  margin-top: auto;  
  display: flex;  
  justify-content: stretch;  
}  
.btn-action {  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  gap: 8px;  
  padding: 12px 20px;  
  border-radius: 14px;  
  font-weight: 600;  
  font-size: 15px;  
  cursor: pointer;  
  transition: all 0.3s ease;  
  border: none;  
  width: 100%;  
}  
.btn-action.primary {  
  background: linear-gradient(135deg, #4f46e5, #4338ca);  
  color: white;  
  box-shadow: 0 4px 12px rgba(79, 70, 229, 0.25);  
}  
.btn-action.primary:hover {  
  box-shadow: 0 6px 16px rgba(79, 70, 229, 0.4);  
  transform: translateY(-2px);
```

```

}

.btn-action.secondary {
  background: #f8fafc;
  color: #334155;
  border: 1px solid #e2e8f0;
}

.btn-action.secondary:hover {
  background: #f1f5f9;
  color: #0f172a;
  border-color: #cbd5e1;
}

```

File: Client\src\pages\user\components\BookingCard.jsx

```

import React from 'react';
import { MapPin, Calendar, ChevronRight, Download } from 'lucide-react';
import './BookingCard.css';

const BookingCard = ({ booking, isFeatured = false }) => {
  if (!booking) return null;

  const resortName = booking.resort?.name || booking.resortName || 'Resort Stay';
  const locationObj = booking.resort?.location;
  const locationString = locationObj
    ? `${locationObj.city || ''}, ${locationObj.state || ''}`.replace(/^\s|,\s/g, '')
    : (booking.location || 'Unknown Location');

  const checkIn = new Date(booking.checkInDate || booking.dates?.split(' - ')
    [0]).toLocaleDateString(undefined, { month: 'short', day: 'numeric', year: 'numeric' });
  const checkOut = new Date(booking.checkOutDate || booking.dates?.split(' - ')
    [1]).toLocaleDateString(undefined, { month: 'short', day: 'numeric', year: 'numeric' });
  const imageUrl = booking.resort?.images?.[0]
    ? (booking.resort.images[0].startsWith('http') ? booking.resort.images[0] :
      `http://localhost:5000${booking.resort.images[0]}`)

```

```

: (booking.image || "https://images.unsplash.com/photo-1540541338287-41700207dee6?auto=format&fit=crop&q=80&w=600");

const handleDownloadInvoice = () => {
  let customerName = 'Valued Guest';

  try {
    const userObj = JSON.parse(localStorage.getItem('user') || sessionStorage.getItem('user'));
    if (userObj && userObj.name) customerName = userObj.name;
  } catch (e) { }

  const amount = booking.totalAmount || booking.price || 0;

  const bookingId = booking._id ? ('HRES' + booking._id.slice(-8).toUpperCase()) : ('NH' + Math.floor(Math.random() * 100000000));

  const invoiceNo = 'M06HL' + Math.floor(Math.random() * 1000000000);

  const invoiceDate = new Date().toLocaleDateString('en-GB', { day: '2-digit', month: 'short', year: 'numeric' });

  const formatWithDay = (dStr) => {
    const d = new Date(dStr);
    return d.toLocaleDateString('en-GB', { weekday: 'short', day: '2-digit', month: 'short', year: 'numeric' });
  }

  const checkInTime = formatWithDay(booking.checkInDate || booking.dates?.split(' - ')[0]);
  const checkOutTime = formatWithDay(booking.checkOutDate || booking.dates?.split(' - ')[1]);
  const displayGuestName = booking.guestName || customerName;

  let addonsTotal = 0;
  let addonsHtml = '';

  if (booking.addons && booking.addons.length > 0) {
    booking.addons.forEach(addon => {
      const itemTotal = addon.price * (addon.quantity || 1);
      addonsTotal += itemTotal;
      addonsHtml += `
        <div class="payment-row">
          <span>${addon.title} (x${addon.quantity || 1})</span>
          <span>₹${itemTotal.toLocaleString('en-IN')}.00</span>

```

```

    </div>`;
  });
}

const preTaxAmount = amount / 1.18;
const taxes = amount - preTaxAmount;
const baseAmount = preTaxAmount - addonsTotal;
const invoiceWindow = window.open("", '_blank');
invoiceWindow.document.write(`
<html>
<head>
<style>
  @media print {
    @page { margin: 0; size: A4; }
    body {
      margin: 1.5cm !important;
      padding: 0 !important;
      overflow: hidden !important;
    }
    .invoice-container {
      page-break-inside: avoid;
      page-break-after: avoid;
      page-break-before: avoid;
    }
  }
  body { font-family: Arial, sans-serif; padding: 30px; font-size: 11px; color: #000; }
  .invoice-container { max-width: 800px; margin: 0 auto; }
  .header-row { display: flex; justify-content: space-between; align-items: flex-start; margin-bottom: 30px; }
  .header-left { width: 33%; }
  .header-left h1 { font-size: 20px; margin: 0; font-weight: bold; letter-spacing: 0.5px; }
  .header-center { width: 33%; text-align: center; }

```

```

.center-logo { display: inline-flex; align-items: center; justify-content: center; flex-direction:
column; }

.logo-h { font-family: 'Times New Roman', serif; font-size: 36px; margin: 0; line-height: 1; }

.logo-text { font-size: 9px; letter-spacing: 2px; margin-top: 4px; font-weight: bold; }

.header-right { width: 33%; display: flex; flex-direction: column; align-items: flex-end; text-align:
right; font-size: 10px; line-height: 1.4; }

.header-right img { width: 100px; height: 100px; }

.grid-wrapper { display: flex; justify-content: space-between; }

.grid-left { flex: 1; display: grid; grid-template-columns: 1fr 1fr; gap: 15px 10px; padding-right:
20px;}

.grid-right { display: flex; flex-direction: column; align-items: flex-end; gap: 12px; width: 240px;
text-align: right; }

.grid-right img { width: 100px; height: 100px; }

.address-block { font-size: 9px; line-height: 1.5; color: #333; }

.info-block { display: flex; flex-direction: column; margin-bottom: 5px; }

.info-block .label { color: #555; font-size: 10px; margin-bottom: 2px; }

.info-block .value { font-weight: bold; font-size: 11px; }

.hr-dashed { border: none; border-top: 1px dashed #000; margin: 20px 0; }

.grid-3-col { display: grid; grid-template-columns: 1fr 1fr 1fr; gap: 10px; }

.grid-4-col-hotel { display: grid; grid-template-columns: 1.5fr 1fr 1.5fr 1.5fr; gap: 10px; }

.payment-header { display: flex; align-items: center; text-align: center; margin: 25px 0 15px 0;
font-weight: bold; font-size: 11px; letter-spacing: 1px; }

.payment-header::before, .payment-header::after { content: ""; flex: 1; border-bottom: 1px
dashed #000; }

.payment-header::before { margin-right: 15px; }

.payment-header::after { margin-left: 15px; }

.payment-table { width: 100%; border: 1px solid #000; border-radius: 6px; overflow: hidden;
border-spacing: 0; }

.payment-row { display: flex; justify-content: space-between; padding: 8px 15px; border-
bottom: 1px dashed #eee; }

.payment-row:last-child { border-bottom: none; }

.payment-row-sm { padding: 0 15px 8px 15px; font-size: 9px; color: #555; }

.payment-row.bold { font-weight: bold; border-bottom: 1px dashed #eee; }

.text-red { color: #d32f2f; }

```



```

.border-top { border-top: 1px solid #000; }

.grand-total { font-weight: bold; font-size: 12px; padding: 12px 15px; display: flex; justify-
content: space-between; background-color: #fafafa; }

.footer-note { font-weight: bold; margin-top: 20px; font-size: 11px; line-height: 1.5; }

.terms-header { display: flex; align-items: center; text-align: center; margin: 30px 0 15px 0; font-
weight: bold; font-size: 10px; letter-spacing: 1px; }

.terms-header::before, .terms-header::after { content: ""; flex: 1; border-bottom: 1px dashed
#000; }

.terms-header::before { margin-right: 15px; }

.terms-header::after { margin-left: 15px; }

.terms-list { font-size: 10px; padding-left: 20px; color: #333; margin: 0; line-height: 1.6; }
</style>
</head>
<body>
<div class="invoice-container">
  <div class="header-row">
    <div class="header-left">
      <h1>TAX INVOICE</h1>
    </div>
    <div class="header-center">
      <div class="center-logo">
        <p class="logo-h">H</p>
        <p class="logo-text">RESORT</p>
      </div>
    </div>
    <div class="header-right">
      <div class="address-block" style="text-align: right;">
        <strong>H RESORT ONLINE BOOKING NETWORK</strong><br/>
        Corporate Headquarters: SG Highway,<br/>
        Nadiad, Gujarat, 387001<br/>
        hresort.stay@mail.com<br/>
        support.hresort@gmail.com
      </div>
    </div>
  </div>
</div>

```

```

    </div>
  </div>
</div>
<div class="grid-wrapper">
  <div class="grid-left">
    <div class="info-block"><span class="label">Booking ID</span><span
class="value">${bookingId.toUpperCase()}</span></div>
    <div class="info-block"><span class="label">PAN</span><span
class="value">AADCM5146R</span></div>
    <div class="info-block"><span class="label">Invoice No.</span><span
class="value">${invoiceNo}</span></div>
    <div class="info-block"><span class="label">HSN/SAC</span><span
class="value">998552</span></div>
    <div class="info-block"><span class="label">Date</span><span
class="value">${invoiceDate}</span></div>
    <div class="info-block"><span class="label">GSTIN</span><span
class="value">24AADCM5146R1Z3</span></div>
    <div class="info-block"><span class="label">Place of Supply</span><span
class="value">GUJARAT</span></div>
    <div class="info-block"><span class="label">CIN</span><span
class="value">U63040HR2000PTC090846</span></div>
    <div class="info-block"><span class="label">Transactional Type/Category</span><span
class="value">REG/B2C</span></div>
    <div class="info-block"><span class="label">Service Description</span><span
class="value">Reservation service for accommodation</span></div>
    <div class="info-block"><span class="label">Transactional Details</span><span
class="value">RG</span></div>
    <div class="info-block"><span class="label">Tax Payable under RCM</span><span
class="value">No</span></div>
  </div>
  <div class="grid-right">
    
  </div>
</div>

```

```

<hr class="hr-dashed" />

<div class="info-block"><span class="label">Customer Name</span><span class="value"
style="font-size: 14px;">${displayGuestName}</span></div>

<hr class="hr-dashed" />

<div class="grid-4-col-hotel">

    <div class="info-block"><span class="label">Hotel Name</span><span
class="value">${resortName}<br/><span style="font-weight:normal; font-
size:9px;">${booking.roomTypeTitle} | | 'Standard Room'</span></span></div>

    <div class="info-block"><span class="label">Hotel City</span><span
class="value">${locationObj?.city} | | 'Mumbai'</span></div>

    <div class="info-block"><span class="label">Check-in</span><span
class="value">${checkInTime}, 2:00 PM</span></div>

    <div class="info-block"><span class="label">Check-Out</span><span
class="value">${checkOutTime}, 11:00 AM</span></div>

</div>

<div class="payment-header">PAYMENT BREAKUP</div>

<div class="payment-table">

    <div class="payment-row bold">

        <span>*Accommodation Charges</span>

        <span>₹${Math.round(baseAmount).toLocaleString('en-IN')}.00</span>

    </div>

    ${addonsHtml}

    <div class="payment-row bold">

        <span>Taxes & Fees (18%)</span>

        <span>₹${Math.round(taxes).toLocaleString('en-IN')}.00</span>

    </div>

    <div class="border-top grand-total">

        <span>Grand Total</span>

        <span>₹${amount.toLocaleString('en-IN')}.00</span>

    </div>

</div>

<div class="footer-note">

```

Input tax credit of GST charged by the original service provider is available only against the invoice issued by the respective service provider. H Resort acts only as a facilitator for these services.

This is not a valid travel document

</div>

<div class="terms-header">TERMS & CONDITIONS</div>

<ol class="terms-list">

Any dispute with respect to the invoice is to be reported back to H Resort within 48 hours of receipt of invoice.

QR code for B2B and SEZ category invoices can only be scanned using app downloaded from the link

This is system generated invoice and does not require signatures.

</div>

<script>>window.onload = function() { window.print(); }</script>

</body>

</html>

`);

invoiceWindow.document.close();

};

return (

<div className="booking-card">

<div className="booking-image">

<div className={`booking-status status-\${booking.status?.toLowerCase()}`>

{booking.status}

</div>

</div>

<div className="booking-details">

<div className="booking-header">

<h3>{resortName}</h3>

{isFeatured && Next Stay}

```

</div>

<div className="booking-info">
  <div className="info-item">
    <MapPin size={16} />
    <span>{locationString}</span>
  </div>
  <div className="info-item">
    <Calendar size={16} />
    <span>{checkIn} - {checkOut}</span>
  </div>
</div>

<div className="booking-actions" style={{ display: 'flex', gap: '10px', flexDirection: 'column' }}>
  {(booking.status === 'Confirmed' || booking.status === 'Completed') && (
    <button className="btn-action secondary" onClick={handleDownloadInvoice}>
      <Download size={16} />
      Download Invoice
    </button>
  )}
</div>
</div>
</div>
);
};
export default BookingCard;

```

File: Client\src\pages\user\components\DashboardCards.css

```

.dashboard-cards-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));
  gap: 24px;

```

```

margin-bottom: 32px;
}
.dashboard-stat-card {
background: #ffffff;
border-radius: 20px;
padding: 24px;
display: flex;
align-items: flex-start;
gap: 16px;
position: relative;
overflow: hidden;
box-shadow: 0 4px 6px -1px rgba(0, 0, 0, 0.05), 0 2px 4px -1px rgba(0, 0, 0, 0.03);
transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.dashboard-stat-card:hover {
transform: translateY(-4px);
box-shadow: 0 10px 15px -3px rgba(0, 0, 0, 0.1), 0 4px 6px -2px rgba(0, 0, 0, 0.05);
}
.card-icon-wrapper {
padding: 12px;
border-radius: 14px;
display: flex;
align-items: center;
justify-content: center;
}
.card-blue .card-icon-wrapper { background: #eff6ff; color: #3b82f6; }
.card-purple .card-icon-wrapper { background: #f3e8ff; color: #a855f7; }
.card-green .card-icon-wrapper { background: #dcfce7; color: #22c55e; }
.card-orange .card-icon-wrapper { background: #ffedd5; color: #f97316; }
.card-content h3 {
font-size: 28px;

```

```

font-weight: 700;
color: #0f172a;
margin: 0 0 4px 0;
line-height: 1;
}

.card-title {
font-size: 14px;
font-weight: 600;
color: #475569;
margin: 0 0 4px 0;
}

.card-desc {
font-size: 12px;
color: #94a3b8;
}

.card-gradient-border {
position: absolute;
bottom: 0;
left: 0;
right: 0;
height: 4px;
opacity: 0;
transition: opacity 0.3s ease;
}

.card-blue .card-gradient-border { background: linear-gradient(90deg, #3b82f6, #60a5fa); }
.card-purple .card-gradient-border { background: linear-gradient(90deg, #a855f7, #c084fc); }
.card-green .card-gradient-border { background: linear-gradient(90deg, #22c55e, #4ade80); }
.card-orange .card-gradient-border { background: linear-gradient(90deg, #f97316, #fb923c); }

.dashboard-stat-card:hover .card-gradient-border {
opacity: 1;
}

```

****File: Client\src\pages\user\components\DashboardCards.jsx****

```
import React from 'react';
import { CalendarCheck, CalendarClock, CheckCircle, MessageSquareWarning } from 'lucide-react';
import './DashboardCards.css';
const DashboardCards = ({ stats }) => {
  const cards = [
    {
      title: 'Total Bookings',
      value: stats?.total || 0,
      description: 'All-time bookings',
      icon: CalendarCheck,
      color: 'blue'
    },
    {
      title: 'Upcoming Stays',
      value: stats?.upcoming || 0,
      description: 'Next 30 days',
      icon: CalendarClock,
      color: 'purple'
    },
    {
      title: 'Completed Stays',
      value: stats?.completed || 0,
      description: 'Past stays',
      icon: CheckCircle,
      color: 'green'
    },
    {
      title: 'Reviews Pending',
```



```

    value: stats?.reviewsPending || 0,
    description: 'Action required',
    icon: MessageSquareWarning,
    color: 'orange'
  }
];
return (
  <div className="dashboard-cards-grid">
    {cards.map((card, index) => {
      const Icon = card.icon;
      return (
        <div key={index} className={`dashboard-stat-card card-${card.color}`}>
          <div className="card-icon-wrapper">
            <Icon size={24} className="card-icon" />
          </div>
          <div className="card-content">
            <h3>{card.value}</h3>
            <p className="card-title">{card.title}</p>
            <span className="card-desc">{card.description}</span>
          </div>
          <div className="card-gradient-border"></div>
        </div>
      );
    })}
  </div>
);
};
export default DashboardCards;

```

File: Client\src\pages\user\components\Sidebar.css

```
.users-sidebar {  
  width: 280px;  
  min-height: 100vh;  
  background-color: #ffffff;  
  display: flex;  
  flex-direction: column;  
  padding: 24px;  
  box-shadow: 4px 0 24px rgba(0, 0, 0, 0.04);  
  position: fixed;  
  left: 0;  
  top: 0;  
  z-index: 10;  
}  
.users-sidebar-logo {  
  margin-bottom: 40px;  
  padding-left: 12px;  
}  
.users-sidebar-logo h2 {  
  font-size: 24px;  
  font-weight: 700;  
  color: #1e293b;  
  background: linear-gradient(135deg, #4f46e5, #7c3aed);  
  -webkit-background-clip: text;  
  background-clip: text;  
  -webkit-text-fill-color: transparent;  
  margin: 0;  
}  
.users-sidebar-nav ul {  
  list-style: none;  
  padding: 0;  
  margin: 0;
```

```
display: flex;
flex-direction: column;
gap: 8px;
}
.users-sidebar-link {
display: flex;
align-items: center;
gap: 12px;
width: 100%;
padding: 12px 16px;
border-radius: 12px;
background: transparent;
border: none;
color: #64748b;
font-size: 15px;
font-weight: 500;
cursor: pointer;
transition: all 0.3s ease;
text-align: left;
}
.users-sidebar-link:hover {
background-color: #f8fafc;
color: #3b82f6;
transform: translateX(4px);
}
.users-sidebar-icon {
flex-shrink: 0;
}
li.active .users-sidebar-link {
background: linear-gradient(135deg, rgba(79, 70, 229, 0.1), rgba(124, 58, 237, 0.1));
color: #4f46e5;
```

```
font-weight: 600;
}
li.active .users-sidebar-link .users-sidebar-icon {
  color: #4f46e5;
}
.users-sidebar-footer {
  margin-top: auto;
  padding-top: 24px;
  border-top: 1px solid #e2e8f0;
}
.users-sidebar-logout {
  display: flex;
  align-items: center;
  gap: 12px;
  width: 100%;
  padding: 12px 16px;
  border-radius: 12px;
  background: transparent;
  border: none;
  color: #ef4444;
  font-size: 15px;
  font-weight: 500;
  cursor: pointer;
  transition: all 0.3s ease;
}
.users-sidebar-logout:hover {
  background-color: #fef2f2;
}
@media (max-width: 1024px) {
  .users-sidebar {
    width: 80px;
```

```
padding: 24px 12px;
}
.users-sidebar-logo h2,
.users-sidebar-link span,
.users-sidebar-logout span {
  display: none;
}
.users-sidebar-link {
  justify-content: center;
  padding: 12px;
}
}
```

File: Client\src\pages\user\components\Sidebar.jsx

```
import React from 'react';
import {
  LayoutDashboard,
  User,
  Shield,
  CalendarDays,
  Heart,
  CreditCard,
  LogOut
} from 'lucide-react';
import './Sidebar.css';
const Sidebar = ({ activeTab = 'Overview', setActiveTab }) => {
  const menuItems = [
    { name: 'Overview', icon: LayoutDashboard },
    { name: 'My Profile', icon: User },
    { name: 'Security', icon: Shield },
```

```

{ name: 'My Bookings', icon: CalendarDays },
{ name: 'Wishlist', icon: Heart },
{ name: 'Payments', icon: CreditCard },
];

const handleLogout = () => {
  sessionStorage.removeItem('token');
  sessionStorage.removeItem('user');
  window.location.href = '/login';
};

return (
  <aside className="users-sidebar">
    <div className="users-sidebar-logo">
      <h2 style={{ display: 'flex', alignItems: 'center', gap: '8px' }}>
        User Dashboard
      </h2>
    </div>
    <nav className="users-sidebar-nav">
      <ul>
        {menuItems.map((item) => {
          const Icon = item.icon;
          return (
            <li key={item.name} className={activeTab === item.name ? 'active' : ''}>
              <button
                className="users-sidebar-link"
                onClick={() => setActiveTab && setActiveTab(item.name)}
              >
                <Icon className="users-sidebar-icon" size={20} />
                <span>{item.name}</span>
              </button>
            </li>
          );
        })}
      </ul>
    </nav>
  </aside>
);

```

```

    }}
  </ul>
</nav>
<div className="users-sidebar-footer">
  <button className="users-sidebar-logout" onClick={handleLogout}>
    <LogOut className="users-sidebar-icon" size={20} />
    <span>Logout</span>
  </button>
</div>
</aside>
);
};
export default Sidebar;

```

****File: Client\src\pages\user\login.css****

```

@import
url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@400;600&family=DM+Serif+Text:wght@300;400;500&display=swap');

.login-root {
  position: relative;
  width: 100%;
  height: 100%;
  display: flex;
  align-items: center;
  justify-content: center;
  background:
    linear-gradient(rgba(0, 0, 0, 0.25), rgba(0, 0, 0, 0.4)),
    url("../assets/login.png");
  background-size: cover;
  background-position: center;

```

```

background-repeat: no-repeat;
overflow: hidden;
}
.login-card {
position: relative;
width: 100%;
max-width: 400px;
padding: 20px 24px;
border-radius: 18px;
background: rgba(10, 6, 2, 0.52);
border: 1px solid rgba(212, 175, 127, 0.25);
box-shadow:
  0 0 0 1px rgba(0, 0, 0, 0.3),
  0 20px 60px rgba(0, 0, 0, 0.5),
  inset 0 1px 0 rgba(212, 175, 127, 0.1);
backdrop-filter: blur(14px);
animation: cardReveal 0.7s cubic-bezier(0.16, 1, 0.3, 1) both;
}
@keyframes cardReveal {
from {
opacity: 0;
transform: translateY(24px) scale(0.97);
}
to {
opacity: 1;
transform: translateY(0) scale(1);
}
}
.login-header {
margin-bottom: 12px;
}

```



```
.login-header h1 {  
  font-family: 'Cormorant Garamond', serif;  
  font-size: 26px;  
  font-weight: 600;  
  color: #f5ece0;  
  margin-bottom: 4px;  
  margin-top: 15px;  
  line-height: 1.2;  
}  
  
.login-header p {  
  font-size: 12px;  
  color: rgba(245, 236, 224, 0.5);  
  font-weight: 300;  
  letter-spacing: 0.3px;  
  margin-bottom: 17px;  
}  
  
.login-field-wrap {  
  position: relative;  
  margin-bottom: 15px;  
  animation: fadeSlide 0.5s ease both;  
}  
  
.login-field-wrap input {  
  width: 100%;  
  padding: 10px 38px;  
  border-radius: 10px;  
  background: rgba(255, 255, 255, 0.04);  
  border: 1px solid rgba(255, 255, 255, 0.08);  
  color: #f5ece0;  
  font-family: 'DM Sans', sans-serif;  
  font-size: 13px;  
  outline: none;
```

```
    transition: all 0.25s ease;
}

.login-field-wrap input::placeholder {
    color: rgba(245, 236, 224, 0.5);
    font-weight: 300;
}

.login-field-wrap input:hover {
    background: rgba(255, 255, 255, 0.06);
    border-color: rgba(212, 175, 127, 0.15);
}

.login-field-focused input {
    background: rgba(212, 175, 127, 0.06);
    border-color: #d4af7f;
    box-shadow: 0 0 3px rgba(212, 175, 127, 0.08);
}

.login-field-error input {
    border-color: rgba(255, 107, 107, 0.5) !important;
    background: rgba(255, 107, 107, 0.05) !important;
}

.login-field-icon {
    position: absolute;
    left: 11px;
    top: 11px;
    width: 15px;
    height: 15px;
    color: rgba(245, 236, 224, 0.5);
    pointer-events: none;
    transition: color 0.25s ease;
}

.login-field-icon svg {
    width: 100%;
```

```
height: 100%;
}
.login-field-focused .login-field-icon {
  color: #d4af7f;
}
.login-field-error .login-field-icon {
  color: #ff6b6b;
}
.login-eye-btn {
  position: absolute;
  right: 10px;
  top: 9px;
  background: none;
  border: none;
  cursor: pointer;
  color: rgba(245, 236, 224, 0.5);
  padding: 2px;
  display: flex;
  align-items: center;
  transition: color 0.2s;
}
.login-eye-btn:hover {
  color: #d4af7f;
}
.login-field-error-msg {
  display: block;
  font-size: 11px;
  color: #ff9a9a;
  margin-top: 3px;
  padding-left: 3px;
  animation: fadeSlide 0.2s ease both;
```

```
}  
.login-submit-btn {  
  width: 100%;  
  padding: 11px;  
  margin-top: 4px;  
  border-radius: 10px;  
  border: none;  
  background: linear-gradient(135deg, #d4af7f 0%, #a67c52 100%);  
  color: #0a0602;  
  font-family: 'DM Sans', sans-serif;  
  font-size: 14px;  
  font-weight: 500;  
  letter-spacing: 0.5px;  
  cursor: pointer;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  gap: 8px;  
  transition: all 0.25s ease;  
}  
.login-submit-btn:hover {  
  transform: translateY(-1px);  
  box-shadow: 0 8px 24px rgba(212, 175, 127, 0.3);  
  background: linear-gradient(135deg, #e8c99a 0%, #b8905e 100%);  
}  
.login-submit-btn:active {  
  transform: scale(0.98);  
}  
.login-submit-btn:disabled {  
  opacity: 0.7;  
  cursor: not-allowed;
```

```
    transform: none;
}
.login-msg {
    padding: 8px 12px;
    border-radius: 8px;
    font-size: 12px;
    margin-bottom: 12px;
    animation: fadeSlide 0.3s ease both;
}
.login-msg-error {
    background: rgba(255, 107, 107, 0.1);
    border: 1px solid rgba(255, 107, 107, 0.3);
    color: #ff9a9a;
}
.login-msg-success {
    background: rgba(107, 203, 119, 0.1);
    border: 1px solid rgba(107, 203, 119, 0.3);
    color: #8eeaa0;
}
.login-forgot {
    text-align: center;
    margin-top: 12px;
}
.login-forgot span {
    color: #d4af7f;
    font-size: 12px;
    cursor: pointer;
    font-weight: 500;
    transition: color 0.2s ease;
}
.login-forgot span:hover {
```

```
    color: #e8c99a;
}

.login-bottom-link {
    text-align: center;
    font-size: 12px;
    color: rgba(245, 236, 224, 0.5);
    font-weight: 300;
    margin-top: 16px;
}

.login-bottom-link a {
    color: #d4af7f;
    text-decoration: none;
    font-weight: 500;
    transition: color 0.2s ease;
}

.login-bottom-link a:hover {
    color: #e8c99a;
    text-decoration: underline;
}

.login-modal-overlay {
    position: fixed;
    top: 0;
    left: 0;
    width: 100vw;
    height: 100vh;
    background: rgba(0, 0, 0, 0.7);
    display: flex;
    justify-content: center;
    align-items: center;
    z-index: 999;
    backdrop-filter: blur(4px);
```

```

}

.login-modal-box {
  background: rgba(10, 6, 2, 0.92);
  border: 1px solid rgba(212, 175, 127, 0.25);
  border-radius: 18px;
  padding: 32px 28px;
  width: 360px;
  box-shadow: 0 20px 60px rgba(0, 0, 0, 0.6);
  animation: cardReveal 0.4s cubic-bezier(0.16, 1, 0.3, 1) both;
}

.login-modal-box h2 {
  font-family: 'Cormorant Garamond', serif;
  color: #f5ece0;
  font-size: 22px;
  margin-bottom: 6px;
}

.login-modal-box p {
  color: rgba(245, 236, 224, 0.5);
  font-size: 12px;
  margin-bottom: 20px;
}

.login-modal-cancel {
  width: 100%;
  padding: 11px;
  margin-top: 10px;
  border-radius: 10px;
  border: 1px solid rgba(212, 175, 127, 0.2);
  background: transparent;
  color: rgba(245, 236, 224, 0.5);
  font-size: 13px;
  cursor: pointer;
}

```

```
transition: all 0.2s;
font-family: 'DM Sans', sans-serif;
}
.login-modal-cancel:hover {
border-color: rgba(212, 175, 127, 0.4);
color: #d4af7f;
}
.login-spinner {
width: 16px;
height: 16px;
border: 2px solid rgba(10, 6, 2, 0.3);
border-top-color: #0a0602;
border-radius: 50%;
animation: spin 0.7s linear infinite;
}
@keyframes spin {
to {
transform: rotate(360deg);
}
}
@keyframes fadeSlide {
from {
opacity: 0;
transform: translateY(10px);
}
to {
opacity: 1;
transform: translateY(0);
}
}
@media (max-width: 480px) {
```



```

.login-card {
  padding: 22px 18px;
  margin: 0 1rem;
}

.login-header h1 {
  font-size: 22px;
}
}

```

File: Client\src\pages\user\login.jsx

```

import { useState } from "react";
import { useNavigate, Link, useLocation } from "react-router-dom";
import "./login.css";
function Login() {
  const location = useLocation();
  const navigate = useNavigate();
  const [form, setForm] = useState({ email: "", password: "" });
  const [errors, setErrors] = useState({});
  const [loading, setLoading] = useState(false);
  const [showPassword, setShowPassword] = useState(false);
  const [focused, setFocused] = useState("");
  const [showForgotModal, setShowForgotModal] = useState(false);
  const [forgotEmail, setForgotEmail] = useState("");
  const [forgotMessage, setForgotMessage] = useState("");
  const [forgotError, setForgotError] = useState("");
  const [isSending, setIsSending] = useState(false);
  const handleChange = (e) => {
    setForm({ ...form, [e.target.name]: e.target.value });
    if (errors[e.target.name]) setErrors({ ...errors, [e.target.name]: "" });
  };
}

```

```

const validate = () => {
  const newErrors = {};
  if (!form.email.match(/^[^\s@]+@[^\s@]+\.[^\s@]+$/))
    newErrors.email = "Enter a valid email address";
  if (form.password.length < 6)
    newErrors.password = "Password must be at least 6 characters";
  return newErrors;
};

const handleSubmit = async (e) => {
  e.preventDefault();
  const validationErrors = validate();
  if (Object.keys(validationErrors).length > 0) {
    setErrors(validationErrors);
    return;
  }
  setLoading(true);
  try {
    const res = await fetch("http://localhost:5000/api/users/login", {
      method: "POST",
      headers: { "Content-Type": "application/json" },
      body: JSON.stringify(form),
    });
    const data = await res.json();
    if (res.ok && data.token) {
      sessionStorage.setItem("token", data.token);
      setErrors({ success: "Login successful! Redirecting..." });
      let redirectPath = location.state?.from;
      if (!redirectPath) {
        redirectPath = data.user?.role === "admin" ? "/admin/dashboard" : "/home";
      }
      const redirectState = location.state?.searchState || {};

```

```

    setTimeout(() => navigate(redirectPath, { state: redirectState }), 1500);
  } else {
    setErrors({ api: data.message || "Invalid email or password" });
  }
} catch {
  setErrors({ api: "Server unreachable. Please try again later." });
} finally {
  setLoading(false);
}
};

const handleForgotPassword = async () => {
  if (!forgotEmail.match(/^[^\s@]+@[^\s@]+\.[^\s@]+$/)) {
    setForgotError("Enter a valid email address");
    return;
  }
  setIsSending(true);
  setForgotMessage("");
  setForgotError("");
  try {
    const res = await fetch(
      "http://localhost:5000/api/users/forgot-password",
      {
        method: "POST",
        headers: { "Content-Type": "application/json" },
        body: JSON.stringify({ email: forgotEmail }),
      },
    );
    const data = await res.json();
    if (res.ok) {
      setForgotMessage("Reset link sent! Check your email.");
    } else {

```

```

    setForgotError(data.message || "Email not found.");
  }
} catch {
  setForgotError("Something went wrong. Try again.");
} finally {
  setIsSending(false);
}
};

const EyeIcon = ({ open }) => (
  <svg
    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="1.8"
    style={{ width: 18, height: 18 }}
  >
    {open ? (
      <>
        <path d="M17.94 17.94A10.07 10.07 0 0 1 12 20c-7 0-11-8-11-8a18.45 18.45 0 0 1 5.06-5.94"
        />
        <path d="M9.9 4.24A9.12 9.12 0 0 1 12 4c7 0 11 8 11 8a18.5 18.5 0 0 1-2.16 3.19" />
        <line x1="1" y1="1" x2="23" y2="23" />
      </>
    ) : (
      <>
        <path d="M1 12s4-8 11-8 11 8 4-11 8-11-8-11-8z" />
        <circle cx="12" cy="12" r="3" />
      </>
    )}
  </svg>
);

```

```

return (
  <div className="login-root">
    <div className="orb orb-1" />
    <div className="orb orb-2" />
    <div className="orb orb-3" />
    <div className="login-card">
      {location.state?.message && (
        <div className="login-msg login-msg-error">
          {location.state.message}
        </div>
      )}
      <div className="login-header">
        <h1>Welcome Back</h1>
        <p>Sign in to continue your experience.</p>
      </div>
      {errors.api && (
        <div className="login-msg login-msg-error">{errors.api}</div>
      )}
      {errors.success && (
        <div className="login-msg login-msg-success">{errors.success}</div>
      )}
      <form onSubmit={handleSubmit} noValidate>
        <div
          className={`login-field-wrap ${focused === "email" ? "login-field-focused" : ""} ${errors.email
            ? "login-field-error" : ""}`}
        >
          <div className="login-field-icon">
            <svg
              viewBox="0 0 24 24"
              fill="none"
              stroke="currentColor"

```

```

        strokeWidth="1.8"
      >
      <rect x="2" y="4" width="20" height="16" rx="2" />
      <path d="m22 7-8.97 5.7a1.94 1.94 0 0 1-2.06 0L2 7" />
    </svg>
  </div>
  <input
    type="email"
    name="email"
    placeholder="Email Address"
    value={form.email}
    onChange={handleChange}
    onFocus={() => setFocused("email")}
    onBlur={() => setFocused("")}
    autoComplete="off"
  />
  {errors.email && (
    <span className="login-field-error-msg">{errors.email}</span>
  )}
</div>
<div
  className={`login-field-wrap ${focused === "password" ? "login-field-focused" : ""}
${errors.password ? "login-field-error" : ""}`}
>
  <div className="login-field-icon">
    <svg
      viewBox="0 0 24 24"
      fill="none"
      stroke="currentColor"
      strokeWidth="1.8"
    >

```

```

    <rect x="3" y="11" width="18" height="11" rx="2" ry="2" />
    <path d="M7 11V7a5 5 0 0 1 10 0v4" />
  </svg>
</div>
<input
  type={showPassword ? "text" : "password"}
  name="password"
  placeholder="Password"
  value={form.password}
  onChange={handleChange}
  onFocus={() => setFocused("password")}
  onBlur={() => setFocused("")}
  autoComplete="off"
/>
<button
  type="button"
  className="login-eye-btn"
  onClick={() => setShowPassword(!showPassword)}
  tabIndex={-1}
>
  <EyeIcon open={showPassword} />
</button>
{errors.password && (
  <span className="login-field-error-msg">{errors.password}</span>
)}
</div>
<button type="submit" className="login-submit-btn" disabled={loading}>
  {loading ? (
    <span className="login-spinner" />
  ) : (
    <>

```

```

    <span>Sign In</span>

    <svg
      viewBox="0 0 24 24"
      fill="none"
      stroke="currentColor"
      strokeWidth="2"
      style={{ width: 18, height: 18 }}
    >
      <path d="M5 12h14M12 5l7 7 7 7" />
    </svg>
  </>
)}
</button>
</form>
<div className="login-forgot">
  <span onClick={() => setShowForgotModal(true)}>Forgot Password?</span>
</div>
<p className="login-bottom-link">
  Don't have an account? <Link to="/register">Sign up</Link>
</p>
</div>
{showForgotModal && (
  <div className="login-modal-overlay">
    <div className="login-modal-box">
      <h2>Reset Password</h2>
      <p>Enter your registered email. We'll send a reset link.</p>
      <div
        className={`login-field-wrap ${forgotError ? "login-field-error" : ""}`}
      >
        <div className="login-field-icon">
          <svg

```



```

    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="1.8"
  >
    <rect x="2" y="4" width="20" height="16" rx="2" />
    <path d="m22 7-8.97 5.7a1.94 1.94 0 0 1-2.06 0L2 7" />
  </svg>
</div>
<input
  type="email"
  placeholder="Email Address"
  value={forgotEmail}
  onChange={(e) => {
    setForgotEmail(e.target.value);
    setForgotError("");
  }}
/>
{forgotError && (
  <span className="login-field-error-msg">{forgotError}</span>
)}
</div>
{forgotMessage && (
  <div className="login-msg login-msg-success">{forgotMessage}</div>
)}
<button
  onClick={handleForgotPassword}
  disabled={isSending}
  className="login-submit-btn"
>
  {isSending ? (

```

```

        <span className="login-spinner" />
      ) : (
        <span>Send Reset Link</span>
      )}
    </button>
    <button
      onClick={() => {
        setShowForgotModal(false);
        setForgotMessage("");
        setForgotEmail("");
        setForgotError("");
      }}
      className="login-modal-cancel"
    >
      Cancel
    </button>
  </div>
</div>
)}
</div>
);
}
export default Login;

```

File: Client\src\pages\user\myBookings.css

```

.bookings-page-wrapper {
  background-color: #f7f9fc;
  min-height: 100vh;
  font-family: 'Inter', sans-serif;
  padding-bottom: 80px;
}

```

```
}  
.my-bookings-ultra-container {  
  max-width: 1200px;  
  margin: 0 auto;  
  padding: 140px 20px 20px;  
}  
.bookings-hero {  
  margin-bottom: 40px;  
  text-align: left;  
}  
.hero-content h1 {  
  font-size: 46px;  
  font-weight: 800;  
  color: #0b1c3d;  
  margin-bottom: 10px;  
  letter-spacing: -1.5px;  
}  
.hero-content p {  
  font-size: 18px;  
  color: #64748b;  
  font-weight: 400;  
}  
.bookings-tabs {  
  display: flex;  
  gap: 15px;  
  margin-bottom: 40px;  
  border-bottom: 1px solid #e2e8f0;  
  padding-bottom: 15px;  
}  
.tab-btn {  
  background: transparent;
```

```
border: none;
font-size: 16px;
font-weight: 600;
color: #64748b;
padding: 10px 20px;
cursor: pointer;
border-radius: 30px;
transition: all 0.3s ease;
display: flex;
align-items: center;
gap: 10px;
}
.tab-btn:hover {
  color: #0b1c3d;
  background: #f1f5f9;
}
.tab-btn.active {
  background: #0b1c3d;
  color: #fff;
  box-shadow: 0 4px 15px rgba(11, 28, 61, 0.2);
}
.tab-btn .badge {
  background: rgba(255, 255, 255, 0.2);
  padding: 2px 8px;
  border-radius: 20px;
  font-size: 12px;
}
.tab-btn:not(.active) .badge {
  background: #e2e8f0;
  color: #475569;
}
```

```
.lux-booking-grid {  
  display: grid;  
  grid-template-columns: 1fr;  
  gap: 40px;  
}  
  
.lux-booking-card {  
  display: flex;  
  background: #fff;  
  border-radius: 24px;  
  overflow: hidden;  
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.04);  
  border: 1px solid rgba(255, 255, 255, 0.8);  
  transition: transform 0.4s cubic-bezier(0.16, 1, 0.3, 1), box-shadow 0.4s ease;  
}  
  
.lux-booking-card:hover {  
  transform: translateY(-5px);  
  box-shadow: 0 30px 60px rgba(0, 0, 0, 0.08);  
}  
  
.lux-booking-image {  
  flex: 0 0 35%;  
  position: relative;  
  overflow: hidden;  
  min-height: 280px;  
}  
  
.lux-booking-image img {  
  position: absolute;  
  top: 0;  
  left: 0;  
  width: 100%;  
  height: 100%;  
  object-fit: cover;
```

```

    transition: transform 0.6s ease;
}

.lux-booking-card:hover .lux-booking-image img {
    transform: scale(1.05);
}

.lux-status-badge {
    position: absolute;
    top: 25px;
    left: 25px;
    padding: 8px 18px;
    border-radius: 30px;
    font-size: 13px;
    font-weight: 700;
    letter-spacing: 0.5px;
    text-transform: uppercase;
    backdrop-filter: blur(10px);
}

.status-Confirmed {
    background: rgba(30, 255, 110, 0.85);
    color: #004d1a;
}

.status-Pending,
.status-Pending_Payment {
    background: rgba(255, 215, 0, 0.85);
    color: #665200;
}

.status-Cancelled {
    background: rgba(255, 60, 60, 0.85);
    color: #fff;
}

.lux-booking-content {

```

```
flex: 1;
padding: 40px;
display: flex;
flex-direction: column;
justify-content: space-between;
}

.lux-resort-title h2 {
font-size: 28px;
font-weight: 800;
color: #0b1c3d;
margin: 0 0 8px 0;
}

.lux-resort-title p {
color: #64748b;
font-size: 15px;
display: flex;
align-items: center;
gap: 6px;
margin: 0;
}

.lux-stay-dates {
display: flex;
align-items: center;
margin: 30px 0;
background: #f8fafc;
padding: 20px 30px;
border-radius: 16px;
border: 1px solid #e2e8f0;
}

.date-block {
display: flex;
```

```
flex-direction: column;
flex: 1;
}
.date-block span {
font-size: 12px;
color: #94a3b8;
font-weight: 600;
letter-spacing: 1px;
margin-bottom: 6px;
}
.date-block strong {
font-size: 18px;
color: #0f172a;
}
.text-right {
text-align: right;
}
.date-divider {
width: 40px;
height: 2px;
background: #cbd5e1;
position: relative;
}
.date-divider::after {
content: "";
position: absolute;
right: 0;
top: -4px;
border: solid #cbd5e1;
border-width: 0 2px 2px 0;
display: inline-block;
```



```
padding: 4px;
transform: rotate(-45deg);
}
.lux-booking-footer {
display: flex;
justify-content: space-between;
align-items: flex-end;
border-top: 1px solid #f1f5f9;
padding-top: 25px;
}
.lux-price-info {
display: flex;
flex-direction: column;
}
.lux-price-label {
font-size: 13px;
color: #64748b;
margin-bottom: 4px;
}
.lux-price-value {
font-size: 32px;
font-weight: 800;
color: #f7a02d;
line-height: 1;
}
.lux-room-type {
font-size: 14px;
color: #64748b;
margin-top: 8px;
}
.lux-actions {
```

```
display: flex;
gap: 15px;
}
.lux-btn-cancel {
background: #fff0f0;
color: #dc2626;
border: 1px solid #fecaca;
padding: 12px 24px;
border-radius: 12px;
font-weight: 600;
font-size: 14px;
cursor: pointer;
transition: all 0.2s ease;
}
.lux-btn-cancel:hover:not(:disabled) {
background: #fee2e2;
}
.lux-btn-cancel:disabled {
opacity: 0.5;
cursor: not-allowed;
}
.lux-btn-outline {
padding: 12px 24px;
background: #fff;
color: #0b1c3d;
border: 1px solid #cbd5e1;
border-radius: 12px;
font-weight: 600;
text-decoration: none;
font-size: 14px;
transition: all 0.2s ease;
```

```
}  
  
.lux-btn-outline:hover {  
  background: #f8fafc;  
  border-color: #94a3b8;  
}  
  
.lux-empty-state {  
  text-align: center;  
  padding: 100px 20px;  
  background: #fff;  
  border-radius: 24px;  
  box-shadow: 0 10px 30px rgba(0, 0, 0, 0.02);  
}  
  
.empty-icon-ring {  
  width: 80px;  
  height: 80px;  
  background: #f1f5f9;  
  border-radius: 50%;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  margin: 0 auto 25px;  
  color: #94a3b8;  
}  
  
.lux-empty-state h2 {  
  font-size: 26px;  
  color: #0f172a;  
  margin-bottom: 10px;  
}  
  
.lux-empty-state p {  
  color: #64748b;  
  margin-bottom: 30px;
```

```
}  
  
.lux-btn-primary {  
  display: inline-block;  
  padding: 14px 32px;  
  background: #f7a02d;  
  color: #fff;  
  font-weight: 700;  
  border-radius: 30px;  
  text-decoration: none;  
  box-shadow: 0 10px 20px rgba(247, 160, 45, 0.2);  
  transition: all 0.3s ease;  
}  
  
.lux-btn-primary:hover {  
  transform: translateY(-2px);  
  box-shadow: 0 15px 25px rgba(247, 160, 45, 0.3);  
}  
  
.lux-loader-container {  
  display: flex;  
  justify-content: center;  
  padding: 100px 0;  
}  
  
.lux-spinner {  
  width: 50px;  
  height: 50px;  
  border: 4px solid #f1f5f9;  
  border-top-color: #f7a02d;  
  border-radius: 50%;  
  animation: spin 1s infinite linear;  
}  
  
.lux-error {  
  display: flex;
```

```
align-items: center;
justify-content: center;
gap: 10px;
background: #fef2f2;
color: #991b1b;
padding: 20px;
border-radius: 12px;
border: 1px solid #fecaca;
margin-top: 40px;
}
@keyframes spin {
  to {
    transform: rotate(360deg);
  }
}
@media (max-width: 900px) {
  .lux-booking-card {
    flex-direction: column;
  }
  .lux-booking-image {
    height: 250px;
  }
  .lux-booking-content {
    padding: 30px 20px;
  }
  .lux-booking-footer {
    flex-direction: column;
    align-items: flex-start;
    gap: 20px;
  }
  .lux-actions {
```

```

width: 100%;
flex-direction: column;
}
.lux-btn-cancel,
.lux-btn-outline {
width: 100%;
text-align: center;
}
}

```

File: Client\src\pages\user\myBookings.jsx

```

import React, { useState, useEffect } from 'react';
import { Link, useNavigate } from 'react-router-dom';
import Navbar from '../components/Navbar';
import './myBookings.css';
export default function MyBookings() {
  const [bookings, setBookings] = useState([]);
  const [loading, setLoading] = useState(true);
  const [error, setError] = useState(null);
  const [activeTab, setActiveTab] = useState('upcoming');
  const [cancellingId, setCancellingId] = useState(null);
  const navigate = useNavigate();
  useEffect(() => {
    fetchBookings();
  }, []);
  const fetchBookings = async () => {
    const token = sessionStorage.getItem('token');
    if (!token) {
      navigate('/login');
    }
    return;
  };

```

```

    }
    try {
      const response = await fetch(`http://${window.location.hostname}:5000/api/bookings/my-bookings`, {
        headers: { 'Authorization': `Bearer ${token}` }
      });
      const data = await response.json();
      if (!response.ok) throw new Error(data.message || 'Failed to fetch bookings');
      setBookings(data.bookings);
    } catch (err) {
      setError(err.message);
    } finally {
      setLoading(false);
    }
  };

  const handleCancelBooking = async (bookingId) => {
    if (!window.confirm("Are you sure you want to cancel this booking? This action cannot be undone.")) return;
    setCancellingId(bookingId);
    const token = sessionStorage.getItem('token');
    try {
      const response = await
      fetch(`http://${window.location.hostname}:5000/api/bookings/cancel/${bookingId}`, {
        method: 'PUT',
        headers: {
          'Authorization': `Bearer ${token}`,
          'Content-Type': 'application/json'
        }
      });
    } catch (err) {
      setError(err.message || 'Failed to cancel booking');
    }
    const data = await response.json();
    if (!response.ok) throw new Error(data.message || 'Failed to cancel booking');
    alert("Booking has been successfully cancelled.");
  };

```

```

    fetchBookings();
  } catch (err) {
    alert(err.message);
  } finally {
    setCancellingId(null);
  }
};

const handleDownloadInvoice = (booking) => {
  let customerName = 'Valued Guest';
  try {
    const userObj = JSON.parse(localStorage.getItem('user') || sessionStorage.getItem('user'));
    if (userObj && userObj.name) customerName = userObj.name;
  } catch (e) {}
  const resortName = booking.resort?.name || 'Resort Stay';
  const locationObj = booking.resort?.location;
  const amount = booking.totalAmount || booking.price || 0;
  const bookingId = booking._id ? ('HRES' + booking._id.slice(-8).toUpperCase()) : ('NH' +
Math.floor(Math.random() * 100000000));
  const invoiceNo = 'M06HL' + Math.floor(Math.random() * 1000000000);
  const invoiceDate = new Date().toLocaleDateString('en-GB', { day: '2-digit', month: 'short', year:
'numeric' });
  const formatWithDay = (dStr) => {
    const d = new Date(dStr);
    return d.toLocaleDateString('en-GB', { weekday: 'short', day: '2-digit', month: 'short', year:
'numeric' });
  }
  const checkInTime = formatWithDay(booking.checkInDate || booking.dates?.split(' - ')[0]);
  const checkOutTime = formatWithDay(booking.checkOutDate || booking.dates?.split(' - ')[1]);
  const displayGuestName = booking.guestName || customerName;
  let addonsTotal = 0;
  let addonsHtml = '';
  if (booking.addons && booking.addons.length > 0) {

```



```

booking.addons.forEach(addon => {
  const itemTotal = addon.price * (addon.quantity || 1);
  addonsTotal += itemTotal;
  addonsHtml += `
    <div class="payment-row">
      <span>${addon.title} (x${addon.quantity || 1})</span>
      <span>₹${itemTotal.toLocaleString('en-IN')}.00</span>
    </div>`;
});
}

const preTaxAmount = amount / 1.18;
const taxes = amount - preTaxAmount;
const baseAmount = preTaxAmount - addonsTotal;
const invoiceWindow = window.open('', '_blank');
invoiceWindow.document.write(`
<html>
<head>
<style>
  @media print {
    @page { margin: 0; size: A4; }
    body {
      margin: 1.5cm !important;
      padding: 0 !important;
      overflow: hidden !important;
    }
    .invoice-container {
      page-break-inside: avoid;
      page-break-after: avoid;
      page-break-before: avoid;
    }
  }
`);

```

```

body { font-family: Arial, sans-serif; padding: 30px; font-size: 11px; color: #000; }

.invoice-container { max-width: 800px; margin: 0 auto; }

.header-row { display: flex; justify-content: space-between; align-items: flex-start; margin-bottom: 30px; }

.header-left { width: 33%; }

.header-left h1 { font-size: 20px; margin: 0; font-weight: bold; letter-spacing: 0.5px; }

.header-center { width: 33%; text-align: center; }

.center-logo { display: inline-flex; align-items: center; justify-content: center; flex-direction: column; }

.logo-h { font-family: 'Times New Roman', serif; font-size: 36px; margin: 0; line-height: 1; }

.logo-text { font-size: 9px; letter-spacing: 2px; margin-top: 4px; font-weight: bold; }

.header-right { width: 33%; display: flex; flex-direction: column; align-items: flex-end; text-align: right; font-size: 10px; line-height: 1.4; }

.header-right img { width: 100px; height: 100px; }

.grid-wrapper { display: flex; justify-content: space-between; }

.grid-left { flex: 1; display: grid; grid-template-columns: 1fr 1fr; gap: 15px 10px; padding-right: 20px; }

.grid-right { display: flex; flex-direction: column; align-items: flex-end; gap: 12px; width: 240px; text-align: right; }

.grid-right img { width: 100px; height: 100px; }

.address-block { font-size: 9px; line-height: 1.5; color: #333; }

.info-block { display: flex; flex-direction: column; margin-bottom: 5px; }

.info-block .label { color: #555; font-size: 10px; margin-bottom: 2px; }

.info-block .value { font-weight: bold; font-size: 11px; }

.hr-dashed { border: none; border-top: 1px dashed #000; margin: 20px 0; }

.grid-3-col { display: grid; grid-template-columns: 1fr 1fr 1fr; gap: 10px; }

.grid-4-col-hotel { display: grid; grid-template-columns: 1.5fr 1fr 1.5fr 1.5fr; gap: 10px; }

.payment-header { display: flex; align-items: center; text-align: center; margin: 25px 0 15px 0; font-weight: bold; font-size: 11px; letter-spacing: 1px; }

.payment-header::before, .payment-header::after { content: ""; flex: 1; border-bottom: 1px dashed #000; }

.payment-header::before { margin-right: 15px; }

.payment-header::after { margin-left: 15px; }

```

```

.payment-table { width: 100%; border: 1px solid #000; border-radius: 6px; overflow: hidden;
border-spacing: 0; }

.payment-row { display: flex; justify-content: space-between; padding: 8px 15px; border-
bottom: 1px dashed #eee; }

.payment-row:last-child { border-bottom: none; }

.payment-row-sm { padding: 0 15px 8px 15px; font-size: 9px; color: #555; }

.payment-row.bold { font-weight: bold; border-bottom: 1px dashed #eee; }

.text-red { color: #d32f2f; }

.border-top { border-top: 1px solid #000; }

.grand-total { font-weight: bold; font-size: 12px; padding: 12px 15px; display: flex; justify-
content: space-between; background-color: #fafafa; }

.footer-note { font-weight: bold; margin-top: 20px; font-size: 11px; line-height: 1.5; }

.terms-header { display: flex; align-items: center; text-align: center; margin: 30px 0 15px 0; font-
weight: bold; font-size: 10px; letter-spacing: 1px; }

.terms-header::before, .terms-header::after { content: ""; flex: 1; border-bottom: 1px dashed
#000; }

.terms-header::before { margin-right: 15px; }

.terms-header::after { margin-left: 15px; }

.terms-list { font-size: 10px; padding-left: 20px; color: #333; margin: 0; line-height: 1.6; }
</style>
</head>
<body>
<div class="invoice-container">
  <div class="header-row">
    <div class="header-left">
      <h1>TAX INVOICE</h1>
    </div>
    <div class="header-center">
      <div class="center-logo">
        <p class="logo-h">H</p>
        <p class="logo-text">RESORT</p>
      </div>
    </div>
  </div>
</div>

```

```

<div class="header-right">
  <div class="address-block" style="text-align: right;">
    <strong>H RESORT ONLINE BOOKING NETWORK</strong><br/>
    Corporate Headquarters: SG Highway,<br/>
    Nadiad, Gujarat, 387001<br/>
    hresort.stay@mail.com<br/>
    support.hresort@gmail.com
  </div>
</div>
<div class="grid-wrapper">
  <div class="grid-left">
    <div class="info-block"><span class="label">Booking ID</span><span
class="value">${bookingId.toUpperCase()}</span></div>
    <div class="info-block"><span class="label">PAN</span><span
class="value">AADCM5146R</span></div>
    <div class="info-block"><span class="label">Invoice No.</span><span
class="value">${invoiceNo}</span></div>
    <div class="info-block"><span class="label">HSN/SAC</span><span
class="value">998552</span></div>
    <div class="info-block"><span class="label">Date</span><span
class="value">${invoiceDate}</span></div>
    <div class="info-block"><span class="label">GSTIN</span><span
class="value">24AADCM5146R1Z3</span></div>
    <div class="info-block"><span class="label">Place of Supply</span><span
class="value">GUJARAT</span></div>
    <div class="info-block"><span class="label">CIN</span><span
class="value">U63040HR2000PTC090846</span></div>
    <div class="info-block"><span class="label">Transactional Type/Category</span><span
class="value">REG/B2C</span></div>
    <div class="info-block"><span class="label">Service Description</span><span
class="value">Reservation service for accommodation</span></div>
    <div class="info-block"><span class="label">Transactional Details</span><span
class="value">RG</span></div>

```

```

    <div class="info-block"><span class="label">Tax Payable under RCM</span><span
class="value">No</span></div>

    </div>

    <div class="grid-right">

    </div>

</div>

<hr class="hr-dashed" />

<div class="info-block"><span class="label">Customer Name</span><span class="value"
style="font-size: 14px;">${displayGuestName}</span></div>

<hr class="hr-dashed" />

<div class="grid-4-col-hotel">

    <div class="info-block"><span class="label">Hotel Name</span><span
class="value">${resortName}<br/><span style="font-weight:normal; font-
size:9px;">${booking.roomTypeTitle} || 'Standard Room'</span></span></div>

    <div class="info-block"><span class="label">Hotel City</span><span
class="value">${locationObj?.city} || 'Goa'</span></div>

    <div class="info-block"><span class="label">Check-in</span><span
class="value">${checkInTime}, 2:00 PM</span></div>

    <div class="info-block"><span class="label">Check-Out</span><span
class="value">${checkOutTime}, 11:00 AM</span></div>

</div>

<div class="payment-header">PAYMENT BREAKUP</div>

<div class="payment-table">

    <div class="payment-row bold">

        <span>*Accomodation Charges</span>

        <span>₹${Math.round(baseAmount).toLocaleString('en-IN')}.00</span>

    </div>

    ${addonsHtml}

    <div class="payment-row bold">

        <span>Taxes & Fees (18%)</span>

        <span>₹${Math.round(taxes).toLocaleString('en-IN')}.00</span>

    </div>

```

```

<div class="border-top grand-total">
  <span>Grand Total</span>
  <span>₹${amount.toLocaleString('en-IN')}.00</span>
</div>
</div>
<div class="footer-note">

```

Input tax credit of GST charged by the original service provider is available only against the invoice issued by the respective service provider. H Resort acts only as a facilitator for these services.

This is not a valid travel document

```
</div>
```

```
<div class="terms-header">TERMS & CONDITIONS</div>
```

```
<ol class="terms-list">
```

Any dispute with respect to the invoice is to be reported back to H Resort within 48 hours of receipt of invoice.

QR code for B2B and SEZ category invoices can only be scanned using app downloaded from the link

This is system generated invoice and does not require signatures.

```
</ol>
```

```
</div>
```

```
<script>>window.onload = function() { window.print(); }</script>
```

```
</body>
```

```
</html>
```

```
`);
```

```
invoiceWindow.document.close();
```

```
};
```

```
const formatDate = (dateString) => {
```

```
  const options = { day: '2-digit', month: 'long', year: 'numeric' };
```

```
  return new Date(dateString).toLocaleDateString('en-US', options);
```

```
};
```

```
const now = new Date();
```

```
const upcomingBookings = bookings.filter(b =>
```

```

(b.status === "Confirmed" || b.status === "Pending_Payment") &&
new Date(b.checkOutDate) >= now
);
const pastBookings = bookings.filter(b =>
  b.status === "Cancelled" ||
  b.status === "Expired" ||
  b.status === "Completed" ||
  new Date(b.checkOutDate) < now
);
const displayedBookings = activeTab === 'upcoming' ? upcomingBookings : pastBookings;
return (
  <div className="bookings-page-wrapper">
    <Navbar />
    <div className="my-bookings-ultra-container">
      <div className="bookings-hero">
        <div className="hero-content">
          <h1>My Journeys</h1>
          <p>Manage your upcoming escapes and past memories.</p>
        </div>
      </div>
      <div className="bookings-tabs">
        <button
          className={`tab-btn ${activeTab === 'upcoming' ? 'active' : ''}`}
          onClick={() => setActiveTab('upcoming')}
        >
          Upcoming Escapes
          <span className="badge">{upcomingBookings.length}</span>
        </button>
        <button
          className={`tab-btn ${activeTab === 'past' ? 'active' : ''}`}
          onClick={() => setActiveTab('past')}

```

```

>
  Past & Cancelled

  <span className="badge">{pastBookings.length}</span>

</button>

</div>

{loading ? (

  <div className="lux-loader-container">

    <div className="lux-spinner"></div>

  </div>

) : error ? (

  <div className="lux-error">

    <svg viewBox="0 0 24 24" width="24" height="24" fill="none" stroke="currentColor"
strokeWidth="2"><circle cx="12" cy="12" r="10"></circle><line x1="12" y1="8" x2="12"
y2="12"></line><line x1="12" y1="16" x2="12.01" y2="16"></line></svg>

    {error}

  </div>

) : displayedBookings.length === 0 ? (

  <div className="lux-empty-state">

    <div className="empty-icon-ring">

      <svg viewBox="0 0 24 24" width="32" height="32" fill="none" stroke="currentColor"
strokeWidth="1.5"><path d="M21 16V8a2 2 0 0 1-1.73l-7-4a2 2 0 0 2 0l-7 4A2 2 0 0 3 8v8a2 2
0 0 1 1.73l7 4a2 2 0 0 2 0l7-4A2 2 0 0 21 16z"></path><polyline points="3.27 6.96 12 12.01
20.73 6.96"></polyline><line x1="12" y1="22.08" x2="12" y2="12"></line></svg>

    </div>

    <h2>No {activeTab === 'upcoming' ? 'Upcoming' : 'Past'} Journeys</h2>

    <p>Your itinerary is currently empty.</p>

    {activeTab === 'upcoming' && <Link to="/resorts" className="lux-btn-primary">Discover
Resorts</Link>}

  </div>

) : (

  <div className="lux-booking-grid">

    {displayedBookings.map((booking) => (

      <div key={booking._id} className="lux-booking-card">

```



```

<div className="lux-booking-image">
  <img
    src={booking.resort?.images?.[0] || 'https://via.placeholder.com/600x400?text=Resort'}
    alt={booking.resort?.name || 'Resort'}
  />
  <div className={`lux-status-badge status-${booking.status}`}>
    {booking.status.replace('_', ' ')}
  </div>
</div>
<div className="lux-booking-content">
  <div className="lux-resort-title">
    <h2>{booking.resort?.name || 'Grand Resort'}</h2>
    <p>
      <svg viewBox="0 0 24 24" width="14" height="14" fill="none" stroke="currentColor"
strokeWidth="2"><path d="M21 10c0 7-9 13s-9-6-9-13a9 9 0 0 1 18 0z"></path><circle cx="12"
cy="10" r="3"></circle></svg>
      {booking.resort?.location?.city || 'Location unavailable'}
    </p>
  </div>
  <div className="lux-stay-dates">
    <div className="date-block">
      <span>CHECK-IN</span>
      <strong>{formatDate(booking.checkInDate)}</strong>
    </div>
    <div className="date-divider"></div>
    <div className="date-block text-right">
      <span>CHECK-OUT</span>
      <strong>{formatDate(booking.checkOutDate)}</strong>
    </div>
  </div>
  <div className="lux-booking-footer">

```

```

<div className="lux-price-info">
  <span className="lux-price-label">Total Amount</span>
  <strong className="lux-price-
value">₹{booking.totalAmount?.toLocaleString()}</strong>
  <span className="lux-room-type">{booking.roomTypeTitle}</span>
</div>
<div className="lux-actions">
  {(booking.status === "Confirmed" || booking.status === "Pending_Payment") && (
    <button
      className="lux-btn-cancel"
      onClick={() => handleCancelBooking(booking._id)}
      disabled={cancellingId === booking._id}
    >
      {cancellingId === booking._id ? 'Cancelling...' : 'Cancel Booking'}
    </button>
  )}
  {(booking.status === "Confirmed" || booking.status === "Completed") && (
    <button
      className="lux-btn-outline"
      onClick={() => handleDownloadInvoice(booking)}
      style={{ borderColor: '#f59e0b', color: '#f59e0b' }}
    >
      Download Invoice
    </button>
  )}
  <Link to={`/${resort}/${booking.resort?._id}`} className="lux-btn-outline">
    View Resort
  </Link>
</div>
</div>
</div>

```

```

        </div>
      )}
    </div>
  })
</div>
</div>
);
}

```

File: Client\src\pages\user\pages\Bookings.jsx

```

import React, { useState, useEffect } from 'react';
import BookingCard from '../components/BookingCard';
export default function Bookings({ hideNavbar = false }) {
  const [bookings, setBookings] = useState([]);
  const [loading, setLoading] = useState(true);
  const [filter, setFilter] = useState('All Status');
  useEffect(() => {
    const fetchBookings = async () => {
      try {
        const token = sessionStorage.getItem('token');
        if (!token) return;
        const res = await fetch('http://localhost:5000/api/bookings/my-bookings', {
          headers: { 'Authorization': `Bearer ${token}` }
        });
        const data = await res.json();
        if (res.ok) {
          setBookings(data.bookings || []);
        }
      } catch (err) {

```

```

    console.error("Error fetching bookings", err);
  } finally {
    setLoading(false);
  }
};

fetchBookings();
}, []);

const filteredBookings = bookings.filter(booking => {
  if (filter === 'All Status') return true;
  if (filter === 'Confirmed') return booking.status === 'Confirmed' || booking.status ===
'Pending_Payment';
  if (filter === 'Completed') return booking.status === 'Completed';
  if (filter === 'Cancelled') return booking.status === 'Cancelled';
  return true;
});

return (
  <div style={{ backgroundColor: '#fff', padding: hideNavbar ? '0' : '32px', borderRadius: hideNavbar
? '0' : '20px', boxShadow: hideNavbar ? 'none' : '0 4px 6px -1px rgba(0,0,0,0.05)' }}>
    <div style={{ display: 'flex', justifyContent: 'space-between', alignItems: 'center', marginBottom:
'32px' }}>
      <div>
        <h2 style={{ marginTop: 0, marginBottom: '8px', color: '#0f172a' }}>My Bookings</h2>
        <p style={{ margin: 0, color: '#64748b' }}>A complete history of your resort stays.</p>
      </div>
      <div style={{ display: 'flex', gap: '12px' }}>
        <select
          value={filter}
          onChange={(e) => setFilter(e.target.value)}
          style={{ padding: '10px 16px', borderRadius: '10px', border: '1px solid #e2e8f0', background:
'white', color: '#0f172a', fontWeight: '500', cursor: 'pointer' }}
          >
            <option>All Status</option>

```

```

    <option>Confirmed</option>
    <option>Completed</option>
    <option>Cancelled</option>
  </select>
</div>
</div>
{loading ? (
  <p style={{ color: '#64748b' }}>Loading your bookings...</p>
) : filteredBookings.length > 0 ? (
  <div style={{ display: 'grid', gridTemplateColumns: 'repeat(auto-fill, minmax(320px, 1fr))', gap:
'24px' }}>
    {filteredBookings.map(booking => (
      <BookingCard key={booking._id} booking={booking} />
    ))}
  </div>
) : (
  <div style={{ padding: '40px', background: '#f8fafc', borderRadius: '16px', textAlign: 'center' }}>
    <p style={{ color: '#64748b', margin: 0 }}>You have no bookings matching this status.</p>
  </div>
  )}
</div>
);
}

```

File: Client\src\pages\user\pages\Dashboard.css

```

.dashboard-layout {
  display: flex;
  min-height: 100vh;
  background-color: #f8fafc;
  font-family: 'Inter', -apple-system, sans-serif;
}

```

```
}  
.dashboard-main {  
  flex-grow: 1;  
  margin-left: 280px;  
  padding: 40px;  
  max-width: 1400px;  
}  
.dashboard-header {  
  display: flex;  
  justify-content: space-between;  
  align-items: flex-start;  
  margin-bottom: 40px;  
}  
.header-greeting h1 {  
  font-size: 28px;  
  font-weight: 700;  
  color: #0f172a;  
  margin: 0 0 8px 0;  
}  
.header-greeting p {  
  color: #64748b;  
  margin: 0;  
  font-size: 15px;  
}  
.header-actions {  
  display: flex;  
  align-items: center;  
  gap: 16px;  
}  
.btn-icon {  
  width: 40px;
```

```
height: 40px;
border-radius: 50%;
background: #ffffff;
border: 1px solid #e2e8f0;
display: flex;
align-items: center;
justify-content: center;
color: #475569;
cursor: pointer;
position: relative;
transition: all 0.2s ease;
}

.btn-icon:hover {
  background: #f1f5f9;
  color: #0f172a;
}

.notification-dot {
  position: absolute;
  top: 10px;
  right: 12px;
  width: 8px;
  height: 8px;
  background-color: #ef4444;
  border-radius: 50%;
  border: 2px solid #ffffff;
}

.btn-primary {
  display: flex;
  align-items: center;
  gap: 8px;
  background: linear-gradient(135deg, #4f46e5, #7c3aed);
```

```
color: white;
border: none;
padding: 10px 20px;
border-radius: 12px;
font-weight: 600;
font-size: 15px;
cursor: pointer;
transition: opacity 0.2s ease;
}
.btn-primary:hover {
  opacity: 0.9;
}
.btn-secondary {
  display: flex;
  align-items: center;
  gap: 8px;
  background: #ffffff;
  color: #475569;
  border: 1px solid #cbd5e1;
  padding: 10px 20px;
  border-radius: 12px;
  font-weight: 600;
  font-size: 15px;
  cursor: pointer;
  transition: all 0.2s ease;
}
.btn-secondary:hover {
  background: #f1f5f9;
  color: #0f172a;
  border-color: #94a3b8;
}
```



```
.user-avatar {  
  width: 44px;  
  height: 44px;  
  border-radius: 50%;  
  overflow: hidden;  
  border: 2px solid #ffffff;  
  box-shadow: 0 2px 4px rgba(0,0,0,0.1);  
  margin-left: 8px;  
}  
.user-avatar img {  
  width: 100%;  
  height: 100%;  
  object-fit: cover;  
}  
.dashboard-content-grid {  
  display: grid;  
  grid-template-columns: 1.2fr 1fr;  
  gap: 32px;  
}  
.dashboard-content-grid.single-col {  
  grid-template-columns: 1fr;  
}  
.section-header {  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  margin-bottom: 20px;  
}  
.section-header h2 {  
  font-size: 20px;  
  font-weight: 600;
```

```
color: #0f172a;
margin: 0;
}
.btn-text {
background: transparent;
border: none;
color: #4f46e5;
font-weight: 600;
font-size: 14px;
cursor: pointer;
}
.btn-text:hover {
text-decoration: underline;
}
.recent-bookings-list {
display: flex;
flex-direction: column;
gap: 16px;
}
@media (max-width: 1024px) {
.dashboard-main {
margin-left: 80px;
padding: 24px;
}
.dashboard-content-grid {
grid-template-columns: 1fr;
}
}
@media (max-width: 768px) {
.dashboard-header {
flex-direction: column;
```

```

    gap: 20px;
  }
  .header-actions {
    width: 100%;
    justify-content: space-between;
  }
}

```

File: Client\src\pages\user\pages\Dashboard.jsx

```

import React, { useState, useEffect } from 'react';
import { useNavigate } from 'react-router-dom';
import Sidebar from '../components/Sidebar';
import DashboardCards from '../components/DashboardCards';
import BookingCard from '../components/BookingCard';
import Profile from './Profile';
import Security from './Security';
import Wishlist from './Wishlist';
import Payments from './Payments';
import MyBookings from './Bookings';
import { isStayCompleted } from '../utils/stayPolicy';
import { Plus, Search, Bell, Home } from 'lucide-react';
import './Dashboard.css';
export default function Dashboard() {
  const [activeTab, setActiveTab] = useState('Overview');
  const navigate = useNavigate();
  const [stats, setStats] = useState({ total: 0, upcoming: 0, completed: 0, reviewsPending: 0 });
  const [loading, setLoading] = useState(true);
  const [recentBookings, setRecentBookings] = useState([]);
  const [upcomingBooking, setUpcomingBooking] = useState(null);

```

```

const [userProfile, setUserProfile] = useState({ name: 'User' });
useEffect(() => {
  const fetchUserProfile = async () => {
    try {
      const token = sessionStorage.getItem('token');
      if (!token) return;
      const response = await fetch('http://localhost:5000/api/users/profile', {
        headers: { 'Authorization': `Bearer ${token}` }
      });
      const data = await response.json();
      if (response.ok && data.user) {
        setUserProfile(data.user);
        sessionStorage.setItem('user', JSON.stringify(data.user));
      }
    } catch (err) {
      console.error("Error fetching user profile", err);
    }
  };
  fetchUserProfile();
  const fetchStats = async () => {
    const token = sessionStorage.getItem('token');
    if (!token) {
      navigate('/login');
      return;
    }
    try {
      const response = await fetch('http://localhost:5000/api/bookings/my-bookings', {
        headers: { 'Authorization': `Bearer ${token}` }
      });
      const data = await response.json();
      if (response.ok && data.bookings) {

```

```

const bookings = data.bookings;

const total = bookings.length;

const upcomingBookings = bookings.filter(b =>
  (b.status === "Confirmed" || b.status === "Pending_Payment") && !isStayCompleted(b)
);

const upcoming = upcomingBookings.length;

const completed = bookings.filter(b => isStayCompleted(b)).length;

const reviewsPending = bookings.filter(b =>
  b.status === "Confirmed" && isStayCompleted(b) && !b.hasReview
).length;

setStats({ total, upcoming, completed, reviewsPending });

const mappedBookings = bookings.map(b => ({
  id: b._id,
  resortName: b.resort?.name || 'Resort Stay',
  location: b.resort?.address || 'Unknown Location',
  dates: `${new Date(b.checkInDate).toLocaleDateString()} - ${new
Date(b.checkOutDate).toLocaleDateString()}`,
  status: b.status,
  image: b.resort?.images?.[0]?.url || "https://images.unsplash.com/photo-1499793983690-
e29da59ef1c2?auto=format&fit=crop&q=80&w=800"
}));

setRecentBookings(mappedBookings.slice(0, 3));

if (upcomingBookings.length > 0) {
  const nextBooking = upcomingBookings[0];
  setUpcomingBooking({
    id: nextBooking._id,
    resortName: nextBooking.resort?.name || 'Resort Stay',
    location: nextBooking.resort?.address || 'Unknown Location',
    dates: `${new Date(nextBooking.checkInDate).toLocaleDateString()} - ${new
Date(nextBooking.checkOutDate).toLocaleDateString()}`,
    status: nextBooking.status,

```

```

        image: nextBooking.resort?.images?.[0]?.url || "https://images.unsplash.com/photo-1540541338287-41700207dee6?auto=format&fit=crop&q=80&w=800"
      });
    }
  }
} catch (err) {
  console.error("Failed to fetch dashboard stats", err);
} finally {
  setLoading(false);
}
};
if (activeTab === 'Overview') {
  fetchStats();
}
}, [activeTab, navigate]);
const renderContent = () => {
  switch (activeTab) {
    case 'My Profile':
      return <Profile />;
    case 'Security':
      return <Security />;
    case 'My Bookings':
      return <div style={{ background: '#fff', borderRadius: '20px', padding: '20px', overflow: 'hidden' }}><MyBookings hideNavbar={true} /></div>;
    case 'Wishlist':
      return <Wishlist />;
    case 'Payments':
      return <Payments />;
    case 'Overview':
    default:
      return (

```

```

</>

<DashboardCards stats={stats} />

<div className="dashboard-content-grid single-col">

  <div className="dashboard-main-col">

    <div className="section-header">

      <h2>Recent Bookings</h2>

      <button className="btn-text" onClick={() => setActiveTab('My Bookings')}>View
All</button>

    </div>

    <div className="recent-bookings-list-horizontal">

      {loading ? (

        <p>Loading recent bookings...</p>

      ) : recentBookings.length > 0 ? (

        <div style={{ display: 'grid', gridTemplateColumns: 'repeat(auto-fill, minmax(300px, 1fr))',
gap: '24px' }}>

          {recentBookings.map(booking => (

            <BookingCard key={booking.id} booking={booking} />

          ))}

        </div>

      ) : (

        <div style={{ padding: '40px', background: '#fff', borderRadius: '20px', textAlign: 'center',
color: '#64748b' }}>

          <p>No recent bookings.</p>

        </div>

      )}

    </div>

  </div>

</div>

</>

);

}

};

```

```

return (
  <div className="dashboard-layout">
    <Sidebar activeTab={activeTab} setActiveTab={setActiveTab} />
    <main className="dashboard-main">
      <header className="dashboard-header">
        <div className="header-greeting">
          <h1>Welcome {userProfile.name}, </h1>
          <p>Manage your luxurious stays and explore new destinations.</p>
        </div>
        <div className="header-actions">
          <button className="btn-secondary" onClick={() => navigate('/')}>
            <Home size={20} />
            Back to Home
          </button>
          <button className="btn-primary" onClick={() => navigate('/search')}>
            <Plus size={20} />
            Book New Stay
          </button>
        </div>
      </header>
      <div className="dashboard-content">
        {renderContent()}
      </div>
    </main>
  </div>
);
}

```

File: Client\src\pages\user\pages\Payments.jsx

```
import React, { useState, useEffect } from 'react';
```



```

import { CreditCard, CheckCircle2, XCircle, Clock } from 'lucide-react';

export default function Payments() {
  const [payments, setPayments] = useState([]);
  const [loading, setLoading] = useState(true);
  useEffect(() => {
    const fetchPayments = async () => {
      try {
        const token = sessionStorage.getItem('token');
        if (!token) {
          setLoading(false);
          return;
        }
        const res = await fetch('http://localhost:5000/api/payments/my-payments', {
          headers: { Authorization: `Bearer ${token}` }
        });
        const data = await res.json();
        if (res.ok) {
          setPayments(data.payments || []);
        }
      } catch (err) {
        console.error("Error fetching payments", err);
      } finally {
        setLoading(false);
      }
    };
    fetchPayments();
  }, []);

  const getStatusIcon = (status) => {
    switch (status) {
      case 'Success': return <CheckCircle2 size={16} color="#16a34a" />;
      case 'Failed': return <XCircle size={16} color="#dc2626" />;
    }
  };
}

```

```

    default: return <Clock size={16} color="#f59e0b" />;
  }
};

const getStatusColor = (status) => {
  switch (status) {
    case 'Success': return { bg: '#dcfce7', text: '#166534' };
    case 'Failed': return { bg: '#fee2e2', text: '#991b1b' };
    default: return { bg: '#fef3c7', text: '#92400e' };
  }
};

return (
  <div style={{ backgroundColor: '#fff', padding: '32px', borderRadius: '20px', boxShadow: '0 4px 6px
-1px rgba(0,0,0,0.05)' }}>
    <h2 style={{ marginTop: 0, marginBottom: '24px', color: '#0f172a' }}>Payment History</h2>
    {loading ? (
      <p style={{ color: '#64748b' }}>Loading your payment history...</p>
    ) : payments.length > 0 ? (
      <div style={{ overflowX: 'auto' }}>
        <table style={{ width: '100%', borderCollapse: 'collapse', textAlign: 'left', fontSize: '15px' }}>
          <thead>
            <tr style={{ borderBottom: '2px solid #f1f5f9', color: '#64748b' }}>
              <th style={{ padding: '16px 8px', fontWeight: '600' }}>Date</th>
              <th style={{ padding: '16px 8px', fontWeight: '600' }}>Resort</th>
              <th style={{ padding: '16px 8px', fontWeight: '600' }}>Transaction ID</th>
              <th style={{ padding: '16px 8px', fontWeight: '600' }}>Amount</th>
              <th style={{ padding: '16px 8px', fontWeight: '600' }}>Status</th>
            </tr>
          </thead>
          <tbody>
            {payments.map(payment => {
              const statusColors = getStatusColor(payment.status);

```

```

return (
  <tr key={payment._id} style={{ borderBottom: '1px solid #f8fafc', transition: 'background-
color 0.2s', ':hover': { backgroundColor: '#f8fafc' } }}>
    <td style={{ padding: '16px 8px', color: '#475569' }}>
      {new Date(payment.createdAt).toLocaleDateString(undefined, { year: 'numeric', month:
'short', day: 'numeric' })}
    </td>
    <td style={{ padding: '16px 8px', color: '#0f172a', fontWeight: '500' }}>
      {payment.booking?.resort?.name || 'Resort Stay'}
    </td>
    <td style={{ padding: '16px 8px', color: '#64748b', fontFamily: 'monospace' }}>
      {payment.razorpay_payment_id || payment.razorpay_order_id}
    </td>
    <td style={{ padding: '16px 8px', color: '#0f172a', fontWeight: '600' }}>
      ₹{payment.amount?.toLocaleString()}
    </td>
    <td style={{ padding: '16px 8px' }}>
      <div style={{
        display: 'inline-flex',
        alignItems: 'center',
        gap: '6px',
        padding: '6px 12px',
        borderRadius: '20px',
        backgroundColor: statusColors.bg,
        color: statusColors.text,
        fontSize: '13px',
        fontWeight: '600'
      }}>
        {getStatusIcon(payment.status)}
        {payment.status}
      </div>
    </td>
  </tr>
)

```

```

        </td>
      </tr>
    );
  }}}
</tbody>
</table>
</div>
) : (
  <div style={{ textAlign: 'center', minHeight: '300px', display: 'flex', flexDirection: 'column',
justifyContent: 'center', alignItems: 'center', background: '#f8f9fa', borderRadius: '16px' }}>
    <CreditCard size={48} color="#cbd5e1" style={{ marginBottom: '16px' }} />
    <h3 style={{ marginTop: 0, marginBottom: '12px', color: '#0f172a' }}>No Payment History</h3>
    <p style={{ color: '#64748b', marginBottom: '24px', maxWidth: '400px' }}>Your past transactions
and payment records will appear here.</p>
  </div>
)}
</div>
);
}

```

File: Client\src\pages\user\pages\Profile.jsx

```

import React, { useState, useEffect } from 'react';
export default function Profile() {
  const [user, setUser] = useState({ name: '', email: '', phone: '' });
  const [status, setStatus] = useState({ type: '', message: '' });
  const [loading, setLoading] = useState(false);
  useEffect(() => {
    const fetchProfile = async () => {
      try {
        const token = sessionStorage.getItem('token');

```

```

if (!token) return;

const response = await fetch('http://localhost:5000/api/users/profile', {
  headers: { 'Authorization': `Bearer ${token}` }
});

const data = await response.json();

if (response.ok && data.user) {
  setUser(data.user);
  sessionStorage.setItem('user', JSON.stringify(data.user));
}
} catch (err) {
  console.error("Error fetching profile", err);
}
};

fetchProfile();
}, []);

const handleChange = (e) => {
  setUser({ ...user, [e.target.name]: e.target.value });
};

const handleSubmit = async (e) => {
  e.preventDefault();
  setLoading(true);
  setStatus({ type: "", message: "" });
  try {
    const token = sessionStorage.getItem('token');
    const response = await fetch('http://localhost:5000/api/users/update-profile', {
      method: 'PUT',
      headers: {
        'Content-Type': 'application/json',
        'Authorization': `Bearer ${token}`
      },
      body: JSON.stringify({ name: user.name, phone: user.phone })
    });
  }

```

```

});

const data = await response.json();

if (response.ok) {
  setStatus({ type: 'success', message: 'Profile updated successfully!' });
  sessionStorage.setItem('user', JSON.stringify({ ...user, ...data.user }));
} else {
  setStatus({ type: 'error', message: data.message || 'Failed to update profile' });
}
} catch (err) {
  setStatus({ type: 'error', message: 'Something went wrong. Please try again later.' });
} finally {
  setLoading(false);
}
};

return (
  <div style={{ backgroundColor: '#fff', padding: '32px', borderRadius: '20px', boxShadow: '0 4px 6px -1px rgba(0,0,0,0.05)' }}>
    <h2 style={{ marginTop: 0, marginBottom: '24px', color: '#0f172a' }}>My Profile</h2>
    <p style={{ color: '#64748b', marginBottom: '32px' }}>Manage your personal information and preferences.</p>
    {status.message && (
      <div style={{
        padding: '12px 16px',
        marginBottom: '24px',
        borderRadius: '8px',
        backgroundColor: status.type === 'success' ? '#dcfce7' : '#fee2e2',
        color: status.type === 'success' ? '#166534' : '#991b1b',
        fontSize: '14px'
      }}>
        {status.message}
      </div>
    )}
  </div>

```

```

}}

<form onSubmit={handleSubmit} style={{ display: 'grid', gap: '20px', maxWidth: '600px' }}>

  <div>

    <label style={{ display: 'block', marginBottom: '8px', fontSize: '14px', fontWeight: '500', color:
'#475569' }}>Full Name</label>

    <input
      type="text"
      name="name"
      value={user.name || ''}
      onChange={handleChange}
      style={{ width: '100%', padding: '12px 16px', borderRadius: '12px', border: '1px solid #e2e8f0',
fontSize: '15px' }}
      required
    />
  </div>

  <div>

    <label style={{ display: 'block', marginBottom: '8px', fontSize: '14px', fontWeight: '500', color:
'#475569' }}>Email Address</label>

    <input
      type="email"
      value={user.email || ''}
      disabled
      style={{ width: '100%', padding: '12px 16px', borderRadius: '12px', border: '1px solid #e2e8f0',
fontSize: '15px', backgroundColor: '#f8fafc', color: '#94a3b8' }}
    />
  </div>

  <div>

    <label style={{ display: 'block', marginBottom: '8px', fontSize: '14px', fontWeight: '500', color:
'#475569' }}>Phone Number</label>

    <input
      type="tel"
      name="phone"
      value={user.phone || ''}

```

```

      onChange={handleChange}

      style={{ width: '100%', padding: '12px 16px', borderRadius: '12px', border: '1px solid #e2e8f0',
fontSize: '15px' }}
      required
    />
  </div>
  <button
    type="submit"
    disabled={loading}
    style={{
      marginTop: '12px',
      padding: '12px 24px',
      background: loading ? '#94a3b8' : 'linear-gradient(135deg, #4f46e5, #7c3aed)',
      color: 'white',
      border: 'none',
      borderRadius: '12px',
      fontWeight: '600',
      cursor: loading ? 'not-allowed' : 'pointer',
      width: 'fit-content'
    }}>
    {loading ? 'Saving...' : 'Save Changes'}
  </button>
</form>
</div>
);
}

```

File: Client\src\pages\user\pages\Security.jsx

```

import React, { useState } from 'react';
export default function Security() {

```



```

const [passwords, setPasswords] = useState({ currentPassword: "", newPassword: "",
confirmPassword: "" });

const [status, setStatus] = useState({ type: "", message: "" });

const [loading, setLoading] = useState(false);

const handleChange = (e) => {
  setPasswords({ ...passwords, [e.target.name]: e.target.value });
};

const handleSubmit = async (e) => {
  e.preventDefault();

  if (passwords.newPassword !== passwords.confirmPassword) {
    setStatus({ type: 'error', message: 'New passwords do not match' });
    return;
  }

  setLoading(true);
  setStatus({ type: "", message: "" });

  try {
    const token = sessionStorage.getItem('token');

    const response = await fetch('http://localhost:5000/api/users/update-password', {
      method: 'PUT',
      headers: {
        'Content-Type': 'application/json',
        'Authorization': `Bearer ${token}`
      },
      body: JSON.stringify({
        currentPassword: passwords.currentPassword,
        newPassword: passwords.newPassword
      })
    });

    const data = await response.json();

    if (response.ok) {
      setStatus({ type: 'success', message: 'Password updated successfully!' });
    }
  }
};

```

```

    setPasswords({ currentPassword: "", newPassword: "", confirmPassword: "" });
  } else {
    setStatus({ type: 'error', message: data.message || 'Failed to update password' });
  }
} catch (err) {
  setStatus({ type: 'error', message: 'Something went wrong. Please try again later.' });
} finally {
  setLoading(false);
}
};

return (
  <div style={{ backgroundColor: '#fff', padding: '32px', borderRadius: '20px', boxShadow: '0 4px 6px
-1px rgba(0,0,0,0.05)' }}>
    <h2 style={{ marginTop: 0, marginBottom: '24px', color: '#0f172a' }}>Security Settings</h2>
    <p style={{ color: '#64748b', marginBottom: '32px' }}>Update your password and secure your
account.</p>
    {status.message && (
      <div style={{
        padding: '12px 16px',
        marginBottom: '24px',
        borderRadius: '8px',
        backgroundColor: status.type === 'success' ? '#dcfce7' : '#fee2e2',
        color: status.type === 'success' ? '#166534' : '#991b1b',
        fontSize: '14px'
      }}>
        {status.message}
      </div>
    )}
    <form onSubmit={handleSubmit} style={{ display: 'grid', gap: '20px', maxWidth: '600px' }}>
      <div>
        <label style={{ display: 'block', marginBottom: '8px', fontSize: '14px', fontWeight: '500', color:
'#475569' }}>Current Password</label>

```

```

<input
  type="password"
  name="currentPassword"
  value={passwords.currentPassword}
  onChange={handleChange}
  placeholder="Enter current password"
  style={{ width: '100%', padding: '12px 16px', borderRadius: '12px', border: '1px solid #e2e8f0',
fontSize: '15px' }}
  required
/>
</div>
<div>
  <label style={{ display: 'block', marginBottom: '8px', fontSize: '14px', fontWeight: '500', color:
'#475569' }}>New Password</label>
  <input
    type="password"
    name="newPassword"
    value={passwords.newPassword}
    onChange={handleChange}
    placeholder="Enter new password"
    style={{ width: '100%', padding: '12px 16px', borderRadius: '12px', border: '1px solid #e2e8f0',
fontSize: '15px' }}
    required
    minLength={6}
  />
</div>
<div>
  <label style={{ display: 'block', marginBottom: '8px', fontSize: '14px', fontWeight: '500', color:
'#475569' }}>Confirm New Password</label>
  <input
    type="password"
    name="confirmPassword"

```

```

        value={passwords.confirmPassword}

        onChange={handleChange}

        placeholder="Confirm new password"

        style={{ width: '100%', padding: '12px 16px', borderRadius: '12px', border: '1px solid #e2e8f0',
fontSize: '15px' }}

        required

        minLength={6}
    />
</div>
<button
    type="submit"
    disabled={loading}
    style={{
        marginTop: '12px',
        padding: '12px 24px',
        background: loading ? '#94a3b8' : 'linear-gradient(135deg, #4f46e5, #7c3aed)',
        color: 'white',
        border: 'none',
        borderRadius: '12px',
        fontWeight: '600',
        cursor: loading ? 'not-allowed' : 'pointer',
        width: 'fit-content'
    }}>
    {loading ? 'Updating...' : 'Update Password'}
</button>
</form>
</div>
);
}

```

File: Client\src\pages\user\pages\Wishlist.jsx

```

import React, { useState, useEffect } from 'react';
import ResortCard from "../../components/ResortCard";
import { Heart } from 'lucide-react';
export default function Wishlist() {
  const [wishlist, setWishlist] = useState([]);
  const [loading, setLoading] = useState(true);
  useEffect(() => {
    const fetchWishlist = async () => {
      try {
        const token = sessionStorage.getItem('token');
        if (!token) {
          setLoading(false);
          return;
        }
        const res = await fetch('http://localhost:5000/api/users/wishlist', {
          headers: { Authorization: `Bearer ${token}` }
        });
        const data = await res.json();
        if (res.ok) {
          setWishlist(data.wishlist || []);
        }
      } catch (err) {
        console.error("Error fetching wishlist", err);
      } finally {
        setLoading(false);
      }
    };
    fetchWishlist();
  }, []);
  return (

```

```

<div style={{ backgroundColor: '#fff', padding: '32px', borderRadius: '20px', boxShadow: '0 4px 6px
-1px rgba(0,0,0,0.05)' }}>
  <h2 style={{ marginTop: 0, marginBottom: '24px', color: '#0f172a' }}>My Wishlist</h2>
  {loading ? (
    <p style={{ color: '#64748b' }}>Loading your favorite resorts...</p>
  ) : wishlist.length > 0 ? (
    <div style={{
      display: 'grid',
      gridTemplateColumns: 'repeat(auto-fill, minmax(280px, 1fr))',
      gap: '24px',
      marginTop: '24px'
    }}>
      {wishlist.map(resort => (
        <ResortCard key={resort._id} resort={resort} />
      ))}
    </div>
  ) : (
    <div style={{ textAlign: 'center', minHeight: '400px', display: 'flex', flexDirection: 'column',
justifyContent: 'center', alignItems: 'center' }}>
      <Heart size={48} color="#cbd5e1" style={{ marginBottom: '16px' }} />
      <h2 style={{ marginTop: 0, marginBottom: '12px', color: '#0f172a' }}>Your Wishlist is
Empty</h2>
      <p style={{ color: '#64748b', marginBottom: '24px', maxWidth: '400px' }}>Explore our luxurious
resorts and add your favorites here to easily find them later.</p>
      <a href="/" style={{
        padding: '12px 24px',
        background: '#f1f5f9',
        color: '#4f46e5',
        textDecoration: 'none',
        borderRadius: '12px',
        fontWeight: '600',
        cursor: 'pointer',

```

```

    }}>
    Explore Resorts
  </a>
</div>
}}
</div>
);
}

```

File: Client\src\pages\user\register.css

```

@import
url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@400;600&family=DM+Sans:wght@300;400;500&display=swap');
*,
*::before,
*::after {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
:root {
  --gold: #d4af7f;
  --gold-light: #e8c99a;
  --gold-border: rgba(212, 175, 127, 0.25);
  --text-primary: #f5ece0;
  --text-muted: rgba(245, 236, 224, 0.5);
  --error: #ff6b6b;
  --success: #6bcb77;

```

```
}  
html,  
body,  
#root {  
  margin: 0;  
  padding: 0;  
  height: 100%;  
  font-family: 'DM Sans', sans-serif;  
}  
.register-page {  
  height: 100vh;  
  overflow: hidden;  
}  
.register-root {  
  position: relative;  
  width: 100%;  
  height: 100%;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  height: 100%;  
  overflow: hidden;  
  background:  
    linear-gradient(rgba(0, 0, 0, 0.25), rgba(0, 0, 0, 0.4)),  
    url("../assets/register.png");  
  background-size: cover;  
  background-position: center;  
  background-repeat: no-repeat;  
}  
.orb {  
  position: absolute;
```



```
border-radius: 50%;  
filter: blur(80px);  
pointer-events: none;  
animation: drift 12s ease-in-out infinite alternate;  
}  
.orb-1 {  
width: 500px;  
height: 500px;  
top: -150px;  
left: -150px;  
background: radial-gradient(circle, rgba(212, 175, 127, 0.1) 0%, transparent 70%);  
animation-duration: 14s;  
}  
.orb-2 {  
width: 400px;  
height: 400px;  
bottom: -100px;  
right: -100px;  
background: radial-gradient(circle, rgba(166, 124, 82, 0.08) 0%, transparent 70%);  
animation-duration: 10s;  
animation-direction: alternate-reverse;  
}  
.orb-3 {  
width: 300px;  
height: 300px;  
top: 50%;  
left: 50%;  
transform: translate(-50%, -50%);  
background: radial-gradient(circle, rgba(212, 175, 127, 0.04) 0%, transparent 70%);  
animation-duration: 18s;  
}
```

```

@keyframes drift {
  from {
    transform: translate(0, 0) scale(1);
  }
  to {
    transform: translate(30px, 20px) scale(1.05);
  }
}

.register-card {
  position: relative;
  width: 100%;
  max-width: 400px;
  padding: 20px 24px;
  border-radius: 18px;
  background: rgba(10, 6, 2, 0.52);
  border: 1px solid var(--gold-border);
  box-shadow:
    0 0 0 1px rgba(0, 0, 0, 0.3),
    0 20px 60px rgba(0, 0, 0, 0.5),
    inset 0 1px 0 rgba(212, 175, 127, 0.1);
  backdrop-filter: blur(14px);
  animation: cardReveal 0.7s cubic-bezier(0.16, 1, 0.3, 1) both;
}

@keyframes cardReveal {
  from {
    opacity: 0;
    transform: translateY(24px) scale(0.97);
  }
  to {
    opacity: 1;
    transform: translateY(0) scale(1);
  }
}

```

```
}  
}  
.card-header {  
  margin-bottom: 12px;  
  animation: fadeSlide 0.5s ease both;  
}  
.card-header h1 {  
  font-family: 'Cormorant Garamond', serif;  
  font-size: 26px;  
  font-weight: 600;  
  color: var(--text-primary);  
  margin-bottom: 4px;  
  margin-top: 15px;  
  line-height: 1.2;  
}  
.card-header p {  
  font-size: 12px;  
  color: var(--text-muted);  
  font-weight: 300;  
  letter-spacing: 0.3px;  
  margin-bottom: 17px;  
}  
@keyframes fadeSlide {  
  from {  
    opacity: 0;  
    transform: translateY(10px);  
  }  
  to {  
    opacity: 1;  
    transform: translateY(0);  
  }  
}
```

```
}  
  
.msg {  
  padding: 8px 12px;  
  border-radius: 8px;  
  font-size: 12px;  
  margin-bottom: 12px;  
  animation: fadeSlide 0.3s ease both;  
}  
  
.msg-error {  
  background: rgba(255, 107, 107, 0.1);  
  border: 1px solid rgba(255, 107, 107, 0.3);  
  color: #ff9a9a;  
}  
  
.msg-success {  
  background: rgba(107, 203, 119, 0.1);  
  border: 1px solid rgba(107, 203, 119, 0.3);  
  color: #8eeaa0;  
}  
  
.field-wrap {  
  position: relative;  
  margin-bottom: 15px;  
  animation: fadeSlide 0.5s ease both;  
}  
  
.field-wrap input {  
  width: 100%;  
  padding: 10px 38px;  
  border-radius: 10px;  
  background: rgba(255, 255, 255, 0.04);  
  border: 1px solid rgba(255, 255, 255, 0.08);  
  color: var(--text-primary);  
  font-family: 'DM Sans', sans-serif;
```

```
font-size: 13px;
outline: none;
transition: all 0.25s ease;
}

.field-wrap input::placeholder {
color: var(--text-muted);
font-weight: 300;
}

.field-wrap input:hover {
background: rgba(255, 255, 255, 0.06);
border-color: rgba(212, 175, 127, 0.15);
}

.field-focused input {
background: rgba(212, 175, 127, 0.06);
border-color: var(--gold);
box-shadow: 0 0 0 3px rgba(212, 175, 127, 0.08);
}

.field-error input {
border-color: rgba(255, 107, 107, 0.5) !important;
background: rgba(255, 107, 107, 0.05) !important;
}

.field-icon {
position: absolute;
left: 11px;
top: 11px;
width: 15px;
height: 15px;
color: var(--text-muted);
pointer-events: none;
transition: color 0.25s ease;
}
```

```
.field-icon svg {  
  width: 100%;  
  height: 100%;  
}  
  
.field-focused .field-icon {  
  color: var(--gold);  
}  
  
.field-error .field-icon {  
  color: var(--error);  
}  
  
.eye-btn {  
  position: absolute;  
  right: 10px;  
  top: 9px;  
  background: none;  
  border: none;  
  cursor: pointer;  
  color: var(--text-muted);  
  padding: 2px;  
  display: flex;  
  align-items: center;  
  transition: color 0.2s;  
}  
  
.eye-btn:hover {  
  color: var(--gold);  
}  
  
.field-error-msg {  
  display: block;  
  font-size: 11px;  
  color: #ff9a9a;  
  margin-top: 3px;
```

```
padding-left: 3px;
animation: fadeSlide 0.2s ease both;
}
.strength-bar {
display: flex;
align-items: center;
gap: 8px;
margin: -2px 0 10px;
padding: 0 2px;
}
.strength-fill {
height: 2px;
border-radius: 99px;
flex: 1;
transition: all 0.4s ease;
}
.strength-weak {
width: 33%;
background: #ff6b6b;
}
.strength-medium {
width: 66%;
background: #ffd166;
}
.strength-strong {
width: 100%;
background: #6bcb77;
}
.strength-bar span {
font-size: 10px;
color: var(--text-muted);
```

```
min-width: 40px;
text-align: right;
}
.submit-btn {
width: 100%;
padding: 11px;
margin-top: 4px;
border-radius: 10px;
border: none;
background: linear-gradient(135deg, #d4af7f 0%, #a67c52 100%);
color: #0a0602;
font-family: 'DM Sans', sans-serif;
font-size: 14px;
font-weight: 500;
letter-spacing: 0.5px;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
transition: all 0.25s ease;
}
.submit-btn:hover {
transform: translateY(-1px);
box-shadow: 0 8px 24px rgba(212, 175, 127, 0.3);
background: linear-gradient(135deg, #e8c99a 0%, #b8905e 100%);
}
.submit-btn:active {
transform: scale(0.98);
}
.submit-btn:disabled {
opacity: 0.7;
```



```
    cursor: not-allowed;
    transform: none;
}
.spinner {
    width: 16px;
    height: 16px;
    border: 2px solid rgba(10, 6, 2, 0.3);
    border-top-color: #0a0602;
    border-radius: 50%;
    animation: spin 0.7s linear infinite;
}
@keyframes spin {
    to {
        transform: rotate(360deg);
    }
}
.login-link {
    text-align: center;
    font-size: 12px;
    color: var(--text-muted);
    font-weight: 300;
    margin-top: 16px;
}
.login-link a {
    color: var(--gold);
    text-decoration: none;
    font-weight: 500;
    transition: color 0.2s ease;
}
.login-link a:hover {
    color: var(--gold-light);
}
```

```
text-decoration: underline;
}
@media (max-width: 480px) {
  .register-card {
    padding: 22px 18px;
    margin: 0 1rem;
  }
  .card-header h1 {
    font-size: 22px;
  }
}
```

File: Client\src\pages\user\register.jsx

```
import { useState } from "react";
import { useNavigate } from "react-router-dom";
import "./register.css";
function Register() {
  const navigate = useNavigate();
  const [form, setForm] = useState({
    name: "",
    email: "",
    password: "",
    confirmPassword: "",
    phone: "",
  });
  const [errors, setErrors] = useState({});
  const [loading, setLoading] = useState(false);
  const [showPassword, setShowPassword] = useState(false);
  const [showConfirm, setShowConfirm] = useState(false);
  const [focused, setFocused] = useState("");
```

```

const handleChange = (e) => {
  setForm({ ...form, [e.target.name]: e.target.value });
  if (errors[e.target.name]) {
    setErrors({ ...errors, [e.target.name]: "" });
  }
};

const validate = () => {
  const newErrors = {};
  if (!form.name.trim()) newErrors.name = "Full name is required";
  if (!form.email.match(/^[^\s@]+@[^\s@]+\.[^\s@]+$/))
    newErrors.email = "Enter a valid email address";
  if (form.password.length < 6)
    newErrors.password = "Password must be at least 6 characters";
  if (form.password !== form.confirmPassword)
    newErrors.confirmPassword = "Passwords do not match";
  if (!form.phone.match(/^\d{10}$/))
    newErrors.phone = "Enter a valid 10-digit phone number";
  return newErrors;
};

const handleSubmit = async (e) => {
  e.preventDefault();
  const validationErrors = validate();
  if (Object.keys(validationErrors).length > 0) {
    setErrors(validationErrors);
    return;
  }
  setLoading(true);
  try {
    const res = await fetch("http://localhost:5000/api/users/register", {
      method: "POST",
      headers: { "Content-Type": "application/json" },
    });
  }
};

```

```

body: JSON.stringify({
  name: form.name,
  email: form.email,
  password: form.password,
  phone: form.phone,
  role: "user",
}),
});
const data = await res.json();
if (res.ok) {
  setErrors({ success: data.message || "Registered successfully!" });
  setTimeout(() => {
    navigate("/verify-otp", { state: { email: form.email } });
  }, 1500);
} else {
  setErrors({ api: data.message || "Registration failed. Try again." });
}
} catch {
  setErrors({ api: "Server unreachable. Please try again later." });
} finally {
  setLoading(false);
}
};
const fields = [
{
  name: "name",
  type: "text",
  placeholder: "Full Name",
  icon: (
    <svg
      viewBox="0 0 24 24"

```

```

    fill="none"
    stroke="currentColor"
    strokeWidth="1.8"
  >
    <path d="M20 21v-2a4 4 0 0 0-4-4H8a4 4 0 0 0-4 4v2" />
    <circle cx="12" cy="7" r="4" />
  </svg>
),
},
{
  name: "email",
  type: "email",
  placeholder: "Email Address",
  icon: (
    <svg
      viewBox="0 0 24 24"
      fill="none"
      stroke="currentColor"
      strokeWidth="1.8"
    >
      <rect x="2" y="4" width="20" height="16" rx="2" />
      <path d="m22 7-8.97 5.7a1.94 1.94 0 0 1-2.06 0L2 7" />
    </svg>
  ),
},
{
  name: "password",
  type: showPassword ? "text" : "password",
  placeholder: "Password",
  icon: (
    <svg

```

```

    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="1.8"
  >
    <rect x="3" y="11" width="18" height="11" rx="2" ry="2" />
    <path d="M7 11V7a5 5 0 0 1 10 0v4" />
  </svg>
),
toggle: () => setShowPassword(!showPassword),
toggleIcon: showPassword,
},
{
  name: "confirmPassword",
  type: showConfirm ? "text" : "password",
  placeholder: "Confirm Password",
  icon: (
    <svg
      viewBox="0 0 24 24"
      fill="none"
      stroke="currentColor"
      strokeWidth="1.8"
    >
      <path d="M12 22s8-4 8-10V5l-8-3-8 3v7c0 6 8 10 8 10z" />
    </svg>
  ),
  toggle: () => setShowConfirm(!showConfirm),
  toggleIcon: showConfirm,
},
{
  name: "phone",

```

```

type: "tel",
placeholder: "Phone Number",
icon: (
  <svg
    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="1.8"
  >
    <path d="M22 16.92v3a2 2 0 0 1-2.18 2 19.79 19.79 0 0 1-8.63-3.07A19.5 19.5 0 0 1 4.69
13a19.79 19.79 0 0 1-3.07-8.67A2 2 0 0 1 3.6 2h3a2 2 0 0 1 2 1.72c.127.96.361 1.903.7 2.81a2 2 0 0
1-.45 2.11L8.09 9.91a16 16 0 0 0 6.6l1.27-1.27a2 2 0 0 1 2.11-.45c.907.339 1.85.573 2.81.7A2 2 0 0 1
22 16.92z" />
  </svg>
),
},
];
const EyeIcon = ({ open }) => (
  <svg
    viewBox="0 0 24 24"
    fill="none"
    stroke="currentColor"
    strokeWidth="1.8"
    style={{ width: 18, height: 18 }}
  >
    {open ? (
      <>
        <path d="M17.94 17.94A10.07 10.07 0 0 1 12 20c-7 0-11-8-11-8a18.45 18.45 0 0 1 5.06-5.94"
        />
        <path d="M9.9 4.24A9.12 9.12 0 0 1 12 4c7 0 11 8 11 8a18.5 18.5 0 0 1-2.16 3.19" />
        <line x1="1" y1="1" x2="23" y2="23" />
      </>
    ) : (
      <path d="M17.94 17.94A10.07 10.07 0 0 1 12 20c-7 0-11-8-11-8a18.45 18.45 0 0 1 5.06-5.94"
        />
    )}
  </svg>
)

```

```

): (
  <>
    <path d="M1 12s4-8 11-8 11 8 11 8-4 8-11 8-11-8-11-8z" />
    <circle cx="12" cy="12" r="3" />
  </>
)}
</svg>
);
return (
  <div className="register-page">
    <div className="register-root">
      <div className="orb orb-1" />
      <div className="orb orb-2" />
      <div className="orb orb-3" />
      <div className="noise-overlay" />
      <div className="register-card">
        <div className="card-header">
          <h1>Create Account</h1>
          <p>Join the experience. It only takes a moment.</p>
        </div>
        {errors.api && <div className="msg msg-error">{errors.api}</div>}
        {errors.success && (
          <div className="msg msg-success">{errors.success}</div>
        )}
        <form onSubmit={handleSubmit} noValidate>
          {fields.map((field, i) => (
            <div
              key={field.name}
              className={`field-wrap ${focused === field.name ? "field-focused" : ""} ${errors[field.name]
? "field-error" : ""}`}
              style={{ animationDelay: `${i * 0.07}s` }}

```



```

>
<div className="field-icon">{field.icon}</div>

<input
  type={field.type}
  name={field.name}
  placeholder={field.placeholder}
  value={form[field.name]}
  onChange={handleChange}
  onFocus={() => setFocused(field.name)}
  onBlur={() => setFocused("")}
  autoComplete="off"
/>
{field.toggle && (
  <button
    type="button"
    className="eye-btn"
    onClick={field.toggle}
    tabIndex={-1}
  >
    <EyeIcon open={field.toggleIcon} />
  </button>
)}
{errors[field.name] && (
  <span className="field-error-msg">{errors[field.name]}</span>
)}
</div>
)}}
{form.password && (
  <div className="strength-bar">
    <div
      className={`strength-fill strength-${

```

```

    form.password.length < 6
      ? "weak"
      : form.password.length < 10
        ? "medium"
        : "strong"
    }`
  />
<span>
  {form.password.length < 6
    ? "Weak"
    : form.password.length < 10
      ? "Medium"
      : "Strong"}
</span>
</div>
)}
<button
  type="submit"
  className={`submit-btn ${loading ? "loading" : ""}`}
  disabled={loading}
>
  {loading ? (
    <span className="spinner" />
  ) : (
    <>
      <span>Create Account</span>
      <svg
        viewBox="0 0 24 24"
        fill="none"
        stroke="currentColor"
        strokeWidth="2"

```

```

        style={{ width: 18, height: 18 }}
      >
      <path d="M5 12h14M12 5l7 7-7 7" />
    </svg>
  </>
  })
</button>
</form>
<p className="login-link">
  Already have an account? <a href="/login">Sign in</a>
</p>
</div>
</div>
</div>
);
}
export default Register;

```

File: Client\src\pages\user\ResetPassword.css

```

@import
url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:wght@400;600&family=DM+Serif+Text:wght@300;400;500&display=swap');

.reset-root {
  position: relative;
  width: 100%;
  height: 100%;
  display: flex;
  align-items: center;
  justify-content: center;
  background:

```

```

    linear-gradient(rgba(0,0,0,0.25), rgba(0,0,0,0.4)),
    url("../assets/login.png");
background-size: cover;
background-position: center;
background-repeat: no-repeat;
overflow: hidden;
}

.reset-card {
position: relative;
width: 100%;
max-width: 400px;
padding: 20px 24px;
border-radius: 18px;
background: rgba(10, 6, 2, 0.52);
border: 1px solid rgba(212,175,127,0.25);
box-shadow:
    0 0 0 1px rgba(0,0,0,0.3),
    0 20px 60px rgba(0,0,0,0.5),
    inset 0 1px 0 rgba(212,175,127,0.1);
backdrop-filter: blur(14px);
animation: resetCardReveal 0.7s cubic-bezier(0.16, 1, 0.3, 1) both;
}

@keyframes resetCardReveal {
from { opacity: 0; transform: translateY(24px) scale(0.97); }
to { opacity: 1; transform: translateY(0) scale(1); }
}

.reset-header {
margin-bottom: 20px;
}

.reset-header h1 {
font-family: 'Cormorant Garamond', serif;

```

```
font-size: 26px;
font-weight: 600;
color: #f5ece0;
margin-bottom: 4px;
margin-top: 15px;
line-height: 1.2;
}
.reset-header p {
font-size: 12px;
color: rgba(245,236,224,0.5);
font-weight: 300;
letter-spacing: 0.3px;
}
.reset-field-wrap {
position: relative;
margin-bottom: 15px;
}
.reset-field-wrap input {
width: 100%;
padding: 10px 38px;
border-radius: 10px;
background: rgba(255,255,255,0.04);
border: 1px solid rgba(255,255,255,0.08);
color: #f5ece0;
font-family: 'DM Sans', sans-serif;
font-size: 13px;
outline: none;
transition: all 0.25s ease;
}
.reset-field-wrap input::placeholder {
color: rgba(245,236,224,0.5);
```

```
font-weight: 300;
}
.reset-field-wrap input:hover {
  background: rgba(255,255,255,0.06);
  border-color: rgba(212,175,127,0.15);
}
.reset-field-focused input {
  background: rgba(212,175,127,0.06);
  border-color: #d4af7f;
  box-shadow: 0 0 0 3px rgba(212,175,127,0.08);
}
.reset-field-error input {
  border-color: rgba(255,107,107,0.5) !important;
  background: rgba(255,107,107,0.05) !important;
}
.reset-field-icon {
  position: absolute;
  left: 11px;
  top: 11px;
  width: 15px;
  height: 15px;
  color: rgba(245,236,224,0.5);
  pointer-events: none;
  transition: color 0.25s ease;
}
.reset-field-icon svg {
  width: 100%;
  height: 100%;
}
.reset-field-focused .reset-field-icon { color: #d4af7f; }
.reset-field-error .reset-field-icon { color: #ff6b6b; }
```

```
.reset-eye-btn {  
  position: absolute;  
  right: 10px;  
  top: 9px;  
  background: none;  
  border: none;  
  cursor: pointer;  
  color: rgba(245,236,224,0.5);  
  padding: 2px;  
  display: flex;  
  align-items: center;  
  transition: color 0.2s;  
}  
.reset-eye-btn:hover { color: #d4af7f; }  
.reset-field-error-msg {  
  display: block;  
  font-size: 11px;  
  color: #ff9a9a;  
  margin-top: 3px;  
  padding-left: 3px;  
}  
.reset-msg {  
  padding: 8px 12px;  
  border-radius: 8px;  
  font-size: 12px;  
  margin-bottom: 12px;  
}  
.reset-msg-error {  
  background: rgba(255,107,107,0.1);  
  border: 1px solid rgba(255,107,107,0.3);  
  color: #ff9a9a;
```

```

}

.reset-msg-success {
  background: rgba(107,203,119,0.1);
  border: 1px solid rgba(107,203,119,0.3);
  color: #8eeaa0;
}

.reset-strength-bar {
  display: flex;
  align-items: center;
  gap: 8px;
  margin: -2px 0 10px;
  padding: 0 2px;
}

.reset-strength-fill {
  height: 2px;
  border-radius: 99px;
  flex: 1;
  transition: all 0.4s ease;
}

.reset-strength-weak { width: 33%; background: #ff6b6b; }
.reset-strength-medium { width: 66%; background: #ffd166; }
.reset-strength-strong { width: 100%; background: #6bc777; }

.reset-strength-bar span {
  font-size: 10px;
  color: rgba(245,236,224,0.5);
  min-width: 40px;
  text-align: right;
}

.reset-submit-btn {
  width: 100%;
  padding: 11px;

```



```
margin-top: 4px;
border-radius: 10px;
border: none;
background: linear-gradient(135deg, #d4af7f 0%, #a67c52 100%);
color: #0a0602;
font-family: 'DM Sans', sans-serif;
font-size: 14px;
font-weight: 500;
letter-spacing: 0.5px;
cursor: pointer;
display: flex;
align-items: center;
justify-content: center;
gap: 8px;
transition: all 0.25s ease;
}

.reset-submit-btn:hover {
transform: translateY(-1px);
box-shadow: 0 8px 24px rgba(212,175,127,0.3);
background: linear-gradient(135deg, #e8c99a 0%, #b8905e 100%);
}

.reset-submit-btn:active { transform: scale(0.98); }
.reset-submit-btn:disabled { opacity: 0.7; cursor: not-allowed; transform: none; }

.reset-spinner {
width: 16px;
height: 16px;
border: 2px solid rgba(10,6,2,0.3);
border-top-color: #0a0602;
border-radius: 50%;
animation: resetSpin 0.7s linear infinite;
}
```

```

@keyframes resetSpin {
  to { transform: rotate(360deg); }
}

@keyframes resetFadeSlide {
  from { opacity: 0; transform: translateY(10px); }
  to { opacity: 1; transform: translateY(0); }
}

.reset-orb {
  position: absolute;
  border-radius: 50%;
  filter: blur(80px);
  pointer-events: none;
  animation: resetDrift 12s ease-in-out infinite alternate;
}

.reset-orb-1 {
  width: 500px; height: 500px;
  top: -150px; left: -150px;
  background: radial-gradient(circle, rgba(212,175,127,0.1) 0%, transparent 70%);
  animation-duration: 14s;
}

.reset-orb-2 {
  width: 400px; height: 400px;
  bottom: -100px; right: -100px;
  background: radial-gradient(circle, rgba(166,124,82,0.08) 0%, transparent 70%);
  animation-duration: 10s;
  animation-direction: alternate-reverse;
}

@keyframes resetDrift {
  from { transform: translate(0, 0) scale(1); }
  to { transform: translate(30px, 20px) scale(1.05); }
}

```

```
@media (max-width: 480px) {
  .reset-card {
    padding: 22px 18px;
    margin: 0 1rem;
  }
  .reset-header h1 { font-size: 22px; }
}
```

File: Client\src\pages\user\ResetPassword.jsx

```
import { useState } from "react";
import { useSearchParams, useNavigate } from "react-router-dom";
import "./resetPassword.css";
function ResetPassword() {
  const [searchParams] = useSearchParams();
  const token = searchParams.get("token");
  const navigate = useNavigate();
  const [newPassword, setNewPassword] = useState("");
  const [confirmPassword, setConfirmPassword] = useState("");
  const [errors, setErrors] = useState({});
  const [message, setMessage] = useState("");
  const [loading, setLoading] = useState(false);
  const [showNew, setShowNew] = useState(false);
  const [showConfirm, setShowConfirm] = useState(false);
  const [focused, setFocused] = useState("");
  const validate = () => {
    const newErrors = {};
    if (!newPassword) newErrors.newPassword = "Please enter new password";
    else if (newPassword.length < 6) newErrors.newPassword = "Password must be at least 6 characters";
    if (!confirmPassword) newErrors.confirmPassword = "Please confirm your password";
```

```

    else if (newPassword !== confirmPassword) newErrors.confirmPassword = "Passwords do not
match";

    return newErrors;
};

const handleReset = async () => {
    const validationErrors = validate();
    if (Object.keys(validationErrors).length > 0) {
        setErrors(validationErrors);
        return;
    }
    setLoading(true);
    try {
        const res = await fetch("http://localhost:5000/api/users/reset-password", {
            method: "POST",
            headers: { "Content-Type": "application/json" },
            body: JSON.stringify({ token, newPassword })
        });
        const data = await res.json();
        if (res.ok) {
            setMessage("success");
            setTimeout(() => navigate("/login"), 2000);
        } else {
            setMessage(data.message || "Something went wrong");
        }
    } catch {
        setMessage("Error resetting password");
    } finally {
        setLoading(false);
    }
};

const EyeIcon = ({ open }) => (

```

```

<svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="1.8" style={{ width: 18,
height: 18 }}>
  {open ? (
    <>
      <path d="M17.94 17.94A10.07 10.07 0 0 1 12 20c-7 0-11-8-11-8a18.45 18.45 0 0 1 5.06-5.94"
/>

      <path d="M9.9 4.24A9.12 9.12 0 0 1 12 4c7 0 11 8 11 8a18.5 18.5 0 0 1-2.16 3.19" />

      <line x1="1" y1="1" x2="23" y2="23" />

    </>
  ) : (
    <>
      <path d="M1 12s4-8 11-8 11 8 4-8 11 8 11-8-11-8z" />

      <circle cx="12" cy="12" r="3" />

    </>
  )}
</svg>
);
return (
  <div className="reset-root">
    <div className="reset-orb reset-orb-1" />
    <div className="reset-orb reset-orb-2" />
    <div className="reset-card">
      <div className="reset-header">
        <h1>Reset Password</h1>
        <p>Enter your new password below.</p>
      </div>
      {message === "success" && (
        <div className="reset-msg reset-msg-success">Password reset successful! Redirecting...</div>
      )}
      {message && message !== "success" && (
        <div className="reset-msg reset-msg-error">{message}</div>

```

```

    })

    <div className={`reset-field-wrap ${focused === "new" ? "reset-field-focused" : ""}
    ${errors.newPassword ? "reset-field-error" : ""}`>

      <div className="reset-field-icon">

        <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="1.8">

          <rect x="3" y="11" width="18" height="11" rx="2" ry="2" />

          <path d="M7 11V7a5 5 0 0 1 10 0v4" />

        </svg>

      </div>

      <input

        type={showNew ? "text" : "password"}

        placeholder="New Password"

        value={newPassword}

        onChange={(e) => { setNewPassword(e.target.value); setErrors({ ...errors, newPassword: "" });
      }}

        onFocus={() => setFocused("new")}

        onBlur={() => setFocused("")}

      />

      <button type="button" className="reset-eye-btn" onClick={() => setShowNew(!showNew)}
      tabIndex={-1}>

        <EyeIcon open={showNew} />

      </button>

      {errors.newPassword && <span className="reset-field-error-
      msg">{errors.newPassword}</span>}

    </div>

    {newPassword && (

      <div className="reset-strength-bar">

        <div className={`reset-strength-fill reset-strength-${newPassword.length < 6 ? "weak" :
        newPassword.length < 10 ? "medium" : "strong"}`} />

        <span>{newPassword.length < 6 ? "Weak" : newPassword.length < 10 ? "Medium" :
        "Strong"}</span>

      </div>

    )}

```

```

<div className={`reset-field-wrap ${focused === "confirm" ? "reset-field-focused" : ""}
${errors.confirmPassword ? "reset-field-error" : ""}`}>

  <div className="reset-field-icon">

    <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="1.8">

      <path d="M12 22s8-4 8-10V5l-8-3-8 3v7c0 6 8 10 8 10z" />

    </svg>

  </div>

  <input

    type={showConfirm ? "text" : "password"}

    placeholder="Confirm Password"

    value={confirmPassword}

    onChange={(e) => { setConfirmPassword(e.target.value); setErrors({ ...errors,
confirmPassword: "" }); }}

    onFocus={() => setFocused("confirm")}

    onBlur={() => setFocused("")}

  />

  <button type="button" className="reset-eye-btn" onClick={() =>
setShowConfirm(!showConfirm)} tabIndex={-1}>

    <EyeIcon open={showConfirm} />

  </button>

  {errors.confirmPassword && <span className="reset-field-error-
msg">{errors.confirmPassword}</span>}

</div>

<button onClick={handleReset} disabled={loading} className="reset-submit-btn">

  {loading ? (

    <span className="reset-spinner" />

  ) : (

    <>

      <span>Reset Password</span>

      <svg viewBox="0 0 24 24" fill="none" stroke="currentColor" strokeWidth="2" style={{ width:
18, height: 18 }}>

        <path d="M5 12h14M12 5l7 7 7 7" />

      </svg>

```

```

        </>
    })
</button>
</div>
</div>
);
}
export default ResetPassword;

```

File: Client\src\pages\user\UserDashboard.css

```

.dashboard-page-container {
  display: flex;
  min-height: 100vh;
  margin-top: 0;
  background-color: #f5f7fa;
  font-family: 'Montserrat', sans-serif;
}
.dashboard-sidebar {
  width: 260px;
  background: white;
  border-right: 1px solid #eee;
  display: flex;
  flex-direction: column;
  box-shadow: 2px 0 10px rgba(0,0,0,0.02);
  z-index: 10;
}
.sidebar-header {
  padding: 30px 20px;
  border-bottom: 1px solid #eee;
  text-align: center;

```



```
}  
.sidebar-header h3 {  
  margin: 0;  
  font-family: 'Playfair Display', serif;  
  color: #1a1a1a;  
  font-size: 18px;  
  letter-spacing: 1px;  
}  
.sidebar-header p {  
  margin: 5px 0 0;  
  color: #888;  
  font-size: 12px;  
}  
.sidebar-nav {  
  display: flex;  
  flex-direction: column;  
  padding: 20px 0;  
}  
.sidebar-nav button {  
  background: none;  
  border: none;  
  padding: 15px 25px;  
  text-align: left;  
  font-size: 14px;  
  color: #444;  
  cursor: pointer;  
  display: flex;  
  align-items: center;  
  transition: all 0.3s ease;  
  border-left: 3px solid transparent;  
}
```

```
.sidebar-nav button:hover {  
    background: #fdfaf6;  
    color: #f9a826;  
}  
  
.sidebar-nav button.active {  
    background: #fff8eb;  
    color: #f9a826;  
    border-left: 3px solid #f9a826;  
    font-weight: 600;  
}  
  
.sidebar-nav button .icon {  
    margin-right: 15px;  
    font-size: 16px;  
}  
  
.dashboard-main-content {  
    flex: 1;  
    overflow-y: auto;  
    position: relative;  
}  
  
.dashboard-section {  
    padding: 40px;  
    max-width: 800px;  
}  
  
.dashboard-section h2 {  
    font-family: 'Playfair Display', serif;  
    color: #1a1a1a;  
    margin-top: 0;  
    margin-bottom: 30px;  
    font-size: 28px;  
}  
  
.overview-cards {
```

```
display: flex;
gap: 20px;
}
.overview-card {
background: white;
padding: 25px;
border-radius: 8px;
box-shadow: 0 4px 15px rgba(0,0,0,0.03);
flex: 1;
text-align: center;
border-top: 3px solid #f9a826;
}
.overview-card h4 {
margin: 0 0 10px;
color: #666;
font-size: 14px;
}
.overview-card p {
margin: 0;
color: #1a1a1a;
font-size: 32px;
font-weight: 700;
font-family: 'Playfair Display', serif;
}
.lux-dashboard-form {
background: white;
padding: 30px;
border-radius: 8px;
box-shadow: 0 4px 15px rgba(0,0,0,0.03);
}
.lux-dashboard-form .form-group {
```

```
margin-bottom: 25px;
}
.lux-dashboard-form label {
display: block;
margin-bottom: 8px;
font-weight: 600;
font-size: 13px;
color: #333;
}
.lux-dashboard-form input {
width: 100%;
padding: 12px 15px;
border: 1px solid #ddd;
border-radius: 4px;
font-family: 'Montserrat', sans-serif;
font-size: 14px;
transition: border-color 0.3s;
}
.lux-dashboard-form input:focus {
border-color: #f9a826;
outline: none;
}
.lux-dashboard-form input:disabled {
background: #f9f9f9;
color: #888;
}
.lux-dashboard-form small {
display: block;
margin-top: 5px;
color: #888;
}
```

```

.lux-btn-primary {
  background: #1a1a1a;
  color: white;
  border: none;
  padding: 12px 30px;
  font-size: 12px;
  font-weight: 600;
  letter-spacing: 1px;
  text-transform: uppercase;
  border-radius: 4px;
  cursor: pointer;
  transition: 0.3s;
}

.lux-btn-primary:hover {
  background: #f9a826;
}

.dashboard-section-full {
  width: 100%;
}

```

File: Client\src\pages\user\UserDashboard.jsx

```

import React, { useState, useEffect } from 'react';
import { useNavigate } from 'react-router-dom';
import MyBookings from './myBookings';
import './UserDashboard.css';
import { isStayCompleted } from '../utils/stayPolicy';
export default function UserDashboard() {
  const [activeTab, setActiveTab] = useState('overview');
  const navigate = useNavigate();
  const [stats, setStats] = useState({ total: 0, upcoming: 0, reviewsPending: 0 });

```

```

const [loading, setLoading] = useState(true);
useEffect(() => {
  const fetchStats = async () => {
    const token = sessionStorage.getItem('token');
    if (!token) {
      navigate('/login');
      return;
    }
    try {
      const response = await fetch(`http://${window.location.hostname}:5000/api/bookings/my-bookings`, {
        headers: { 'Authorization': `Bearer ${token}` }
      });
      const data = await response.json();
      if (response.ok && data.bookings) {
        const bookings = data.bookings;
        const total = bookings.length;
        const upcoming = bookings.filter(b =>
          (b.status === "Confirmed" || b.status === "Pending_Payment") && !isStayCompleted(b)
        ).length;
        const reviewsPending = bookings.filter(b =>
          b.status === "Confirmed" && isStayCompleted(b) && !b.hasReview
        ).length;
        setStats({ total, upcoming, reviewsPending });
      }
    } catch (err) {
      console.error("Failed to fetch dashboard stats", err);
    } finally {
      setLoading(false);
    }
  };
};

```

```

if (activeTab === 'overview') {
  fetchStats();
}
}, [activeTab, navigate]);
return (
  <div className="dashboard-page-container">
    <aside className="dashboard-sidebar">
      <div className="sidebar-header">
        <h3>USER PANEL</h3>
        <p>Welcome back!</p>
      </div>
      <nav className="sidebar-nav">
        <button
          className={activeTab === 'overview' ? 'active' : ''}
          onClick={() => setActiveTab('overview')}
        >
          <span className="icon"> 📊 </span> Overview
        </button>
        <button
          className={activeTab === 'profile' ? 'active' : ''}
          onClick={() => setActiveTab('profile')}
        >
          <span className="icon"> 👤 </span> My Profile
        </button>
        <button
          className={activeTab === 'security' ? 'active' : ''}
          onClick={() => setActiveTab('security')}
        >
          <span className="icon"> 🔒 </span> Security
        </button>
        <button

```

```

      className={activeTab === 'bookings' ? 'active' : ''}
      onClick={() => setActiveTab('bookings')}
    >
      <span className="icon"> 📅 </span> My Bookings
    </button>
  </nav>
  <div className="sidebar-footer" style={{ marginTop: 'auto', padding: '20px' }}>
    <button
      className="lux-btn-outline"
      onClick={() => navigate('/')}>
      style={{ width: '100%', padding: '10px', display: 'flex', alignItems: 'center', justifyContent:
'center', gap: '8px' }}
    >
      <span>⬅️</span> Back to Website
    </button>
  </div>
</aside>
<main className="dashboard-main-content">
  {activeTab === 'overview' && (
    <div className="dashboard-section lux-overview-section">
      <h2>Dashboard Overview</h2>
      {loading ? (
        <p>Loading stats...</p>
      ) : (
        <div className="overview-cards">
          <div className="overview-card">
            <h4>Total Bookings</h4>
            <p>{stats.total}</p>
          </div>
          <div className="overview-card">
            <h4>Upcoming Stays</h4>

```



```

    <p>{stats.upcoming}</p>
  </div>

  <div className="overview-card">
    <h4>Reviews Left</h4>
    <p>{stats.reviewsPending}</p>
  </div>
</div>

  )}
</div>

  )}
{activeTab === 'profile' && (
  <div className="dashboard-section lux-profile-section">
    <h2>My Profile</h2>
    <form className="lux-dashboard-form" onSubmit={(e) => e.preventDefault()}>
      <div className="form-group">
        <label>Full Name</label>
        <input type="text" placeholder="John Doe" />
      </div>
      <div className="form-group">
        <label>Email Address</label>
        <input type="email" placeholder="john@example.com" disabled />
        <small>Email cannot be changed.</small>
      </div>
      <div className="form-group">
        <label>Phone Number</label>
        <input type="tel" placeholder="+91 9876543210" />
      </div>
      <button type="submit" className="lux-btn-primary">Save Changes</button>
    </form>
  </div>

  )}

```

```

{activeTab === 'security' && (
  <div className="dashboard-section lux-security-section">
    <h2>Security Settings</h2>
    <form className="lux-dashboard-form" onSubmit={(e) => e.preventDefault()}>
      <div className="form-group">
        <label>Current Password</label>
        <input type="password" placeholder="Enter current password" />
      </div>
      <div className="form-group">
        <label>New Password</label>
        <input type="password" placeholder="Enter new password" />
      </div>
      <div className="form-group">
        <label>Confirm New Password</label>
        <input type="password" placeholder="Confirm new password" />
      </div>
      <button type="submit" className="lux-btn-primary">Update Password</button>
    </form>
  </div>
)}
{activeTab === 'bookings' && (
  <div className="dashboard-section-full">
    <MyBookings hideNavbar={true} />
  </div>
)}
</main>
</div>
);
}

```

File: Client\src\pages\user\verifyOtp.css

```
.otp-container {  
  height: 100vh;  
  display: flex;  
  flex-direction: column;  
  justify-content: center;  
  align-items: center;  
  background: #0f172a;  
  color: white;  
}  
.otp-container h2 {  
  margin-bottom: 10px;  
}  
.email {  
  color: #38bdf8;  
  margin-bottom: 20px;  
}  
.otp-inputs {  
  display: flex;  
  gap: 10px;  
  margin: 20px 0;  
}  
.otp-inputs input {  
  width: 45px;  
  height: 55px;  
  font-size: 22px;  
  text-align: center;  
  border-radius: 8px;  
  border: none;  
  outline: none;  
  background: #1e293b;
```

```
    color: white;
}
.otp-inputs input:focus {
    border: 2px solid #38bdf8;
}
.verify-btn {
    padding: 10px 25px;
    border: none;
    border-radius: 8px;
    background: #38bdf8;
    color: black;
    cursor: pointer;
}
.resend-text {
    margin-top: 15px;
}
.resend {
    color: #38bdf8;
    cursor: pointer;
}
.disabled {
    color: gray;
    cursor: not-allowed;
}
.success-msg {
    color: #22c55e;
    margin-bottom: 10px;
}
.error-msg {
    color: #ef4444;
    margin-bottom: 10px;
```

```
}
```

```
**File: Client\src\pages\user\verifyotp.jsx**
```

```
import { useState, useEffect, useRef } from "react";
import { useLocation, useNavigate } from "react-router-dom";
import "./verifyOtp.css";
function VerifyOtp() {
  const [otp, setOtp] = useState(["", "", "", "", "", ""]);
  const [timer, setTimer] = useState(60);
  const [message, setMessage] = useState("");
  const [error, setError] = useState("");
  const inputs = useRef([]);
  const location = useLocation();
  const navigate = useNavigate();
  const email = location.state?.email;
  useEffect(() => {
    if (timer > 0) {
      const interval = setInterval(() => {
        setTimer((prev) => prev - 1);
      }, 1000);
      return () => clearInterval(interval);
    }
  }, [timer]);
  const handleChange = (value, index) => {
    if (!/^[0-9]?$/ .test(value)) return;
    const newOtp = [...otp];
    newOtp[index] = value;
    setOtp(newOtp);
    if (value && index < 5) {
      inputs.current[index + 1].focus();
    }
  }
}
```

```

    }
  };

  const handleVerify = async () => {
    const finalOtp = otp.join("");
    setError("");
    setMessage("");
    const res = await fetch("http://localhost:5000/api/users/verify-otp", {
      method: "POST",
      headers: {
        "Content-Type": "application/json",
      },
      body: JSON.stringify({ email, otp: finalOtp }),
    });
    const data = await res.json();
    if (res.ok) {
      setMessage("Verification successful");
      setTimeout(() => {
        navigate("/login");
      }, 1500);
    } else {
      setError(data.message);
    }
  };

  const handleResend = async () => {
    if (timer > 0) return;
    const res = await fetch("http://localhost:5000/api/users/resend-otp", {
      method: "POST",
      headers: {
        "Content-Type": "application/json",
      },
      body: JSON.stringify({ email }),
    });
  };

```

```

});

const data = await res.json();

if (res.ok) {
  setMessage("OTP resent");
  setTimer(60);
} else {
  setError(data.message);
}
};

return (
  <div className="otp-container">
    <h2>Verify your email</h2>
    <p>Enter the 6-digit code sent to</p>
    <span className="email">{email}</span>
    {message && <div className="success-msg">{message}</div>}
    {error && <div className="error-msg">{error}</div>}
    <div className="otp-inputs">
      {otp.map((digit, index) => (
        <input
          key={index}
          type="text"
          maxLength="1"
          value={digit}
          ref={(el) => (inputs.current[index] = el)}
          onChange={(e) => handleChange(e.target.value, index)}
        />
      ))}
    </div>
    <button className="verify-btn" onClick={handleVerify}>
      Verify
    </button>
  )

```

```

<p className="resend-text">
  Didn't receive code?{" "}
  <span
    className={timer > 0 ? "disabled" : "resend"}
    onClick={handleResend}
  >
    Resend {timer > 0 && `(${timer}s`)}
  </span>
</p>
</div>
);
}
export default VerifyOtp;

```

File: Client\src\ProtectedRoute.jsx

```

import { Navigate } from "react-router-dom";
function ProtectedRoute({ children }) {
  const token = sessionStorage.getItem("token");
  if (!token) {
    return (
      <Navigate
        to="/login"
        state={{ message: "Please login first 🔒" }}
      />
    );
  }
  return children;
}
export default ProtectedRoute;

```


File: Client\src\utils\stayPolicy.js

```

const POLICY_CHECK_IN_HOUR = 14;
const POLICY_CHECK_OUT_HOUR = 11;
const FREE_CANCEL_MS = 48 * 60 * 60 * 1000;
function atLocalHour(dateInput, hour, minute = 0) {
  const t = new Date(dateInput);
  if (Number.isNaN(t.getTime())) return null;
  return new Date(t.getFullYear(), t.getMonth(), t.getDate(), hour, minute, 0, 0);
}
export function isStayCompleted(booking) {
  const deadline = atLocalHour(booking.checkOutDate, POLICY_CHECK_OUT_HOUR, 0);
  if (!deadline) return false;
  return Date.now() >= deadline.getTime();
}
export function isCheckInStarted(booking) {
  const start = atLocalHour(booking.checkInDate, POLICY_CHECK_IN_HOUR, 0);
  if (!start) return false;
  return Date.now() >= start.getTime();
}
export function isWithin48HoursBeforeCheckIn(booking) {
  const start = atLocalHour(booking.checkInDate, POLICY_CHECK_IN_HOUR, 0);
  if (!start) return false;
  const ms = start.getTime() - Date.now();
  return ms > 0 && ms < FREE_CANCEL_MS;
}
export function canCancelBooking(booking) {
  if (
    !booking ||
    (booking.status !== "Confirmed" && booking.status !== "Pending_Payment")
  )

```


```
) {  
  return false;  
}  
if (isStayCompleted(booking)) return false;  
if (isCheckInStarted(booking)) return false;  
return true;  
}  
export { POLICY_CHECK_IN_HOUR, POLICY_CHECK_OUT_HOUR };
```

File: Client\vite.config.js


```
import { defineConfig } from 'vite'  
import react from '@vitejs/plugin-react'  
export default defineConfig({  
  plugins: [react()],  
  server: {  
    port: 3000,  
    host: true  
  }  
})
```

Output Screen Shots


Login Page:




Register Page:




Forgot Password:



Verify Otp:



New Password Page:



Resorts Page:

Resort Details:

Search Page:

DROP US A EMAIL:
hresortstay@gmail.com

ANY QUESTIONS? CALL US:
 +91 90902 80008 / +91 92692 25555

[HOME](#)
[RESORTS](#)
[EXPLORE](#)
[Privacy Policy](#)
[ABOUT US](#)
[CONTACT](#)

[SEARCH](#)
[LOGIN](#)

Find Your Perfect Resort

Showing all 16 resorts

Mountain Mist Retreat

★★★★★

Manali, Himachal Pradesh

From ₹4000

Room Types

VIEW DETAILS

Grand Azure Luxury Resort

★★★★★

Goa, Goa

From ₹5000

Room Types

VIEW DETAILS

Royal Palace Suite

★★★★★

Room Types

VIEW DETAILS

Budget Stay Inn

★★★★★

Room Types

VIEW DETAILS

Urban Comfort Hotel

★★★★★

Room Types

VIEW DETAILS

Alpine Mountain Retreat

★★★★★

Room Types

VIEW DETAILS

Luxury Ocean Resort

★★★★★

Room Types

VIEW DETAILS

Jalashray Resort

★★★★★

Nadiad, Gujarat

Room Types

VIEW DETAILS

Neonx Resort & Club

★★★★★

Anand, Gujarat

Room Types

VIEW DETAILS

Narayani Heights

★★★★★

Ahmedabad, Gujarat

Room Types

VIEW DETAILS

Ananda in the Himalayas

★★★★★

Rishikesh, Uttarakhand

Room Types

VIEW DETAILS

Evolve Back Coorg

★★★★★

Coorg, Karnataka

Room Types

VIEW DETAILS

The Leela Kovalam

★★★★★

Kovalam, Kerala

Room Types

VIEW DETAILS

The Oberoi Udaivilas

★★★★★

Udaipur, Rajasthan

Room Types

VIEW DETAILS

The Himalayan

★★★★★

Manali, Himachal Pradesh

Room Types

VIEW DETAILS

Taj Exotica Resort & Spa

★★★★★

Cook, Goa

Room Types

VIEW DETAILS

H Resort

Luxury Resort Booking Platform

GET IN TOUCH

Customer Support

123 Resort Avenue, Paradise City
 +91 98765 43210
 support.hresort@gmail.com

Opening Hours

Check-In: 2:00 PM
 Check-Out: 11:00 AM
 24/7 Front Desk Available

EXPLORE

[Home](#)
[Resorts](#)
[Find a Resort](#)
[Gallery](#)

INFORMATION

[Amenities](#)
[Dining](#)
[About Us](#)
[Contact Us](#)

© 2026 H Resort | All Rights Reserved. · Policies

DROP US A EMAIL:
hresortstay@gmail.com

ANY QUESTION? CALL US:
+91 90909 80808 / +91 02692 23555

[HOME](#)
[RESORTS](#)
[EXPLORE](#)
[ABOUT US](#)
[CONTACT](#)

[SEARCH](#)

Our Heritage

THE PINNACLE OF LUXURY HOSPITALITY

Redefining the Art of Travel

Since our inception, we have set out to create more than just places to stay. We curate immersive experiences that blend breathtaking architecture, flawless service, and profound emotional connection. Whether nestled on pristine private islands or perched high above majestic valleys, our resorts remain completely dedicated to exceeding your highest expectations.

The Heart of Our Resorts

At the center of every resort lies an unwavering commitment to timeless elegance. We believe that true luxury is found in the details —from the thread count of our artisanal linens to the locally-sourced ingredients prepared by Michelin-star culinary visionaries. Every element is thoughtfully designed so your journey becomes a memory worth returning to.

[EXPLORE OUR RESORTS](#)

Bespoke Details

Signature arrivals, express VIP check-in, and uncompromising personalized attention.

Private Escapes

Secluded suites featuring private infinity pools and dedicated concierge service.

Culinary Mastery

Curated culinary journeys featuring renowned international and local flavors.

Holistic Harmony

World-class therapeutic spa retreats intended to restore youth and vigor.

Sustainable Purity

We are fiercely devoted to ecological mindfulness. Our modern building practices minimize environmental impact while integrating seamlessly into the local flora. From zero-waste initiatives to 100% renewable energy integration in our newest developments, choosing us means investing in a greener tomorrow without sacrificing luxury today.

A Global Family

We embrace the cultural heritage of every location we touch. By partnering with local artisans, guides, and agricultural producers, our resorts act as a gateway to authentic community connection. Allow our local experts to guide you into the pulse of the destination and experience the unseen marvels of local living.

H Resort

Luxury Resort Booking Platform

GET IN TOUCH

Customer Support

+ 123 Resort Avenue, Paradise City
+91 98765 43210
support.hresort@gmail.com

Opening Hours

- Check-In: 2:00 PM
- Check-Out: 11:00 AM
- 24/7 Front Desk Available

EXPLORE


- [Home](#)
- [Resorts](#)
- [Find a Resort](#)
- [Gallery](#)

INFORMATION

- [Amenities](#)
- [Dining](#)
- [About Us](#)
- [Contact Us](#)

© 2024 H Resort | All Rights Reserved. - Privacy Policy

Contact Page:



Dining Page:

 DROP US A EMAIL:
hresort.stay@mail.com

H
RESORT

ANY QUESTIONS? CALL US:
+91 90909 80808 / +91 02692 255555 

HOME

RESORTS

EXPLORE ▾

Privacy Policy

ABOUT US

CONTACT

SEARCH

LOGIN



Exquisite Dining

Taste the flavors of perfection



The Ocean Grill

Exquisite seafood varieties by the beach.



Royal Feast

Authentic local cuisine and lavish buffet spreads.



Skyline Bar

Premium cocktails and spirits with panoramic views.



La Pizzeria

Wood-fired authentic Italian pizza and pasta.



Coffee Lounge

Specialty coffee, pastries, and peaceful ambiance.



In-Room Dining

24/7 private dining experience in your comfort.

H Resort
Luxury Resort Booking Platform



GET IN TOUCH

Customer Support
 123 Resort Avenue, Paradise City
 +91 98765 43210
 support.hresort@gmail.com

Opening Hours
 Check-In: 2:00 PM
 Check-Out: 11:00 AM
 24/7 Front Desk Available

EXPLORE

Home
Resorts
Find a Resort
Gallery

INFORMATION

Amenities
Dining
About Us
Contact Us

© 2026 H Resort | All Rights Reserved. ▾ Policies

Gallery Page:

 DROP US A EMAIL:
hresort.stay@gmail.com

H
RESORT

ANY QUESTIONS? CALL US:
+91 90909 80808 / +91 02692 255555 

HOME

RESORTS

EXPLORE

Privacy Policy

ABOUT US

CONTACT

SEARCH

LOCIN

Our Gallery

A Glimpse into Paradise



H Resort
Luxury Resort Booking Platform



GET IN TOUCH

Customer Support
 123 Resort Avenue, Paradise City
 +91 98765 43210
 support.hresort@gmail.com

Opening Hours
 Check-In: 2:00 PM
 Check-Out: 11:00 AM
 24/7 Front Desk Available

EXPLORE


Home
Resorts
Find a Resort
Gallery

INFORMATION

Amenities
Dining
About Us
Contact Us

© 2026 H Resort | All Rights Reserved. · Policies

Policy Page:



Amenities Page:

 DROP US A EMAIL:
hresort.stay@gmail.com

H
RESORT

ANY QUESTIONS? CALL US:
+91 90909 80808 / +91 02692 255555 

HOME

RESORTS

EXPLORE

Privacy Policy

ABOUT US

CONTACT

SEARCH

LOGIN

Premium Amenities

Experience world-class luxury & comfort



Swimming Pool

Olympic-sized infinity pool with temperature control.



Spa & Wellness

Rejuvenate your senses with luxury massage and therapies.



Fitness Center

State-of-the-art gym equipment and personal trainers.



Tennis Court

Professional outdoor floodlit tennis courts.



Kids Play Zone

Safe and engaging indoor and outdoor active play areas.



Concierge Desk

24/7 premium assistance for all your travel needs.

H Resort
Luxury Resort Booking Platform



GET IN TOUCH

Customer Support
 123 Resort Avenue, Paradise City
 +91 98765 43210
 support.hresort@gmail.com

Opening Hours
 Check-In: 2:00 PM
 Check-Out: 11:00 AM
 24/7 Front Desk Available

EXPLORE

Home
Resorts
Find a Resort
Gallery

INFORMATION

Amenities
Dining
About Us
Contact Us

© 2026 H Resort | All Rights Reserved. · Policies

Booking Page:

[illegible]

Payment Page:

H

RESORT

Pay via UPI

Secure Fast Checkout

Amount to Pay

₹5,900

UPI ID

Enter your UPI ID

Confirm payment

[Cancel Payment](#)

User MyBooking Page:

DROP US A EMAIL:
hresort.stay@mail.com

H
RESORT

ANY QUESTIONS? CALL US:
+91 90909 80808 / +91 02692 255555

HOME

RESORTS

EXPLORE

ABOUT US

CONTACT

SEARCH

My Journeys

Manage your upcoming escapes and past memories.

Upcoming Escapes2

Past & Cancelled0

CONFIRMED



Mountain Mist Retreat

Manali

CHECK-IN

April 20, 2026

CHECK-OUT

April 21, 2026

Total Amount

₹20,650

Family Master Chalet

Cancel Booking

Download Invoice

View Resort

CONFIRMED



Mountain Mist Retreat

Manali

CHECK-IN

April 17, 2026

CHECK-OUT

April 18, 2026

Total Amount

₹12,000

Family Master Chalet

Cancel Booking

Download Invoice

View Resort

533

User Dashboard:

User Dashboard

Overview

My Profile

Security

My Bookings

Wishlist

Payments

Logout

Welcome Viraj,
Manage your luxurious stays and explore new destinations.

2
Total Bookings
All-time bookings

1
Upcoming Stays
Next 30 days

1
Completed Stays
Past stays

0
Reviews Pending
Action required

Recent Bookings

CONFIRMED



Mountain Mist Retreat

Unknown Location

Apr 20, 2026 - Apr 21, 2026

Download Invoice

CONFIRMED



Mountain Mist Retreat

Unknown Location

Apr 17, 2026 - Apr 18, 2026

Download Invoice

View All

User Profile:

User Dashboard

Overview

My Profile

Security

My Bookings

Wishlist

Payments

Logout

Welcome Viraj,
Manage your luxurious stays and explore new destinations.

+ BOOK NEW STAY

My Profile

Manage your personal information and preferences.

Full Name

Viraj

Email Address

ladviraj12@gmail.com

Phone Number

123456985

Save Changes

534

User Security:

User Dashboard

Overview

My Profile

Security

My Bookings

Wishlist

Payments

Logout

Welcome Viraj,

Manage your luxurious stays and explore new destinations.

+ BOOK NEW STAY

Security Settings

Update your password and secure your account.

Current Password

Enter current password

New Password

Enter new password

Confirm New Password

Confirm new password

Update Password

User Booking:

User Dashboard

Overview

My Profile

Security

My Bookings

Wishlist

Payments

Logout

Welcome Viraj,

Manage your luxurious stays and explore new destinations.

+ BOOK NEW STAY

My Bookings

A complete history of your resort stays.

All Status

CONFIRMED



Mountain Mist Retreat

Manali, Himachal Pradesh

Apr 20, 2026 - Apr 21, 2026

Download Invoice

CONFIRMED



Mountain Mist Retreat

Manali, Himachal Pradesh

Apr 17, 2026 - Apr 18, 2026

Download Invoice

535

User Wishlist:

User Dashboard

Overview

My Profile

Security

My Bookings

Wishlist

Payments

Welcome Viraj,

Manage your luxurious stays and explore new destinations.

+ BOOK NEW STAY

My Wishlist



₹4000 night

Mountain Mist Retreat

Manali

5.0

Book Now



₹5000 night

Grand Azure Luxury Resort

Goa

5.0

Book Now



₹1200 night

Budget Stay Inn

Location unavailable

3.8

Book Now

Logout

User Payment:

User Dashboard

Overview

My Profile

Security

My Bookings

Wishlist

Payments

Welcome Viraj,

Manage your luxurious stays and explore new destinations.

+ BOOK NEW STAY


Payment History

Date	Resort	Transaction ID	Amount	Status
Apr 19, 2026	Mountain Mist Retreat	pay MOCK_1776593942180	₹20,650	Success
Apr 17, 2026	Mountain Mist Retreat	pay MOCK_1776447489220	₹16,874	Success


Logout

536

Admin Dashboard:



Manage Resort:



Manage Contact:

ResortAdmin

- Dashboard
- Resorts
- Bookings
- Reviews
- Explore Content
- Contacts & Inbox**
- Users

Log Out

Guest Messages & Concierge Requests

MR Bhavin Halpati New

bhavinrathod18hr@gmail.com | 6356438525 | india

4/19/2026, 7:43:55 PM

I hope you will contact me as soon as possible.

Reply via Email

Mark as Read

Mark as Replied

Manage Booking:

ResortAdmin

- Dashboard
- Resorts
- Bookings**
- Reviews
- Explore Content
- Contacts & Inbox
- Users

Log Out

Bookings Management

BOOKING ID	GUEST	RESORT	DATES	AMOUNT	STATUS	ACTIONS
68fd41	Viraj ladviraj12@gmail.com	Mountain Mist Retreat Family Master Chalet x1	4/20/2026 - 4/21/2026	₹20850	complete	Change Status...
7999bd	Viraj ladviraj12@gmail.com	Mountain Mist Retreat Family Master Chalet x1	4/17/2026 - 4/18/2026	₹12000	Confirmed	Change Status...
321627	Bhavin Halpati bhavinrathod18hr@gmail.com	Grand Azure Luxury Resort Private Pool Villa x1	4/18/2026 - 4/19/2026	₹15000	Confirmed	Change Status...
3215f2	Bhavin Halpati bhavinrathod18hr@gmail.com	Mountain Mist Retreat Family Master Chalet x1	4/18/2026 - 4/19/2026	₹12000	Cancelled	Change Status...

Manage Users:

ResortAdmin

Dashboard

Resorts

Bookings

Reviews

Explore Content

Contacts & Inbox

Users

[-> Log Out]

Users Management

NAME	EMAIL	PHONE	STATUS	ROLE	ACTIONS
Bhavin Halpati	25maptg017@ddu.ac.in	6356438525	Verified	user	Make Admin
Viraj	ladviraj12@gmail.com	1234556985	Verified	user	Make Admin
Bhavin Halpati	bhavinrathod18hr@gmail.com	6356438525	Verified	admin	Make User
dev	devdalwadi257@gmail.com	7874811012	Verified	admin	Make User
guest	borik50452@nexafilm.com	1123654894	Verified	user	Make Admin
dev	devdalwadi24@gmail.com	9687799965	Verified	user	Make Admin

Manage Reviews:

Admin Dashboard

Dashboard

Resorts

Bookings

Reviews

Explore Content

Contacts & Inbox

Users

[-> Log Out]

Review Moderation

Manage guest feedback. Approve reviews to display them publicly on resort pages, or reject inappropriate ones to clear them from pending.

Grand Azure Luxury Resort ★★★★★ dev · devdalwadi24@gmail.com 4/19/2026, 8:21:46 PM

greale

Approve

Reject

Grand Azure Luxury Resort ★★★★★ dev · devdalwadi24@gmail.com 4/19/2026, 8:19:23 PM

Our stay at this resort was absolutely amazing! The ambience is peaceful, the rooms are clean and beautifully designed, and the staff is extremely polite and helpful. The amenities like the swimming pool and dining area made our experience even more enjoyable. It's the perfect place to relax and spend quality time with family and friends. Highly recommended for anyone looking for a luxurious and comfortable getaway!

Approve

Reject

Bibliography

The following resources were referred to during the development of the UMS:

- MongoDB Official Documentation - <https://www.mongodb.com/docs/>
- Express.js Official Documentation - <https://expressjs.com/>
- React Official Documentation - <https://react.dev/>
- Node.js Official Documentation - <https://nodejs.org/>
- GeeksforGeeks - <https://www.geeksforgeeks.org/>