hospital_matricula
Data Dictionary

Model: Model - Matias Hospital
Author: Administrator
Date: 2026-04-24 11:39:51
Version: 1.0

Generated with Navicat

Table of Contents

1. Introduction 1
2. Model: Model - Matias Hospital (MySQL) 2
    2.1. Database: hospital_matricula 2
        2.1.1. Tables 2
            2.1.1.1. Table: tbi_bitacora 2
        2.1.2. Views 3
            2.1.2.1. View: vw_monitoreo_bd_ge 3
            2.1.2.2. View: vw_monitoreo_bd_mr 3
            2.1.2.3. View: vw_monitoreo_bd_ms 3
            2.1.2.4. View: vw_monitoreo_bd_ph 3
            2.1.2.5. View: vw_monitorieo_bd_md 3
            2.1.2.6. View: vw_muestra_triggers 3
            2.1.2.7. View: vw_reporte_privilegios 3
            2.1.2.8. View: vw_roles_usuarios 3
            2.1.2.9. View: vw_vista_tablas 3
        2.1.3. Functions 4
            2.1.3.1. Function: fn_genera_bandera 4
            2.1.3.2. Function: fn_genera_bandera_porcentaje 4
            2.1.3.3. Function: fn_genera_fecha_nacimiento 4
            2.1.3.4. Function: fn_genera_grupo_sanguineo 4
            2.1.3.5. Function: fn_numero_aleatorio_rangos 5
            2.1.3.6. Function: sp_poblar_pacientes 5

1. Introduction

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following models are chosen for documentation:
Model - Matias Hospital (MySQL)

For each model, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

2. Model: Model - Matias Hospital (MySQL)

Version: 8.0

1 database is listed below.

2.1. Database: hospital_matricula

Database objects to be listed: 1 table, 9 views, 6 functions

2.1.1. Tables

2.1.1.1. Table: tbi_bitacora

Fields

Pos	Name	Type	Not Null	Others
1	ID 🔑	int Auto Increment	✓	
2	Nombre_Tabla Tabla donde ocurrió el evento	varchar(80)		
3	Usuario Quién realizó la acción	varchar(80)		
4	Operacion	enum	✓	
5	Descripcion Detalle técnico o datos modificados	text		
6	Fecha_Hora Momento exacto de la operación	datetime		

2.1.2. Views

2.1.2.1. View: vw_monitoreo_bd_ge

2.1.2.2. View: vw_monitoreo_bd_mr

2.1.2.3. View: vw_monitoreo_bd_ms

2.1.2.4. View: vw_monitoreo_bd_ph

2.1.2.5. View: vw_monitorieo_bd_md

2.1.2.6. View: vw_muestra_triggers

2.1.2.7. View: vw_reporte_privilegios

2.1.2.8. View: vw_roles_usuarios

2.1.2.9. View: vw_vista_tablas

2.1.3. Functions

2.1.3.1. Function: fn_genera_bandera

Function Type: Function

Return Type: tinyint(1)

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.2. Function: fn_genera_bandera_porcentaje

Function Type: Function

Return Type: tinyint(1)

Parameters

Mode	Name	Data Type
IN	v_porcentaje	int

2.1.3.3. Function: fn_genera_fecha_nacimiento

Function Type: Function

Return Type: date

Parameters

Mode	Name	Data Type
IN	fecha_inicio	DATE
IN	fecha_fin	DATE

2.1.3.4. Function: fn_genera_grupo_sanguineo

Function Type: Function

Return Type: varchar(3) CHARSET utf8mb4

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.5. Function: fn_numero_aleatorio_rangos

Function Type: Function

Return Type: int

Parameters

Mode	Name	Data Type
IN	v_limite_inferior	int
IN	v_limite_superior	INT

2.1.3.6. Function: sp_poblar_pacientes

Function Type: Procedure

Parameters

Mode	Name	Data Type
IN	vcantidad	int
IN	vgenero	varchar
IN	vedad_minima	int
IN	vedad_maxima	int
IN	vestatus_vida	varchar
IN	vtipo_edad	varchar