



Apply a display filter ... <Ctrl-/>



Welcome to Wireshark

Capture

...using this filter:

All interfaces shown ▼

Wi-Fi



Adapter for loopback traffic capture



Local Area Connection* 10

Local Area Connection* 9

Local Area Connection* 8

Local Area Connection* 1

Ethernet



USBPcap1



USBPcap2



Cisco remote capture



Event Tracing for Windows (ETW) reader



Random packet generator



SSH remote capture



UDP Listener remote capture



Wi-Fi remote capture

Learn

[User's Guide](#) · [Wiki](#) · [Questions and Answers](#) · [Mailing Lists](#) · [SharkFest](#) · [Wireshark Discord](#) · [Donate](#)

You are running Wireshark 4.4.3 (v4.4.3-0-g66d7a52feb06). You receive automatic updates.

> Frame 1: 74 bytes on wire (592 bits), 74 bytes captured (592 bits) on interface \Device\NPF_{6C2FB5CA-F6}	0000	f4 3b d8 0b 62 33 5a 38	aa 5b b2 de 86 dd 60 07	.;..b3Z8 .[....`.
> Ethernet II, Src: 5a:38:aa:5b:b2:de (5a:38:aa:5b:b2:de), Dst: Intel_0b:62:33 (f4:3b:d8:0b:62:33)	0010	12 77 00 14 06 78 24 04	68 00 40 09 08 28 00 00	.w...x\$. h.@..(..
> Internet Protocol Version 6, Src: 2404:6800:4009:828::2003, Dst: 2409:40f4:40c7:bb50:e188:7a65:6a64:262a	0020	00 00 00 00 20 03 24 09	40 f4 40 c7 bb 50 e1 88	\$. @@@-P..
> Transmission Control Protocol, Src Port: 80, Dst Port: 50127, Seq: 1, Ack: 1, Len: 0	0030	7a 65 6a 64 26 2a 00 50	c3 cf e9 5a ec 8c 2e 91	zejd&*P ...Z...
	0040	cb 3f 50 10 04 1c d6 15	00 00	.?P..... ..



http

No.	Time	Source	Destination	Protocol	Length	Info
38	0.317208	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	HTTP	356	GET /msdownload/update/v3/static/trustedr/en/authrootstl.cab?debc4b3d721ff055 HTTP/1.1
39	0.397473	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	HTTP	377	HTTP/1.1 304 Not Modified
54	0.497308	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	HTTP	270	GET /msdownload/update/v3/static/trustedr/en/pinrulesstl.cab?e14dfef11e02ec8f HTTP/1.1
68	0.590816	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	HTTP	190	HTTP/1.1 200 OK (application/vnd.ms-cab-compressed)
274	10.452738	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	HTTP	356	GET /msdownload/update/v3/static/trustedr/en/authrootstl.cab?4e63fc5b449eff4f HTTP/1.1
284	10.547311	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	HTTP	378	HTTP/1.1 304 Not Modified
292	10.623964	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	HTTP	270	GET /msdownload/update/v3/static/trustedr/en/pinrulesstl.cab?fe6cea587ecc6486 HTTP/1.1
312	10.735243	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	HTTP	190	HTTP/1.1 200 OK (application/vnd.ms-cab-compressed)
337	15.840868	2409:40f4:40c7:bb50...	2404:6800:4009:828:...	HTTP	274	GET /r/r1.crl HTTP/1.1
339	15.920531	2404:6800:4009:828:...	2409:40f4:40c7:bb50...	HTTP	559	[TCP Previous segment not captured] Continuation
350	16.039944	2409:40f4:40c7:bb50...	2600:140f:3:1199::2...	HTTP	301	GET / HTTP/1.1
352	16.099629	2600:140f:3:1199::2...	2409:40f4:40c7:bb50...	PKIX-C...	1097	Certificate Revocation List
357	16.188286	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	HTTP	356	GET /msdownload/update/v3/static/trustedr/en/authrootstl.cab?6978793a12658a98 HTTP/1.1
359	16.273628	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	HTTP	377	HTTP/1.1 304 Not Modified
363	16.280664	2409:40f4:40c7:bb50...	2404:6800:4009:828:...	HTTP	276	GET /r/gsr1.crl HTTP/1.1
370	16.367108	2409:40f4:40c7:bb50...	2404:6800:4009:828:...	HTTP	274	GET /r/r4.crl HTTP/1.1
372	16.449760	2404:6800:4009:828:...	2409:40f4:40c7:bb50...	HTTP	1294	Continuation
373	16.449760	2404:6800:4009:828:...	2409:40f4:40c7:bb50...	HTTP	95	Continuation
380	16.864587	10.201.37.167	101.33.26.139	HTTP	250	GET /msdownload/update/v3/static/trustedr/en/pinrulesstl.cab?e749e10cd8d1b583 HTTP/1.1

> Ethernet II, Src: Intel_0b:62:33 (f4:3b:d8:0b:62:33), Dst: 5a:38:aa:5b:b2:de (5a:38:aa:5b:b2:de)
> Internet Protocol Version 6, Src: 2409:40f4:40c7:bb50:e188:7a65:6a64:262a, Dst: 2600:140f:3:1199::21c
v Transmission Control Protocol, Src Port: 50147, Dst Port: 80, Seq: 1, Ack: 1, Len: 227
Source Port: 50147
Destination Port: 80
[Stream index: 28]
> [Conversation completeness: Complete, WITH_DATA (31)]
[TCP Segment Len: 227]
Sequence Number: 1 (relative sequence number)
Sequence Number (raw): 2661245141
[Next Sequence Number: 228 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 2509027276
0101 = Header Length: 20 bytes (5)
> Flags: 0x018 (PSH, ACK)
Window: 255
[Calculated window size: 65280]
[Window size scaling factor: 256]
Checksum: 0xbc06 [unverified]
[Checksum Status: Unverified]

```
0000 5a 38 aa 5b b2 de f4 3b d8 0b 62 33 86 dd 60 0b Z8-[...; ..b3...`
0010 e4 19 00 f7 06 3f 24 09 40 f4 40 c7 bb 50 e1 88 .....?$. @.@..P..
0020 7a 65 6a 64 26 2a 26 00 14 0f 00 03 11 99 00 00 zej&*&. ....
0030 00 00 00 00 21 cc c3 e3 00 50 9e 9f 60 d5 95 8c ....!... .P..`...
0040 b7 cc 50 18 00 ff bc 06 00 00 47 45 54 20 2f 20 ..P..... ..GET /
0050 48 54 54 50 2f 31 2e 31 0d 0a 43 61 63 68 65 2d HTTP/1.1 ..Cache-
0060 43 6f 6e 74 72 6f 6c 3a 20 6d 61 78 2d 61 67 65 Control: max-age
0070 20 3d 20 33 36 30 30 0d 0a 43 6f 6e 6e 65 63 74 = 3600. -Connect
0080 69 6f 6e 3a 20 4b 65 65 70 2d 41 6c 69 76 65 0d ion: Kee p-Alive.
0090 0a 41 63 63 65 70 74 3a 20 2a 2f 2a 0d 0a 49 66 -Accept: /*..If
00a0 2d 4d 6f 64 69 66 69 65 64 2d 53 69 6e 63 65 3a -Modifie d-Since:
00b0 20 46 72 69 2c 20 31 33 20 44 65 63 20 32 30 32 Fri, 13 Dec 202
00c0 34 20 31 38 3a 30 31 3a 32 33 20 47 4d 54 0d 0a 4 18:01: 23 GMT..
00d0 49 66 2d 4e 6f 6e 65 2d 4d 61 74 63 68 3a 20 22 If-None- Match: "
00e0 36 37 35 63 37 36 37 33 2d 32 64 65 22 0d 0a 55 675c7673 -2de"...U
00f0 73 65 72 2d 41 67 65 6e 74 3a 20 4d 69 63 72 6f ser-Agen t: Micro
0100 73 6f 66 74 2d 43 72 79 70 74 6f 41 50 49 2f 31 soft-Cry ptoAPI/1
0110 30 2e 30 0d 0a 48 6f 73 74 3a 20 78 31 2e 63 2e 0.0..Hos t: x1.c.
0120 6c 65 6e 63 72 2e 6f 72 67 0d 0a 0d 0a lencr.or g....
```




tcp

No.	Time	Source	Destination	Protocol	Length	Info
337	15.840868	2409:40f4:40c7:bb50...	2404:6800:4009:828:...	HTTP	274	GET /r/r1.crl HTTP/1.1
338	15.919350	2404:6800:4009:828:...	2409:40f4:40c7:bb50...	TCP	74	80 → 50146 [ACK] Seq=1 Ack=201 Win=269312 Len=0
339	15.920531	2404:6800:4009:828:...	2409:40f4:40c7:bb50...	HTTP	559	[TCP Previous segment not captured] Continuation
340	15.920557	2409:40f4:40c7:bb50...	2404:6800:4009:828:...	TCP	86	[TCP Dup ACK 336#1] 50146 → 80 [ACK] Seq=201 Ack=1 Win=65280 Len=0 SLE=1221 SRE=1706
341	15.922340	2404:6800:4009:828:...	2409:40f4:40c7:bb50...	TCP	1294	[TCP Out-Of-Order] 80 → 50146 [ACK] Seq=1 Ack=201 Win=269312 Len=1220
342	15.922371	2409:40f4:40c7:bb50...	2404:6800:4009:828:...	TCP	74	50146 → 80 [ACK] Seq=201 Ack=1706 Win=65280 Len=0
347	15.977259	2409:40f4:40c7:bb50...	2600:140f:3:1199::2...	TCP	86	50147 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1350 WS=256 SACK_PERM
348	16.039222	2600:140f:3:1199::2...	2409:40f4:40c7:bb50...	TCP	86	80 → 50147 [SYN, ACK] Seq=0 Ack=1 Win=64800 Len=0 MSS=1300 SACK_PERM WS=128
349	16.039394	2409:40f4:40c7:bb50...	2600:140f:3:1199::2...	TCP	74	50147 → 80 [ACK] Seq=1 Ack=1 Win=65280 Len=0
350	16.039944	2409:40f4:40c7:bb50...	2600:140f:3:1199::2...	HTTP	301	GET / HTTP/1.1
351	16.099629	2600:140f:3:1199::2...	2409:40f4:40c7:bb50...	TCP	74	80 → 50147 [ACK] Seq=1 Ack=228 Win=64640 Len=0
352	16.099629	2600:140f:3:1199::2...	2409:40f4:40c7:bb50...	PKIX-C...	1097	Certificate Revocation List
353	16.108618	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	TCP	86	50148 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1350 WS=256 SACK_PERM
354	16.146755	2409:40f4:40c7:bb50...	2600:140f:3:1199::2...	TCP	74	50147 → 80 [ACK] Seq=228 Ack=1024 Win=64512 Len=0
355	16.188051	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	TCP	86	80 → 50148 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1300 SACK_PERM WS=1024
356	16.188137	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	TCP	74	50148 → 80 [ACK] Seq=1 Ack=1 Win=65280 Len=0
357	16.188286	2409:40f4:40c7:bb50...	64:ff9b::2baf:8adb	HTTP	356	GET /msdownload/update/v3/static/trustedr/en/authrootstl.cab?6978793a12658a98 HTTP/1.1
358	16.273628	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	TCP	76	80 → 50148 [ACK] Seq=1 Ack=283 Win=524288 Len=0
359	16.273628	64:ff9b::2baf:8adb	2409:40f4:40c7:bb50...	HTTP	377	HTTP/1.1 304 Not Modified

> Ethernet II, Src: 5a:38:aa:5b:b2:de (5a:38:aa:5b:b2:de), Dst: Intel_0b:62:33 (f4:3b:d8:0b:62:33)

> Internet Protocol Version 6, Src: 2404:6800:4009:828::2003, Dst: 2409:40f4:40c7:bb50:e188:7a65:6a64:2

✓ Transmission Control Protocol, Src Port: 80, Dst Port: 50146, Seq: 1, Ack: 201, Len: 1220

Source Port: 80

Destination Port: 50146

[Stream index: 27]

> [Conversation completeness: Complete, WITH_DATA (31)]

[TCP Segment Len: 1220]

Sequence Number: 1 (relative sequence number)

Sequence Number (raw): 1969488793

[Next Sequence Number: 1221 (relative sequence number)]

Acknowledgment Number: 201 (relative ack number)

Acknowledgment number (raw): 2838222428

0101 = Header Length: 20 bytes (5)

> Flags: 0x010 (ACK)

Window: 1052

[Calculated window size: 269312]

[Window size scaling factor: 256]

Checksum: 0x1fd9 [unverified]

[Checksum Status: Unverified]

0040 d6 5c 50 10 04 1c 1f d9 00 00 48 54 54 50 2f 31

0050 2e 31 20 32 30 30 20 4f 4b 0d 0a 58 2d 43 6f 6e

0060 74 65 6e 74 2d 54 79 70 65 2d 4f 70 74 69 6f 6e

0070 73 3a 20 6e 6f 73 6e 69 66 66 0d 0a 43 72 6f 73

0080 73 2d 4f 72 69 67 69 6e 2d 52 65 73 6f 75 72 63

0090 65 2d 50 6f 6c 69 63 79 3a 20 63 72 6f 73 73 2d

00a0 6f 72 69 67 69 6e 0d 0a 43 6f 6e 74 65 6e 74 2d

00b0 4c 65 6e 67 74 68 3a 20 39 39 33 0d 0a 41 63 63

00c0 65 70 74 2d 52 61 6e 67 65 73 3a 20 62 79 74 65

00d0 73 0d 0a 43 6f 6e 74 65 6e 74 2d 53 65 63 75 72

00e0 69 74 79 2d 50 6f 6c 69 63 79 2d 52 65 70 6f 72

00f0 74 2d 4f 6e 6c 79 3a 20 72 65 71 75 69 72 65 2d

0100 74 72 75 73 74 65 64 2d 74 79 70 65 73 2d 66 6f

0110 72 20 27 73 63 72 69 70 74 27 3b 20 72 65 70 6f

0120 72 74 2d 75 72 69 20 68 74 74 70 73 3a 2f 2f 63

0130 73 70 2e 77 69 74 68 67 6f 6f 67 6c 65 2e 63 6f

0140 6d 2f 63 73 70 2f 63 61 63 65 72 74 73 0d 0a 43

0150 72 6f 73 73 2d 4f 72 69 67 69 6e 2d 4f 70 65 6e

0160 65 72 2d 50 6f 6c 69 63 79 3a 20 73 61 6d 65 2d

0170 6f 72 69 67 69 6e 3b 20 72 65 70 6f 72 74 2d 74

0180 6f 3d 22 63 61 63 65 72 74 73 22 0d 0a 52 65 70

0190 6f 72 74 2d 54 6f 3a 20 7b 22 67 72 6f 75 70 22

01a0 3a 22 63 61 63 65 72 74 73 22 2c 22 6d 61 78 5f

01b0 61 67 65 22 3a 32 35 39 32 30 30 30 2c 22 65 6e

.P..... HTTP/1

.1 200 0 K..X-Con

tent-Type Option

s: nosni ff..Cros

s-Origin -Resourc

e-Policy : cross-

origin.. Content-

Length: 993..Acc

ept-Ranges: byte

s..Conte nt-Secur

ity-Poli cy-Repor

t-Only: require-

trusted- types-fo

r 'scrip t'; repo

rt-uri h ttps://c

sp.withg oogle.co

m/csp/ca certs..C

ross-Ori gin-Open

er-Polic y: same-

origin; report-t

o="cacer ts"..Rep

ort-To: {"group"

:"cacert s","max_

age":259 2000,"en


```
> Frame 346: 219 bytes on wire (1752 bits), 219 bytes captured (1752 bits) on interface \Device\NPF_{6C2FE...}
> Ethernet II, Src: 5a:38:aa:5b:b2:de (5a:38:aa:5b:b2:de), Dst: Intel_0b:62:33 (f4:3b:d8:0b:62:33)
> Internet Protocol Version 4, Src: 10.201.37.43, Dst: 10.201.37.167
> User Datagram Protocol, Src Port: 53, Dst Port: 64386
> Domain Name System (response)
```

```

0000 f4 3b d8 0b 62 33 5a 38 aa 5b b2 de 08 00 45 00 ;-b3Z8-[...E-
0010 00 cd 2e 22 40 00 40 11 ab 9a 0a c9 25 2b 0a c9 .."@.@...%+..
0020 25 a7 00 35 fb 82 00 b9 da 26 e8 f7 81 80 00 01 %..5....&.....
0030 00 04 00 00 00 00 02 78 31 01 63 05 6c 65 6e 63 .....x1-c-lenc
0040 72 03 6f 72 67 00 00 1c 00 01 c0 0c 00 05 00 01 r-org...
0050 00 00 00 46 00 29 03 63 72 6c 07 72 6f 6f 74 2d ..F-)-c rl-root-
0060 78 31 0b 6c 65 74 73 65 6e 63 72 79 70 74 03 6f x1-letse ncrypto-o
0070 72 67 07 65 64 67 65 6b 65 79 03 6e 65 74 00 c0 rg-edgek ey-net..
0080 2c 00 05 00 01 00 00 1e 4c 00 18 05 65 38 36 35 ,.....L...e865
0090 32 04 64 73 63 78 0a 61 6b 61 6d 61 69 65 64 67 2-dscx-a kamaiedg
00a0 65 c0 50 c0 61 00 1c 00 01 00 00 00 08 00 10 26 e-P-a.....&
00b0 00 14 0f 00 03 11 99 00 00 00 00 00 21 cc c0 .....!...
00c0 61 00 1c 00 01 00 00 00 08 00 10 26 00 14 0f 00 a-.....&....
00d0 03 11 a9 00 00 00 00 00 00 21 cc .....!..

```