

FACT_STORE_EXPERIMENT_ASSIGNMENT (factless, grano: tienda x experimento)
store_key (FK)
promo_key (FK)
start_date_key (FK)
end_date_key (FK)
variant (CONTROL/TREATMENT)

FACT_SALES_LINE (grano: 1 fila = 1 línea de ítem vendido)
transaction_item_id (PK)
transaction_id
date_key (FK)
store_key (FK)
product_key (FK)
customer_key (FK, -1=UNKNOWN)
quantity
unit_price
line_gmv
cost_at_sale
was_on_promo (BOOL)
payment_method
status

DIM_PROMOTION
promo_key (PK)
promo_name
promo_type

DIM_STORE
store_key (PK)
store_id
store_name
country
city
region
format
size_sqm
opening_date

DIM_DATE
date_key (PK)
full_date
year
quarter
month
week_of_year
day_of_week
is_weekend

DIM_CUSTOMER
customer_key (PK)
customer_id (NULL para -1)
is_identified (BOOL)
loyalty_card
first_purchase_date_key

DIM_PRODUCT
product_key (PK)
item_id
item_name
brand
category
department
vendor_key (FK)
current_cost

DIM_VENDOR
vendor_key (PK)
vendor_id
vendor_name
country
tier
is_shared_catalog