

Div-1	Branch	Sub-1	Enrollment No.	Mentor-1	Math - I Theory	Physics Theory	Physics Practice	Jest-I Theory	Jest-I Practice	Semester Engineering Theory	Semester Engineering Practice	Workshop Practice	Regular Workshop	Pharmaceutical Science Theory	Sub-1_M	Div-1_M	Branch_M	Mentor-1_M	NATSG-I Absentance	Physics Absentance	JEST-I Absentance	SE Absentance	ES Absentance	ECT Absentance
A1	CS&IT	1	2000217410213	ARY	69	67	81	58	84	75	68	83	88	88	1	A1	CS&IT	ARY	82.35	85.94	90.91	74.36	92.31	100
A1	CS&IT	2	2000217410205	DBP	71	68	85	64	86	69	66	73	85	68	2	A1	CS&IT	DBP	76.47	76.96	84.85	66.67	84.62	100
A1	CS&IT	3	2000217410204	HPP	69	72	73	44	76	70	70	76	82	65	3	A1	CS&IT	HPP	85.88	78.13	84.85	71.79	76.92	100
A1	AMEL	4	20002170410201	MCD	46	51	69	40	79	57	69	83	87	71	4	A1	AMEL	MCD	80.0	81.25	82.63	78.43	76.92	100
A1	CEA	5	200021704102015	PBS	52	48	70	58	89	58	70	86	88	83	5	A1	CEA	PBS	100.0	100.0	100.0	100.0	100.0	100
A1	ADGS	6	20002170510206	SJG	54	65	59	44	85	69	62	79	76	67	6	A1	ADGS	SJG	89.41	84.38	88.89	78.49	76.92	100
A1	ADGS	7	20002170510203	VSP	60	75	70	56	83	66	60	77	79	66	7	A1	ADGS	VSP	89.41	93.75	92.94	89.74	84.62	100
A1	AMEL	8	200021704102010	VVP	64	58	63	52	87	56	71	86	88	53	8	A1	AMEL	VVP	92.94	98.44	95.96	94.87	100.0	100
A1	AMEL	9	200021704102015	JHG	61	78	77	50	74	71	69	71	81	79	9	A1	AMEL	JHG	94.12	92.19	94.95	89.74	84.62	100
A1	CS&IT	10	20002174102027	ADA	65	58	84	43	75	46	68	69	75	67	10	A1	CS&IT	ADA	89.41	89.63	90.91	84.62	84.62	100
A1	CS&IT	11	20002174102031	DHK	69	68	77	44	83	63	70	82	85	81	11	A1	CS&IT	DHK	94.12	95.31	97.98	87.18	92.31	100
A1	CS&IT	13	20002174102011	ARY	61	76	84	51	85	79	69	88	83	77	13	A1	CS&IT	ARY	100.0	100.0	98.89	97.44	100.0	100
A1	CS&IT	14	20002174102046	DBP	52	69	80	56	88	61	59	73	77	83	14	A1	CS&IT	DBP	92.94	89.06	92.93	92.31	84.62	100
A1	CS&IT	15	20002174102020	HPP	50	52	76	33	78	48	70	78	78	61	15	A1	CS&IT	HPP	94.12	95.31	97.98	87.18	92.31	100
A1	ADGS	16	20002170510208	MCD	65	68	70	49	96	66	60	82	77	76	16	A1	ADGS	MCD	94.12	96.88	95.96	92.31	100.0	100
A1	CEA	17	20002170410203	PBS	64	72	78	51	86	68	70	80	80	75	17	A1	CEA	PBS	95.28	95.31	94.95	92.31	100.0	100
A1	ADGS	18	20002170510205	SJG	70	74	82	59	81	68	77	65	91	81	18	A1	ADGS	SJG	83.03	78.13	80.91	78.92	84.62	100
A1	ADGS	19	20002170510203	VSP	76	73	77	55	78	74	72	82	80	77	19	A1	ADGS	VSP	96.47	98.44	95.96	97.44	100.0	100
A1	ADGS	20	20002170510202	VVP	53	38	74	34	74	36	70	72	71	55	20	A1	ADGS	VVP	88.24	82.91	85.87	84.62	92.31	100
A1	CS&IT	21	20002174102010	JHG	70	61	83	54	83	68	79	65	92	73	21	A1	CS&IT	JHG	94.12	96.88	100.0	87.18	84.62	100
A1	AMEL	23	200021704102014	DHK	74	85	86	64	88	80	79	73	82	74	23	A1	AMEL	DHK	94.12	96.88	97.98	92.31	92.31	100
A1	ADGS	24	200021705102043	ARY	58	63	71	50	85	70	68	76	80	67	24	A1	ADGS	ARY	92.94	95.31	95.96	87.18	92.31	100
A1	AMEL	25	20002170410203	ARY	57	54	70	30	90	59	59	60	74	86	25	A1	AMEL	ARY	84.71	85.94	86.87	78.49	76.92	100
A1	ADGS	26	200021705102030	DBP	60	55	74	45	81	52	66	75	75	68	26	A1	ADGS	DBP	89.41	92.19	92.94	84.62	76.92	100
A1	CS&IT	27	20002174102045	HPP	50	48	78	32	71	37	68	74	78	73	27	A1	CS&IT	HPP	77.65	78.13	78.8	66.67	61.54	100
A1	CS&IT	28	2000217410204	MCD	74	80	88	63	88	74	78	76	91	88	28	A1	CS&IT	MCD	91.76	92.19	93.94	89.74	76.92	100

A1	ADG	29	2000170410017	PBG	47	44	34	37	73	39	85	67	77	73	29	A1	ADG	PBG	88.24	85.94	88.87	84.82	76.92	100
A1	ADG	30	2000170410039	SJG	88	76	80	77	95	86	91	80	95	87	30	A1	ADG	SJG	91.78	95.88	90.91	92.31	100.0	100
A1	CSBT	31	2000171410014	VSP	54	69	79	55	86	74	68	74	91	85	31	A1	CSBT	VSP	89.41	98.44	93.94	88.74	92.31	100
A2	CSBT	32	2000171410029	VVP	70	83	76	55	72	82	66	79	78	87	32	A2	CSBT	VVP	88.01	93.05	91.75	88.1	91.67	100
A2	ABL	33	2000170410023	JHG	66	74	82	50	88	73	60	91	79	77	33	A2	ABL	JHG	72.41	70.97	76.28	68.67	92.0	100
A2	CSBT	34	2000171410036	ASA	72	49	76	39	75	53	75	79	73	80	34	A2	CSBT	ASA	97.7	100.0	97.94	97.62	91.67	100
A2	CSBT	35	2000171410056	DHK	74	76	84	57	76	78	66	87	77	86	35	A2	CSBT	DHK	96.05	98.39	97.94	96.24	100.0	100
A2	ADG	36	2000170410059	ASA	49	50	80	31	88	44	86	71	80	90	36	A2	ADG	ASA	86.21	77.42	97.63	83.33	93.33	100
A2	ADG	37	2000170410031	ARY	53	55	66	37	75	49	66	74	78	50	37	A2	ADG	ARY	86.21	87.1	87.63	88.1	93.33	100
A2	CSBT	38	2000171410029	DBP	64	54	83	54	71	45	83	78	72	60	38	A2	CSBT	DBP	85.06	80.85	87.63	76.19	75.0	100
A2	CSBT	39	2000171410029	HFP	71	65	75	48	64	60	65	80	74	78	39	A2	CSBT	HFP	96.05	96.77	97.94	97.62	91.67	100
A2	ABL	40	2000170410017	MCD	66	62	70	51	80	48	75	79	80	72	40	A2	ABL	MCD	77.01	69.35	89.69	76.19	93.33	100
A2	CSBT	41	2000171410041	PBG	47	48	51	33	69	39	55	76	83	42	41	A2	CSBT	PBG	93.1	88.71	94.85	88.1	86.67	100
A2	ABL	42	2000170410016	SJG	55	62	73	59	78	68	66	81	83	66	42	A2	ABL	SJG	86.21	85.48	87.63	73.81	75.0	100
A2	ABL	44	2000170410024	VVP	58	58	74	61	80	67	85	71	78	76	44	A2	ABL	VVP	88.01	85.48	97.63	88.1	91.67	100
A2	CSBT	45	2000171410012	JHG	74	69	86	73	92	73	67	96	87	68	45	A2	CSBT	JHG	90.8	87.1	92.78	86.95	75.0	100
A2	CEA	46	2000171410062	ASA	60	72	75	45	68	68	65	72	77	78	46	A2	CEA	ASA	93.1	77.42	87.63	76.19	75.0	100
A2	CSBT	47	2000171410040	DHK	49	38	70	45	76	55	55	77	79	51	47	A2	CSBT	DHK	91.95	90.32	91.75	88.1	93.33	100
A2	CSBT	48	2000171410030	ASA	64	65	67	41	86	53	75	79	73	71	48	A2	CSBT	ASA	83.91	80.85	91.44	76.19	93.33	0
A2	ADG	49	2000170410038	ARY	64	59	83	45	86	61	60	85	86	76	49	A2	ADG	ARY	73.56	67.74	79.38	66.67	75.0	100
A2	CSBT	50	2000171410025	DBP	75	84	86	67	80	85	75	95	75	87	50	A2	CSBT	DBP	93.1	91.94	93.81	96.24	93.33	100
A2	CSBT	51	2000171410023	HFP	65	74	88	48	80	60	86	73	82	72	51	A2	CSBT	HFP	92.8	90.32	92.81	88.71	93.33	100
A2	CSBT	52	2000171410015	MCD	53	60	86	37	73	59	66	73	78	53	52	A2	CSBT	MCD	85.06	87.1	89.69	85.71	93.33	100
A2	ADG	53	2000170410044	PBG	81	73	72	61	87	62	67	76	78	66	53	A2	ADG	PBG	97.7	90.32	97.94	90.48	91.67	100
A2	CSBT	54	2000171410028	SJG	60	77	74	64	91	82	65	83	84	79	54	A2	CSBT	SJG	94.25	93.05	97.94	92.86	100.0	100
A2	ADG	55	2000170410019	VSP	34	38	67	34	77	51	66	72	79	55	55	A2	ADG	VSP	79.31	80.85	78.35	78.57	93.33	100
A2	ABL	56	2000170410025	VVP	27	48	58	46	80	63	65	87	80	45	56	A2	ABL	VVP	78.16	74.19	79.38	71.43	93.33	100

A2	CS&T	57	200017410008	JHG	77	79	80	59	85	73	85	76	78	74	57	A2	CS&T	JHG	92.4	98.39	100.0	97.82	100.0	100
A2	ADS	58	200017410007	ASA	55	36	76	39	77	46	60	71	76	46	58	A2	ADS	ASA	90.8	83.87	87.83	85.33	83.33	100
A2	CS&T	58	200017410064	DHK	58	53	69	37	66	52	60	72	72	44	58	A2	CS&T	DHK	85.06	77.42	80.41	78.57	66.67	100
A2	CS&T	60	200017410022	DSP	83	65	75	64	86	66	60	71	77	61	60	A2	CS&T	DSP	83.91	80.05	87.83	85.33	66.67	100
A3	CS&T	61	200017410019	ARY	77	75	78	67	94	76	82	96	87	74	61	A3	CS&T	ARY	100.0	100.0	100.0	100.0	100.0	100
A3	CS&T	62	200017410038	DSP	45	48	75	37	78	58	75	81	74	64	62	A3	CS&T	DSP	94.67	92.42	98.11	90.48	90.91	100
A3	CS&T	63	200017410061	HFP	63	74	80	57	86	79	80	82	89	86	63	A3	CS&T	HFP	94.67	89.39	92.45	88.1	81.82	100
A2	CS&T	64	200017410067	MCD	52	52	80	43	79	80	83	81	80	58	64	A3	CS&T	MCD	81.33	77.37	79.25	80.85	100.0	100
A3	CS&T	65	200017410037	PBS	45	43	76	54	80	59	82	79	81	65	65	A3	CS&T	PBS	66.67	95.45	94.34	78.57	63.64	100
A3	CS&T	66	200017410060	SJG	59	50	62	40	78	66	79	80	78	63	66	A3	CS&T	SJG	86.67	92.42	94.34	90.48	100.0	100
A3	CEA	67	200017031005	YRP	38	40	77	31	56	55	80	80	81	69	67	A3	CEA	YRP	90.67	87.88	92.45	88.71	90.91	100
A3	ADS	68	200017051007	VVP	33	58	73	37	69	67	81	78	87	80	68	A3	ADS	VVP	74.67	86.36	88.78	69.05	81.82	100
A3	CS&T	69	200017410017	JHG	62	69	79	41	70	81	83	82	88	88	69	A3	CS&T	JHG	69.33	71.21	71.7	73.81	72.73	0
A3	CS&T	70	200017410049	ASA	59	57	76	59	88	69	82	99	84	72	79	A3	CS&T	ASA	81.33	80.3	88.79	73.81	72.73	100
A2	ADS	71	200017051008	DHK	77	74	80	55	91	83	81	95	86	87	71	A3	ADS	DHK	93.33	93.94	92.45	97.82	100.0	100
A3	CS&T	72	200017410064	DSP	45	46	80	46	81	70	88	79	87	51	72	A3	CS&T	DSP	83.67	84.85	83.86	76.19	81.82	100
A3	CS&T	73	200017051006	ARY	66	55	64	64	82	52	88	72	90	71	73	A3	CS&T	ARY	85.33	81.82	90.57	84.29	81.82	100
A2	ADS	74	200017051004	DSP	58	56	81	40	69	53	75	79	81	50	74	A3	ADS	DSP	84.0	87.88	88.79	88.71	90.91	100
A3	CS&T	75	200017410065	HFP	47	52	77	40	68	53	74	78	83	77	75	A3	CS&T	HFP	92.0	95.45	94.34	88.71	81.82	100
A3	ADS	76	200017051008	MCD	46	42	67	33	67	60	78	85	78	62	76	A3	ADS	MCD	94.67	100.0	100.0	92.86	90.91	100
A3	CS&T	77	200017410039	PBS	47	58	84	42	88	63	86	87	89	78	77	A3	CS&T	PBS	77.33	77.27	81.13	76.19	72.73	100
A2	CS&T	78	200017410063	SJG	85	78	76	55	98	79	88	74	92	85	78	A3	CS&T	SJG	92.0	93.94	94.34	88.1	90.91	100
A3	CS&T	79	200017410018	YRP	61	59	73	45	92	53	74	78	84	72	79	A3	CS&T	YRP	84.0	87.88	92.45	88.1	81.82	100
A3	CS&T	80	200017410021	VVP	65	73	79	36	80	67	88	74	91	65	80	A3	CS&T	VVP	90.67	95.45	92.45	83.33	90.91	100
A3	CS&T	81	200017410062	JHG	51	42	64	33	78	40	76	82	81	53	81	A3	CS&T	JHG	90.67	92.42	98.23	92.86	90.91	100
A3	CS&T	82	200017410048	ASA	52	60	70	41	77	41	80	93	91	60	82	A3	CS&T	ASA	82.67	84.85	92.45	78.57	90.91	100
A3	CS&T	83	200017410051	DHK	48	50	71	40	47	59	82	84	74	66	83	A3	CS&T	DHK	84.0	90.91	89.62	83.33	90.91	100

A3	CS&T	84	200017410005	DNR	64	73	80	49	85	78	76	78	84	76	84	A3	CS&T	DNR	97.33	95.45	100.0	92.86	90.91	100
A3	ADS	85	2000170510015	JRY	44	54	73	44	58	58	81	81	84	64	85	A3	ADS	JRY	84.0	84.85	88.88	86.95	72.73	100
A3	CS&T	86	200017410002	DBP	43	70	80	40	85	70	79	53	86	78	86	A3	CS&T	DBP	94.67	93.94	95.23	85.71	90.91	100
A3	CS&T	87	200017410001	HPP	69	71	73	69	95	73	88	70	92	78	87	A3	CS&T	HPP	89.33	90.91	96.23	83.33	90.91	100
A3	CS&T	88	200017410002	MCD	41	58	70	39	85	50	76	78	72	81	88	A3	CS&T	MCD	78.67	86.36	90.57	76.19	54.55	100
A3	CS&T	89	200017410043	PBS	57	63	81	52	81	65	86	79	92	82	89	A3	CS&T	PBS	96.0	93.94	98.11	85.71	81.82	100
A3	CS&T	90	200017410005	SJG	37	43	80	36	72	53	76	80	73	75	90	A3	CS&T	SJG	84.0	87.88	91.51	71.43	72.73	100
A4	CS&T	92	200017410003	VVP	62	83	80	57	88	85	73	76	92	81	92	A4	CS&T	VVP	95.59	97.1	95.6	94.74	92.86	100
A4	CS&T	93	200017410004	JHG	44	65	80	38	78	58	70	73	80	78	93	A4	CS&T	JHG	76.14	78.38	74.73	81.58	78.57	100
A4	CEA	94	2000170510009	ASA	56	57	81	33	62	58	71	83	85	80	94	A4	CEA	ASA	72.73	69.57	72.53	63.16	57.14	100
A4	CS&T	95	200017410006	DNR	58	68	77	54	81	71	70	79	94	80	95	A4	CS&T	DNR	97.73	88.25	100.0	90.11	100.0	100
A4	CS&T	96	200017410006	DNR	55	65	57	49	74	62	69	75	88	78	96	A4	CS&T	DNR	100.0	100.0	100.0	100.0	100.0	100
A4	ADS	97	2000170510002	JRY	46	45	76	28	68	40	65	71	68	58	97	A4	ADS	JRY	95.45	91.3	91.21	86.84	92.86	100
A4	ADS	98	2000170510012	DBP	58	64	77	40	73	67	72	84	87	84	98	A4	ADS	DBP	78.41	76.81	82.42	73.69	64.29	100
A4	CEA	99	2000170510004	HPP	51	52	86	60	82	45	85	75	70	59	99	A4	CEA	HPP	92.05	86.96	92.41	89.47	85.71	100
A4	CEA	100	2000170510009	MCD	56	51	76	37	82	54	75	77	79	67	100	A4	CEA	MCD	92.05	92.75	84.62	86.47	78.57	100
A4	CS&T	101	2000170410009	PBS	55	52	79	41	68	45	64	77	69	64	101	A4	CS&T	PBS	82.95	85.51	83.52	76.32	85.71	100
A4	AME	102	2000170410006	SJG	67	51	77	34	67	54	69	75	73	51	102	A4	AME	SJG	98.86	97.1	93.41	100.0	92.86	100
A4	CS&T	103	200017410002	VVP	63	62	87	35	77	68	70	86	79	70	103	A4	CS&T	VVP	86.36	89.86	85.71	81.58	71.43	100
A4	AME	104	2000170410008	VVP	66	59	79	52	70	61	70	76	87	56	104	A4	AME	VVP	88.64	89.86	85.71	81.58	85.71	100
A4	ADS	106	2000170510016	ASA	73	67	85	50	85	74	75	84	93	67	106	A4	ADS	ASA	93.18	94.2	97.8	94.74	100.0	100
A4	CS&T	107	200017410003	DNR	62	57	75	44	77	51	69	84	77	55	107	A4	CS&T	DNR	95.59	95.05	95.6	92.11	92.86	100
A4	ADS	108	2000170510001	HPP	58	63	53	42	82	55	64	77	80	73	108	A4	ADS	HPP	80.68	75.38	70.33	89.47	71.43	100
A4	AME	109	2000170410003	JRY	45	43	57	40	67	53	71	79	65	55	109	A4	AME	JRY	89.77	91.3	93.41	92.11	100.0	100
A4	AME	110	2000170410018	DBP	61	66	81	55	88	67	73	82	79	63	110	A4	AME	DBP	100.0	100.0	100.0	100.0	100.0	100
A4	CS&T	111	2000170410004	HPP	55	36	76	39	66	30	67	80	83	56	111	A4	CS&T	HPP	77.27	76.81	78.03	78.95	71.43	100
A4	ADS	112	2000170510007	MCD	35	42	40	35	66	43	68	64	77	85	112	A4	ADS	MCD	78.41	84.06	82.42	86.84	92.86	100

A4	ADS	113	2000170510019	PBS	62	69	47	45	64	65	73	63	61	76	113	A4	ADS	PBS	97.73	95.85	100.0	92.11	92.86	100
A4	CEA	114	2000170510042	SJG	65	77	56	55	96	69	70	87	78	71	114	A4	CEA	SJG	94.32	91.3	95.6	81.58	85.71	100
A4	CEA	115	2000170510027	VSP	45	43	45	24	45	46	66	61	68	62	115	A4	CEA	VSP	65.68	79.71	83.23	76.32	79.57	100
A4	ABL	116	2000170410012	VVP	38	56	63	35	64	54	69	67	72	60	116	A4	ABL	VVP	67.5	62.75	89.01	92.11	92.86	100
A4	ABL	117	2000170410011	JHG	61	69	72	58	66	71	74	79	84	81	117	A4	ABL	JHG	100.0	100.0	100.0	100.0	100.0	100
A4	CEA	118	2000170510038	ASA	40	59	60	48	70	59	73	69	93	72	118	A4	CEA	ASA	100.0	100.0	100.0	100.0	100.0	100
A4	CEA	119	2000170510026	DHK	36	38	47	37	60	28	69	61	69	46	119	A4	CEA	DHK	69.32	68.12	93.74	71.05	71.43	100
A4	CEA	120	2000170510021	HFP	33	42	70	28	74	36	70	71	78	61	120	A4	CEA	HFP	67.5	66.41	92.42	94.74	95.71	100
A5	CEA	121	2000170510011	ARY	71	63	60	67	74	78	73	80	67	70	121	A5	CEA	ARY	91.86	89.96	96.2	92.11	100.0	100
A5	CEA	122	2000170510030	DBP	50	65	84	49	71	79	76	84	94	81	122	A5	CEA	DBP	94.19	89.96	93.14	97.37	100.0	100
A5	CEA	123	2000170510017	HFP	56	57	86	46	60	64	74	69	79	75	123	A5	CEA	HFP	97.67	100.0	98.94	100.0	100.0	100
A5	ADS	124	2000170510028	MCD	68	62	60	58	78	66	64	68	85	67	124	A5	ADS	MCD	100.0	100.0	100.0	100.0	100.0	100
A5	CEA	125	2000170510005	PBS	64	62	88	47	84	63	64	78	91	66	125	A5	CEA	PBS	90.7	87.5	92.16	92.11	96.0	100
A5	CEA	126	2000170510020	SJG	44	37	60	56	68	48	71	68	69	68	126	A5	CEA	SJG	79.07	65.63	75.49	57.89	80.0	100
A5	ADS	127	2000170510019	VSP	36	42	59	34	79	47	62	77	86	59	127	A5	ADS	VSP	62.56	62.81	98.24	81.58	90.0	100
A5	ADS	128	2000170510045	VVP	56	59	85	63	63	80	75	76	93	76	128	A5	ADS	VVP	100.0	100.0	100.0	100.0	100.0	100
A5	ABL	129	2000170410013	JHG	53	46	71	48	73	63	77	77	91	61	129	A5	ABL	JHG	86.05	78.13	81.37	86.84	90.0	100
A5	CEA	130	2000170510016	ASA	43	32	62	38	61	52	71	63	80	68	130	A5	CEA	ASA	76.74	75.0	86.27	86.47	80.0	100
A5	CEA	131	2000170510013	DHK	74	64	66	60	77	90	71	78	86	82	131	A5	CEA	DHK	93.02	93.75	93.14	97.37	100.0	100
A5	CEA	132	2000170510004	JHG	47	43	77	46	63	59	70	73	88	76	132	A5	CEA	JHG	95.35	92.19	96.08	92.11	100.0	100
A5	CEA	133	2000170510036	ARY	38	46	79	29	64	48	71	71	67	68	133	A5	CEA	ARY	88.37	96.88	91.18	92.11	90.0	100
A5	ADS	134	2000170510041	DBP	60	69	87	66	67	80	77	84	87	96	134	A5	ADS	DBP	84.88	90.63	92.14	86.47	80.0	100
A5	CEA	135	2000170510035	HFP	55	44	68	36	59	60	69	65	80	63	135	A5	CEA	HFP	97.67	98.44	98.94	100.0	100.0	100
A5	CEA	136	2000170510007	MCD	50	42	85	38	66	63	65	78	79	78	136	A5	CEA	MCD	97.67	100.0	98.94	100.0	100.0	100
A5	ABL	137	2000170510005	PBS	53	58	67	47	62	68	62	72	84	79	137	A5	ABL	PBS	86.05	85.94	95.29	78.95	79.0	100
A5	ABL	138	2000170410019	SJG	51	39	76	44	61	61	64	71	80	51	138	A5	ABL	SJG	100.0	93.75	100.0	94.74	100.0	100
A5	CEA	139	2000170510043	VSP	41	48	79	44	75	65	71	73	81	65	139	A5	CEA	VSP	97.67	100.0	100.0	100.0	100.0	100

A5	AMEL	140	2000170410022	VVP	62	57	86	77	62	76	78	79	84	79	140	A5	AMEL	VVP	82.56	79.09	79.42	76.32	80.0	100
A5	CEA	141	2000170510004	JHG	70	63	63	50	78	74	78	83	91	74	141	A5	CEA	JHG	93.02	92.19	92.16	94.74	90.0	100
A5	CEA	142	2000170510008	ASA	54	47	72	59	74	67	74	76	80	57	142	A5	CEA	ASA	88.37	85.94	89.22	89.47	90.0	100
A5	ADGS	143	2000170510022	DHK	47	35	60	35	73	59	76	75	88	52	143	A5	ADGS	DHK	86.05	82.81	86.27	86.84	90.0	100
A5	ADGS	144	2000170510014	JHG	19	21	58	35	61	30	69	65	80	56	144	A5	ADGS	JHG	94.19	92.19	97.06	94.74	100.0	100
A5	AMEL	145	2000170410007	ARY	47	42	66	42	67	57	72	73	78	52	145	A5	AMEL	ARY	100.0	100.0	100.0	100.0	100.0	100
A5	ADGS	146	2000170510023	DBP	41	54	83	44	62	69	76	72	96	65	146	A5	ADGS	DBP	100.0	96.88	99.02	94.74	90.0	100
A5	CEA	147	2000170510041	HFP	59	46	76	55	84	70	73	70	87	60	147	A5	CEA	HFP	82.56	76.56	97.25	76.95	70.0	100
A5	CEA	148	2000170510009	MCD	33	38	60	36	66	49	70	79	86	55	148	A5	CEA	MCD	95.35	89.96	92.16	97.37	100.0	100
A5	AMEL	149	2000170410004	PBS	32	32	66	32	75	41	73	77	84	62	149	A5	AMEL	PBS	81.4	82.81	74.51	78.95	70.0	100
A5	CEA	150	2000170510027	SJG	26	36	71	29	62	47	71	66	91	70	150	A5	CEA	SJG	76.74	85.94	77.45	78.95	90.0	100
A5	CEA	151	2000170510033	VBP	46	63	46	46	71	63	78	77	82	59	151	A5	CEA	VBP	90.48	81.25	88.0	89.47	85.71	100
A6	AMEL	153	2000170410001	JHG	30	39	36	36	65	48	73	76	81	69	153	A6	AMEL	JHG	89.29	84.38	90.0	89.47	92.86	100
A6	CSBT	154	200017410008	ASA	50	51	49	56	84	59	71	87	89	71	154	A6	CSBT	ASA	92.86	90.63	92.0	97.37	85.71	100
A6	ADGS	155	2000170510035	DHK	30	40	46	37	67	49	66	63	73	66	155	A6	ADGS	DHK	97.62	98.44	100.0	97.37	100.0	100
A6	ADGS	156	2000170510040	MCD	48	48	50	41	90	56	74	79	61	75	156	A6	ADGS	MCD	88.1	76.56	92.0	86.84	85.71	100
A6	ADGS	157	2000170510042	ARY	39	37	47	28	64	40	63	68	77	52	157	A6	ADGS	ARY	96.43	89.96	94.0	94.74	92.86	100
A6	CEA	158	2000170510010	DBP	34	33	47	36	68	39	77	74	84	58	158	A6	CEA	DBP	100.0	92.19	100.0	97.37	100.0	100
A6	CEA	159	2000170510006	HFP	43	50	49	67	84	60	77	63	66	75	159	A6	CEA	HFP	79.57	78.13	90.0	78.95	71.43	100
A6	CSBT	160	200017410016	MCD	30	52	50	51	89	57	84	86	81	87	160	A6	CSBT	MCD	91.67	87.5	87.0	86.84	85.71	100
A6	AMEL	161	2000170410023	PBS	26	41	52	37	64	48	66	57	66	68	161	A6	AMEL	PBS	90.48	76.56	76.0	81.55	85.71	100
A6	CEA	162	2000170510044	SJG	50	44	46	48	75	47	69	84	78	73	162	A6	CEA	SJG	84.52	79.09	94.0	86.84	89.71	100
A6	CEA	164	2000170501012	VVP	49	50	45	44	65	62	68	59	72	80	164	A6	CEA	VVP	100.0	95.31	97.0	97.37	100.0	100
A6	CEA	165	2000170510001	JHG	50	55	49	49	75	63	74	85	76	59	165	A6	CEA	JHG	89.29	90.63	90.0	89.47	92.86	100
A6	CEA	166	2000170510022	ASA	42	41	49	37	69	59	77	72	86	71	166	A6	CEA	ASA	97.62	95.31	100.0	97.37	100.0	100
A6	CEA	167	2000170510018	DHK	58	52	49	44	78	60	83	63	71	51	167	A6	CEA	DHK	82.14	81.25	93.0	84.21	85.71	100
A6	ADGS	168	2000170510011	MCD	43	37	62	46	82	49	83	64	72	70	168	A6	ADGS	MCD	83.33	78.13	84.0	86.84	85.71	100

A6	CEA	169	2300217515028	APY	43	61	32	44	62	61	67	71	64	94	169	A6	CEA	APY	80.9	85.94	86.0	86.84	87.71	100
A6	ADS	170	2300217515013	DBP	52	42	64	48	67	46	66	60	69	73	170	A6	ADS	DBP	75.0	75.0	73.0	66.53	78.57	100
A6	ADS	171	2300217515025	HFP	48	47	49	45	71	50	88	65	73	59	171	A6	ADS	HFP	96.43	98.44	92.0	97.37	100.0	100
A6	ADS	172	2300217515001	MCD	46	45	47	60	62	61	80	61	80	64	172	A6	ADS	MCD	79.76	75.0	84.0	71.05	85.71	100
A6	CEA	173	2300217515023	PBS	36	56	70	54	58	62	70	79	88	85	173	A6	CEA	PBS	79.76	78.13	86.0	86.84	78.57	100
A6	CEA	174	2300217515018	SJG	35	63	62	56	62	64	86	86	75	75	174	A6	CEA	SJG	100.0	96.88	100.0	97.37	92.86	100
A6	CEA	175	2300217515040	VBP	35	49	81	32	63	49	85	65	75	71	175	A6	CEA	VBP	96.43	89.06	90.0	92.11	78.57	100
A6	CEA	176	2300217515001	VVP	39	37	47	32	71	44	70	66	65	64	176	A6	CEA	VVP	84.52	79.69	81.0	84.21	100.0	100
A6	ADS	177	2300217515024	JHG	70	55	41	44	70	62	74	72	79	81	177	A6	ADS	JHG	83.33	82.81	92.0	92.11	85.71	100
A6	AME	178	2300217515002	ASA	49	59	69	42	74	59	76	70	64	73	178	A6	AME	ASA	100.0	92.19	96.0	94.74	100.0	100
A6	CEA	179	2300217515014	DNR	27	46	80	40	69	49	80	67	65	69	179	A6	CEA	DNR	79.76	75.0	77.0	68.42	92.86	100
A6	ADS	180	2300217515033	PBS	68	63	56	58	65	70	82	73	72	77	180	A6	ADS	PBS	100.0	96.88	96.0	94.74	100.0	100
A6	ADS	181	2300217515034	PBS	50	53	59	43	69	53	83	66	70	67	181	A6	ADS	PBS	100.0	98.44	100.0	97.37	100.0	100
A6	CSBT	182	2300217413027	VVP	41	50	59	37	72	65	78	60	65	63	182	A6	CSBT	VVP	100.0	91.53	97.83	97.14	100.0	100