

Q.1 The foundation: Repo,Commit, Push

```
rushi@rushi:~$ mkdir teamsite && cd teamsite && git init -b main
Initialized empty Git repository in /home/rushi/teamsite/.git/
rushi@rushi:~/teamsite$ nano index.html
rushi@rushi:~/teamsite$ git add index.html
rushi@rushi:~/teamsite$ git commit -m "initial site"
[main (root-commit) cca0b42] initial site
 1 file changed, 12 insertions(+)
 create mode 100644 index.html
rushi@rushi:~/teamsite$
```

The screenshot shows the GitHub interface for a repository named 'teamsite'. The repository is public and owned by 'DevRushi-engg'. It has 0 watches, 0 forks, and 0 stars. The repository contains two files: 'README.md' (initial commit, 7 minutes ago) and 'index.html' (initial site, 1 minute ago). The 'README' file is open, showing the title 'teamsite'. The right sidebar contains sections for 'About' (no description), 'Releases' (no releases published), 'Packages' (no packages published), and 'Contributors' (1 contributor: DevRushi-engg).

Code Issues Pull requests Agents Actions Projects Wiki More

teamsite Public

Pin Watch 0 Fork 0 Star 0

main

Go to file + Code

File	Commit	Time
README.md	Initial commit	7 minutes ago
index.html	initial site	1 minute ago

README

teamsite

About

No description, website, or topics provided.

- Readme
- Activity
- 0 stars
- 0 watching
- 0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Contributors 1

- DevRushi-engg RUSHIKE...

```
rushi@rushi:~/teamsite$ git remote add origin git@github.com:DevRushi-engg/teamsite.git
rushi@rushi:~/teamsite$ git remote -v
origin  git@github.com:DevRushi-engg/teamsite.git (fetch)
origin  git@github.com:DevRushi-engg/teamsite.git (push)
rushi@rushi:~/teamsite$ git push -u origin main
To github.com:DevRushi-engg/teamsite.git
 ! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'github.com:DevRushi-engg/teamsite.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
rushi@rushi:~/teamsite$ git pull origin main --rebase
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 858 bytes | 858.00 KiB/s, done.
From github.com:DevRushi-engg/teamsite
 * branch            main      -> FETCH_HEAD
 * [new branch]      main      -> origin/main
Successfully rebased and updated refs/heads/main.
rushi@rushi:~/teamsite$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 418 bytes | 418.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:DevRushi-engg/teamsite.git
   baf9f9c..95d091a  main -> main
branch 'main' set up to track 'origin/main'.
rushi@rushi:~/teamsite$
```

Q.2 Working on a Branch

```
rushi@rushi:~/teamsite$ git switch -c about-page
Switched to a new branch 'about-page'
rushi@rushi:~/teamsite$ git branch --show-current
about-page
rushi@rushi:~/teamsite$ nano about.html
rushi@rushi:~/teamsite$ git add about.html
rushi@rushi:~/teamsite$ git commit -m "add about page"
> ^C
rushi@rushi:~/teamsite$ git commit -m "add about page"
[about-page 1f111f5] add about page
1 file changed, 11 insertions(+)
create mode 100644 about.html
rushi@rushi:~/teamsite$ git branch
* about-page
  main
rushi@rushi:~/teamsite$ git switch main && ls
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
index.html  README.md
rushi@rushi:~/teamsite$ git switch main && ls
Already on 'main'
Your branch is up to date with 'origin/main'.
index.html  README.md
rushi@rushi:~/teamsite$ git switch about-page && ls
Switched to branch 'about-page'
about.html  index.html  README.md
rushi@rushi:~/teamsite$
```

Q3. Bringing the Branch Back:Merge

```
rushi@rushi:~/teamsite$ git status
On branch about-page
nothing to commit, working tree clean
rushi@rushi:~/teamsite$ ls
about.html  index.html  README.md
rushi@rushi:~/teamsite$ git branch
* about-page
  main
rushi@rushi:~/teamsite$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
rushi@rushi:~/teamsite$ git merge about-page
Updating 95d091a..1f111f5
Fast-forward
 about.html | 11 ++++++++
 1 file changed, 11 insertions(+)
 create mode 100644 about.html
rushi@rushi:~/teamsite$ ls
about.html  index.html  README.md
rushi@rushi:~/teamsite$ git log --oneline
1f111f5 (HEAD -> main, about-page) add about page
95d091a (origin/main) initial site
baf9f9c Initial commit
rushi@rushi:~/teamsite$ git branch -d about-page
Deleted branch about-page (was 1f111f5).
rushi@rushi:~/teamsite$ git branch
* main
rushi@rushi:~/teamsite$ git log --oneline
1f111f5 (HEAD -> main) add about page
95d091a (origin/main) initial site
baf9f9c Initial commit
rushi@rushi:~/teamsite$
```

Q4 The Team Way: Pull Request

```
rushi@rushi:~/teamsite$ git switch -c contact-page
Switched to a new branch 'contact-page'
rushi@rushi:~/teamsite$ touch contact.html
rushi@rushi:~/teamsite$ git add contact.html
rushi@rushi:~/teamsite$ git commit -m "add contact"
[contact-page 9b75fa3] add contact
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 contact.html
rushi@rushi:~/teamsite$ git push -u origin contact-page
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 682 bytes | 682.00 KiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
remote:
remote: Create a pull request for 'contact-page' on GitHub by visiting:
remote:   https://github.com/DevRushi-engg/teamsite/pull/new/contact-page
remote:
To github.com:DevRushi-engg/teamsite.git
 * [new branch]      contact-page -> contact-page
branch 'contact-page' set up to track 'origin/contact-page'.
rushi@rushi:~/teamsite$
```

r
[
r
E
C
D
C
W
T
r
r
r
r
T
b
r

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [more about diff comparisons](#).

 base: main  compare: contact-page  ✓ Able to merge. These branches can be automatically merged.



Add a title *

Add Contact page 

Add a description

WritePreview|HBBI≡<>🔗|:≡:≡...

Created `contact.html` with a simple HTML structure

 Markdown is supported

 Paste, drop, or click to add files

Create pull request

Reviewers

 Copilot Lite

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues

```
rushi@rushi:~/teamsite$ git branch
* contact-page
  main
rushi@rushi:~/teamsite$ git switch main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)
rushi@rushi:~/teamsite$ git pull origin main
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 901 bytes | 901.00 KiB/s, done.
From github.com:DevRushi-engg/teamsite
  * branch                main                -> FETCH_HEAD
    95d091a..ba1b103 main          -> origin/main
Updating 1f111f5..ba1b103
Fast-forward
 contact.html | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 contact.html
rushi@rushi:~/teamsite$ git merge contact-page
Already up to date.
rushi@rushi:~/teamsite$ git branch
  contact-page
* main
rushi@rushi:~/teamsite$ git branch -d contact-page
Deleted branch contact-page (was 9b75fa3).
rushi@rushi:~/teamsite$ ls
about.html  contact.html  index.html  README.md
rushi@rushi:~/teamsite$
```

Q5. The Complete Team Workflow

```
rushi@rushi:~/teamsite$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
rushi@rushi:~/teamsite$ git pull
Already up to date.
rushi@rushi:~/teamsite$ git branch
* main
rushi@rushi:~/teamsite$ git switch -c footer
Switched to a new branch 'footer'
rushi@rushi:~/teamsite$ ls
about.html  contact.html  index.html  README.md
rushi@rushi:~/teamsite$ nano index.html
rushi@rushi:~/teamsite$ nano index.html
rushi@rushi:~/teamsite$ git add index.html
rushi@rushi:~/teamsite$ git commit -m "add footer section"
[footer 857cadf] add footer section
1 file changed, 4 insertions(+)
rushi@rushi:~/teamsite$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date
rushi@rushi:~/teamsite$ git branch
* footer
  main
rushi@rushi:~/teamsite$ git push -u origin footer
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 347 bytes | 347.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'footer' on GitHub by visiting:
remote:   https://github.com/DevRushi-engg/teamsite/pull/new/footer
remote:
```

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: main ← compare: footer ✓ **Able to merge.** These branches can be automatically merged.

add footer section

Add a description

Write

Preview



H

B

I











...

Added a ``<footer>` element with the text "© 2026 My Website" to the bottom of `index.html`.

 Markdown is supported

 Paste, drop, or click to add files

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Use [Closing keywords](#) in the description to automatically close issues

Create pull request

 Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Helpful resources

GitHub Community Guidelines

- 1 commit

 1 file changed

 1 contributor

Commits on Aug 27, 2026

```

rushy@rushy:~/teamsite$ git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
rushy@rushy:~/teamsite$ git merge footer
Updating ba1b103..857cadf
Fast-forward
 index.html | 4 ++++
 1 file changed, 4 insertions(+)
rushy@rushy:~/teamsite$ ls
about.html contact.html index.html README.md
rushy@rushy:~/teamsite$ git branch
  footer
* main
rushy@rushy:~/teamsite$ git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 901 bytes | 901.00 KiB/s, done.
From github.com:DevRushi-engg/teamsite
   ba1b103..7d512aa  main       -> origin/main
Updating 857cadf..7d512aa
Fast-forward
rushy@rushy:~/teamsite$ ls
about.html contact.html index.html README.md
rushy@rushy:~/teamsite$ cat index.html
<!DOCTYPE html>
<html>
<head>
  <title>Hello World</title>
</head>
<body>
  <h1>Hello, World!</h1>
  <p>This is a random HTML page.</p>
  <button>Click Me</button>

```

```

rushy@rushy:~/teamsite$ git log --oneline
7d512aa (HEAD -> main, origin/main) Merge pull request #2 from DevRushi-engg/footer
857cadf (origin/footer, footer) add footer section
ba1b103 Merge pull request #1 from DevRushi-engg/contact-page
9b75fa3 (origin/contact-page) add contact
1f111f5 add about page
95d091a initial site
baf9f9c Initial commit
rushy@rushy:~/teamsite$

```