

```

rushy@rushy:~$ mkdir gitlab && cd gitlab
rushy@rushy:~/gitlab$ mkdir -p .github/workflows
rushy@rushy:~/gitlab$ git init
Initialized empty Git repository in /home/rushy/gitlab/.git/
rushy@rushy:~/gitlab$ git remote add origin git@github.com:DevRushy-engg/gitlab.git
rushy@rushy:~/gitlab$ nano .github/workflows/ci.yml
rushy@rushy:~/gitlab$ git add .github/workflows/ci.yml
rushy@rushy:~/gitlab$ git commit -m "add first CI workflow"
[main (root-commit) d2717af] add first CI workflow
 1 file changed, 8 insertions(+)
 create mode 100644 .github/workflows/ci.yml
rushy@rushy:~/gitlab$ git push
fatal: The current branch main has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin main

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

rushy@rushy:~/gitlab$ git push -u origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (5/5), 439 bytes | 439.00 KiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:DevRushy-engg/gitlab.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
rushy@rushy:~/gitlab$ 

```

```

GNU nano 7.2                                .github/workflows/ci.yml
name: First CI
on: push
jobs:
  greet:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - run: echo "Hello from Rushikesh to Github Actions!"

```

← First CI

✓ add first CI workflow #1 Re-run all jobs ...

Summary

All jobs ☰

greet

Run details

Usage

Workflow file

> Annotations
1 warning

greet
succeeded 10 minutes ago in 6s 🔍 Search logs 🔄 ⚙️

>	✓ Set up job	0s
>	✓ Run actions/checkout@v4	1s
▼	✓ Run echo "Hello from Rushikesh to Github Actions!"	0s
1	▶ Run echo "Hello from Rushikesh to Github Actions!"	
4	Hello from Rushikesh to Github Actions!	
>	✓ Post Run actions/checkout@v4	1s
>	✓ Complete job	0s

```
GNU nano 7.2 .github/workflows/ci.yml
name: First CI
on: push
jobs:
  greet:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - run: echo "Hello from Rushikesh to Github Actions!" > greet.txt
      - run: cat greet.txt
```

← First CI

✓ add first CI workflow #2 Re-run all jobs ...

Summary

All jobs

greet

Run details

Usage

Workflow file

> Annotations
1 warning

greet
succeeded 7 minutes ago in 7s Search logs ↺ ⚙

- > ✓ Set up job 0s
- > ✓ Run actions/checkout@v4 1s
- ✓ Run echo "Hello from Rushikesh to Github Actions!" > greet.txt 0s
 - 1 ▶ Run echo "Hello from Rushikesh to Github Actions!" > greet.txt
- ✓ Run cat greet.txt 0s
 - 1 ▶ Run cat greet.txt
 - 4 Hello from Rushikesh to Github Actions!
- > ✓ Post Run actions/checkout@v4 1s
- > ✓ Complete job 0s

```
GNU nano 7.2 .github/workflows/ci.yml
name: First CI
on: push
jobs:
  greet:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - run: echo "Hello from Rushikesh to Github Actions!" > greet.txt
      - run: cat greet.txt
    steps:
      - uses: actions/checkout@v4
      - name: Show the commit
        run: echo "Commit: $GITHUB_SHA"
      - run: ls -la
```

← First CI

✓ add steps CI workflow #6

Re-run all jobs

...

Summary

All jobs

✓ greet

Run details

Usage

Workflow file

> Annotations

1 warning

greet

succeeded now in 6s

Search logs



- > ✓ Set up job 1s
- > ✓ Run actions/checkout@v4 2s
- ✓ Show the commit 0s
 - 1 ▶ Run echo "Commit: \$GITHUB_SHA"
 - 4 Commit: 2123c597c4c505f15110b07612d50aef639538bc
- ✓ List the files 0s
 - 1 ▶ Run ls -la
 - 4 total 16
 - 5 drwxr-xr-x 4 runner runner 4096 Sep 1 16:29 .
 - 6 drwxr-xr-x 3 runner runner 4096 Sep 1 16:28 ..
 - 7 drwxr-xr-x 7 runner runner 4096 Sep 1 16:29 .git
 - 8 drwxr-xr-x 3 runner runner 4096 Sep 1 16:29 .github
- > ✓ Post Run actions/checkout@v4 0s
- > ✓ Complete job 0s