

DevSaini2512 [add](#)

c6af97d · 14 minutes ago



84 lines (51 loc) · 1.95 KB

Preview

Code

Blame



Raw



BACKUP



1. backup.sh Script

Create a new file named backup.sh inside your project folder:

```
devsaini@ubuntu:~$ touch backup.sh  
devsaini@ubuntu:~$
```



2. Make Script Executable

Run the following command once:

```
chmod 777 backup.sh
```



3. Testing the script

1. Create some samples .txt files:

```
#!/bin/bash
# create backup directory if it doesn't exists
mkdir -p backup
# get current timestamp
timestamp=$(date + "%Y%m%d_%H%M%S")
# Find and copy.txt files with timestamp
for file in *.txt; do
if[[ -f "$file" ]]; then
filename=$(basename "$file".txt)
cp "$file" "backup/${filename}_${timestamp}.txt"
echo "Backed up: $file -> backup/${filename}-${timestamp}.txt"
fi
done
```

2. Run the script:

./backup.sh

```
devsaini@ubuntu:~$ ./backup.sh
date: extra operand '%Y%m%d_%H%M%S'
Try 'date --help' for more information.
./backup.sh: line 8: syntax error near unexpected token `then'
./backup.sh: line 8: `if[[ -f "$file" ]]; then'
```

3. Check the backup/folder:

ls backup/



LAB4– File & Backup Automation

Objective

Automate the backup of .txt files into a backup/ folder with timestamps in filenames.



Script Explanation

1. mkdir -p backup

Creates a folder n".

- ♦ 3. Using at (One-time Scheduling) Run a script once at a specific time:

echo "/home/user/backup.sh" " " amed backup if it does not exist.

2. timestamp=\$(date +"%Y%m%d_%H%M%S")

Generates a timestamp (format: YYYYMMDD_HHMMSS).

3. for file in *.txt; do ... done

Loops through all .txt files in the current directory.

4. basename "\$file" .txt

Extracts the file name without extension.

5. cp "\$file" "backup/\${filename}_\${timestamp}.txt"

Copies the file into backup/ with the timestamp appended.



Example Run

Input

Created two .txt files:

file1.txt world.txt

Command

./backup.sh

Output

Files copied into backup/ with timestamps:

```
devsaini@ubuntu:~$ ls backup
devsaini@ubuntu:~$
```



Q1-What is the difference between cp,mv,and rsync?

ans=cp-Copies files or directories

rm-Moves or renames files or directories

rsync-Synchronizes files/directories efficiently



Q2-How can you schedule scripts to run automatically?

ans=You can schedule scripts to run automatically using task schedulers built into your operating system.

