

ZAP por Informe de Escaneo Checkmarx

Generated with  ZAP on dom 23 ago 2026, at 15:36:47

ZAP Versión: 2.17.0

ZAP by Checkmarx

Contents

- [About This Report](#)
 - [Report Description](#)
 - [Report Parameters](#)
- [Summaries](#)
 - [Alert Counts by Risk and Confidence](#)
 - [Alert Counts by Site and Risk](#)
 - [Alert Counts by Alert Type](#)
 - [Insights](#)
- [Alerts](#)
 - [Risk=Bajo, Confidence=Alta \(1\)](#)
 - [Risk=Bajo, Confidence=Media \(1\)](#)
- [Appendix](#)

- [Alert Types](#)

About This Report

Report Description

Escaneo inicial de la App NOOTES (TP6)

Report Parameters

Contexts

No contexts were selected, so all contexts were included by default.

Sites

The following sites were included:

- <http://localhost>

(If no sites were selected, all sites were included by default.)

An included site must also be within one of the included contexts for its data to be included in the report.

Risk levels

Included: [Alto](#), [Medio](#), [Bajo](#), [Informativo](#)

Excluded: None

Confidence levels

Included: [Confirmado por Usuario](#), [Alta](#), [Media](#), [Baja](#)

Excluded: [Confirmado por Usuario](#), [Alta](#), [Media](#), [Baja](#), [Falso positivo](#)

Summaries

Alert Counts by Risk and Confidence

This table shows the number of alerts for each level of risk and confidence included in the report.

(The percentages in brackets represent the count as a percentage of the total number of alerts included in the report, rounded to one decimal place.)

		Confidence				
Risk		Confirmado por Usuario	Alta	Media	Baja	Total
	Alto	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)
	Medio	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)
	Bajo	0 (0,0 %)	1 (50,0 %)	1 (50,0 %)	0 (0,0 %)	2 (100,0 %)
	Informati vo	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)	0 (0,0 %)
	Total	0 (0,0 %)	1 (50,0 %)	1 (50,0 %)	0 (0,0 %)	2 (100%)

Alert Counts by Site and Risk

This table shows, for each site for which one or more alerts were raised, the number of alerts raised at each risk level.

Alerts with a confidence level of "False Positive" have been excluded from these counts.

(The numbers in brackets are the number of alerts raised for the site at or above that risk level.)

	Risk			
	Alto (= Alto)	Medio (>= Medio)	Bajo (>= Bajo)	Informativo (>= Informativo)
http://localhost	0	0	2	0
Site	(0)	(0)	(2)	(2)

Alert Counts by Alert Type

This table shows the number of alerts of each alert type, together with the alert type's risk level.

(The percentages in brackets represent each count as a percentage, rounded to one decimal place, of the total number of alerts included in this report.)

Alert type	Risk	Count
El servidor filtra información de versión a través del campo "Server" del encabezado de respuesta HTTP	Bajo	1 (50,0 %)
Falta encabezado X-Content-Type-Options	Bajo	1 (50,0 %)
Total		2

Insights

This table shows information that is likely to be very relevant to you, but which is not related to vulnerabilities, or potentially even related to the application in question.

Level	Reason	Site	Description	Statistic
Low	Warning		ZAP errors logged - see the zap.log file for details	1
Low	Warning		ZAP warnings logged - see the zap.log file for details	1
Info	Informational		Percentage of network failures	3 %
Info	Informational	http:// localhost	Percentage of responses with status code 2xx	100 %
Info	Informational	http:// localhost	Percentage of endpoints with content type application/json	100 %
Info	Informational	http:// localhost	Percentage of endpoints with method GET	100 %
Info	Informational	http:// localhost	Count of total endpoints	1
Info	Informational	http:// localhost:3000	Percentage of endpoints with content type text/plain	100 %
Info	Informational	http://	Percentage of	100 %

Level	Reason	Site	Description	Statistic
	ional	localh ost:30 00	endpoints with method GET	
Info	Informat ional	http:// localh ost:30 00	Count of total endpoints	1

Alerts

Risk=Bajo, Confidence=Alta (1)

http://localhost (1)

El servidor filtra información de versión a través del campo "Server" del encabezado de respuesta HTTP (1)

► GET http://localhost/api/notes

Risk=Bajo, Confidence=Media (1)

http://localhost (1)

Falta encabezado X-Content-Type-Options (1)

► GET http://localhost/api/notes

Appendix

Alert Types

This section contains additional information on the types of alerts in the report.

El servidor filtra información de versión a través del campo "Server" del encabezado de respuesta HTTP

Source	raised by a passive scanner (Cabecera de Respuesta del Servidor HTTP)
CWE ID	497
WASC ID	13
Reference	▪ https://httpd.apache.org/docs/current/mod/core.html#servertokens ▪ https://learn.microsoft.com/en-us/previous-versions/msp-n-p/ff648552(v=pandp.10) ▪ https://www.troyhunt.com/shhh-dont-let-your-response-headers/

Falta encabezado X-Content-Type-Options

Source	raised by a passive scanner (Falta encabezado X-Content-Type-Options)
CWE ID	693
WASC ID	15
Reference	▪ https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) ▪ https://owasp.org/www-community/Security-Headers

