

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT — By —

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

H

REVISED PER ECR-11-008941


28JUL11

T.T


T.M

リール引出し方向


DIRECTION OFF TOP OF REEL



VIEW Y (NTS)
テープ幅32mm以上に適用
APPLIED TAPE WIDTH 32MM, MORE.





VIEW Y (2/1)
テープ幅12mm, 16mm, 24mmに適用
APPLIED TAPE WIDTH 12MM, 16MM AND 24MM.



- ① GENERAL TOLERANCE
10 \geq : ± 0.2
30 \geq > 10 : ± 0.25
100 \geq > 30 : ± 0.3
ANGLES: $\pm 3^\circ$
- ② DIM. B AND DETAIL "X" APPLIED
TAPE WIDE, 32mm MORE.

- ① 一般公差
10以下 : ± 0.2
10を越え 30以下 : ± 0.25
30を越え 100以下 : ± 0.3
角 度 : $\pm 3^\circ$
- ② B寸法及び "X" 詳細図は、
テープ幅 32mm 以上に適用



WINDING THE COVER TAPE
AROUND THE OUTER
PERIPHERY IN A TURN.
カバーテープ・リーダー部
外周一巻き
165°~180°
剥離角度
PEELING
ANGLE

OBSOLETE	AVAILABLE	0.089g	30.4	24.4	15.0	24	—	11.5	3000	45	1-2013928-8
	AVAILABLE	0.085g	30.4	24.4	14.4	24	—	11.5	3000	43	1-2013928-7
	AVAILABLE	0.081g	30.4	24.4	13.8	24	—	11.5	3000	41	1-2013928-6
	AVAILABLE	0.077g	30.4	24.4	13.2	24	—	11.5	3000	39	1-2013928-5
	AVAILABLE	0.074g	30.4	24.4	12.6	24	—	11.5	3000	37	1-2013928-4
	AVAILABLE	0.066g	30.4	24.4	11.4	24	—	11.5	3000	33	1-2013928-2
	AVAILABLE	0.055g	30.4	24.4	9.6	24	—	11.5	3000	27	2013928-9
	AVAILABLE	0.052g	22.4	16.4	9.0	16	—	7.5	3000	25	2013928-8
STATUS	CONNECTOR WEIGHT	F	E	D	C	B	A	数量 (ヶ)	POS.(N)	EMBOSS TAPE PACKAGING PART NUMBER	
		DIMENSIONS						QTY/REEL			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC \pm 1 PLC \pm 2 PLC \pm 3 PLC \pm 4 PLC \pm ANGLES \pm FINISH
MATERIAL	

DWN Y.KODAIRA 24MAR2008	CHK T.KUSUHARA 25MAR2008	APVD T.KUSUHARA 25MAR2008
PRODUCT SPEC 108-78574		
APPLICATION SPEC 411-78318		
WEIGHT SEE TABLE		
CUSTOMER DRAWING		

TE TE Connectivity

0.3FPC Narrow BF-U
0.9mmH, 3.8mmW
GOLD PLATE

NAME	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
	A3	00779	C-2013928	—
SCALE NTS	SHEET 1 OF 2	REV H		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2013928-8](#)