

▼ Name :- Dev Sharma

CU24250269

BTech CSE 3rd Year SECTION - "B"

Roll No. :- 17

=====

Experiment No. 2

Experiment Name

Contrast Enhancement and Histogram-Based Image Processing

using Python and OpenCV

=====

Aim:

To analyze and implement contrast enhancement techniques

using histogram analysis and histogram equalization in

Python and OpenCV for improving image quality and enhancing

visual information in low-contrast images.

Step 1: Import Required Libraries

```
import cv2
import numpy as np
import matplotlib.pyplot as plt
from tkinter import Tk, filedialog
```

Step 2: Upload / Select Image from Computer

```
from google.colab import files
import io

print("Please upload a low-contrast image.")
uploaded = files.upload()

if not uploaded:
    print("No image selected.")
    exit()

image_name = list(uploaded.keys())[0]
image_path = io.BytesIO(uploaded[image_name])

# Load image
# cv2.imread expects a file path, but files.upload() returns bytes.
# We need to convert bytes to a numpy array for cv2.imdecode.
image_np = np.frombuffer(uploaded[image_name], np.uint8)
image = cv2.imdecode(image_np, cv2.IMREAD_GRAYSCALE)

if image is None:
    print("Error: Unable to load the selected image.")
    exit()

print("Image loaded successfully.")
print("Selected Image:", image_name)
print("Image Shape:", image.shape)
```

Please upload a low-contrast image.

No file chosen

Upload widget is only available when the cell has been executed in the current browser session. Please rerun this cell to enable.

Saving Screenshot 2025-02-25 135945.png to Screenshot 2025-02-25 135945.png

Image loaded successfully.

Selected Image: Screenshot 2025-02-25 135945.png

Image Shape: (1079, 1916)

Step 3: Display Original Image

```
plt.figure(figsize=(6, 5))

plt.imshow(
    image,
    cmap="gray"
)

plt.title("Original Grayscale Image")
plt.axis("off")

plt.show()

print("Original image displayed successfully.")
```

Original Grayscale Image



Original image displayed successfully.

Step 4: Generate Histogram of Original Image

```
original_histogram = cv2.calcHist([image],
    [0],
    None,
    [256],
    [0, 256])

plt.figure(figsize=(8, 5))


plt.plot(
    original_histogram
)

plt.title("Histogram of Original Image")
plt.xlabel("Pixel Intensity")
plt.ylabel("Frequency")
plt.xlim([0, 256])

plt.show()

print("Original image histogram generated successfully.")
```

Histogram of Original Image



Original image histogram generated successfully.

Step 5: Perform Contrast Stretching

```
min_value = np.min(image)
max_value = np.max(image)

if max_value == min_value:
    contrast_stretched = image.copy()
else:
    contrast_stretched = (
        (image - min_value)
        * 255.0
        / (max_value - min_value)
    )

contrast_stretched = np.uint8(
    contrast_stretched
)

print("\n===== CONTRAST STRETCHING =====")

print("Minimum Pixel Intensity:", min_value)
print("Maximum Pixel Intensity:", max_value)
print("Contrast Stretching: Completed")
```

```
===== CONTRAST STRETCHING =====
Minimum Pixel Intensity: 0
Maximum Pixel Intensity: 255
Contrast Stretching: Completed
```

Step 6: Apply Histogram Equalization

```
histogram_equalized = cv2.equalizeHist(  
    image  
)  
  
print("Histogram Equalization: Completed")
```

Histogram Equalization: Completed

Step 7: Apply CLAHE

```
clahe = cv2.createCLAHE(  
    clipLimit=2.0,  
    tileGridSize=(8, 8)  
)  
  
clahe_image = clahe.apply(  
    image  
)  
  
print("CLAHE Enhancement: Completed")
```

CLAHE Enhancement: Completed

Step 8: Generate Histograms of Enhanced Images

```
equalized_histogram = cv2.calcHist(  
    [histogram_equalized],  
    [0],  
    None,  
    [256],  
    [0, 256]  
)  
  
clahe_histogram = cv2.calcHist(  
    [clahe_image],  
    [0],  
    None,  
    [256],  
    [0, 256]  
)  
  
print("Enhanced image histograms generated successfully.")
```

Enhanced image histograms generated successfully.

Step 9: Display Original and Enhanced Images

```
plt.figure(figsize=(12, 8))  
  
plt.subplot(2, 2, 1)  
plt.imshow(  
    image,  
    cmap="gray"  
)  
plt.title("Original Image")  
plt.axis("off")  
  
plt.subplot(2, 2, 2)  
plt.imshow(  
    contrast_stretched,  
    cmap="gray"  
)  
plt.title("Contrast Stretched")  
plt.axis("off")  
  
plt.subplot(2, 2, 3)  
plt.imshow(  
    histogram_equalized,  
    cmap="gray"  
)  
plt.title("Histogram Equalized")  
plt.axis("off")  
  
plt.subplot(2, 2, 4)  
plt.imshow(  
    clahe_image,  
    cmap="gray"  
)  
plt.title("CLAHE Enhanced")  
plt.axis("off")  
  
plt.tight_layout()  
plt.show()  
  
print("Original and enhanced images displayed successfully.")
```

Original Image



Contrast Stretched



Histogram Equalized



CLAHE Enhanced



Original and enhanced images displayed successfully.

Step 10: Compare Histograms

```
plt.figure(figsize=(12, 8))

plt.subplot(3, 1, 1)

plt.plot(
    original_histogram
)

plt.title("Original Image Histogram")
plt.xlabel("Pixel Intensity")
plt.ylabel("Frequency")
plt.xlim([0, 256])

plt.subplot(3, 1, 2)

plt.plot(
    equalized_histogram
)

plt.title("Histogram Equalized Image")
plt.xlabel("Pixel Intensity")
plt.ylabel("Frequency")
plt.xlim([0, 256])

plt.subplot(3, 1, 3)


plt.plot(
    clahe_histogram
)

plt.title("CLAHE Enhanced Image")
plt.xlabel("Pixel Intensity")
plt.ylabel("Frequency")
plt.xlim([0, 256])


plt.tight_layout()
plt.show()

print("Histogram comparison completed successfully.")
```


Original Image Histogram



Histogram Equalized Image



CLAHE Enhanced Image



Histogram comparison completed successfully.

Step 11: Calculate Image Statistics

```
print("\n===== IMAGE STATISTICS =====")

print(
    "Original Mean Intensity:",
    round(np.mean(image), 2)
)

print(
    "Contrast Stretched Mean Intensity:",
    round(np.mean(contrast_stretched), 2)
)

print(
    "Histogram Equalized Mean Intensity:",
    round(np.mean(histogram_equalized), 2)
)

print(
    "CLAHE Mean Intensity:",
    round(np.mean(clahe_image), 2)
)

print(
    "\nOriginal Intensity Range:",
    np.min(image),
    "to",
    np.max(image)
)

print(
    "Contrast Stretched Range:",
    np.min(contrast_stretched),
    "to",
    np.max(contrast_stretched)
)

print(
    "Histogram Equalized Range:",
    np.min(histogram_equalized),
    "to",
    np.max(histogram_equalized)
)

print(
    "CLAHE Range:",
    np.min(clahe_image),
    "to",
    np.max(clahe_image)
)
```

```
===== IMAGE STATISTICS =====
Original Mean Intensity: 146.22
Contrast Stretched Mean Intensity: 146.22
```

Histogram Equalized Mean Intensity: 130.92
CLAHE Mean Intensity: 136.91

Original Intensity Range: 0 to 255
Contrast Stretched Range: 0 to 255
Histogram Equalized Range: 0 to 255
CLAHE Range: 0 to 255

Step 12: Final Output

```
print("\n===== CONTRAST ENHANCEMENT =====")

print("Original Histogram: Generated")
print("Contrast Stretching: Completed")
print("Histogram Equalization: Completed")
print("CLAHE Enhancement: Completed")
print("Histogram Comparison: Completed")

print("\nObservations:")

print("Contrast stretching expands the dynamic range of pixel intensities.")

print("Histogram Equalization improves the overall contrast by")
print("redistributing pixel intensity values.")

print("CLAHE improves local contrast and is useful for images")
print("with varying illumination.")

print("CLAHE also limits excessive contrast enhancement by")
print("clipping the histogram in local regions.")

print("\nExperiment Completed Successfully.")
```

```
===== CONTRAST ENHANCEMENT =====
Original Histogram: Generated
Contrast Stretching: Completed
Histogram Equalization: Completed
CLAHE Enhancement: Completed
Histogram Comparison: Completed
```

```
Observations:
Contrast stretching expands the dynamic range of pixel intensities.
Histogram Equalization improves the overall contrast by
redistributing pixel intensity values.
CLAHE improves local contrast and is useful for images
with varying illumination.
CLAHE also limits excessive contrast enhancement by
clipping the histogram in local regions.
```

Experiment Completed Successfully.

EXPERIMENT 2 - ANSWERS TO QUESTIONS

QUESTION 1:

What is image contrast, and why is it important in image processing?

Image contrast refers to the difference in intensity between different regions or objects in an image.

An image with high contrast has clearly distinguishable bright and dark regions.

A low-contrast image has pixel intensities concentrated within a small range, making details difficult to observe.

Contrast is important because it improves:

Image visibility. Feature visibility. Object boundaries. Feature extraction. Object recognition.

Contrast enhancement can therefore make important image information easier to analyze.

QUESTION 2:

Explain the concept of an image histogram. What information does it provide?

An image histogram is a graphical representation of the distribution of pixel intensity values in an image.

For an 8-bit grayscale image, intensity values range from 0 to 255.

The horizontal axis represents pixel intensity.

The vertical axis represents the number of pixels having each intensity value.

A histogram provides information about:

Brightness distribution. Contrast. Dark and bright regions. Distribution of pixel intensities. Possible underexposure or overexposure.

Histogram analysis is useful for selecting appropriate contrast enhancement techniques.

QUESTION 3:

Differentiate between Histogram Stretching and Histogram Equalization.

Histogram Stretching:

Histogram stretching expands the existing range of pixel intensities to use a larger portion of the available intensity range.

It improves contrast by mapping the minimum and maximum intensity values to a wider range.

Histogram Equalization:

Histogram equalization redistributes pixel intensities using the cumulative distribution of the histogram.

It attempts to spread intensity values more evenly over the available range.

Main Difference:

Histogram Stretching → Expands the existing intensity range.

Histogram Equalization → Redistributes pixel intensities to improve contrast.

Stretching is generally simpler, while equalization can produce stronger contrast enhancement.

QUESTION 4:

What is Contrast Limited Adaptive Histogram Equalization (CLAHE)? How does it differ from standard Histogram Equalization?

CLAHE stands for Contrast Limited Adaptive Histogram Equalization.

CLAHE divides an image into small local regions called tiles and performs histogram equalization separately in each region.

It also uses a clip limit to prevent excessive contrast enhancement.

Standard Histogram Equalization:

Standard Histogram Equalization works on the entire image using a global histogram.

CLAHE:

CLAHE performs local contrast enhancement and limits excessive amplification.

Therefore:

Standard HE → Global contrast enhancement.

CLAHE → Local and contrast-limited enhancement.

CLAHE is particularly useful when illumination varies across different regions of an image.

QUESTION 5:

Why is histogram equalization commonly applied before feature extraction and image segmentation?

Histogram equalization can improve image contrast and make important structures more visible.

Better contrast can make boundaries and intensity differences easier to identify.

This can help feature extraction algorithms detect useful patterns and can make segmentation more effective.

It can therefore be useful as a preprocessing step before:

Feature extraction. Image segmentation. Object detection. Pattern recognition.

However, the enhancement method should be selected according to the characteristics of the image.

QUESTION 6:

Mention three real-world applications where histogram equalization is widely used.

Three real-world applications are:

Medical Imaging: Histogram-based enhancement can improve visibility of structures in medical images.

Satellite and Remote Sensing Images: Contrast enhancement can improve the visibility of features in satellite imagery.

Low-Light Photography: Histogram enhancement can improve the visibility of details in dark or poorly illuminated photographs.

These applications use contrast enhancement to make important visual information easier to analyze.

QUESTION 7:

What are the limitations of global histogram equalization?

Global Histogram Equalization uses a single histogram for the entire image.

Its limitations include:

It may over-enhance noise. It may produce unnatural contrast. It may lose local details. It does not handle varying illumination very well. It can produce excessive enhancement in some regions.

CLAHE can address some of these limitations by performing enhancement locally and limiting excessive contrast.

QUESTION 8:

How does contrast enhancement improve the performance of object detection and recognition systems?

Contrast enhancement improves the visibility of important structures and object boundaries.

It can make features easier to distinguish from the background.

Improved contrast can help:

Highlight object boundaries. Improve feature visibility. Reduce the effect of poor illumination. Improve segmentation. Provide better input for feature extraction.

As a result, contrast enhancement can improve the quality of input images used by object detection and recognition systems.

QUESTION 9:

Compare histogram-based enhancement techniques with brightness adjustment methods.

Histogram-Based Enhancement:

Histogram techniques analyze and modify the distribution of pixel intensities.

Examples:

Contrast Stretching Histogram Equalization CLAHE

They primarily aim to improve contrast and the distribution of intensity values.

Brightness Adjustment:

Brightness adjustment generally shifts pixel intensity values upward or downward.

Increasing brightness makes an image lighter.

Decreasing brightness makes an image darker.

Main Difference:

Brightness Adjustment → Changes overall brightness.

Histogram-Based Enhancement → Analyzes and modifies intensity distribution to improve contrast.

Therefore, histogram-based methods can provide more controlled contrast enhancement than simply changing brightness.

QUESTION 10:

Why is CLAHE preferred for medical imaging and low-light image enhancement?

CLAHE is useful for medical imaging and low-light images because it enhances contrast locally.

Different areas of an image may have different illumination levels.