Third Progress Report: Data Base Creation

BK BlueKeys
SOFTWARE

CONTENIDOS

Corresponding Tables (Revised Relational Model) **2**
Project Tables **2**
Web App Navigation Prototype **2**
Mockup Data Scripts **2**
Progress Plan **7**

Corresponding Tables (Revised Relational Model)

MER_Revised

Project Tables

https://github.com/DevSlashRichie/maree-backend/blob/main/drizzle/migrations/20260306012224_conscious_doctor_octopus/migration.sql#L3

Web App Navigation Prototype

Click the link to view the navigation prototype:
https://maree-frontend.vercel.app/admin/reports

Mockup Data Scripts

The mockup data was generated with the drizzle ORM for Typescript.

```TypeScript
export async function seedIfRequired() {
  if (process.env.SEED === "true") {
    await reset(DB, schema);
    await seed(DB, schema, {
      count: 1,
    }).refine((funcs) => ({
      branchsTable: {
        count: 2,
        columns: {
          state: funcs.valuesFromArray({
            values: ["open", "closed"],
          }),
        },
        with: {
          schedulesTable: [
            {
              weight: 1,
              count: 1,
            },
          ],
          staffTable: [
            {
              weight: 1,
```

```
              count: 1,
            },
          ],
          productVariantsTable: [
            {
              count: [3, 6],
              weight: 1,
            },
          ],
        },
      },
      schedulesTable: {
        columns: {
          timezone: funcs.valuesFromArray({ values: ["America/Mexico_city"]
})),
          weekday: funcs.int({ minValue: 0, maxValue: 6 }),
        },
      },
      userTable: {
        count: 5,
        columns: {
          email: funcs.email(),
          firstName: funcs.firstName(),
          lastName: funcs.lastName(),
          phone: funcs.phoneNumber(),
        },
        with: {
          ordersTable: [
            {
              count: [2, 4],
              weight: 1,
            },
          ],
          userRoleTable: [
            {
              weight: 1,
              count: 1,
            },
          ],
        },
      },
      rolesTable: {
        count: 3,
        columns: {
          name: funcs.valuesFromArray({
            values: ["admin", "manager", "staff"],
          }),
```

```
      },
    },
    policyTable: {
      count: 4,
      columns: {
        name: funcs.valuesFromArray({
          values: [
            "read:orders",
            "write:orders",
            "read:products",
            "write:products",
          ],
        }),
      },
    },
    categoryTable: {
      count: 5,
      columns: {
        name: funcs.valuesFromArray({
          values: ["burgers", "pizzas", "drinks", "desserts", "sides"],
        }),
        description: funcs.loremIpsum({ sentencesCount: 1 }),
      },
      with: {
        productTable: [
          {
            weight: 1,
            count: 3,
          },
        ],
      },
    },
    productTable: {
      count: 10,
      columns: {
        name: funcs.valuesFromArray({
          values: [
            "Classic Burger",
            "Cheese Burger",
            "Veggie Burger",
            "Margherita Pizza",
            "Pepperoni Pizza",
            "Cola",
            "Lemonade",
            "Chocolate Cake",
            "Ice Cream",
            "French Fries",
```

```
        ],
      }),
      status: funcs.valuesFromArray({
        values: ["active", "inactive"],
      }),
    },
  },
  productVariantsTable: {
    count: 15,
    columns: {
      name: funcs.valuesFromArray({
        values: ["Small", "Medium", "Large", "Regular"],
      }),
      price: funcs.int({ minValue: 5000, maxValue: 20000 }),
      image: funcs.string({}),
    },
  },
  discountsTable: {
    count: 3,
    columns: {
      name: funcs.valuesFromArray({
        values: ["Summer Sale", "Winter Discount", "Happy Hour"],
      }),
      type: funcs.valuesFromArray({
        values: ["percentage", "fixed"],
      }),
      value: funcs.int({ minValue: 100, maxValue: 2000 }),
      state: funcs.valuesFromArray({
        values: ["active", "inactive"],
      }),
    },
    with: {
      discountBranchesTable: [
        {
          weight: 1,
          count: [1],
        },
      ],
    },
  },
  discountBranchesTable: {
    count: 5,
  },
  notificationTemplateTable: {
    count: 3,
    columns: {
      name: funcs.valuesFromArray({
```

```
        values: ["Order Confirmation", "Order Ready", "Promotion"],
      }),
      subject: funcs.loremIpsum({ sentencesCount: 1 }),
      body: funcs.loremIpsum({ sentencesCount: 3 }),
    },
    with: {
      notificationTable: [
        {
          count: [8, 13],
          weight: 1,
        },
      ],
    },
  },
  notificationTable: {
    count: 10,
    columns: {
      provider: funcs.valuesFromArray({
        values: ["kapso", "twillio"],
      }),
      state: funcs.valuesFromArray({
        values: ["pending", "sent", "failed"],
      }),
      body: funcs.loremIpsum({ sentencesCount: 3 }),
    },
  },
  ordersTable: {
    count: 10,
    columns: {
      total: funcs.int({ minValue: 1000, maxValue: 10000 }),
      status: funcs.valuesFromArray({
        values: ["pending", "processing", "completed", "cancelled"],
      }),
      note: funcs.loremIpsum({ sentencesCount: 1 }),
      orderNumber: funcs.uuid({}),
    },
    with: {
      orderItemsTable: [{ count: [1, 3], weight: 1 }],
    },
  },
  orderItemsTable: {
    count: 20,
    columns: {
      quantity: funcs.int({ minValue: 1, maxValue: 5 }),
      pricingSnapshot: funcs.int({ minValue: 500, maxValue: 3000 }),
      notes: funcs.loremIpsum({ sentencesCount: 1 }),
    },
```

```
      },
      reviewsTable: {
        count: 5,
        columns: {
          satisfactionRate: funcs.int({ minValue: 1, maxValue: 5 }),
          notes: funcs.loremIpsum({ sentencesCount: 1 }),
        },
      },
    }));
  }
}
```

Progress Plan

To know about our progress, check the next link.

https://www.notion.so/30950684166280a3bcb1f0338a748e61?v=30950684166280988fe1000cc1a87166