IRYS — demo runbook

What to run, show and say during the live demo (~5 min). Commands are real and verified against the repo. Keep a terminal and the dashboard side by side.

0 · BEFORE YOU PRESENT (T-15 MIN)

From the repo root, in order. The seed wipes and rebuilds demo data — do it fresh so the audit log starts clean.

```
SETUP
$ npm install
$ npm run build:frontend # only if you edited app.jsx
$ rm -f data/db.json && npm run seed
$ npm start # API + dashboard on http://localhost:4000
```

Verify it is up, then open http://localhost:4000 in your browser (login: admin@irys.dev / demo1234). Open a second terminal for the CLI. Optional pre-flight: npm run smoke (9 checks) must print 9 passed.

> The seeded demo has: project atlas-platform, members Ada + Grace + admin (all scoped), servers staging-01 and prod-edge-01 (linked, in scope), build-runner (unscoped).

1 · BEAT 1 — LOGIN & KEY AUTO-SYNC (~25S)

[Terminal. Shows CLI auth + local SSH key discovery.]

```
RUN
$ node cli/irys.js login --email admin@irys.dev --password demo1234
```

What the audience sees: “Found ssh-ed25519 key SHA256:…”, then “Key → 1 project(s)” and both in-scope servers re-synced. Say: “my local key is now registered for exactly the projects I’m scoped to — nothing shared, nothing manual.”

2 · BEAT 2 — GOVERNANCE FROM A DESCRIPTION (~25S)

[Dashboard. Projects → atlas-platform → Governance tab.]

Show the describe box, the governance toggles, the GDPR/SOC2 checklist and the quality bar. Click “Generate & sync AI files”, then flip through the generated AGENTS.md preview. Say: “the provider’s standards — in plain language — became the file the agent reads. Manual mode is there too, for authors who want full control.”

3 · BEAT 3 — SAME FILE VIA CLI AND MCP (~30S)

[Terminal. Proves the harness-facing path.]

```
RUN
$ node cli/irys.js governance atlas-platform --file AGENTS.md
$ node mcp/showcase.cjs # initialize → tools/list → irys_get_governance
```

Both return the identical AGENTS.md the provider authored (the MCP run prints 9–10 tools and a ~4.9k-char governance file). Say: “CLI for repos and CI, MCP for the agent itself — one source of truth, two distribution paths.”

---

4 · BEAT 4 — SCOPED KEYS (~25S)

[Dashboard. Servers tab → any in-scope server → Sync keys.]

Show the computed authorized_keys: one line per scoped user, each tagged irys:<email>:<project>. Point out build-runner is unscoped and therefore gets nobody’s keys. Say: “scope first, access second — the key only exists on the server because the project is in scope.” Optional: open the Bootstrap modal to show the one-line host enrolment command.

---

5 · BEAT 5 — THE AUDIT TRAIL (~20S)

[Dashboard. Audit tab.]

Scroll the log: logins, sshkey.selfsync, server.link, server.sync, governance.save. Say: “every step I just did is in here — attributable and queryable from the CLI too (irys audit).”

---

6 · THE SSH QUESTION (EXPECT IT)

If asked “doesn’t this need inbound SSH / doesn’t the agent SSH in?” — answer with the two planes:

- Keys: pull-based. The host agent fetches authorized_keys every 60s. IRYS never SSHes in to manage keys.
- Deploys: the developer’s AI agent SSHes in — with the key IRYS provisioned (scope-gated) — and runs the IRYS deploy procedure (git pull → build → /services/{project} → systemd).
- So: IRYS doesn’t SSH in; the agent does — scoped, keyed and audited by IRYS.

```
SHOW THE ARTIFACT
$ node cli/irys.js deploy atlas-platform --script # what the agent runs on the
host
```

---

7 · IF SOMETHING BREAKS (FALLBACKS)

- Server not responding: check it is running (npm start), then curl http://localhost:4000/api/health → {"ok":true}.
- Dashboard looks wrong/blank: npm run build:frontend, hard-refresh the browser.
- Messy data / want a clean slate: rm -f data/db.json && npm run seed, restart, log in again.
- No local SSH key for the auto-sync beat: ssh-keygen -t ed25519 -f ~/.ssh/id_ed25519 -N "" then retry login.
- CLI/MCP path slow to demo: npm run showcase:cli and npm run showcase:mcp are scripted end-to-end proofs.
- Total fallback: npm run smoke prints 9/9 PASS — say “here’s the green suite” and move on.

---

8 · TIMING SUMMARY

Beats 1–5 ≈ 25s each (~2 min total). Governance (beat 2) and the SSH answer (section 6) are where questions cluster — budget extra time there and trim beat 4 if pressed. Full arc: login → govern → distribute → scope → audit.

> Demo credentials: admin@irys.dev / demo1234 · dashboard http://localhost:4000 · everything runs locally, no external services.