


**BACK &
FRONT END**

em

.....
harmonia

com

ATOMIC DESIGN



QUEM SOU EU?



@matheusagcosta




@fintechdev



#comunidade <3

ATOMIC DESIGN OI?

metodologia











YEAH! SCIENCE!






ÁTOMOS

BOTÃO

Título


LINK



#8ABE5E



Parágrafo



MOLECULAS

Título Estilizado

AÇÃO 1


AÇÃO 2

Item 1

Item 2

Item 3

Item 4



ORGANISMOS

Alerta



Mensagem de confirmação

AÇÃO 1

AÇÃO 2

LOGO

Link

Link

Link Ativo

Link

Link

Link

Texto de rodapé



MODELOS


LOGO

[Link](#)

[Link](#)

[Link Ativo](#)

IMAGEM



PÁGINAS



[Blog](#)

[About](#)

[Contact](#)





BULMA



Pure

yaml


Gumby
FRAMEWORK




BETA



960
GRID SYSTEM



Kickoff



tiny Bootstraps

ATOMS ▾ MOLECULES ▾ ORGANISMS ▾ TEMPLATES ▾ PAGES ▾ ALL

SIZE 1251PX / 78.19EM S M L FULL RAND ⚙



ORGANIZANDO

toda a *química*

Global


The global category defines visual elements such as color, font families, and motion. While not technically UI components, these elements are critical to document in the pattern library.


Brand Colors



\$color-brand-green
#5C832F



\$color-brand-brown
#825534


Neutral Colors



\$color-white
#ffffff



\$color-gray-02
#f7f9f9



\$color-gray-15
#d9d9d9



\$color-gray-35
#a5a5a5


\$color-gray-50
#808080



\$color-gray-65
#595959


\$color-gray-73
#444444



\$color-gray-87
#222222



\$color-black
#000000


Utility Colors



\$color-utility-positive
#02804d


\$color-utility-positive-subtle
#d4f2e6



\$color-utility-caution
#e50b15


\$color-utility-caution-subtle
#fffac1


\$color-utility-negative
#b12a0b


\$color-utility-negative-subtle
#fdedc9


\$color-utility-neutral
#0192d0


\$color-utility-neutral-subtle
#d9f2ff



Accordion

Share

Search

Getting Started

Platforms

Guidelines

Components

Overview

Accordion

Activity Timeline

Alert

App Launcher

Avatar

Badges

Breadcrumbs

Button Groups

Button Icons

Buttons

An accordion allows a user to toggle the display of a section of content.

BASE

▼ Accordion summary

Accordion details - A

> Accordion summary

> Accordion summary

▼ Variants

 Base

▼ Modifiers

 .slds-is-open

▼ States

 Section One Open Section Two Open Section Three Open Styled[DESIGN GUIDELINES](#) [IMPLEMENTATION NOTES](#) [DEVELOPER GUIDELINES](#)

```
<ul class="slds-accordion">
  <li class="slds-accordion__list-item">
    <section class="slds-accordion__section slds-is-open">
      <div class="slds-accordion__summary">
        <h3 class="slds-text-heading_small slds-accordion__summary-heading">
```

<http://patternlab.io/>

**Create atomic design systems
with Pattern Lab.**

Download

Documentation

Demo

Pattern Lab helps you and your team build thoughtful, pattern-driven user interfaces using atomic design principles.

<http://demo.patternlab.io/>

ATOMS ▾ MOLECULES ▾ ORGANISMS ▾ TEMPLATES ▾ PAGES ▾ ALL SIZE 1437PX / 89.81EM S M L FULL RAND DISCO ⚙

Buttons

Button

Text Button

[Insert description here]

The **Text Button** pattern is included in the following patterns: • [organisms-section-media-list](#)

MUSTACHE HTML

```
<a href="" class="c-text-btn" >Button</a>
```

Button ▶

Feedback

Progress



MAS...



jckyuy

<https://www.sitepoint.com/setting-up-a-living-styleguide-in-jekyll/>

Styleguide

This document is a component styleguide. Its purpose is to list all the UI modules used across the site / application, their role, how to use them and how they look.

Furthermore, this document can be used as a single source of truth when refactoring HTML and CSS in order to ensure no component visually broke.

[Back to the site](#)

Button

Button

Logo

The button component should be used as the call-to-action in a form, or as a user interaction mechanism. Generally speaking, a button should not be used when a link would do the trick.

Parameter	Description
<code>content</code>	(mandatory) the content of the button
<code>type</code>	(optional) either <code>button</code> or <code>submit</code> for the <code>type</code> HTML attribute (default to <code>button</code>)
<code>class</code>	(optional) any extra class

Demo

Liquid

HTML

CASE FINTECHDEV

FintechDev X2 Styleguide

This page is a front-end documentation of our Zeplin Template styleguide. Its purpose is to list all the CSS / HTML code and also a preview of each component usage.

The design system is structured with [Atomic Design](#) principle, which means you have the entire process usage of any HTML tag till its implementation.

Each CSS component should be written following [BEM](#) methodology and the file structure organized with [ITCSS](#), so pay attention on those before start creating a new file.



Atoms



Molecules



Organisms



Templates



All

navegação

detalhes

código

The button component should be used as the call-to-action in a form, or as a user interaction mechanism. Generally speaking, a button should not be used when a link would do the trick.

ITEM	NOTE
content	(mandatory) the content of the button
type	(optional) either <code>button</code> or <code>submit</code> for the <code>type</code> HTML attribute (default to <code>button</code>)
class	(mandatory) to specify which modifier you need

[DEMO \(OPEN IN A NEW TAB\)](#)

BUTTON **OUTLINE** **ACTION**

SUCCESS **DANGER** **WARNING**

DISABLED **LINK** **DEFAULT**

FULL SIZE

+

≡

```
button,
input[type="submit"] {
  appearance: none;
  background: $blue;
  border: 0;
  border-radius: 20px;
  cursor: pointer;
  display: inline-block;
  font-weight: bold;
  height: 33px;
  margin: 15px 5px;
  padding: 7px 8px;
  text-align: center;
  text-decoration: none;
  text-transform: uppercase;
  transition: all .2s linear;
  vertical-align: middle;
  white-space: nowrap;
  width: 150px;

  &,
  &:active,
  &:hover,
  &:focus,
  &:visited {
    color: $white;
    text-decoration: none;
  }

  &:hover {
    background-color: darken($blue, 5%);
  }
}
```

demonstração

Atoms

Buttons

SCSS

HTML

Grid

Colors

Headings

Texts

Buttons

Inputs

Selects

Checkboxes

Radios

Badges

Images

Icons

The button component should be used as the call-to-action in a form, or as a user interaction mechanism. Generally speaking, a button should not be used when a link would do the trick.

ITEM	NOTE
content	(mandatory) the content of the button
type	(optional) either <code>button</code> or <code>submit</code> for the <code>type</code> HTML attribute (default to <code>button</code>)
class	(mandatory) to specify which modifier you need

[DEMO \(OPEN IN A NEW TAB\)](#)

[BUTTON](#) [OUTLINE](#) [ACTION](#)

[SUCCESS](#) [DANGER](#) [WARNING](#)

[DISABLED](#) [LINK](#) [DEFAULT](#)

[FULL SIZE](#)

[+](#) [✖](#) [✖](#)

button,
input[type="submit"] {
 appearance: none;
 background: \$blue;
 border: 0;
 border-radius: 20px;
 cursor: pointer;
 display: inline-block;
 font-weight: bold;
 height: 33px;
 margin: 15px 5px;
 padding: 7px 8px;
 text-align: center;
 text-decoration: none;
 text-transform: uppercase;
 transition: all .2s linear;
 vertical-align: middle;
 white-space: nowrap;
 width: 150px;

&,
&:active,
&:hover,
&:focus,
&:visited {
 color: \$white;
 text-decoration: none;
}

&:hover {
 background-color: darken(\$blue, 5%);
}

A medium shot of a man from the chest up. He has dark hair and is wearing a red button-down shirt under a patterned, polka-dot tie. He is looking down and slightly to his left, with a focused expression. His hands are clasped in front of him, holding a small, red, rectangular object. The background is a dark, out-of-focus interior space.

DEMO TIME

ATOMIC DE

CC

```
sass-e-atomic-  
└ sass/  
  └
```

para variaveis

Arquivos sass para molecules

Arquivos sass para organisms
endor/
└ # Arquivos sass de terceiros




“...atomic design has nothing to do
with CSS or JavaScript architecture.”

- *Brad Frost*


<http://bradfrost.com/blog/post/atomic-design-is-for-user-interfaces/>

ARQUITETURA

CSS



<http://www.creativebloq.com/web-design/manage-large-css-projects-itcss-101517528>



```
1 | @import "settings.global";
2 | @import "settings.colors";
3 |
4 | @import "tools.functions";
5 | @import "tools.mixins";
6 |
7 | @import "generic.box-sizing";
8 | @import "generic.normalize";
9 |
10 | @import "elements.headings";
11 | @import "elements.links";
12 |
13 | @import "objects.wrappers";
14 | @import "objects.grid";
15 |
16 | @import "components.site-nav";
17 | @import "components.buttons";
18 | @import "components.carousel";
19 | @import "trumps.clearfix";
20 | @import "trumps.utilities";
21 | @import "trumps.ie8";
```

METODOLOGIA

CSS




BLOCK ELEMENT MODIFIER

- .header
- .header__title
- .header__title--dark



ATOMS



PHOTO

XXXXXX likes


thisistheusersinstagramhandle

2h


Lorem ipsum dolor sit amet, consectetur
adipisicing

150 x 150


1080 x 1080



MOLECULES



1080 x 1080



♥ XXXXXX likes

thisistheusersinstagramhandle Lorem
ipsum dolor sit amet, consectetur adipisicing



ORGANISMS



1080 x 1080



♥ XXXXXX likes

thisistheusersinstagramhandle Lorem
ipsum dolor sit amet, consectetur adipisicing



TEMPLATES



1080 x 1080




♥ XXXXXX likes

thisistheusersinstagramhandle Lorem
ipsum dolor sit amet, consectetur adipisicing



PAGES



♥ 41 likes

brad_frost Hi!






atomicdesign.bradfrost.com



tableless.com.br/o-que-é-design-atomic



Atomic Design
Brad Frost