Rajalakshmi Engineering College

Name: Devadharshini K

Email: 240701626@rajalakshmi.edu.in

Roll no: 2116240701626

Phone: 8248408481

Branch: REC Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_PAH

Attempt : 1 Total Mark : 30 Marks Obtained : 30

Section 1: Coding

1. Problem Statement

Reeta is playing with numbers. Reeta wants to have a file containing a list of numbers, and she needs to find the average of those numbers. Write a program to read the numbers from the file, calculate the average, and display it.

File Name: user_input.txt

Input Format

The input file will contain a single line of space-separated numbers (as a string).

These numbers may be integers or decimals.

Output Format

If all inputs are valid numbers, the output should print: "Average of the numbers is: X.XX" (where X.XX is the computed average rounded to two decimal places)

If the input contains invalid data, print: "Invalid data in the input."

Refer to the sample output for format specifications.

```
Sample Test Case
     Input: 1 2 3 4 5
     Output: Average of the numbers is: 3.00
     Answer
     def calculate_average_from_input():
         line = input().strip()
         values = line.split()
         numbers = []
         for val in values:
            try:
              number = float(val)
              numbers.append(number)
           except ValueError:
              print("Invalid data in the input.")
              return
         if not numbers:
            print("Invalid data in the input.")
            return
         average = sum(numbers) / len(numbers)
         print(f"Average of the numbers is: {average:.2f}")
       except Exception:
         print("Invalid data in the input.")
calculate_average_from_input()
```

Marks: 10/10 1026 Status: Correct

2. Problem Statement

John is a data analyst who often works with text files. He needs a program that can analyze the contents of a text file and count the number of times a specific character appears in the file.

John wants a simple program that allows him to specify a file and a character to count within that file.

Input Format

The first line of input consists of the file's name to be analyzed.

The second line of the input consists of the string they want to write within the file.

The third line of the input consists of a character to count within the file.

Output Format

If the character is found, the output displays "The character 'X' appears {Y} times in the file." where X is the character and Y i the count,

If the character does not appear in the file, the output displays "Character not found."

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: test.txt

This is a test file to check the character count.

Output: The character 'e' appears 5 times in the file

Answer

```
filename = input()
text = input()
ch = input()
with open(filename, 'w') as f:
    f.write(text)

count = text.lower().count(ch.lower())

if count > 0:
    print(f"The character '{ch}' appears {count} times in the file.")
else:
    print("Character not found in the file.")
```

Status: Correct Marks: 10/10

3. Problem Statement

Peter manages a student database and needs a program to add students. For each student, Alex inputs their ID and name. The program checks for duplicate IDs and ensures the database isn't full.

If a duplicate or a full database is detected, an appropriate error message is displayed. Otherwise, the student is added, and a confirmation message is shown. The database has a maximum capacity of 30 students, and each student must have a unique ID.

Input Format

The first line contains an integer n, representing the number of students to be added to the school database.

The next n lines each contain two space-separated values, representing the student's ID (integer) and the student's name (string).

Output Format

The output will depend on the actions performed in the code.

If a student is added to the database, the output will display: "Student with ID [ID number] added to the database."

If there is an exception due to a duplicate student ID, the output will display: "Exception caught. Error: Student ID already exists."

If there is an exception due to the database being full, the output will display: "Exception caught. Error: Student database is full."

Refer to the sample outputs for the formatting specifications.

Sample Test Case

```
Input: 3
16 Sam
87 Sabari
43 Dani
Output: Student with ID 16 added to the database.
Student with ID 87 added to the database.
Student with ID 43 added to the database.
Answer
MAX_CAPACITY = 30
def manage_student_database():
```

```
for _ in range(n):
    student_input().strip().split()
    student_input = input().strip().split()
    student_id = int(student_input[0])
    student_name = student_input[1]

try:
    if len(student_db) >= MAX_CAPACITY:
        raise Exception("Student database is full.")
    if student_id in student_db:
        raise Exception("Student ID already exists.")
```

student_db[student_id] = student_name
 print(f"Student with ID {student_id} added to the database.")
 except Exception as e:
 print(f"Exception caught. Error: {e}")
 break

manage_student_database()

Status: Correct Marks: 10/10