Rajalakshmi Engineering College

Name: Devadharshini K

Email: 240701626@rajalakshmi.edu.in

Roll no: 2116240701626 Phone: 8248408481

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 5_CY

Attempt : 3 Total Mark : 40 Marks Obtained : 39

Section 1: Coding

1. Problem Statement

Alex is working with grayscale pixel intensities from an old photo that has been scanned in a single row. To detect edges in the image, Alex needs to calculate the differences between each pair of consecutive pixel intensities.

Your task is to write a program that performs this calculation and returns the result as a tuple of differences.

Input Format

The first line of input contains an integer n, representing the number of pixel intensities.

The second line contains a space-separated integers representing the pixel intensities.

Output Format

The output displays a tuple containing the absolute differences between consecutive pixel intensities.

Refer to the sample output for format specifications.

Sample Test Case

Input: 5

200 100 20 80 10

Output: (100, 80, 60, 70)

Answer

```
# Read the number of pixel intensities
n = int(input())
```

```
# Read the pixel intensities as a list of integers
pixels = list(map(int, input().split()))
```

```
# Calculate the absolute differences
differences = tuple(abs(pixels[i+1] - pixels[i]) for i in range(n - 1))
```

Output the tuple of differences print(differences)

Status: Correct Marks: 10/10

2. Problem Statement

Samantha is working on a text analysis tool that compares two words to find common and unique letters. She wants a program that reads two words, w1, and w2, and performs the following operations:

Print the letters common to both words, in alphabetical order. Print the letters that are unique to each word, in alphabetical order. Determine if the set of letters in the first word is a superset of the letters in the second word. Check if there are no common letters between the two words and

print the result as a Boolean value.

Ensure the program ignores case differences and leading/trailing spaces in the input words.

Your task is to help Samantha in implementing the same.

Input Format

The first line of input consists of a string representing the first word, w1.

The second line consists of a string representing the second word, w2.

Output Format

The first line of output should display the sorted letters common to both words, printed as a list.

The second line should display the sorted letters that are unique to each word, printed as a list.

The third line should display a Boolean value indicating if the set of letters in w1 is a superset of the set of letters in w2.

The fourth line should display a Boolean value indicating if there are no common letters between w1 and w2.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: program

Peace

Output: ['a', 'p']

['c', 'e', 'g', 'm', 'o', 'r']

False

False

Answer

Read input words w1 = input().strip()

```
w2 = input().strip()
# Convert to lowercase for case-insensitive comparison
w1\_lower = w1.lower()
w2_lower = w2.lower()
# Convert to sets of characters
set_w1 = set(w1_lower)
set_w2 = set(w2\_lower)
# Find common letters
common_letters = sorted(set_w1.intersection(set_w2))
# Find unique letters (letters in either w1 or w2, but not both)
unique_letters = sorted(set_w1.symmetric_difference(set_w2))
# Check if w1's set is a superset of w2's set
is_superset = set_w1.issuperset(set_w2)
# Check if there are no common letters
no_common = len(common_letters) == 0
# Print results
print(common_letters)
print(unique_letters)
print(is_superset)
print(no_common)
```

Status: Correct Marks: 10/10

3. Problem Statement

Alex is tasked with managing the membership lists of several exclusive clubs. Each club has its own list of members, and Alex needs to determine the unique members who are part of exactly one club when considering all clubs together.

Your goal is to help Alex by writing a program that calculates the symmetric difference of membership lists from multiple clubs and then finds the total number of unique members.

The first line of input consists of an integer k, representing the number of clubs.

The next k lines each contain a space-senare integer represent integer represents a member's ID.

Output Format

The first line of output displays the symmetric difference of the membership lists as a set.

The second line displays the sum of the elements in this symmetric difference.

Refer to the sample output for the formatting specifications.

Sample Test Case

```
Input: 3
123
234
567
Output: {1, 4, 5, 6, 7}
23
Answer
# Read the number of clubs
k = int(input())
# Initialize the symmetric difference set
sym_diff = set()
for i in range(k):
  # Read members of each club as a set of integers
  members = set(map(int, input().split()))
  if i == 0:
    # For the first club, initialize sym_diff
    sym_diff = members
  else:
    # Update sym_diff with the symmetric difference
    sym_diff = sym_diff.symmetric_difference(members)
```

Output the symmetric difference set
print(sym_diff)
Output the sum of the elements in the symmetric difference
print(sum(sym_diff))

Status: Partially correct Marks: 9/10

4. Problem Statement

Noah, a global analyst at a demographic research firm, has been tasked with identifying which country experienced the largest population growth over a two-year period. He has a dataset where each entry consists of a country code and its population figures for two consecutive years. Noah needs to determine which country had the highest increase in population and present the result in a specific format.

Help Noah by writing a program that outputs the country code with the largest population increase, along with the increase itself.

Input Format

The first line of input consists of an integer N, representing the number of countries.

Each of the following N blocks contains three lines:

- 1. The first line is a country code.
- 2. The second line is an integer representing the population of the country in the first year.
- 3. The third line is an integer representing the population of the country in the second year.

Output Format

The output displays the country code and the population increase in the format {code: difference}, where code is the country code and difference is the increase in population.

```
Refer to the sample output for formatting specifications.

Sample Test Case

Input: 3
01
  Sample Test Case
  1000
  1500
  02
  2000
  2430
  03
  1500
  3000
  Output: {03:1500}
Answer
  # Read the number of countries
  N = int(input())
  max_increase = -1
  max_country_code = ""
  for _ in range(N):
     country_code = input().strip()
     pop_year1 = int(input())
     pop_year2 = int(input())
     increase = pop_year2 - pop_year1
     # Check if this country has the largest increase so far
     if increase > max_increase:
       max_increase = increase
       max_country_code = country_code
  # Output the result
  print(f"{{{max_country_code}:{max_increase}}}")
```

Status: Correct Marks: 10/10

2176240707626

2176240707626