

Cucumber Report

18-Dec-2023, 3:08:22 pm

Start : Dec 18, 3:07:59.125 pm

End : Dec 18, 3:08:21.202 pm

Duration : 22.077 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 5
SKIPPED - 0


PASSED - 6
FAILED - 5
SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test login</u>	22.077 s	8	3	5	0	21	6	5	10

#	Feature Name	Scenario Name
1	<u>Test login</u>	<u>login page</u>
2		<u>login page</u>
3		<u>login page</u>
4		<u>login page gmail</u>
5		<u>API post</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@cucumber	4	0	4	0	1	0	1	0
@Background	1	1	0	0	1	0	1	0
@api	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test login</u>	8	3	5	0	22.077 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test login</u>	<u>login page</u>	3	0	1	2	3.355 s
2		<u>login page</u>	3	0	1	2	1.845 s
3		<u>login page</u>	3	0	1	2	1.692 s
4		<u>login page gmail</u>	3	0	1	2	1.503 s
5		<u>API Get</u>	3	3	0	0	4.294 s
6		<u>API post</u>	3	0	1	2	3.391 s
7		<u>User generates token for Authorisation</u>	1	1	0	0	3.168 s
8		<u>the Authorized user can Add and Remove a book.</u>	2	2	0	0	2.795 s

Test login



FAILED	DURATION - 22.077 s	Scenarios Total - 8 Pass - 3 Fail - 5 Skip - 0		Steps Total - 21 Pass - 6 Fail - 5 Skip - 10	
/ 3:07:59.125 pm // 3:08:21.202 pm /					

login page

<div>FAILED</div> <div>DURATION - 3.355 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:07:59.140 pm // 3:08:02.495 pm /				
Test login				
@cucumber				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://www.sololearn.com/en/compiler-playground/java" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://www.sololearn.com/en/compiler-playground/java"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.016 s
2	When User enter the details	SKIPPED	0.000 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) login page	PASSED	0.390 s

login page

<div>FAILED</div> <div>DURATION - 1.845 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:08:02.511 pm // 3:08:04.356 pm /				
Test login				
@cucumber				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
2	When User enter the details	SKIPPED	0.000 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.518 s
	login page		

login page

<div>FAILED</div> <div>DURATION - 1.692 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:08:04.356 pm // 3:08:06.048 pm /				
Test login				
@cucumber				

#	Step / Hook Details	Status	Duration
1	Given User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
2	When User enter the details	SKIPPED	0.001 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.422 s
	login page		



login page gmail

FAILED		DURATION - 1.503 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:08:06.048 pm // 3:08:07.551 pm /						
Test login						
@cucumber						

#	Step / Hook Details	Status	Duration
1	Given User is in home page	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_is_in_home_page(loginpage.java:140) at ?.User is in home page(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'.		
2	When User enter the details	SKIPPED	0.001 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.342 s



#	Step / Hook Details	Status	Duration
	login page gmail		

API Get

PASSED	DURATION - 4.294 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 3:08:07.551 pm // 3:08:11.845 pm /				
Test login				

#	Step / Hook Details	Status	Duration
1	Given User send the Get Request	PASSED	2.705 s
2	When user get the response	PASSED	0.000 s
3	Then user validate the response for get	PASSED	0.016 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.368 s
	API Get		



API post

<div>FAILED</div> <div>DURATION - 3.391 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:08:11.848 pm // 3:08:15.239 pm /				
Test login				

#	Step / Hook Details	Status	Duration
1	Given User send the post Request <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <405>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) </pre>	FAILED	1.191 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at Stepdefinitions.loginpage.user_send_the_post_request(loginpage.java:184) at ?.User send the post Request(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:30) * Not displayable characters are replaced by '?'. </pre>		
2	When user get the response	SKIPPED	0.000 s
3	Then user validate the response for post	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.461 s
	API post		

User generates token for Authorisation

PASSED	DURATION - 3.168 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 3:08:15.239 pm // 3:08:18.407 pm /				
Test login				
@Background				

#	Step / Hook Details	Status	Duration
1	Given I am an authorized user	PASSED	1.438 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.423 s
	User generates token for Authorisation		

the Authorized user can Add and Remove a book.

<div>PASSED</div> <div>DURATION - 2.795 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:08:18.407 pm // 3:08:21.202 pm /				
Test login				
@api				

#	Step / Hook Details	Status	Duration
1	Given A list of books are available	PASSED	0.522 s
2	When I add a book to my reading list	PASSED	0.748 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.332 s
	the Authorized user can Add and Remove a book.		