

# Cucumber Report

18-Dec-2023, 3:26:48 pm

**Start : Dec 18, 3:26:26.548 pm**

**End : Dec 18, 3:26:47.730 pm**

**Duration : 21.182 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**


**FAILED - 5**

**SKIPPED - 0**

**PASSED - 6**

**FAILED - 5**


**SKIPPED - 10**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test login</u>	21.182 s	8	3	5	0	21	6	5	10

#	Feature Name	Scenario Name
1	<u>Test login</u>	<u>login page</u>
2		<u>login page</u>
3		<u>login page</u>
4		<u>login page gmail</u>
5		<u>API post</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@cucumber	4	0	4	0	1	0	1	0
@Background	1	1	0	0	1	0	1	0
@api	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test login</u>	8	3	5	0	21.182 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test login</u>	<u>login page</u>	3	0	1	2	2.648 s
2		<u>login page</u>	3	0	1	2	1.667 s
3		<u>login page</u>	3	0	1	2	1.516 s
4		<u>login page gmail</u>	3	0	1	2	1.523 s
5		<u>API Get</u>	3	3	0	0	4.775 s
6		<u>API post</u>	3	0	1	2	2.938 s
7		<u>User generates token for Authorisation</u>	1	1	0	0	3.140 s
8		<u>the Authorized user can Add and Remove a book.</u>	2	2	0	0	2.918 s

## Test login



<b>FAILED</b>	DURATION - 21.182 s	Scenarios Total - 8 Pass - 3 Fail - 5 Skip - 0		Steps Total - 21 Pass - 6 Fail - 5 Skip - 10	
/ 3:26:26.548 pm // 3:26:47.730 pm /					

## login page

<div>FAILED</div> <div>DURATION - 2.648 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:26:26.560 pm // 3:26:29.208 pm /</div>				
<div>Test login</div>				
<div>@cucumber</div>				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://www.sololearn.com/en/compiler-playground/java" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://www.sololearn.com/en/compiler-playground/java"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.021 s
2	When User enter the details	SKIPPED	0.004 s
3	Then User validate the details	SKIPPED	0.001 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) login page	PASSED	0.443 s

## login page

<div>FAILED</div> <div>DURATION - 1.667 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:26:29.225 pm // 3:26:30.892 pm /				
Test login				
@cucumber				

#	Step / Hook Details	Status	Duration
1	Given User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When User enter the details	SKIPPED	0.001 s
3	Then User validate the details	SKIPPED	0.001 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.382 s
	login page		



## login page

<div>FAILED</div> <div>DURATION - 1.516 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:26:30.897 pm // 3:26:32.413 pm /				
Test login				
@cucumber				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User enter the details	SKIPPED	0.001 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.400 s
	login page		



## login page gmail

FAILED	DURATION - 1.523 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:26:32.419 pm // 3:26:33.942 pm /				
Test login				
@cucumber				

#	Step / Hook Details	Status	Duration
1	Given User is in home page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_is_in_home_page(loginpage.java:140) at ?.User is in home page(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User enter the details	SKIPPED	0.000 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.443 s



#	Step / Hook Details	Status	Duration
	login page gmail		

**API Get**

<div><div>PASSED</div><div>DURATION - 4.775 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 3:26:33.945 pm // 3:26:38.720 pm /				
Test login				

#	Step / Hook Details	Status	Duration
1	Given User send the Get Request	PASSED	2.832 s
2	When user get the response	PASSED	0.000 s
3	Then user validate the response for get	PASSED	0.030 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.377 s
	API Get		



**API post**

<div>FAILED</div> <div>DURATION - 2.938 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:26:38.723 pm // 3:26:41.661 pm /				
Test login				

#	Step / Hook Details	Status	Duration
1	<b>Given User send the post Request</b> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;405&gt;.   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)   at java.base/java.lang.reflect.Method.invoke(Method.java:580)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) </pre>	<b>FAILED</b>	1.232 s



#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at Stepdefinitions.loginpage.user_send_the_post_request(loginpage.java:184) at ?.User send the post Request(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:30) * Not displayable characters are replaced by '?'.		
2	When user get the response	SKIPPED	0.001 s
3	Then user validate the response for post	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.355 s
	API post		

### User generates token for Authorisation

PASSED		DURATION - 3.140 s			Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 3:26:41.666 pm // 3:26:44.806 pm /						
Test login						
@Background						

#	Step / Hook Details	Status	Duration
1	Given I am an authorized user	PASSED	1.461 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.419 s
	User generates token for Authorisation		

**the Authorized user can Add and Remove a book.**

<div>PASSED</div> <div>DURATION - 2.918 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:26:44.812 pm // 3:26:47.730 pm /</div>				
<div>Test login</div>				
<div>@api</div>				

#	Step / Hook Details	Status	Duration
1	Given A list of books are available	PASSED	0.554 s
2	When I add a book to my reading list	PASSED	0.711 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.348 s
	the Authorized user can Add and Remove a book.		