

Cucumber Report

18-Dec-2023, 3:05:07 pm

Start : Dec 18, 3:04:40.643 pm

End : Dec 18, 3:05:06.018 pm

Duration : 25.375 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 5
SKIPPED - 0


PASSED - 6
FAILED - 5
SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test login</u>	25.375 s	8	3	5	0	21	6	5	10

#	Feature Name	Scenario Name
1	<u>Test login</u>	<u>login page</u>
2		<u>login page</u>
3		<u>login page</u>
4		<u>login page gmail</u>
5		<u>API post</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@cucumber	4	0	4	0	1	0	1	0
@Background	1	1	0	0	1	0	1	0
@api	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test login</u>	8	3	5	0	25.375 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test login</u>	<u>login page</u>	3	0	1	2	3.383 s
2		<u>login page</u>	3	0	1	2	2.420 s
3		<u>login page</u>	3	0	1	2	2.099 s
4		<u>login page gmail</u>	3	0	1	2	2.076 s
5		<u>API Get</u>	3	3	0	0	5.086 s
6		<u>API post</u>	3	0	1	2	3.503 s
7		<u>User generates token for Authorisation</u>	1	1	0	0	3.610 s
8		<u>the Authorized user can Add and Remove a book.</u>	2	2	0	0	3.145 s

Test login



FAILED	DURATION - 25.375 s	Scenarios Total - 8 Pass - 3 Fail - 5 Skip - 0		Steps Total - 21 Pass - 6 Fail - 5 Skip - 10	
/ 3:04:40.643 pm // 3:05:06.018 pm /					

login page

<div>FAILED</div> <div>DURATION - 3.383 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:04:40.649 pm // 3:04:44.032 pm /</div>				
<div>Test login</div>				
<div>@cucumber</div>				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://www.sololearn.com/en/compiler-playground/java" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://www.sololearn.com/en/compiler-playground/java"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.019 s
2	When User enter the details	SKIPPED	0.003 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) login page	PASSED	0.584 s

login page

<div>FAILED</div> <div>DURATION - 2.420 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:04:44.048 pm // 3:04:46.468 pm /				
Test login				
@cucumber				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User enter the details	SKIPPED	0.000 s
3	Then User validate the details	SKIPPED	0.001 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.678 s
	login page		

login page

<div>FAILED</div> <div>DURATION - 2.099 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:04:46.476 pm // 3:04:48.575 pm /				
Test login				
@cucumber				

#	Step / Hook Details	Status	Duration
1	Given User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
2	When User enter the details	SKIPPED	0.002 s
3	Then User validate the details	SKIPPED	0.001 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.507 s
	login page		

login page gmail

FAILED		DURATION - 2.076 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:04:48.580 pm // 3:04:50.656 pm /						
Test login						
@cucumber						

#	Step / Hook Details	Status	Duration
1	Given User is in home page	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_is_in_home_page(loginpage.java:140) at ?.User is in home page(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'.		
2	When User enter the details	SKIPPED	0.001 s
3	Then User validate the details	SKIPPED	0.001 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.576 s



#	Step / Hook Details	Status	Duration
	login page gmail		

API Get

<div>PASSED</div>	<div>DURATION - 5.086 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>2.8</td></tr><tr><td>2</td><td>0.0</td></tr><tr><td>3</td><td>0.03</td></tr></tbody></table></div>	Step	Value	1	2.8	2	0.0	3	0.03	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step	Value											
1	2.8											
2	0.0											
3	0.03											
<div>/ 3:04:50.663 pm // 3:04:55.749 pm /</div>												
<div>Test login</div>												

#	Step / Hook Details	Status	Duration
1	Given User send the Get Request	PASSED	2.862 s
2	When user get the response	PASSED	0.000 s
3	Then user validate the response for get	PASSED	0.035 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.625 s
	API Get		



API post

<div>FAILED</div> <div>DURATION - 3.503 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:04:55.753 pm // 3:04:59.256 pm /				
Test login				

#	Step / Hook Details	Status	Duration
1	Given User send the post Request <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <405>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) </pre>	FAILED	1.209 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at Stepdefinitions.loginpage.user_send_the_post_request(loginpage.java:184) at ?.User send the post Request(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:30) * Not displayable characters are replaced by '?'. </pre>		
2	When user get the response	SKIPPED	0.001 s
3	Then user validate the response for post	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.528 s
	API post		

User generates token for Authorisation

PASSED	DURATION - 3.610 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 3:04:59.260 pm // 3:05:02.870 pm /				
Test login				
@Background				

#	Step / Hook Details	Status	Duration
1	Given I am an authorized user	PASSED	1.514 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.432 s
	User generates token for Authorisation		

the Authorized user can Add and Remove a book.

<div>PASSED</div> <div>DURATION - 3.145 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:05:02.873 pm // 3:05:06.018 pm /</div>				
<div>Test login</div>				
<div>@api</div>				

#	Step / Hook Details	Status	Duration
1	Given A list of books are available	PASSED	0.574 s
2	When I add a book to my reading list	PASSED	0.766 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.376 s
	the Authorized user can Add and Remove a book.		