

Cucumber Report

18-Dec-2023, 4:32:34 pm

Start : Dec 18, 4:32:05.059 pm

End : Dec 18, 4:32:33.181 pm

Duration : 28.122 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 4
FAILED - 0
SKIPPED - 0

PASSED - 12
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test login</u>	28.122 s	4	4	0	0	12	12	0	0

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@cucumber	4	4	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test login</u>	4	4	0	0	28.122 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test login	login page	3	3	0	0	7.494 s
2		login page	3	3	0	0	6.312 s
3		login page	3	3	0	0	8.204 s
4		login page gmail	3	3	0	0	6.092 s

Test login



PASSED	DURATION - 28.122 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 4:32:05.059 pm // 4:32:33.181 pm /					


login page

PASSED		DURATION - 7.494 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:32:05.068 pm // 4:32:12.562 pm /						
Test login						
@cucumber						



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://www.sololearn.com/en/compiler-playground/java"	PASSED	1.465 s
2	When User enter the details	PASSED	0.001 s
3	Then User validate the details	PASSED	0.128 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	2.271 s
	login page		
			

login page


<div>PASSED</div> <div>DURATION - 6.312 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:32:12.568 pm // 4:32:18.880 pm /</div>			
<div>Test login</div>			
<div>@cucumber</div>			

#	Step / Hook Details	Status	Duration
1	Given User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1"	PASSED	2.671 s
2	When User enter the details	PASSED	0.000 s
3	Then User validate the details	PASSED	0.034 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.470 s
	login page 		



login page

<div>PASSED</div>	<div>DURATION - 8.204 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:32:18.883 pm // 4:32:27.087 pm /</div>				
<div>Test login</div>				
<div>@cucumber</div>				

#	Step / Hook Details	Status	Duration
1	Given User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"	PASSED	4.452 s
2	When User enter the details	PASSED	0.000 s
3	Then User validate the details	PASSED	0.041 s

#	Step / Hook Details	Status	Duration
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.601 s
	login page		
			

login page gmail

PASSED	DURATION - 6.092 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:32:27.089 pm // 4:32:33.181 pm /				
Test login				
@cucumber				

#	Step / Hook Details	Status	Duration
1	Given User is in home page	PASSED	2.557 s
2	When User enter the details	PASSED	0.001 s
3	Then User validate the details	PASSED	0.077 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.453 s
	login page gmail		
	