

# Cucumber Report

18-Dec-2023, 3:25:14 pm

Start : Dec 18, 3:24:50.225 pm

End : Dec 18, 3:25:12.723 pm

Duration : 22.498 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 5  
SKIPPED - 0


PASSED - 6  
FAILED - 5  
SKIPPED - 10




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test login</u>	22.498 s	8	3	5	0	21	6	5	10

#	Feature Name	Scenario Name
1	<u>Test login</u>	<u>login page</u>
2		<u>login page</u>
3		<u>login page</u>
4		<u>login page gmail</u>
5		<u>API post</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@cucumber	4	0	4	0	1	0	1	0
@Background	1	1	0	0	1	0	1	0
@api	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test login</u>	8	3	5	0	22.498 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test login</u>	<u>login page</u>	3	0	1	2	2.871 s
2		<u>login page</u>	3	0	1	2	1.753 s
3		<u>login page</u>	3	0	1	2	1.667 s
4		<u>login page gmail</u>	3	0	1	2	1.738 s
5		<u>API Get</u>	3	3	0	0	4.853 s
6		<u>API post</u>	3	0	1	2	3.200 s
7		<u>User generates token for Authorisation</u>	1	1	0	0	3.279 s
8		<u>the Authorized user can Add and Remove a book.</u>	2	2	0	0	3.085 s

## Test login



<b>FAILED</b>	DURATION - 22.498 s	Scenarios Total - 8 Pass - 3 Fail - 5 Skip - 0		Steps Total - 21 Pass - 6 Fail - 5 Skip - 10	
/ 3:24:50.225 pm // 3:25:12.723 pm /					

## login page

<div>FAILED</div> <div>DURATION - 2.871 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:24:50.231 pm // 3:24:53.102 pm /				
Test login				
@cucumber				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://www.sololearn.com/en/compiler-playground/java" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://www.sololearn.com/en/compiler-playground/java"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'. 	FAILED	0.018 s
2	When User enter the details	SKIPPED	0.001 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario) login page	PASSED	0.489 s

## login page

<div>FAILED</div> <div>DURATION - 1.753 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:24:53.114 pm // 3:24:54.867 pm /				
Test login				
@cucumber				

#	Step / Hook Details	Status	Duration
1	Given User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-remote-driver/4.16.1"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When User enter the details	SKIPPED	0.001 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.463 s
	login page		



## login page

<div>FAILED</div> <div>DURATION - 1.667 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:24:54.876 pm // 3:24:56.543 pm /				
Test login				
@cucumber				



#	Step / Hook Details	Status	Duration
1	Given User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"	FAILED	0.006 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_already_in_login_page(loginpage.java:119) at ?.User already in login "https://stackoverflow.com/questions/74533830/io-cucumber-java-pendingexception-todo-implement-me"(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:7) * Not displayable characters are replaced by '?'.		
2	When User enter the details	SKIPPED	0.002 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.437 s
	login page		



## login page gmail

FAILED		DURATION - 1.738 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2			
/ 3:24:56.549 pm // 3:24:58.287 pm /								
Test login								
@cucumber								

#	Step / Hook Details	Status	Duration
1	Given User is in home page	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "this.driver" is null at Stepdefinitions.loginpage.user_is_in_home_page(loginpage.java:140) at ?.User is in home page(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:18) * Not displayable characters are replaced by '?'.		
2	When User enter the details	SKIPPED	0.000 s
3	Then User validate the details	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.493 s



#	Step / Hook Details	Status	Duration
	login page gmail		

**API Get**

PASSED	DURATION - 4.853 s		<div>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</div> 
/ 3:24:58.296 pm // 3:25:03.149 pm /			
Test login			

#	Step / Hook Details	Status	Duration
1	Given User send the Get Request	PASSED	2.878 s
2	When user get the response	PASSED	0.001 s
3	Then user validate the response for get	PASSED	0.029 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.379 s
	API Get		



**API post**

<div><div>FAILED</div><div>DURATION - 3.200 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 2</div></div>	<div></div>
/ 3:25:03.153 pm // 3:25:06.353 pm /				
Test login				

#	Step / Hook Details	Status	Duration
1	<b>Given User send the post Request</b> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;200&gt; but was &lt;405&gt;.   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)   at java.base/java.lang.reflect.Method.invoke(Method.java:580)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) </pre>	<b>FAILED</b>	1.351 s



#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at Stepdefinitions.loginpage.user_send_the_post_request(loginpage.java:184) at ?.User send the post Request(file:///D:/Workspace/bdd/src/main/resources/Features/Login.feature:30) * Not displayable characters are replaced by '?'. </pre>		
2	When user get the response	SKIPPED	0.000 s
3	Then user validate the response for post	SKIPPED	0.000 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.342 s
	API post		

### User generates token for Authorisation

PASSED	DURATION - 3.279 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 3:25:06.356 pm // 3:25:09.635 pm /				
Test login				
@Background				

#	Step / Hook Details	Status	Duration
1	Given I am an authorized user	PASSED	1.528 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.381 s
	User generates token for Authorisation		

**the Authorized user can Add and Remove a book.**

<div>PASSED</div> <div>DURATION - 3.085 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 3:25:09.638 pm // 3:25:12.723 pm /				
Test login				
@api				

#	Step / Hook Details	Status	Duration
1	Given A list of books are available	PASSED	0.552 s
2	When I add a book to my reading list	PASSED	0.670 s
	AFTER - Stepdefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.400 s
	the Authorized user can Add and Remove a book.		