

# Cucumber Report

Jul 7, 2023, 9:34:22 p.m.

Start : Jul 07, 9:34:20.931 p.m.

End : Jul 07, 9:34:21.290 p.m.

Duration : 0.359 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 14  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 120




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Queue page Validation</u>	0.359 s	14	0	14	0	120	0	0	120


#	Feature Name	Scenario Name
1	<u>Queue page Validation</u>	<u>The user is able to navigate to Queue Data Structure Page</u>
2		<u>The user is able to navigate to all options in queue page</u>
3		<u>The user is able to navigate to all options in queue page</u>
4		<u>The user is able to navigate to all options in queue page</u>
5		<u>The user is able to navigate to all options in queue page</u>
6		<u>The user is able to test run valid code in tryEditor</u>
7		<u>The user is able to test run valid code in tryEditor</u>
8		<u>The user is able to test run valid code in tryEditor</u>
9		<u>The user is able to test run valid code in tryEditor</u>
10		<u>The user is able to test run invlid code in tryEditor</u>
11		<u>The user is able to test run invlid code in tryEditor</u>
12		<u>The user is able to test run invlid code in tryEditor</u>
13		<u>The user is able to test run invlid code in tryEditor</u>

#	Feature Name	Scenario Name
14	<u>Queue page Validation</u>	<u>The user is able to navigate to QueueOp page and click on Practice Questions</u>


<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Test_queue_01	1	0	1	0	1	0	1	0
@QueueTest	14	0	14	0	1	0	1	0
@Test_queue_02	4	0	4	0	1	0	1	0
@Test_queue_03	4	0	4	0	1	0	1	0
@Test_queue_04	4	0	4	0	1	0	1	0
@Test_queue_05	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Queue page Validation</u>	14	0	14	0	0.359 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Queue page Validation</u>	<u>The user is able to navigate to Queue Data Structure Page</u>	8	0	0	8	0.029 s
2		<u>The user is able to navigate to all options in queue page</u>	8	0	0	8	0.012 s
3		<u>The user is able to navigate to all options in queue page</u>	8	0	0	8	0.011 s
4		<u>The user is able to navigate to all options in queue page</u>	8	0	0	8	0.009 s
5		<u>The user is able to navigate to all options in queue page</u>	8	0	0	8	0.009 s
6		<u>The user is able to test run valid code in tryEditor</u>	9	0	0	9	0.007 s
7		<u>The user is able to test run valid code in tryEditor</u>	9	0	0	9	0.007 s
8		<u>The user is able to test run valid code in tryEditor</u>	9	0	0	9	0.011 s
9		<u>The user is able to test run valid code in tryEditor</u>	9	0	0	9	0.007 s
10		<u>The user is able to test run invlid code in tryEditor</u>	9	0	0	9	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Queue page Validation</u>	<u>The user is able to test run invlid code in tryEditor</u>	9	0	0	9	0.009 s
12		<u>The user is able to test run invlid code in tryEditor</u>	9	0	0	9	0.006 s
13		<u>The user is able to test run invlid code in tryEditor</u>	9	0	0	9	0.007 s
14		<u>The user is able to navigate to QueueOp page and click on Practice Questions</u>	8	0	0	8	0.004 s



## Queue page Validation

<b>FAILED</b>	DURATION - 0.359 s	Scenarios Total - 14 Pass - 0 Fail - 14 Skip - 0		Steps Total - 120 Pass - 0 Fail - 0 Skip - 120	
/ 9:34:20.931 p.m. // 9:34:21.290 p.m. /					



## The user is able to navigate to Queue Data Structure Page

<b>FAILED</b>	DURATION - 0.029 s		Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 9:34:20.936 p.m. // 9:34:20.965 p.m. /				
Queue page Validation				
@Test_queue_01 @QueueTest				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.005 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.001 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is on homepage	SKIPPED	0.001 s
7	When The user clicks the queue item from the drop down menu	SKIPPED	0.000 s
8	Then The user be directed to Queue Data Structure Page	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at hooks.Hooks.tearDown(Hooks.java:57)		
	AFTER - hooks.Hooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.002 s



### The user is able to navigate to all options in queue page

FAILED		DURATION - 0.012 s			Steps Total - 8 Pass - 0 Fail - 0 Skip - 8	
/ 9:34:21.008 p.m. // 9:34:21.020 p.m. /						
Queue page Validation						
@QueueTest @Test_queue_02						

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser() java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.001 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is on the Queue page after logged in	SKIPPED	0.000 s
7	When The user clicks "Implementation of Queue in Python" link	SKIPPED	0.000 s
8	Then The user directed to "Implementation of Queue in Python" page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at hooks.Hooks.quitBrowser(Hooks.java:48)		

### The user is able to navigate to all options in queue page

FAILED	DURATION - 0.011 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 9:34:21.048 p.m. // 9:34:21.059 p.m. /				
Queue page Validation				
@QueueTest @Test_queue_02				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.002 s
1	When The user clicks the Get Started button	SKIPPED	0.001 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is on the Queue page after logged in	SKIPPED	0.000 s
7	When The user clicks "Implementation using collections.deque" link	SKIPPED	0.001 s
8	Then The user directed to "Implementation using collections.deque" page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

### The user is able to navigate to all options in queue page

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 9:34:21.088 p.m. // 9:34:21.097 p.m. /				
Queue page Validation				
@QueueTest @Test_queue_02				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.002 s
1	When The user clicks the Get Started button	SKIPPED	0.001 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is on the Queue page after logged in	SKIPPED	0.000 s
7	When The user clicks "Implementation using array" link	SKIPPED	0.000 s
8	Then The user directed to "Implementation using array" page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to navigate to all options in queue page**

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	
/ 9:34:21.112 p.m. // 9:34:21.121 p.m. /				
Queue page Validation				
@QueueTest @Test_queue_02				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.001 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is on the Queue page after logged in	SKIPPED	0.000 s
7	When The user clicks "Queue Operations" link	SKIPPED	0.001 s
8	Then The user directed to "Queue Operations" page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to test run valid code in tryEditor**

<b>FAILED</b>	DURATION - 0.007 s		<b>Steps</b> Total - 9 Pass - 0 Fail - 0 Skip - 9	
/ 9:34:21.134 p.m. // 9:34:21.141 p.m. /				
Queue page Validation				
@QueueTest @Test_queue_03				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Implementation of Queue in Python" page for queue having an tryEditor with a Run button to test	SKIPPED	0.000 s
7	When The user enter valid python code in tryEditor for queue from sheet "ValidPythonCode" and 0	SKIPPED	0.000 s
8	And The user clicks on run button for queue	SKIPPED	0.001 s
9	Then The user should be presented with Run result for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to test run valid code in tryEditor**

<b>FAILED</b>	DURATION - 0.007 s		<b>Steps</b> Total - 9 Pass - 0 Fail - 0 Skip - 9	
/ 9:34:21.150 p.m. // 9:34:21.157 p.m. /				
Queue page Validation				
@QueueTest @Test_queue_03				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.001 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Implementation using collections.deque" page for queue having an tryEditor with a Run button to test	SKIPPED	0.000 s
7	When The user enter valid python code in tryEditor for queue from sheet "ValidPythonCode" and 0	SKIPPED	0.000 s
8	And The user clicks on run button for queue	SKIPPED	0.000 s
9	Then The user should be presented with Run result for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to test run valid code in tryEditor**

FAILED	DURATION - 0.011 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 9:34:21.174 p.m. // 9:34:21.185 p.m. /				
Queue page Validation				
@QueueTest @Test_queue_03				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.002 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Implementation using array" page for queue having an tryEditor with a Run button to test	SKIPPED	0.000 s
7	When The user enter valid python code in tryEditor for queue from sheet "ValidPythonCode" and 0	SKIPPED	0.000 s
8	And The user clicks on run button for queue	SKIPPED	0.000 s
9	Then The user should be presented with Run result for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to test run valid code in tryEditor**



<b>FAILED</b>	<b>DURATION - 0.007 s</b>		<b>Steps</b> Total - 9 Pass - 0 Fail - 0 Skip - 9	
/ 9:34:21.195 p.m. // 9:34:21.202 p.m. /				
Queue page Validation				
@QueueTest @Test_queue_03				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Queue Operations" page for queue having an tryEditor with a Run button to test	SKIPPED	0.001 s
7	When The user enter valid python code in tryEditor for queue from sheet "ValidPythonCode" and 0	SKIPPED	0.000 s
8	And The user clicks on run button for queue	SKIPPED	0.000 s
9	Then The user should be presented with Run result for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to test run invlid code in tryEditor**

<b>FAILED</b>	DURATION - 0.008 s		<b>Steps</b> Total - 9 Pass - 0 Fail - 0 Skip - 9	
/ 9:34:21.219 p.m. // 9:34:21.227 p.m. /				
Queue page Validation				
@Test_queue_04 @QueueTest				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.001 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Implementation of Queue in Python" page for queue having an tryEditor with a Run button to test	SKIPPED	0.000 s
7	When The user enter python code with invalid syntax in tryEditor for queue from sheet "InvalidPythonCode" and 0	SKIPPED	0.001 s
8	And The user clicks on run button for queue	SKIPPED	0.000 s
9	Then The user should be presented with error message for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.000 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.000 s

**The user is able to test run invlid code in tryEditor**

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 9:34:21.238 p.m. // 9:34:21.247 p.m. /				
Queue page Validation				
@Test_queue_04 @QueueTest				



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Implementation using collections.deque" page for queue having an tryEditor with a Run button to test	SKIPPED	0.001 s
7	When The user enter python code with invalid syntax in tryEditor for queue from sheet "InvalidPythonCode" and 0	SKIPPED	0.000 s
8	And The user clicks on run button for queue	SKIPPED	0.000 s
9	Then The user should be presented with error message for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to test run invlid code in tryEditor**

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 9:34:21.257 p.m. // 9:34:21.263 p.m. /				
Queue page Validation				
@Test_queue_04 @QueueTest				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Implementation using array" page for queue having an tryEditor with a Run button to test	SKIPPED	0.000 s
7	When The user enter python code with invalid syntax in tryEditor for queue from sheet "InvalidPythonCode" and 0	SKIPPED	0.000 s
8	And The user clicks on run button for queue	SKIPPED	0.002 s
9	Then The user should be presented with error message for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.000 s

**The user is able to test run invlid code in tryEditor**

FAILED	DURATION - 0.007 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 9:34:21.271 p.m. // 9:34:21.278 p.m. /				
Queue page Validation				
@Test_queue_04 @QueueTest				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.001 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is in a "Queue Operations" page for queue having an tryEditor with a Run button to test	SKIPPED	0.000 s
7	When The user enter python code with invalid syntax in tryEditor for queue from sheet "InvalidPythonCode" and 0	SKIPPED	0.002 s
8	And The user clicks on run button for queue	SKIPPED	0.000 s
9	Then The user should be presented with error message for queue	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.001 s

**The user is able to navigate to QueueOp page and click on Practice Questions**

<div>FAILED</div>	<div>DURATION - 0.004 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
<div>/ 9:34:21.286 p.m. // 9:34:21.290 p.m. /</div>				
<div>Queue page Validation</div>				
<div>@Test_queue_05 @QueueTest</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.launchBrowser()  java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "browser" is null at dsAlgo_Driverfactory.DriverFactory.init_driver(DriverFactory.java:54) at hooks.Hooks.launchBrowser(Hooks.java:41)	FAILED	0.001 s
1	When The user clicks the Get Started button	SKIPPED	0.000 s
2	And user clicks on SignIn button he is directed to login page	SKIPPED	0.000 s
3	When User enters valid username "sdet" and password "sdet1234"	SKIPPED	0.000 s
4	And User clicks on login button	SKIPPED	0.000 s
5	Then It should navigate to the home page with a message " You are logged in "	SKIPPED	0.000 s
6	Given The user is on Editor page and navigates to QueueOp page	SKIPPED	0.000 s
7	When the user clicks on Practice Questions	SKIPPED	0.000 s
8	Then The user is directed to Practice page	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at hooks.Hooks.tearDown(Hooks.java:57)	FAILED	0.001 s
	AFTER - hooks.Hooks.quitBrowser()  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at hooks.Hooks.quitBrowser(Hooks.java:48)	FAILED	0.000 s