

Nama : I Nyoman Devananda Satria Wibawa

Nim : 260530911110

Divisi : Cyber Security

- **Strings It**

1. Langkah pertama adalah mendownload file strings pada cylab
2. kemudian buka di terminal dan menggunakan WSL

```
(Devananda@DEVA)-[/mnt/d/Data Deva/coba coba CYLAB]
$ strings strings | grep pico

(Devananda@DEVA)-[/mnt/d/Data Deva/coba coba CYLAB]
$ strings strings | grep academy
academy{5tRIng5_1T_0c2e1fc3}
```

3. Disini kita menggunakan command strings dan grep yang dimana grep digunakan untuk mencari kata pada flag

strings it

General Skills **Easy**

by Sanjay C/Danny Tunitis · picoCTF 2019

Can you find the flag in file without running it?

HINTS ⓘ

1 strings

FLAG ⓘ

Submit

debug info: [u:1150827 e: p: c:37 l:300252]

Bookmark 🔖 122,622 👍 87% Open in Workspace

4. Setelahnya kita masukkan flagnya ke cylab dan challenge pun berhasil diselesaikan

- **Log Hunt**

1. Download file server.log pada cylab
2. Buka wsl lalu jalankan command cat server.log untuk melihat isi dari file

```
(Devananda@DEVA)-[/mnt/d/Data Deva/coba coba CYLAB]
$ cat server.log
[1990-08-09 10:00:10] INFO FLAGPART: academy{us3_
[1990-08-09 10:00:16] WARN Disk space low
[1990-08-09 10:00:19] DEBUG Cache cleared
[1990-08-09 10:00:23] WARN Disk space low
[1990-08-09 10:00:25] INFO Service restarted
[1990-08-09 10:00:33] WARN Disk space low
[1990-08-09 10:00:38] ERROR Connection lost
[1990-08-09 10:00:46] ERROR Failed login attempt
[1990-08-09 10:00:48] INFO User logged in
[1990-08-09 10:00:50] INFO User logged in
[1990-08-09 10:00:59] ERROR Failed login attempt
[1990-08-09 10:01:04] DEBUG System check complete
[1990-08-09 10:01:05] WARN Disk space low
[1990-08-09 10:01:13] INFO Service restarted
[1990-08-09 10:01:17] INFO Service restarted
[1990-08-09 10:01:18] ERROR Failed login attempt
[1990-08-09 10:01:24] ERROR Connection lost
[1990-08-09 10:01:25] WARN High memory usage detected
[1990-08-09 10:01:31] ERROR Connection lost
[1990-08-09 10:01:36] INFO Service restarted
[1990-08-09 10:01:41] ERROR Connection lost
[1990-08-09 10:01:44] WARN High memory usage detected
[1990-08-09 10:01:53] INFO Scheduled task run
```

3. Setelah dijalankan maka akan muncul isi dari file nya
4. Selanjutnya gunakan comman grep "academy" server.log untuk mencari flagnya

```
(Devananda@DEVA)-[/mnt/d/Data Deva/coba coba CYLAB]
$ grep "academy" server.log
[1990-08-09 10:00:10] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:27] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:29] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:37] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:23] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:29] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:32] INFO FLAGPART: academy{us3_
```

5. Setelah dijalankan maka akan muncul bagian pertama dari flagnya, dan kemudian kita akan mencari bagian lainnya

6. Gunakan command grep "INFO FLAGPART" server.log untuk mencari bagian flag yang tersisa

```
(Devananda@DEVA)~/mnt/d/Data Deva/coba coba CYLAB$ grep "INFO FLAGPART" server.log
[1990-08-09 10:00:10] INFO FLAGPART: academy{us3_
[1990-08-09 10:02:55] INFO FLAGPART: y0urlinux_
[1990-08-09 10:05:54] INFO FLAGPART: sk1lls_
[1990-08-09 10:05:55] INFO FLAGPART: sk1lls_
[1990-08-09 10:10:54] INFO FLAGPART: cedfa5fb}
[1990-08-09 10:10:58] INFO FLAGPART: cedfa5fb}
[1990-08-09 10:11:06] INFO FLAGPART: cedfa5fb}
[1990-08-09 11:04:27] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:29] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:37] INFO FLAGPART: academy{us3_
[1990-08-09 11:09:16] INFO FLAGPART: y0urlinux_
[1990-08-09 11:09:19] INFO FLAGPART: y0urlinux_
[1990-08-09 11:12:40] INFO FLAGPART: sk1lls_
[1990-08-09 11:12:45] INFO FLAGPART: sk1lls_
[1990-08-09 11:16:58] INFO FLAGPART: cedfa5fb}
[1990-08-09 11:16:59] INFO FLAGPART: cedfa5fb}
[1990-08-09 11:17:00] INFO FLAGPART: cedfa5fb}
[1990-08-09 12:19:23] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:29] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:32] INFO FLAGPART: academy{us3_
[1990-08-09 12:23:43] INFO FLAGPART: y0urlinux_
[1990-08-09 12:23:45] INFO FLAGPART: y0urlinux_
[1990-08-09 12:23:53] INFO FLAGPART: y0urlinux_
[1990-08-09 12:25:32] INFO FLAGPART: sk1lls_
[1990-08-09 12:28:45] INFO FLAGPART: cedfa5fb}
[1990-08-09 12:28:49] INFO FLAGPART: cedfa5fb}
[1990-08-09 12:28:52] INFO FLAGPART: cedfa5fb}

(Devananda@DEVA)~/mnt/d/Data Deva/coba coba CYLAB$ academy{us3_y0urlinux_sk1lls_cedfa5fb}|
```

7. Setelah dijalankan maka akan muncul flag yang tersisa. Kita akan rangkai bagian-bagiannya sehingga menghasilkan flag yang utuh yakni academy{us3_y0urlinux_sk1lls_cedfa5fb}
8. Masukkan flag ke cylab maka challenge berhasil

- **Wave A Flag**

1. Download file nya pada terminal dengan menggunakan comman wget <url> yang Dimana url bisa didapatkan dari web cylab

```

--(Devananda@DEVA)~/mnt/d/Data Deva/coba coba CYLAB]
--$ wget https://challenge-files.cylabacademy.net/library/76c80028ffd775f6b8df91af1414969f3c77a5be569d1beaf90367ff985dd02e/warm
--2026-09-25 22:28:38-- https://challenge-files.cylabacademy.net/library/76c80028ffd775f6b8df91af1414969f3c77a5be569d1beaf90367ff985dd02e/warm
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.23, 18.67.175.95, 18.67.175.73, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.23|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 17368 (17K) [application/octet-stream]
Saving to: 'warm'

warm
100%[=====] 16.96K --.-KB/s in 0.002s

2026-09-25 22:28:38 (7.54 MB/s) - 'warm' saved [17368/17368]

```

2. Lalu kita jalankan command `chmod +x warm` supaya file bisa di execute

```

(Devananda@DEVA)~/mnt/d/Data Deva/coba coba CYLAB]
$ chmod +x warm

```

3. Setelahnya kita jalankan command `./warm` untuk menjalankan programnya

```

(Devananda@DEVA)~/mnt/d/Data Deva/coba coba CYLAB]
$ ./warm
Hello user! Pass me a -h to learn what I can do!

```

4. Jika dijalankan maka akan muncul tampilan seperti di atas, gunakan command `./warm -h` untuk mendapatkan flag

```

(Devananda@DEVA)~/mnt/d/Data Deva/coba coba CYLAB]
$ ./warm -h
Oh, help? I actually don't do much, but I do have this flag here: academy{b1scu1ts_4nd_gr4vy_57d8c79}

```

5. Setelahnya flag akan muncul dan flag dapat dimasukkan ke cylab maka challenge ini sudah diselesaikan

Wave a flag

General Skills Easy

by syreal · picoCTF 2021

Can you invoke help flags for a tool or binary? This program has extraordinarily helpful information... warm

HINTS

- 1 This program will only work in the webshell or another Linux computer.
- 2 To get the file accessible in your shell, enter the following in the Terminal prompt: `$ wget <URL here>`, where the url can be found in the details section.
- 3 Run this program by entering the following in the Terminal prompt: `$ ./warm`, but you'll first have to make it executable with `$ chmod +x warm`
- 4 -h and --help are the most common arguments to give to programs to get more information from them!
- 5 Not every program implements help features like -h and --help.

FLAG

academy{b1scu1ts_4nd_gr4vy_57d8c79}

Submit

Bookmark


220,853

92%

Open in Workspace

- **Binhexa**

1. Lakukan instance di challenge binhexa, setelahnya maka akan muncul sebuah kode yang akan dijalankan di wsl



2. Copy kode tersebut lalu jalankan di wsl

```
(Devananda@DEVA) ~  
$ nc chatelaine.cylabacademy.net 25991  
Welcome to the Binary Challenge!"  
Your task is to perform the unique operations in the given order and find the final result in hexadecimal that yields the flag.  
Binary Number 1: 00100000  
Binary Number 2: 10100010
```

3. Kemudian kita akan diberi bilangan biner, selanjutnya akan diberikan beberapa soal operasi aritmatika untuk mendapatkan flagnya. Operasi yang pertama adalah perkalian (*) Dimana kita mengalikan kedua angka biner yang sudah diberikan

```
Question 1/6:  
Operation 1: '*'  
Perform the operation on Binary Number 1&2.  
Enter the binary result: 1010001000000  
Correct!
```

4. Operasi yang kedua adalah >> dimana kita menggeser bilangan biner no 2 sebanyak 1 bit yang dimana sebelumnya 10100010 menjadi 01010001

```
Question 2/6:  
Operation 2: '>>'  
Perform a right shift of Binary Number 2 by 1 bits .  
Enter the binary result: 01010001  
Correct!
```

5. Selanjutnya ada operasi AND (&) Dimana operasi ini mengecek kedua bilangan biner Dimana jika terdapat angka yang sama maka outputnya Adalah angka tersebut Seperti jika di kedua bilangan terdapat angka 1 maka angka 1 tetap di print

```
Question 3/6:  
Operation 3: '&'  
Perform the operation on Binary Number 1&2.  
Enter the binary result: 00100000  
Correct!
```

6. Selanjutnya adalah operasi << yang Dimana kita menggeser bilangan biner no 1 ke kiri sebanyak 1 bit seperti 00100000 menjadi 01000000

```
Question 4/6:  
Operation 4: '<<'  
Perform a left shift of Binary Number 1 by 1 bits.  
Enter the binary result: 01000000  
Correct!
```

7. Selanjutnya adalah operasi penjumlahan Dimana kita menjumlahkan kedua bilangan biner

```
Question 5/6:  
Operation 5: '+'  
Perform the operation on Binary Number 1&2.  
Enter the binary result: 11000010  
Correct!
```

8. Dan operasi terakhir adalah OR (|), dimana operasi ini mengecek kedua bilangan biner Dimana jika di kedua bilangan terdapat angka 0 dan 1 maka angka yang di hasilkan adalah 1

```
Question 6/6:  
Operation 6: '|'  
Perform the operation on Binary Number 1&2.  
Enter the binary result: 10100010  
Correct!
```

9. Langkah selanjutnya yakni mengubah jawaban operasi terakhir menjadi bilangan hexadesimal, dimana 10100010 menjadi A2


```
Enter the results of the last operation in hexadecimal: A2
```

10. Setelahnya akan muncul flag, flag dapat dikumpulkan dan otomatis challenge selesai

```
Correct answer!  
The flag is: academy{b1tw^3se_0p3eR@tI0n_su33essFuL_316363ba}
```

- **Multicode**

1. Download file message yang diberikan
2. Buka file nya maka akan muncul sebuah text yang nantinya akan di decode



3. Buka wsl lalu gunakan command “| base64 -d” untuk mendecode teks tersebut dengan base64

```
(Devananda@DEVA) - [ /mnt/d/Data Deva/coba coba CYLAB ]
$ echo "NmU3MDZLNzE3MjdNMyNTM3NDI2MTcyNjY2NzcyNzE1ZjcyNjE3MDMwNzE3NjYxNzQ1ZjM4MzYzOTM3NzA3MDczMzIyNTM3NDQ=" | base64
-d
6e706e71727a6c2537426172666772715f72617030717661745f3836393770707332253744
```

4. Selanjutnya decode hexadecimal dengan menggunakan command “| xxd -r -p”

```
(Devananda@DEVA) - [ /mnt/d/Data Deva/coba coba CYLAB ]
$ echo "6e706e71727a6c2537426172666772715f72617030717661745f3836393770707332253744" | xxd -r -p
nnpqrzl%7Barfgrq_rap0qvatt_8697pps2%7D
```


5. Lalu decode dengan URL decode dengan command “| python3 -c "import sys,urllib.parse;print(urllib.parse.unquote(sys.stdin.read().strip()))" ”

```
(Devananda@DEVA) - [ /mnt/d/Data Deva/coba coba CYLAB ]
$ echo "nnpqrzl%7Barfgrq_rap0qvatt_8697pps2%7D" | python3 -c "import sys,urllib.parse;print(urllib.parse.unquote(sys.stdin.read().strip()))"
nnpqrzl{arfgrq_rap0qvatt_8697pps2}
```

6. Selanjutnya decode output tersebut dengan ROT13 decode menggunakan command “|tr 'A-Za-z' 'N-ZA-Mn-za-m' “


```
(Devananda@DEVA) - [ /mnt/d/Data Deva/coba coba CYLAB ]
$ echo "nnpqrzl{arfgrq_rap0qvatt_8697pps2}" |tr 'A-Za-z' 'N-ZA-Mn-za-m'
academy{nested_enc0ding_8697ccf2}
```

7. Flag sudah didapatkan dan selanjutnya submit flag tersebut untuk menyelesaikan challenge



- Nice Netcat

1. Langkah pertama adalah menjalankan instance pada cylab untuk mendapatkan kode



2. Lalu jalankan kode tersebut di wsl maka akan muncul beberapa angka ascii

```
(Devananda@DEVA) [/mnt/d/Data Deva/coba coba CYLAB]
$ nc xebec.cylabacademy.net 25543
97
99
97
100
101
109
121
123
103
48
48
100
95
107
49
116
116
121
33
95
110
49
99
51
95
107
49
```

3. Kita akan decode angka ascii ini menggunakan ascii decoder yang dapat diakses di website, sebagai contoh saya menggunakan web ASCII Code Converter

The screenshot shows the dCode website interface. At the top, there's a search bar with the text "academy{g00d_k1tty!_n1c3_k1tty!_57380}" entered. Below the search bar, the results are displayed in various encodings: DEC, BIN, 7bit, and OCT. The ASCII Converter tool is highlighted with a green box, showing the input text and the "DECRYPT/CONVERT ASCII" button. The ASCII Encoder tool is also visible below it.

4. Masukkan angka yang terdapat pada terminal ke ascii converternya lalu setelah di decode maka kita mendapatkan flagnya
5. Submit flag ke cylab maka challenge berhasil diselesaikan

The screenshot shows the Cylab challenge interface for "Nice netcat...". The challenge description says: "There is a nice program that you can talk to by using this command in a shell: \$ nc xebec.cylabacademy.net 25543, but it doesn't speak English...". The hint section provides two hints: "You can practice using netcat with this Challenge Library problem: [what's a netcat?](#)" and "You can practice reading and writing ASCII with this Challenge Library problem: [Let's Warm Up](#)". The flag field contains the text "academy{g00d_k1tty!_n1c3_k1tty!_57380}" and a "Submit" button is visible.

- **Super SSH**

1. Launch instance pada menu challenge
2. Jika sudah maka jalankan code yang diberikan dengan menggunakan command ssh yakni ssh ctf-player@chatelaine.cylabacademy.net -p 28725

```
(Devananda@DEVA)~/mnt/c/Users/satri$ ssh ctf-player@chatelaine.cylabacademy.net -p 28725
The authenticity of host '[chatelaine.cylabacademy.net]:28725 ([18.227.187.235]:28725)' can't be established.
ED25519 key fingerprint is: SHA256:kVN52XVhz2iIK4aejnbGtjII8pR3AC32uXQ9QHITDI
This host key is known by the following other names/addresses:
 ~/.ssh/known_hosts:2: [hashed name]
 ~/.ssh/known_hosts:3: [hashed name]
 ~/.ssh/known_hosts:4: [hashed name]
 ~/.ssh/known_hosts:5: [hashed name]
```

3. Selanjutnya akan diberikan opsi untuk melanjutkan atau tidak, untuk lanjut user mengetikan yes lalu masukkan password yang sudah diberikan yakni fa1a82ad

```
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[chatelaine.cylabacademy.net]:28725' (ED25519) to the list of known hosts.
ctf-player@chatelaine.cylabacademy.net's password:
Welcome ctf-player, here's your flag: academy{s3cur3_c0nn3ct10n_fbd97b2a}
Connection to chatelaine.cylabacademy.net closed.
```

4. Jika sudah maka flag akan muncul dan flag bisa di submit di cylab

Super SSH

General Skills Easy

by Jeffery John · picoCTF 2024

If you're not sure what a shell is, check out our Primer:
https://primer.cylabacademy.org/#_the_shell

INSTANCE ⓘ

Expires in 13:14 Restart Instance

HINTS ⓘ

- <https://linux.die.net/man/1/ssh>
- You can try logging in 'as' someone with `<user>@chatelaine.cylabacademy.net`
- How could you specify the port?
- Remember, passwords are hidden when typed into the shell

FLAG ⓘ

Submit

- **Piece by Piece**

1. Launch instance pada menu challenge di cylab
2. Lalu masukkan kode/alamat yang diberikan menggunakan command `ssh ctf-player@chatelaine.cylabacademy.net -p 13997`

```
(Devananda@DEVA)~/mnt/c/Users/satri$ ssh ctf-player@chatelaine.cylabacademy.net -p 13997
The authenticity of host '[chatelaine.cylabacademy.net]:13997 ([18.227.187.235]:13997)' can't be established.
ED25519 key fingerprint is: SHA256:wA7PfZ3HBheVJW53Vy8120QYomN6JJqXg1En7ItEphE
This host key is known by the following other names/addresses:
 ~/.ssh/known_hosts:7: [hashed name]
```

3. lalu masukkan password yang diberikan dan terminal akan berubah ke ubuntu

```

Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[chatelaine.cylabacademy.net]:13997' (ED25519) to the list of known hosts.
ctf-player@chatelaine.cylabacademy.net's password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 7.0.0-1013-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

```

- gunakan command ls untuk melihat file apa saja yang diberikan

```

ctf-player@academy-chall$ ls
instructions.txt  part_aa  part_ab  part_ac  part_ad  part_ae

```

- gunakan command cat "nama_file" untuk melihat isi dari masing-masing file

```

ctf-player@academy-chall$ cat instructions.txt
Hint:
- The flag is split into multiple parts as a zipped file.
- Use Linux commands to combine the parts into one file.
- The zip file is password protected. Use this "supersecret" password to extract the zip file.
- After unzipping, check the extracted text file for the flag.

```

- gunakan cat untuk melihat isi dari file yang tersisa

```

ctf-player@academy-chall$ cat part_aa
PK
      87]♦#3w9flag.txtUT      ♦x♦j♦x♦jctf-player@academy-chall$ cat part_ab
ux
♦♦♦R♦Z♦8♦♦♦♦v♦P♦♦#eAeL♦l!
                                Y♦_
ctf-player@academy-chall$ cat part_ac
K♦♦♦,?♦♦H♦1♦♦♦`}mP♦#3w9-PK
      8ctf-player@academy-chall$ cat part_ad
7]♦#3w9♦♦flag.txtUT♦x♦juxctf-player@academy-chall$
ctf-player@academy-chall$ cat part_ae
PKN♦ctf-player@academy-chall$

```

- selanjutnya Adalah menggabungkan part_aa sampai part_ae ke dalam satu file zip yang sama, disini saya menamakannya flag.zip

```

ctf-player@academy-chall$ cat part_aa part_ab part_ac part_ad part_ae > flag.zip

```

- gunakan command ls lagi untuk melihat apakah file zip sudah dibuat

```

ctf-player@academy-chall$ ls
flag.zip  instructions.txt  part_aa  part_ab  part_ac  part_ad  part_ae

```

9. jika sudah maka kita ekstrak file tersebut menggunakan command unzip -P “password” “nama-file.zip”

```
ctf-player@academy-chall$ unzip -P supersecret flag.zip
Archive:  flag.zip
extracting: flag.txt
```

10. setelahnya akan muncul file flag.txt, buka file tersebut menggunakan command cat

```
ctf-player@academy-chall$ cat flag.txt
academy{zip_and_split_f1l3s_4r3_fun_2cd7190f}
ctf-player@academy-chall$ Connection to chatelaine.cylabacademy.net closed
by remote host.
Connection to chatelaine.cylabacademy.net closed.
```

11. jika sudah maka flag akan muncul seperti gambar diatas

12. submit flag tersebut ke cylab maka challenge dapat diselesaikan

