G00016931

Brendan Devane

46376 -- WEB APPLICATIONS DEVELOPMENT
December 2015

Schema


users
customer_id INT(11)
creation_date DATE
name VARCHAR(45)
surname VARCHAR(45)
gender VARCHAR(45)
address VARCHAR(45)
telephone_number VARCHAR(45)
email VARCHAR(45)
Indexes
card_info
card_id INT(11)
name VARCHAR(40)
card_number VARCHAR(255)
expiry_date DATE
customer_id INT(11)
Indexes
employee
employee_id INT(11)
role VARCHAR(45)
name VARCHAR(45)
surname VARCHAR(45)
address VARCHAR(45)
telephone_number VARCHAR(45)
email VARCHAR(45)
Indexes
booking_vehicle
booking_booking_id INT(11)
vehicle_vehicle_id INT(11)
employee_employee_id INT(11)
Indexes
booking
booking_id INT(11)
date_created DATE
paymentType VARCHAR(45)
service_type VARCHAR(45)
service_start DATE
service_end DATE
customer_customer_id INT(11)
invoice_invoice_id INT(11)
Indexes
vehicle
vehicle_id INT(11)
model VARCHAR(45)
no_of_seats VARCHAR(45)
vehicle_rates_vehicle_rate_id INT(11)
checked_out TINYINT(1)
milage INT(10)
daily_rate DECIMAL(10,0)
Indexes
payment_type
payment_id INT(11)
paymentType VARCHAR(45)
invoice_id INT(11)
amount FLOAT
booking_booking_id INT(11)
Indexes
vehicle_inspection
inspection_id INT(11)
date_inspected DATE
roadworthy TINYINT(1)
vehicle_vehicle_id INT(11)
Indexes
invoice
invoice_id INT(11)
issue_date DATE
service VARCHAR(45)
amount DECIMAL(10,2)
paid TINYINT(1)
Indexes

Pages of Interest

1. Datebase: abultd.sql in folder “db”.
2. Css location: css/default.css
3. Inline css: includes/footer.php line 2.
4. Internal css overrides a h1 tag from grey to black in page all-users.php
5. Form : join.php: posted to insert.php
6. Insert.php: code for insert, using PDO Prepared Statement/Transactions
7. all-users.php : displays all users, optional, can go to individual entries ->user-details-ind.php
8. user-details-ind.php, displays single record
9. Various misc header files as needed in “includes” folder, most notably “db_conf” containing database config.

“Join.php” and “all-users.php” are available in the menu for quick access.