

Code:models/User.js

```
const mongoose = require("mongoose");
const userSchema = new mongoose.Schema(
  {
    name: {
      type: String,
      required: true,
      trim: true,
    },
    age: {
      type: Number,
      required: true,
      min: 0,
    },
  },
  {
    timestamps: true,
  }
);
module.exports = mongoose.model("User", userSchema);
```

server.js

```
const express = require("express");
const mongoose = require("mongoose");
const User = require("../models/User");
require("dotenv").config({ override: true });

const app = express();
app.use(express.json());

const MONGO_URI =
  process.env.MONGO_URI;
const PORT = process.env.PORT || 5000;

if (!MONGO_URI) {
  console.error("MONGO_URI is missing.
  Add it in .env file.");
  process.exit(1);
}

mongoose
  .connect(MONGO_URI)
  .then(() => console.log("MongoDB
  Connected"))
  .catch((err) => console.log(err));
```

```
// CREATE
app.post("/users", async (req, res) => {
  try {
    const user = new User(req.body);
    const savedUser = await user.save();
    res.status(201).json(savedUser);
  } catch (err) {
    res.status(400).json({ error: err.message });
  }
});

// READ ALL
app.get("/users", async (req, res) => {
  try {
    const users = await User.find();
    res.json(users);
  } catch (err) {
    res.status(500).json({ error: err.message });
  }
});
```

```

// READ SINGLE
app.get("/users/:id", async (req, res) => {
  try {
    const user = await
    User.findById(req.params.id);
    if (!user) {
      return res.status(404).json({ msg:
      "User not found" });
    }
    res.json(user);
  } catch (err) {
    res.status(500).json({ error: err.message
    });
  }
});

// UPDATE
app.put("/users/:id", async (req, res) => {
  try {
    const updatedUser = await
    User.findByIdAndUpdate(req.params.id,
    req.body, {
      new: true,
      runValidators: true,
    });

    if (!updatedUser) {
      return res.status(404).json({ msg:
      "User not found" });
    }

    res.json(updatedUser);
  } catch (err) {
    res.status(400).json({ error: err.message
    });
  }
}

```

```

});

// DELETE
app.delete("/users/:id", async (req, res) =>
{
  try {
    const deletedUser = await
    User.findByIdAndDelete(req.params.id);

    if (!deletedUser) {
      return res.status(404).json({ msg:
      "User not found" });
    }

    res.json({ msg: "User deleted" });
  } catch (err) {
    res.status(500).json({ error: err.message
    });
  }
});


app.get("/", (req, res) => {
  res.json({
    message: "RESTful API is running",
    endpoints: ["POST /users", "GET
/users", "GET /users/:id", "PUT /users/:id",
"DELETE /users/:id"],
  });
});

// Start Server
app.listen(PORT, () => {
  console.log(`Server running on port
${PORT}`);
});

```


Output:

GET



```
1  {
2    "_id": "69ccaaab846d21d360835fba",
3    "name": "Alice",
4    "age": 25,
5    "__v": 0
6  },
7  {
8    "_id": "69ccaaab846d21d360835fbb",
9    "name": "Bob",
10   "age": 30,
11   "__v": 0
12 },
13 {
14   "_id": "69ccaaab846d21d360835fbc",
15   "name": "Charlie",
16   "age": 22,
17   "__v": 0
18 }
19 ]
20
```

POST



```
1  {
2    "name": "Devang",
3    "age": 24
4  }
```

```
1  {
2    "name": "Devang",
3    "age": 24,
4    "_id": "69ccb0b19e0c25d6750a8b1a",
5    "__v": 0
6  }
```

PUT

HTTP <http://localhost:3000/users>

PUT <http://localhost:3000/users/69ccb0b19e0c25d6750a8b1a>

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary JSON

```
1 [
2   "name": "Viraj",
3   "age": 24
4 ]
```

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "_id": "69ccb0b19e0c25d6750a8b1a",
3   "name": "Viraj",
4   "age": 24,
5   "__v": 0
6 }
```

DELETE

HTTP <http://localhost:3000/users>

DELETE <http://localhost:3000/users/69ccb0b19e0c25d67>

Params Authorization Headers (8) **Body** Pre-request S

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐

```
1 [
2   "name": "Viraj",
3   "age": 24
4 ]
```

Body Cookies Headers (7) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "message": "Deleted"
3 }
```

MongoDB

Compass

My Queries

Data Modeling

CONNECTIONS (1)

Search connections

localhost:27017

- admin
- config
- local
- testdb
 - users

users

localhost:27017 > testdb > users

Open MongoDB shell

Documents3

Aggregations

Schema

Indexes1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

UPDATE

DELETE

EXPORT DATA

EXPORT CODE

251 - 3 of 3

_id: ObjectId('69ccaaab846d21d368835fba')

name: "Alice"

age: 25

__v: 0

_id: ObjectId('69ccaaab846d21d368835fbb')

name: "Bob"

age: 30

__v: 0

_id: ObjectId('69ccaaab846d21d368835fbc')

name: "Charlie"

age: 22

__v: 0