
Digital Image Processing




Dr. Ajay Kumar Mahato Assistant Professor ECE Department Gla University Mathura

DIGITAL IMAGE PROCESSING

LECTURE -20

Image Segmentation




1. What are the different steps followed by the complete process of edge map generation?

GLA University, End Sem Examination, Even Semester 2023-24

2. What is region splitting and merging method? Explain with suitable example

GLA University, End Sem Examination, Even Semester 2023-24

3. What are the different thresholding methods used for segmentation? Explain.



Ques 4: Compute the magnitude and gradient of the shaded pixel. Apply Prewitt operator.

1	2	3	4	5
3	4	5	6	7
5	6	7	8	9
7	8	9	10	11
9	10	11	12	13




Ques: Consider a problem of detecting edges in the following 5×5 image. First pad the boundary by duplicating the pixels at the boundary and then apply the Prewitt operator to the image to obtain the horizontal and vertical gradient maps. Give your answer in two 5×5 tables and till two digits after the decimal.


10	3	2	5	4
11	8	3	1	6
7	5	6	2	7
2	1	9	4	2
2	3	3	0	1




Numerical Question


Ques: Find the strength and the direction of the of the edge of the highlighted pixel. Pixel in Gray are 0 and White are 1.





Ques: Find the strength & direction of the edge at (2,2) using gradient method. Pixel in Gray have value 0 & in White have value 1.





Ques: Given a set of five points, use Hough Transform to join the points. A(1,4), B(2,3), C(3,1), D(4,1) and E(5,0). Let $m_{min} = -2$ and $m_{max} = 2$

GLA University, End Sem Examination, Even Semester 2022-23


Give your answer in the following steps:

Step 1: Equations corresponds to the points.

Step 2: Calculation of c (Show your calculations in the following table. Add more rows if required)

m	A	B	C	D	E
	(1,4)	(2,3)	(3,1)	(4,1)	(5,0)

Step 3: Equations of the line on which majority of the points lie.



Ques: What is the use of Hough Transformation? Apply Hough Transform to join the following points: (2,0), (2,1), (2,2), and (2,4)


Assume m has range (-0.2,0.2) and interval 0.1. Show all the steps with the help of diagram.



Numerical Example


Ques: Apply region splitting on the following image. Assume the threshold value ≤ 4 .

5	6	6	6	7	7	6	6
6	7	6	7	5	5	4	7
6	6	4	4	3	2	5	6
5	4	5	4	2	3	4	6
1	3	2	3	3	2	4	7
0	0	1	0	2	2	5	6
1	1	0	1	0	3	4	4
1	0	1	0	2	3	5	6



Ques: Apply region splitting on the following 8×8 image. Threshold is 4 (absolute difference ≤ 4) Show all the steps clearly.

4	4	4	3	4	4	16	16
4	4	4	3	4	4	18	18
3	3	6	6	4	4	20	20
5	7	6	6	4	4	20	20
8	8	10	10	14	14	14	14
8	8	10	10	14	14	14	14
12	12	12	12	14	14	14	14
12	12	12	12	14	14	14	14




Ques: Will pixel (3,3) be detected as an edge pixel if Sobel gradient operator is used? Give the kernel for Sobel operator. Show all your calculations clearly. Use the following to estimate the gradient magnitude. Assume threshold value to be 15.

$$|d(x,y)| = \sqrt{(d_1(x,y))^2 + (d_2(x,y))^2}$$

8	8	8	8	8	1
8	9	8	8	8	2
8	9	8	8	2	1
8	9	8	2	2	2
8	8	1	2	1	2
8	1	1	2	2	2



Ques: Use Prewitt gradient operator to find out the gradient magnitude and edges of the given images. (Assume appropriate values of the threshold for edge detection). Use the following to estimate the gradient magnitude.





Numerical Question

Ques: Consider the image shown in Fig. Consider the highlighted pixels as seed point coordinates. Show the results of the region-growing algorithm with T = 4.

1	0	7	8	7
0	1	8	9	8
0	0	7	9	8
0	1	8	8	9
1	2	8	8	9



Numerical Question

Ques: Perform the Region Merging algorithm on the following image with T = 3

2	2	2	2	2
2	8	8	8	1
2	8	8	8	1
2	1	1	1	1
2	1	1	1	1



Ques: Using region growing technique, divide the following image into regions. Each time takes the topmost leftmost available pixel as seed. Mark the pixels of the first region detected as A, second region as B and so on. Also give the coordinates of pixels taken as seed. Take T = 4 i.e. max - min ≤ 4

5	6	6	6	7	7	6	6
6	7	6	7	5	5	4	7
6	6	4	4	3	2	5	6
5	4	5	4	2	3	4	6
1	3	2	3	3	2	4	7
0	0	1	0	2	2	5	6
1	1	0	1	0	3	4	4
1	0	1	0	2	3	5	6



Ques 5: Which operator detects diagonal edges better than Prewitt operator? Also write operator masks.

GLA University, End Sem Examination, Even Semester 2023-24

Ques: How can first order derivative help in edge detection? Where can we use second order derivative in edge detection.

GLA University, End Sem Examination, Odd Semester 2022-23

Ques: Explain Point, Line, Edge segmentation with the help of an example.

GLA University, End Sem Examination, Even Semester 2021-22

Ques: Explain anyone similarity (homogeneity) based segmentation Algorithm with the help of an example.




Ques 6: How the Canny Edge Detection method detects the edge. Explain the complete process.

GLA University, End Sem Examination, Even Semester 2023-24

Solution:


- Smoothing with Gaussian Filter
- Compute Derivative of filter image
- Find magnitude & orientation of gradient
- Apply Non-Maxima Suppression
- Apply Hysteresis Threshold



Ques7: Image segmentation is a process of partitioning an image into multiple segments, or regions. The goal of the image segmentation is to simplify the representation of image into region that is more meaningful and easier to analyse. How region growing works for segmentation. Explain with an example.

GLA University, End Sem Examination, Odd Semester 2023-24

Ques8: How region splitting and merge operation works for image segmentation. Explain with suitable example.



Ques9: The purpose of edge detection in general is to significantly reduce the amount of data in the image, while preserving the structural properties to be used for further image processing. How the canny edge detection reduce the amount of data to preserve the structural properties.

Thank You