

# Freight Flow Booking System - API Documentation (FTL Backend APIs Removed)

**Version:** 1.0

**Last Updated:** October 25, 2025

**Environment:** QA

## Base URLs

- Cargo API: `https://qaapis.cargodham.com/cargo-api`
- Cargo Supplier API: `https://qaapis.cargodham.com/cargo-supplier-api`
- Common File Upload API: `https://qaapis.delcaper.com/common/file-upload`
- Wallet/KYC API: **(confirm)** `.../wallet-api`

Note: All endpoints under `ftl-backend` have been **removed**. Payloads and responses for the remaining endpoints are preserved below.

---

## Table of Contents

1. [Authentication APIs](#)
  2. [Onboarding APIs](#)
  3. [Vehicle Management APIs](#)
  4. [Order/Trip Management APIs](#)
  5. [Wallet APIs](#)
  6. [KYC APIs](#)
  7. [File Upload APIs](#)
  8. [Common Response Codes & Error Format](#)
  9. [Standards: Auth, Rate Limits, Pagination](#)
- 

## 1. Authentication APIs

### 1.1 Login Vendor

**Endpoint:** `POST /cargo-api/onboarding/login`

**Description:** Login existing vendor (SUPPLIER or SELLER) using email and password

#### Headers

```
{  
  "accept": "*/*",
```

```
"Content-Type": "application/json"
}
```

### Request Body

```
{
  "type": "SUPPLIER",
  "email": "supplier@example.com",
  "password": "Password@123"
}
```

**Params** | Field | Type | Required | Description | |---|---|---|---| | type | string | Yes | "SUPPLIER" or "SELLER" | | email | string | Yes | Vendor email address | | password | string | Yes | Vendor password |

### 201 Response

```
{
  "status": 201,
  "message": "Login successful",
  "data": {
    "personalDetails": {
      "email": "supplier@example.com",
      "name": "John Doe",
      "companyName": "ABC Transport",
      "mobile": "9876543210"
    },
    "vendorCode": "SUP001",
    "partnerCode": "PARTNER001",
    "type": "SUPPLIER",
    "subType": "FTL",
    "prayogData": {
      "id": "uuid-here",
      "tenantId": "tenant-id",
      "userId": "user-id",
      "organizationName": "ABC Transport",
      "ownerName": "John Doe",
      "status": "ACTIVE",
      "kycStatus": "COMPLETED",
      "metadata": [],
      "addresses": [],
      "contactNumbers": [],
      "emails": []
    },
    "_id": "673b4a6be3fe5b2aec66c0c5",
  }
}
```

```
    "createdAt": "2024-11-18T15:37:31.842Z",
    "updatedAt": "2024-11-18T15:37:31.842Z"
  }
}
```

#### 401 Response

```
{
  "status": 401,
  "message": "Invalid credentials",
  "errors": ["Email or password is incorrect"]
}
```

## 2. Onboarding APIs

### 2.1 Onboard New Vendor

**Endpoint:** POST /cargo-api/onboarding

**Description:** Create new vendor account (SUPPLIER or SELLER)

#### Headers

```
{
  "accept": "*/*",
  "Content-Type": "application/json"
}
```

#### Request Body

```
{
  "type": "SUPPLIER",
  "subType": "FTL",
  "email": "newsupplier@example.com",
  "name": "Jane Smith",
  "companyName": "XYZ Logistics",
  "mobile": "9876543211",
  "password": "SecurePass@123",
  "addresses": [
    {
      "type": "REGISTERED",
      "line1": "Plot No 123",

```

```

    "line2": "Industrial Area",
    "city": "Pune",
    "state": "Maharashtra",
    "postalCode": "411001",
    "country": "India"
  }
],
"metadata": [
  { "key": "PAYMENT_TYPE", "value": "prepaid" }
],
"logoUrl": "https://example.com/logo.png"
}

```

**Params** | Field | Type | Required | Description | |---|---|---|---| | type | string | Yes | "SUPPLIER" or "SELLER" | | subType | string | Yes | "FTL" or "PTL" | | email | string | Yes | Vendor email | | name | string | Yes | Contact person name | | companyName | string | Yes | Company name | | mobile | string | Yes | Contact number | | password | string | Yes | Account password | | addresses | array | Yes | Address list | | metadata | array | No | Additional metadata | | logoUrl | string | No | Company logo URL |

## 201 Response

```

{
  "status": 201,
  "message": "Vendor onboarded successfully",
  "data": {
    "vendorCode": "SUP002",
    "partnerCode": "PARTNER002",
    "type": "SUPPLIER",
    "subType": "FTL",
    "personalDetails": {
      "email": "newsupplier@example.com",
      "name": "Jane Smith",
      "companyName": "XYZ Logistics",
      "mobile": "9876543211"
    },
    "prayogData": {
      "id": "prayog-uuid",
      "tenantId": "tenant-id",
      "userId": "user-id",
      "organizationName": "XYZ Logistics",
      "ownerName": "Jane Smith",
      "status": "PENDING_KYC",
      "metadata": [],
      "addresses": [],
      "contactNumbers": [],
      "emails": []
    }
  }
}

```

```

    },
    "_id": "673b4a6be3fe5b2aec66c0c6",
    "createdAt": "2024-11-18T15:40:00.000Z",
    "updatedAt": "2024-11-18T15:40:00.000Z"
  }
}

```

## 400 Response

```

{
  "status": 400,
  "message": "User already exists",
  "errors": ["Email already registered"]
}

```

## 2.2 Get All Vendors (Paginated)

**Endpoint:** GET /cargo-api/onboarding

### Headers

```

{ "accept": "*/*" }

```

**Query** | Parameter | Type | Required | Description | |---|---|---|---| | page | number | No | Page number (default: 1) | | pageSize | number | No | Items per page (default: 20) | | sortBy | string | No | Sort field (default: "email") | | sortOrder | string | No | "ASC" or "DESC" (default: "ASC") | | type | string | No | "SUPPLIER" or "SELLER" | | subType | string | No | "FTL" or "PTL" |

### Example

```

GET /cargo-api/onboarding?
page=1&pageSize=20&sortOrder=ASC&type=SUPPLIER&subType=FTL

```

## 200 Response

```

{
  "status": 200,
  "message": "Vendors fetched successfully",
  "data": {

```

```

"items": [
  {
    "id": "vendor-id-1",
    "vendorCode": "SUP001",
    "organizationName": "ABC Transport",
    "ownerName": "John Doe",
    "subType": "FTL",
    "status": "ACTIVE",
    "emails": [{ "email": "supplier@example.com", "isVerified": true }],
    "contactNumbers": [{ "number": "9876543210", "isVerified": true }],
    "createdAt": "2024-11-18T15:37:31.842Z"
  }
],
"pagination": { "page": 1, "pageSize": 20, "total": 45, "totalPages": 3 }
}

```

## 2.3 Get Vendor Details by Vendor Code

**Endpoint:** GET /cargo-api/onboarding/details

**Query** | Parameter | Type | Required | Description | ---|---|---|---| | vendorCode | string | Yes | e.g., "SUP001" |

### 200 Response

```

{
  "status": 200,
  "message": "Vendor details fetched successfully",
  "data": {
    "vendorCode": "SUP001",
    "type": "SUPPLIER",
    "subType": "FTL",
    "organizationName": "ABC Transport",
    "ownerName": "John Doe",
    "status": "ACTIVE",
    "kycStatus": "COMPLETED",
    "prayogData": {
      "id": "prayog-id",
      "tenantId": "tenant-id",
      "userId": "user-id",
      "metadata": [],
      "addresses": [],
      "contactNumbers": [],

```

```

    "emails": [],
    "kycDocuments": []
  },
  "personalDetails": {
    "email": "supplier@example.com",
    "name": "John Doe",
    "companyName": "ABC Transport",
    "mobile": "9876543210"
  }
}

```

## 2.4 Update Onboarding Data

**Endpoint:** PATCH /cargo-api/onboarding/{vendorCode}

### Headers

```

{
  "accept": "*/*",
  "Content-Type": "application/json"
}

```

### Request Body

```

{
  "onboardingData": {"gstNumber": "27AAAAA0000A1Z5", "panNumber": "AAAAA0000A"},
  "partnerData": {"code": "PARTNER001", "name": "Partner Name"},
  "transporterIds": {"id": "transporter-id"},
  "serviceAreas": [{"state": "Maharashtra", "cities": ["Pune", "Mumbai"]}]}

```

### 200 Response

```

{
  "status": 200,
  "message": "Onboarding data updated successfully",
  "data": {"vendorCode": "SUP001", "organizationName": "ABC Transport",
  "status": "ACTIVE"}
}

```

## 3. Vehicle Management APIs (Supplier)

### 3.1 Get All Vehicles

**Endpoint:** GET /cargo-supplier-api/vehicles

**Query** | Parameter | Type | Required | Description | |---|---|---|---| | page | number | No | default 1 | | pageSize | number | No | default 100 | | sortBy | string | No | default: createdAt | | sortOrder | string | No | ASC/DESC (default DESC) |

#### 200 Response

```
{
  "status": 200,
  "message": "Vehicles fetched successfully",
  "data": {
    "vehiclesList": [
      {
        "id": "vehicle-id-1",
        "vehicleNumber": "MH12AB1234",
        "vendorCode": "SUP001",
        "vehicleType": "Container",
        "vehicleCapacity": "20 Tons",
        "vehicleSize": "32 Feet",
        "axleType": "4_AXLE",
        "make": "Tata",
        "model": "LPT 2518",
        "year": "2023",
        "registrationNumber": "MH12AB1234",
        "chassisNumber": "CHASSIS123456",
        "engineNumber": "ENGINE123456",
        "color": "White",
        "numberOfTires": 10,
        "dimensions": {"length": 32, "width": 8, "height": 9, "weight": 12},
        "ownerDetails": {"name": "Vehicle Owner", "phone": "9876543210"},
        "driverDetails": {"name": "Driver Name", "phone": "9876543211"},
        "licenseNumber": "DL1234567890"},
        "documents": [{"type": "RC", "url": "https://s3.amazonaws.com/rc.pdf"}],
        "expiryDates": {"insurance": "2025-12-31", "puc": "2024-12-31",
        "fitness": "2026-12-31", "permit": "2025-06-30"},
        "status": "ACTIVE",
        "createdAt": "2024-11-18T15:37:31.842Z"
      }
    ],
    "pagination": {"page": 1, "pageSize": 100, "total": 150, "totalPages": 2}
```



```
}  
}
```

### 3.2 Get Vehicle by ID

**Endpoint:** GET /cargo-supplier-api/vehicles/{vehicleId}

#### 200 Response

```
{  
  "status": 200,  
  "message": "Vehicle details fetched successfully",  
  "data": {  
    "id": "vehicle-id-1",  
    "vehicleNumber": "MH12AB1234",  
    "vendorCode": "SUP001",  
    "vehicleType": "Container",  
    "vehicleCapacity": "20 Tons",  
    "make": "Tata",  
    "model": "LPT 2518",  
    "status": "ACTIVE"  
  }  
}
```

### 3.3 Create Vehicle

**Endpoint:** POST /cargo-supplier-api/vehicles

#### Headers

```
{ "accept": "*/*", "Content-Type": "application/json" }
```

#### Request Body

```
{  
  "vehicleNumber": "MH14CD5678",  
  "vendorCode": "SUP001",  
  "vehicleType": "Container",  
  "vehicleCapacity": "25 Tons",  
  "vehicleSize": "40 Feet",  
}
```

```

    "axleType": "6_AXLE",
    "make": "Ashok Leyland",
    "model": "3118",
    "year": "2024",
    "registrationNumber": "MH14CD5678",
    "chassisNumber": "CHASSIS789012",
    "engineNumber": "ENGINE789012",
    "color": "Blue",
    "numberOfTires": 14,
    "dimensions": {"length": 40, "width": 8, "height": 9.5, "weight": 15},
    "ownerDetails": {"name": "New Owner", "phone": "9876543213"},
    "driverDetails": {"name": "New Driver", "phone": "9876543214"},
    "licenseNumber": "DL9876543210"},
    "expiryDates": {"insurance": "2025-12-31", "puc": "2024-12-31", "fitness":
"2027-12-31", "permit": "2025-12-31"},
    "documents": []
  }

```

## 201 Response

```

{
  "status": 201,
  "message": "Vehicle created successfully",
  "data": {
    "id": "vehicle-id-2",
    "vehicleNumber": "MH14CD5678",
    "vendorCode": "SUP001",
    "status": "ACTIVE",
    "createdDate": "2024-11-18T16:20:00.000Z"
  }
}

```

## 4. Order/Trip Management APIs (Cargo)

### 4.1 Get All Orders

**Endpoint:** GET /cargo-api/orders/vendor

#### Headers

```

{ "Content-Type": "application/json", "Accept": "application/json" }

```

**Query** | Parameter | Type | Required | Description | |---|---|---|---| | subType | string | No | "FTL" or "PTL"  
| | status | string | No | Order status | | page | number | No | Page number | | limit | number | No |  
Items per page |

### Example

```
GET /cargo-api/orders/vendor?subType=FTL
```

### 200 Response

```
{
  "status": 200,
  "message": "Orders fetched successfully",
  "data": {
    "ordersList": [
      {
        "_id": "order-id-1",
        "orderNumber": "ORD20241118001",
        "awbNumber": "AWB20241118001",
        "bookingOrderId": "BOOK001",
        "subType": "FTL",
        "vendorCode": "CLI001",
        "consignorDetails": {"name": "Sender Company", "address": "123 Sender Address", "phone": "9876543210"},
        "consigneeDetails": {"name": "Receiver Company", "address": "456 Receiver Address", "phone": "9876543211"},
        "pickupDetails": {"address": "Pickup Location", "pincode": "411001", "date": "2024-11-20"},
        "deliveryDetails": {"address": "Delivery Location", "pincode": "400001", "date": "2024-11-22"},
        "cargoDetails": {"material": "Electronics", "weight": 5000, "quantity": 100, "packageType": "Boxes"},
        "freightDetails": {"baseFreight": 50000, "gstAmount": 9000, "totalFreight": 59000, "advanceAmount": 15000, "balanceAmount": 44000},
        "status": "IN_TRANSIT",
        "metadata": [
          {"key": "CLIENT_FREIGHT", "value": "60000"},
          {"key": "SUPPLIER_FREIGHT", "value": "50000"}
        ],
        "createdAt": "2024-11-18T15:37:31.842Z",
        "updatedAt": "2024-11-18T15:37:31.842Z"
      }
    ],
    "pagination": {"total": 45, "page": 1, "limit": 20}
  }
}
```

```
}  
}
```

## 4.2 Get Order by ID

**Endpoint:** GET /cargo-api/orders/{orderId}

### 200 Response

```
{  
  "status": 200,  
  "message": "Order details fetched successfully",  
  "data": {  
    "_id": "order-id-1",  
    "orderNumber": "ORD20241118001",  
    "awbNumber": "AWB20241118001",  
    "subType": "FTL",  
    "status": "IN_TRANSIT",  
    "consignorDetails": {},  
    "consigneeDetails": {},  
    "pickupDetails": {},  
    "deliveryDetails": {},  
    "cargoDetails": {},  
    "freightDetails": {},  
    "metadata": []  
  }  
}
```

## 4.3 Create Order

**Endpoint:** POST /cargo-api/orders/create-order

### Headers

```
{ "Content-Type": "application/json", "accept": "*" } }
```

### Request Body

```
{  
  "subType": "FTL",  
}
```

```
"vendorCode": "CLI001",
"consignorDetails": {
  "name": "ABC Company",
  "address": {
    "line1": "123 Street",
    "city": "Pune",
    "state": "Maharashtra",
    "pincode": "411001"
  },
  "phone": "9876543210",
  "email": "sender@example.com",
  "gstNumber": "27AAAAA0000A1Z5"
},
"consigneeDetails": {
  "name": "XYZ Company",
  "address": {
    "line1": "456 Avenue",
    "city": "Mumbai",
    "state": "Maharashtra",
    "pincode": "400001"
  },
  "phone": "9876543211",
  "email": "receiver@example.com",
  "gstNumber": "27BBBBB0000B1Z5"
},
"pickupDetails": {
  "address": "Pickup Point, Pune",
  "pincode": "411001",
  "date": "2024-11-20T10:00:00.000Z",
  "contactPerson": "Pickup Contact",
  "contactNumber": "9876543212"
},
"deliveryDetails": {
  "address": "Delivery Point, Mumbai",
  "pincode": "400001",
  "date": "2024-11-22T18:00:00.000Z",
  "contactPerson": "Delivery Contact",
  "contactNumber": "9876543213"
},
"cargoDetails": {
  "material": "Electronics",
  "weight": 5000,
  "quantity": 100,
  "packageType": "Boxes",
  "dimensions": {"length": 100, "width": 80, "height": 60}
},
"vehicleDetails": {
  "vehicleNumber": "MH12AB1234",
```

```
    "vehicleType": "Container",
    "vehicleCapacity": "20 Tons"
  },
  "metadata": [
    {"key": "CLIENT_FREIGHT", "value": "60000"},
    {"key": "SUPPLIER_FREIGHT", "value": "50000"},
    {"key": "ADVANCE_PERCENTAGE", "value": "30"},
    {"key": "ADVANCE_SUPPLIER_FREIGHT", "value": "15000"},
    {"key": "BALANCE_SUPPLIER_FREIGHT", "value": "35000"},
    {"key": "MARGIN", "value": "10000"}
  ],
  "documents": []
}
```

## 201 Response

```
{
  "status": 201,
  "message": "Order created successfully",
  "data": {
    "_id": "order-id-new",
    "orderNumber": "ORD20241118002",
    "awbNumber": "AWB20241118002",
    "bookingOrderId": "BOOK002",
    "subType": "FTL",
    "status": "BOOKED",
    "createdAt": "2024-11-18T16:30:00.000Z"
  }
}
```

## 400 Response

```
{
  "status": 400,
  "message": "Validation failed",
  "errors": [
    "vendorCode is required",
    "pickupDetails.date must be a valid date"
  ]
}
```

## 4.4 Update Order Metadata

**Endpoint:** PATCH /cargo-api/orders/{orderId}/metadata

### Headers

```
{ "Content-Type": "application/json", "accept": "*"/*" }
```

### Request Body

```
{
  "metadata": [
    {"key": "ADVANCE_PAYMENT_STATUS", "value": "Paid"},
    {"key": "ADVANCE_PAYMENT_UTR", "value": "UTR123456789"},
    {"key": "ADVANCE_PAYMENT_METHOD", "value": "Bank Transfer"}
  ]
}
```

### 200 Response

```
{
  "status": 200,
  "message": "Order metadata updated successfully",
  "data": {
    "_id": "order-id-1",
    "orderNumber": "ORD20241118001",
    "metadata": [{"key": "ADVANCE_PAYMENT_STATUS", "value": "Paid"}]
  }
}
```

---

## 5. Wallet APIs (*non-FTL path — confirm base*)

### 5.1 Credit Wallet Limit

**Endpoint:** POST /wallet-api/payment/limit

### Headers

```
{ "accept": "*"/*", "Content-Type": "application/json" }
```

### Request Body

```
{ "vendorCode": "SUP001", "amount": 50000, "mobile": "string", "otp": "string" }
```

### 201 Response

```
{
  "status": 201,
  "message": "Wallet credited successfully",
  "data": {
    "limitData": {
      "vendorCode": "SUP001",
      "currentLimit": 50000,
      "availableLimit": 50000,
      "usedLimit": 0,
      "creditedAmount": 50000,
      "creditedAt": "2024-11-18T16:40:00.000Z"
    }
  }
}
```

### 400 Response

```
{
  "status": 400,
  "message": "Invalid vendor code",
  "errors": ["Vendor not found"]
}
```

---

## 5.2 Add Charges to Order

**Endpoint:** POST /wallet-api/order/added-charges/v2

### Headers

```
{ "accept": "*/*", "Content-Type": "application/json" }
```

### Request Body



```
{
  "awbNumber": "AWB20241118001",
  "addedCharges": [
    {"chargeType": "DETENTION", "amount": 2000, "description": "Vehicle detention charges", "gstApplicable": true},
    {"chargeType": "LOADING_UNLOADING", "amount": 1500, "description": "Additional loading charges", "gstApplicable": true}
  ]
}
```

## 201 Response

```
{
  "status": 201,
  "message": "Charges added successfully",
  "data": {
    "awbNumber": "AWB20241118001",
    "addedCharges": [
      {"chargeType": "DETENTION", "amount": 2000, "gstAmount": 360,
      "totalAmount": 2360},
      {"chargeType": "LOADING_UNLOADING", "amount": 1500, "gstAmount": 270,
      "totalAmount": 1770}
    ],
    "totalAdditionalCharges": 3500,
    "totalGst": 630,
    "grandTotal": 4130
  }
}
```

## 6. KYC APIs (non-FTL path — confirm base)

### 6.1 Complete KYC Verification

**Endpoint:** PATCH /wallet-api/kyc/{vendorCode}

#### Headers

```
{ "accept": "*/*", "Content-Type": "application/json" }
```

#### Request Body

```
{
  "productId": "SMEINFUL",
  "customerType": "TRUCK_VENDOR",
  "subType": "FTL",
  "paymentType": "prepaid",
  "isGSTRegistered": true,
  "documentBusinessType": "private limited",
  "gstDetails": {"gstNumber": "27AAAAA0000A1Z5"},
  "signatoryPanDetails": {"panNumber": "AAAAA0000A", "panCardUrl": "https://s3.amazonaws.com/pan.pdf"},
  "businessPanDetails": {"panNumber": "AAAAA0000A", "panCardUrl": "https://s3.amazonaws.com/business-pan.pdf"},
  "bankDetails": {
    "bankName": "SBI",
    "bankBranch": "Pune",
    "ifscCode": "SBIN0005943",
    "accountNumber": "31408513589",
    "accountName": "John Doe",
    "upiId": "john@upi",
    "accountType": "current",
    "canceledChequeURL": "https://s3.amazonaws.com/cheque.pdf"
  },
  "aadharDetails": {"aadharNumber": "784776801459", "aadhaarUrl": "https://s3.amazonaws.com/aadhar.pdf"},
  "aadharOtp": "444868",
  "isAgreed": true,
  "kycStatus": true
}
```

## 200 Response

```
{
  "status": 200,
  "message": "KYC completed successfully",
  "data": {
    "customerData": {"kycStatus": "COMPLETED", "customerId": "CUST123456"},
    "kycData": {
      "gstResponse": {
        "GST": "27AAAAA0000A1Z5",
        "nameOfOrgAsPerGST": "ABC Transport Pvt Ltd",
        "isValid": true,
        "addressAsPerGst": {"gstInStatus": "Active"}
      },
      "businessPANResponse": {"panNumber": "AAAAA0000A", "nameAsPerPAN": "ABC Transport", "isValid": true},
    }
  }
}
```

```

    "signatoryPANResponse": {"panNumber": "AAAAA0000A", "nameAsPerPAN": "John
Doe", "isValid": true}
  },
  "customerId": "CUST123456",
  "walletCreated": true
}
}

```

## 400 Response

```

{
  "status": 400,
  "message": "KYC verification failed",
  "errors": ["Invalid GST number", "PAN verification failed"]
}

```

# 7. File Upload APIs

## 7.1 Upload File to S3 (Common API)

**Endpoint:** POST <https://qaapis.delcaper.com/common/file-upload/>

### Headers

```
Content-Type: multipart/form-data
```

**Form Fields** | Field | Type | Required | Description | ---|---|---|---| | files | file | Yes | File to upload | | path | string | Yes | S3 path (e.g., "cargo\_documents/AWB001") | | fileType | string | Yes | Allowed file types |

### Example Form Data

```

files: [binary file data]
path: cargo_documents/AWB20241118001
fileType: image/png,image/jpg,image/jpeg,application/pdf

```

## 200 Response

```
{
  "success": true,
  "message": "File uploaded successfully",
  "data": {
    "url": "https://s3.amazonaws.com/bucket/cargo_documents/AWB20241118001/document.pdf",
    "fileName": "document.pdf",
    "fileSize": 245678,
    "uploadedAt": "2024-11-18T16:45:00.000Z"
  }
}
```

#### 400 Response

```
{
  "success": false,
  "error": "Invalid file type",
  "message": "Only image/png, image/jpg, image/jpeg, application/pdf are allowed"
}
```

## 7.2 Upload Document to Order

**Endpoint:** POST /cargo-api/orders/upload-documents

#### Headers

```
{ "accept": "*/*", "Content-Type": "application/json" }
```

#### Request Body

```
{
  "awbNumber": "AWB20241118001",
  "documents": [
    {
      "documentType": "POD",
      "documentName": "pod_signed.pdf",
      "documentUrl": "https://s3.amazonaws.com/documents/pod_signed.pdf",
      "documentNumber": "POD123456",
      "uploadedBy": "user@example.com",
      "uploadedAt": "2024-11-18T16:50:00.000Z"
    }
  ]
}
```

```
    }
  ]
}
```

**200 Response**

```
{
  "status": 200,
  "message": "Documents uploaded successfully",
  "data": {
    "awbNumber": "AWB20241118001",
    "documentsUploaded": 1,
    "documents": [
      {
        "documentType": "POD",
        "documentUrl": "https://s3.amazonaws.com/documents/pod_signed.pdf",
        "documentNumber": "POD123456",
        "uploadedAt": "2024-11-18T16:50:00.000Z"
      }
    ]
  }
}
```

**8. Common Response Codes & Error Format**

| Status Code | Description           |
|-------------|-----------------------|
| 200         | OK                    |
| 201         | Created               |
| 400         | Bad Request           |
| 401         | Unauthorized          |
| 403         | Forbidden             |
| 404         | Not Found             |
| 409         | Conflict              |
| 422         | Unprocessable Entity  |
| 500         | Internal Server Error |

**Error Envelope**

```
{
  "status": 400,
  "message": "Error description",
  "errors": ["Detailed error 1", "Detailed error 2"],
  "timestamp": "2024-11-18T16:55:00.000Z"
}
```

---

## 9. Standards: Auth, Rate Limits, Pagination

### Auth Headers

```
{ "Authorization": "Bearer <access_token>", "X-API-Key": "<api_key>" }
```

**Rate Limiting** - Limit: 1000 req/hour/IP

- Headers: X-RateLimit-Limit, X-RateLimit-Remaining, X-RateLimit-Reset

### Pagination Shape

```
{
  "data": {
    "items": [],
    "pagination": {"page": 1, "pageSize": 20, "total": 100, "totalPages": 5}
  }
}
```

---

**End of Updated API Documentation**