

CARGODHAM QA DOCUMENT

Use only QA ID and password - Prepaid/Postpaid Account type both

email: "bhaveshqa20@yopmail.com"

password: "Test@1234"

The fields are Case Sensitive, Please follow the requested body format only.

1. Signup API

Purpose

The Signup API is used to register a new vendor user by collecting necessary details such as name, email, password, and company information.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/onboarding>

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Must be application/json

Vendortype and address is necessary for signup, Kindly use vendorType as SELLER

Request Body Format - use new ID to test the same

```
{  
  "name": "Maadhav",  
  "email": "Test1234567@yopmail.com",  
  "password": "Test@123",  
  "mobile": "8491153123",  
  "companyName": "TEST312",  
  "type": "SELLER",  
  "vendorType": "SELLER",
```

```
"addresses": [
  {
    "type": "Billing",
    "line1": "test",
    "line2": "test",
    "city": "Pune",
    "state": "Maharashtra",
    "postalCode": "411014",
    "country": "India"
  }
]
```

Required & Optional Fields Breakdown

Variable Name	Data Type	Required	Description
name	string	✓ Yes	Full name of the user.
email	string	✓ Yes	Email address for user identification.
mobile	string	✓ Yes	User's phone number for contact and verification.
password	string	✓ Yes	Password for account security.
createdDate	string	✗ No	Date when the user was created.
vendorType	string	✓ Yes	Type of vendor.
channelCode	string	✗ No	Code representing the sales channel.
storeCode	string	✗ No	Code representing the store.
companyName	string	✓ Yes	The name of the company (if applicable).
address	string	✓ Yes	Address of the company/vendor.
vendorCode	string	✓ Yes	A unique code assigned to the vendor.

Success Response (200 OK)

```
{
  "data": {
    "_id": "68d0f098a57f130bad056137"
  },
  "status": 200
}
```

Error Response (400/401/500)

If users already exists

```
{
  "status": 400,
  "trace": {
    "name": "HttpException",
    "error": "User already exists"
  },
  "message": "User already exists"
}
```

Status Codes

Code	Meaning
------	---------

200	Signup successful
400	Invalid input or user exists
401	Unauthorized
500	Internal server error

2. Login API - user id and password (created by you)

Purpose

The Login API is used to authenticate a user and generate a token that can be used for accessing protected endpoints within the system.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/onboarding/login>

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Must be application/json

vendorType is mandatory in , Please use vendorType: SELLER

Request Body Format

```
{  
  "email": "bhaveshqa20@yopmail.com",  
  "password": "Test@1234",  
  "vendorType": "SELLER",  
  "type": "SELLER"  
}
```

Request Body Field Description

Field	Type	Required	Description
email	String	☒ Yes	The registered email of the user
password	String	☒ Yes	The user's password
vendorType	String	☒ Yes	Type of vendor (e.g., SELLER, BUYER) remember Uppercase

Success Response (201 OK)

```
{
  "status": 201,
  "message": "Onboarding login successfully",
  "data": {
    "_id": "68bf30ff9c2c185ce3bf8dfb",
    "personalDetails": {
      "email": "bhaveshqa20@yopmail.com",
      "name": "string",
      "companyName": "bhavesh qa 20 pvt ltd",
      "mobile": "6854985484"
    },
    "type": "SELLER",
    "vendorCode": "bhav19"
  }
}
```

No authorisation token is required.

Error Response (400/401/500)

```
{
  "status": false,
  "message": "Invalid email or password"
}
```

Status Codes

Code	Meaning
200	Login successful
400	Invalid input or credentials
401	Unauthorized (invalid credentials)
500	Internal server error

3. Forgot Password API

Purpose

The Forgot Password API is used for initiating the password reset process by sending a password reset link to the user's registered email address.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/auth/forgot-password>

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Must be application/json

Request Body Format

```
{  
  "email": "demoqaprashant@yopmail.com"  
}
```

Request Body Field Description

Field	Type	Required	Description
-------	------	----------	-------------

email	String	☒ Yes	The email address of the user requesting password reset
-------	--------	---	---

Success Response (200 OK)

```
{  
  "data": true,  
  "status": 200  
}
```

Error Response (400/401/500)

If user not exists

```
{  
  "status": 400,  
  "trace": {  
    "name": "HttpException",  
    "error": {}  
  },  
  "message": "User with this email / mobile does not exists"  
}
```

Status Codes

Code	Meaning
200	Password reset link sent successfully
400	Invalid input/validation error
500	Internal server error

4. Add Address API

Purpose

The Create Address API is used in the logistics system to **add or update pickup and delivery addresses** of a user. These addresses are essential for managing various logistics operations such as product pickup, shipment delivery, and location-based service configuration.

Note: After adding the address using Add Address API you will get a prayog ID in the success response body which is a unique ID , Please store it in your system according to your convenience

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/address/create>

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Must be application/json

Request Body Format

```
{  
  "name": "Test456456",  
  "phone": "9864569561",  
  "address1": "Shop 1 near market chowk",  
  "zip": "411014",
```



```

"state": "Maharashtra",
"city": "Pune",
"status": true,
"isShippingAddress": false,
"isPickupAddress": false,
"title": "Test1234",
"type": "Factory",
"vendorCode": "bhav19",
"gstNumber": "NGAJNGAJKGgAJKG",
"address2": "Pune Maharashtra",
"country": "India"
}

```

Request Body Field Description

Field	Type	Required	Description
name	String	✓ Yes	Contact or entity name
phone	String	✓ Yes	10-digit mobile number
address1	String	✓ Yes	Main address line
address2	String	✗ No	Additional address info
zip	String	✓ Yes	Postal (PIN) code
state	String	✓ Yes	State name in uppercase
city	String	✓ Yes	City name
status	Boolean	✓ Yes	Whether the address is active
isShippingAddress	Boolean	✗ No	Marks as shipping address
isPickupAddress	Boolean	✗ No	Marks as pickup location
title	String	✗ No	Friendly label for internal use
type	String	✓ Yes	Address type (e.g., Factory, Office)
vendorCode	String	✓ Yes	Unique identifier for the vendor
gstNumber	String	✗ No	GSTIN (15 characters)

Success Response (200 OK)

```
{
  "status": 201,
  "data": {
    "vendorCode": "bhav19",
    "title": "Test1234",
    "name": "Test456456",
    "phone": "9864569561",
    "address1": "Shop 1 near market chowk",
    "address2": "Pune Maharashtra",
    "city": "Pune",
    "state": "Maharashtra",
    "country": "India",
    "zip": "411014",
    "status": true,
    "type": "Factory",
    "gstNumber": "NGAJNGAJKGgAJKG",
    "isActive": true,
    "createdDate": "2025-10-03T08:55:28.716Z",
    "updatedAt": "2025-10-03T08:55:28.716Z",
    "prayogId": "270d71d6-cc06-4a7e-83f1-4a4e93125eb2",
    "source": "api",
    "_id": "68df8f802faf3d85044abe2a",
    "createdAt": "2025-10-03T08:55:28.717Z",
    "updatedAt": "2025-10-03T08:55:28.717Z",
    "__v": 0
  }
}
```

Error Response (400/401/500)

```
{
  "status": false,
  "message": "Validation error",
  "errors": {
    "phone": "Invalid phone number"
  }
}
```

Status Codes

Code	Meaning
200	Address created successfully
400	Invalid input/validation error
401	Unauthorized (missing/invalid JWT)
500	Internal server error

5. Check Pincode Serviceability API

Purpose

Please note that QA pincode to check this functionality and they are different then Production Pincode. This API is help us to check whether the first mile pincode is serviceable or last mile pincode is serviceable, and by which partner.

In Response body Partner code refers as the service available, as in this case it is “SMILE” i.e Shree Maruti.

fromPincode and toPincode is used to check whether we are serviceable in that particular pincode or not.

NOTE: If you want a particular partner for your shipment the FirstMile and LastMile conditions should be true.

API Method

GET

Endpoint

<https://qaapis.delcaper.com/cargo-api/partner-pincode-serviceability/check-serviceability?fromPincode=411014&toPincode=411014>

Query Parameters

Parameter	Required	Type	Description
fromPincode	☒ Yes	String	Source pincode
toPincode	☒ Yes	String	Destination pincode

Success Response (200 OK)

```
{
  "status": 200,
  "data": [
    {
      "fromPincode": 411014,
      "toPincode": 411014,
      "activePartners": [
        {
          "partnerCode": "SMILE",
          "isActive": true,
          "partnerData": {
            "email": "smileqa@shreemaruti.com",
            "name": "SMILe",
            "companyName": "smile pvt. ltd.",
            "mobile": "9585491101"
          },
          "city": "MUMBAI",
          "cityName": "MUMBAI",
          "districtname": "",
          "status": "Serviceable",
          "zone": "West 2",
          "firstMile": true,
          "lastMile": true,

```

```
"hubCode": "91",
"cod": false,
"toPay": false,
"surface": true,
"air": true,
"rail": true,
"activatedate": "2025-09-22T04:27:39.116Z"
},
{
  "partnerCode": "bhavesh_qa_32",
  "isActive": true,
  "partnerData": {
    "email": "bhaveshqa32@yopmail.com",
    "name": "Bhavesh Qa 32",
    "companyName": "bhavesh qa 32 pvt. ltd.",
    "mobile": "7867594852"
  },
  "city": "MUMBAI",
  "cityName": "MUMBAI",
  "districtname": "",
  "status": "ODA",
  "zone": "N2",
  "firstMile": true,
  "lastMile": true,
  "hubCode": "91",
  "cod": false,
  "toPay": false,
  "surface": true,
  "air": true,
  "rail": true,
  "activatedate": "2025-09-19T05:26:33.572Z"
}
]
}
]
```

Error Response (400/500)

```
{
  "statusCode": 400,
```

```
"message": [  
  "toPincode must be a number conforming to the specified constraints"  
]  
}
```

Status Codes

Code	Meaning
200	Service available
400	Invalid input
500	Internal server error

6. Rate Card Calculation API

Purpose

The Rate Card Calculation API is used to **compute the shipping rate** based on shipment parameters such as weight, pin codes, invoice amount, and vendor configuration.

Basic purpose to understand the charges we would charge you for upcoming orders.

The Invoice amount is in INR,

The Total weight is in Kilograms (KG)

The Dimensions are in CM

Shipment Invoice amount is referred as the invoice value of the goods being shipped in INR.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/rate-card-api/common-rate-calculator>

Headers

Name	Required	Type	Description
------	----------	------	-------------

Content-Type  Yes String Must be application/json

Request Body Format

```
{
  "shipment_category": "b2b",
  "payment_type": "PrePaid",
  "pickup_pincode": 411014,
  "destination_pincode": 411014,
  "shipment_invoice_amount": 10000,
  "risk_type": "self",
  "totalWeight": 400,
  "vendorCode": "bhav19",
  "box_details": [
    {
      "each_box_dead_weight": 100,
      "each_box_length": 10,
      "each_box_width": 10,
      "each_box_height": 10,
      "box_count": 4
    }
  ]
}
```

Request Body Field Description

Field	Type	Required	Description
shipment_category	String	 Yes	Category of shipment (e.g., b2b)
payment_type	String	 Yes	Mode of payment (PrePaid or COD)
pickup_pincode	Number	 Yes	Pickup location pincode
destination_pincode	Number	 Yes	Destination pincode
shipment_invoice_amount	Number	 Yes	Invoice amount in currency
risk_type	String	 Yes	Risk handling type (self, carrier)
totalWeight	Number	 Yes	Total shipment weight in kilograms

vendorCode	String	✓ Yes	Vendor identifier
box_details	Array	✓ Yes	Array of box dimension and weight details
each_box_dead_weight	Number	✓ Yes	Dead weight per box
each_box_length	Number	✓ Yes	Length per box in cm
each_box_width	Number	✓ Yes	Width per box in cm
each_box_height	Number	✓ Yes	Height per box in cm
box_count	Number	✓ Yes	Number of such boxes

Success Response (201)

```
{
  "status": 201,
  "data": [
    {
      "courier_name": "SMILe Delivery",
      "courier_type": "surface",
      "zone": null,
      "tat": 11,
      "validTat": 4,
      "billable_weight": 400,
      "risk_type_name": "self",
      "total_shipping_charges": 5498.8,
      "courier_charge": 3600,
      "actualCharge": 4160,
      "GST": {
        "cGST": "9",
        "iGST": "9"
      },
      "other_additional_charges": {
        "risk_type_charge": 500,
        "lr_cost": 0,
        "green_tax": 0,
        "handling_charge": 0,
        "to_pay": 0,
        "warai_charge": 0,
        "state_tax": 0,
        "odc_charge": 0,

```



```
"pickup_charge": 0,
"fuelChargeAmount": 360,
"docketCharge": 200,
"odacharge": 0,
"appointmentDeliveryCharge": 400,
"platformFee": 0
},
"smileCharges": {
  "perKgPrice": 9,
  "maxLiability": 200,
  "minimumWeight": 20,
  "fuelChargePer": 10,
  "minimumFreight": 4000,
  "oda": 0,
  "volumetricWeight": 0.8888888888888888,
  "gstAmount": 838.8
},
"partnerCode": "SMILE",
"partnerName": "SMILe",
"carrierName": "SMILE",
"isAppointment": true
},
{
  "courier_name": "SMILe Air",
  "courier_type": "air",
  "zone": null,
  "tat": 21,
  "validTat": 4,
  "billable_weight": 400,
  "risk_type_name": "self",
  "total_shipping_charges": 8217.52,
  "courier_charge": 6000,
  "actualCharge": 6963,
  "GST": {
    "cGST": "9",
    "iGST": "9"
  },
  "other_additional_charges": {
    "risk_type_charge": 0,
    "lr_cost": 0,
    "green_tax": 0,
    "handling_charge": 0,
```

```
"to_pay": 0,
"warai_charge": 0,
"state_tax": 0,
"odc_charge": 0,
"pickup_charge": 0,
"fuelChargeAmount": 720,
"docketCharge": 243,
"odacharge": 0,
"appointmentDeliveryCharge": 120,
"platformFee": 1
},
"smileCharges": {
  "perKgPrice": 15,
  "maxLiability": 300,
  "minimumWeight": 10,
  "fuelChargePer": 12,
  "minimumFreight": 340,
  "oda": 0,
  "volumetricWeight": 1.4814814814814814,
  "gstAmount": 1253.52
},
"partnerCode": "SMILE",
"partnerName": "SMILE",
"carrierName": "SMILE",
"isAppointment": true
},
{
  "courier_name": "supplier test21 Delivery",
  "courier_type": "surface",
  "zone": null,
  "tat": null,
  "validTat": 4,
  "billable_weight": 400,
  "risk_type_name": "self",
  "total_shipping_charges": 6744.88,
  "courier_charge": 4800,
  "actualCharge": 5706,
  "GST": {
    "cGST": "9",
    "iGST": "9"
  },
  "other_additional_charges": {
```

```

    "risk_type_charge": 0,
    "lr_cost": 0,
    "green_tax": 0,
    "handling_charge": 0,
    "to_pay": 0,
    "warai_charge": 0,
    "state_tax": 0,
    "odc_charge": 0,
    "pickup_charge": 0,
    "fuelChargeAmount": 672.0000000000001,
    "docketCharge": 234,
    "odacharge": 0,
    "appointmentDeliveryCharge": 300,
    "platformFee": 10
  },
  "smileCharges": {
    "perKgPrice": 12,
    "maxLiability": 523,
    "minimumWeight": 12,
    "fuelChargePer": 14,
    "minimumFreight": 480,
    "oda": 0,
    "volumetricWeight": 1.4814814814814814,
    "gstAmount": 1028.8799999999999
  },
  "partnerCode": "supplier_test21",
  "partnerName": "supplier test21",
  "transporterId": null,
  "carrierName": "supplier_test21",
  "isAppointment": true
}
]
}

```

Error Response (400/401/500)

```

{
  "status": false,
  "message": "Validation error",
  "errors": {

```

```
"pickup_pincode": "Invalid pincode" // check pincode is serviceable list shared with you for QA
account
}
}
```

Status Codes

Code	Meaning
200	Rate calculated successfully
400	Invalid input/validation error
401	Unauthorized (missing/invalid JWT)
404	Cannot Post/ Not Found
500	Internal server error

7. My Booking Order List API

Purpose

The My Booking Order List API is used to **fetch a list of booked cargo orders** for a specific vendor. It supports pagination and can filter based on whether the orders are parent orders. Call orders in pagination 50 orders

This API when called gives us the list of the orders booked by the user. Identified by the vendorCode, Please use vendorCode=bhav19 only.

API Method

GET

Endpoint

<https://qaapis2.delcaper.com/cargo-api/list/bulk-orders?type=CARGO&vendorCode=bhav19&page=1&limit=10>

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Must be application/json

Query Parameters

Parameter	Required	Type	Description
isParentOrder	✓ Yes	Boolean	Whether to filter for parent orders
type	✓ Yes	String	Type of shipment (e.g., CARGO)
vendorCode	✓ Yes	String	Vendor identifier
page	✓ Yes	Number	Page number for pagination
limit	✓ Yes	Number	Number of results per page

Success Response (200 OK)

```
{
  "status": 200,
  "message": "Order list",
  "data": {
    "ordersList": [
      {
        "_id": "68ac6613e32dcafb90899f08",
        "vendorCode": "bhav19",
        "originalOrderId": "71359704",
        "type": "CARGO",
        "originalOrderNumber": "71359704",
        "orderCreatedAt": "2025-08-25T13:33:07.724Z",
        "orderUpdatedAt": "2025-08-25T13:33:07.724Z",
        "currency": "INR",
        "paymentType": "ONLINE",
        "paymentStatus": "PAID",
        "amount": 767,
        "weight": 1,
        "length": 1,
        "width": 1,

```

```
"height": 1,
"orderStatus": "IN_PROCESS",
"shippingType": "FORWARD",
"remarks": "No Remarks",
"deliveryVerification": false,
"orderCreatedFrom": "API",
"shippingAddress": {
  "_id": "6773f2ab2c8759abdddf20dc",
  "id": null,
  "name": "demo aakurdi user",
  "phone": "9823456784",
  "address1": "asdsadsasd sad as title updated again",
  "address2": "",
  "zip": "400001",
  "state": "Maharashtra",
  "city": "Mumbai",
  "latitude": 0,
  "longitude": 0,
  "status": true,
  "isShippingAddress": null,
  "isPickupAddress": null,
  "title": "demo aakurdia updated",
  "type": "Warehourse",
  "vendorCode": "bhav19",
  "warehouseId": null,
  "createdDate": "2024-12-31T13:33:31.273Z",
  "updatedAt": "2025-08-19T08:20:14.249Z",
  "createdById": "6773f2ab2c8759abdddf20db",
  "updatedById": "68a433be6d529ef173a37f9c",
  "createdBy": "Demo QA Prashant",
  "updatedBy": "Demo QA Prashant Edit",
  "innoCity": "Ahmedabad",
  "innoState": "GUJARAT",
  "owner": "INNOFULFIL",
  "gstNumber": "27AWBPR5387C1ZC",
  "serviceType": "CARGO"
},
"sellerName": "Demo QA Prashant Edit",
"channelType": "API",
"channelId": "6324262c9a3f345e2a985874",
"gstProductLevel": false,
"selectedCarriers": [
```

```
{
  "_id": "676e50e19d7e8b568cc191b7",
  "name": "Smile",
  "image": "",
  "isActive": true,
  "shortName": "SMILE",
  "createdDate": "2024-03-13T05:37:13.203Z",
  "updatedAt": "2024-03-13T05:37:13.203Z"
}
],
"carrierName": "SMILE",
"carrierId": "676e50e19d7e8b568cc191b7",
"cAwbNumber": "bhav190000009539",
"cargoDeliveryAmount": 767,
"cargoInvoiceUrl": "",
"cargoInvoiceNumber": "ASD/23/ASD/123123",
"isParentOrder": true,
"smileAwbNumber": "bhav190000009539",
"awbNumber": "bhav190000009539",
"pickupAddress": {
  "_id": "6773f2ab2c8759abdddf20dc",
  "id": null,
  "name": "demo aakurdi user",
  "phone": "9823456784",
  "address1": "asdsadsasd sad as title updated again",
  "address2": "",
  "zip": "400001",
  "state": "Maharashtra",
  "city": "Mumbai",
  "latitude": 0,
  "longitude": 0,
  "status": true,
  "isShippingAddress": null,
  "isPickupAddress": null,
  "title": "demo aakurdia updated",
  "type": "Warehourse",
  "vendorCode": "bhav19",
  "warehouseId": null,
  "createdDate": "2024-12-31T13:33:31.273Z",
  "updatedAt": "2025-08-19T08:20:14.249Z",
  "createdById": "6773f2ab2c8759abdddf20db",
  "updatedById": "68a433be6d529ef173a37f9c",
```

```
"createdBy": "Demo QA Prashant",
"updatedBy": "Demo QA Prashant Edit",
"innoCity": "Ahmedabad",
"innoState": "GUJARAT",
"owner": "INNOFULFIL",
"gstNumber": "27AWBPR5387C1ZC",
"serviceType": "CARGO"
},
"billingAddress": {
  "_id": "6773f2ab2c8759abdddf20dc",
  "id": null,
  "name": "demo aakurdi user",
  "phone": "9823456784",
  "address1": "asdsadsasd sad as title updated again",
  "address2": "",
  "zip": "400001",
  "state": "Maharashtra",
  "city": "Mumbai",
  "latitude": 0,
  "longitude": 0,
  "status": true,
  "isShippingAddress": null,
  "isPickupAddress": null,
  "title": "demo aakurdia updated",
  "type": "Warehourse",
  "vendorCode": "bhav19",
  "warehouseId": null,
  "createdDate": "2024-12-31T13:33:31.273Z",
  "updatedAt": "2025-08-19T08:20:14.249Z",
  "createdById": "6773f2ab2c8759abdddf20db",
  "updatedById": "68a433be6d529ef173a37f9c",
  "createdBy": "Demo QA Prashant",
  "updatedBy": "Demo QA Prashant Edit",
  "innoCity": "Ahmedabad",
  "innoState": "GUJARAT",
  "owner": "INNOFULFIL",
  "gstNumber": "27AWBPR5387C1ZC",
  "serviceType": "CARGO"
},
"returnAddress": {
  "_id": "6773f2ab2c8759abdddf20dc",
  "id": null,
```



```
"name": "demo aakurdi user",
"phone": "9823456784",
"address1": "asdsadsasd sad as title updated again",
"address2": "",
"zip": "400001",
"state": "Maharashtra",
"city": "Mumbai",
"latitude": 0,
"longitude": 0,
"status": true,
"isShippingAddress": null,
"isPickupAddress": null,
"title": "demo aakurdia updated",
"type": "Warehourse",
"vendorCode": "bhav19",
"warehouseId": null,
"createdDate": "2024-12-31T13:33:31.273Z",
"updatedAt": "2025-08-19T08:20:14.249Z",
"createdById": "6773f2ab2c8759abdddf20db",
"updatedById": "68a433be6d529ef173a37f9c",
"createdBy": "Demo QA Prashant",
"updatedBy": "Demo QA Prashant Edit",
"innocity": "Ahmedabad",
"innostate": "GUJARAT",
"owner": "INNOFULFIL",
"gstNumber": "27AWBPR5387C1ZC",
"serviceType": "CARGO"
},
"deliveryMode": "SURFACE",
"appointmentDate": "",
"isDocket": true,
"chargebleWeight": 20,
"igst": 9,
"cgst": 9,
"sgst": 0,
"gst": 117,
"gstPercentage": 18,
"volumetricWeight": 0.2933333333333333,
"tat": 7,
"chargesData": {
  "risk_type_charge": 200,
  "fuelChargeAmount": 70,
```

```
"docketCharge": 100,
"appointmentDeliveryCharge": 750,
"courier_charge": 280
},
"serviceType": "Standard",
"channel": {
  "type": "COMPANY",
  "storeCode": "bhav19",
  "storeName": "Demo QA Prashant Pvt Ltd"
},
"orderedAt": "2025-08-25T08:03:07.540Z",
"subTotal": 5000,
"sellerInfo": {
  "id": "676d2b6491375a44b29b15c3",
  "name": "Demo QA Prashant Edit",
  "mobile": "9809808989",
  "companyName": "Demo QA Prashant Pvt Ltd"
},
"shipperOrderId": "bhav19-bhav190000009539",
"createdDate": "2025-08-25T13:33:07.950Z",
"updatedAt": "2025-08-25T13:33:07.950Z",
"createdById": "676d2b6491375a44b29b15c1",
"updatedById": "676d2b6491375a44b29b15c1",
"createdBy": "Demo QA Prashant Edit",
"updatedBy": "Demo QA Prashant Edit",
"updatedAt": "2025-08-25T13:33:09.002Z"
}
],
"page": 1,
"limit": 1,
"total": 10660,
"searchHints": []
}
}
```

Error Response (400/401/500)

```
{
  "status": false,
  "message": "Validation error or Unauthorized access"
}
```

Status Codes

Code	Meaning
200	Order list fetched successfully
400	Invalid input/validation error
401	Unauthorized (missing/invalid JWT)
500	Internal server error

8. Customer check Wallet Balance API

Purpose

This API is used to **fetch the available wallet balance** of a specific customer (vendor). Very important to know your wallet balance before placing order or check from rate calculator the order charges and verify before placing order.

The Balance is always shown in INR.

There are Two payment Types Prepaid and Postpaid.

API Method

GET

Endpoint

<https://qaapis.delcaper.com/wallet-api/wallet/balance>

Query Parameters

Name	Required	Type	Description
productId	✓ Yes	String	The product identifier (e.g., SMEINFUL)
vendorCode	✓ Yes	String	Vendor code of the customer

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Must be application/json

Success Response (200 OK)

{

```
"status": 200,
"message": "Customer wallet details",
"data": {
  "balance": 7922792,
  "points": 79227.92,
  "limitBalance": {
    "creditlimit": 14220000,
    "creditbalance": 106454,
    "customerId": "SMEINFUL000000000571333",
    "paymentType": "prepaid",
    "status": "enabled"
  },
  "walletBalance": {
    "balance": 7816338,
    "points": 78163.38
  },
  "customerPaymentType": "POSTPAID"
}
```

Error Response (400/401/500)

```
{
  "status": 400,
  "message": "Seller not found"
}
```

Status Codes

Code	Meaning
200	Wallet balance fetched successfully
400	Bad Request (e.g., missing parameters)
401	Unauthorized (invalid/missing token)
500	Internal server error

9. Shipment Booking API

Purpose

The Shipment Booking API is used to **create and push a shipment order** to the fulfillment system, including detailed shipment, address, and invoice information.

Important :

Try to get all charges from rate-calculator response with non-zero

Please use AWB number in series given to you everytime you run the API. In simpler terms use the next number which you used the last time. For example: bhav190000000542

You have to always check your wallet balance. To find out the wallet balance please run the wallet balance API, you can find it later in the document.

To Get AWB number use the following API:

EndPoint: <https://qaapis.delcaper.com/cargo-api/pre-series>

Requested Params:

Vendorcode: bhav19

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/orders/create-order>

Headers

Name	Required	Type	Description
------	----------	------	-------------

Content-Type ☒ Yes String Must be application/json

Request Body Format

```
{
  "type": "CARGO",
  "orderId": "449509082",
  "orderNumber": "449509082",
  "awbNumber": "bhav190000000042",
  "orderCreatedAt": "2025-10-10T15:18:56.839",
  "currency": "INR",
  "amount": 579,
  "weight": 10,
  "lineItems": [
    {
      "name": "ELECT",
      "weight": 10,
      "price": 0,
      "quantity": 1,
      "unitPrice": 0,
      "type": "Electronics",
      "height": 5,
      "width": 5,
      "length": 5
    }
  ],
  "paymentType": "ONLINE",
  "paymentStatus": "PENDING",
  "returnableOrder": true,
```

```
"shippingAddress": {  
  "name": "Test",  
  "phone": "5413515646",  
  "address1": "anjgakgjna",  
  "address2": "ngajnglanga/",  
  "city": "Pune",  
  "state": "Maharashtra",  
  "zip": "411014",  
  "warehouseId": "",  
  "isPickupAddress": true,  
  "isShippingAddress": false,  
  "type": "Factory",  
  "title": "pune city3",  
  "vendorCode": "bhav19",  
  "gstNumber": "27AWBPR5387C1ZC"  
},  
"billingAddress": {  
  "name": "Bhavesh",  
  "phone": "6857496496",  
  "address1": "Fdghfds afa sfsadf staff",  
  "address2": "Asdf asdfasd asdfsda asdf",  
  "city": "Pune",  
  "state": "Maharashtra",  
  "zip": "411014",  
  "warehouseId": "",  
  "isPickupAddress": true,  
  "isShippingAddress": false,  
  "type": "Factory",
```



```
"title": "Pune city2",
"vendorCode": "bhav19",
"gstNumber": "SDG78ASDF7ASF83"
},
"pickupAddress": {
  "name": "Bhavesh",
  "phone": "6857496496",
  "address1": "Fdghfds afa sfsadf staff",
  "address2": "Asdf asdfasd asdfsda f asdf",
  "city": "Pune",
  "state": "Maharashtra",
  "zip": "411014",
  "warehouseId": "",
  "isPickupAddress": true,
  "isShippingAddress": false,
  "type": "Factory",
  "title": "Pune city2",
  "vendorCode": "bhav19",
  "gstNumber": "SDG78ASDF7ASF83"
},
"returnAddress": {
  "name": "Bhavesh",
  "phone": "6857496496",
  "address1": "Fdghfds afa sfsadf staff",
  "address2": "Asdf asdfasd asdfsda f asdf",
  "city": "Pune",
  "state": "Maharashtra",
  "zip": "411014",
```

```
"warehouseId": "",
"isPickupAddress": true,
"isShippingAddress": false,
"type": "Factory",
"title": "Pune city2",
"vendorCode": "bhav19",
"gstNumber": "SDG78ASDF7ASF83"
},
"subTotal": 100,
"length": 5,
"height": 5,
"width": 5,
"deliveryMode": "SURFACE",
"gstPercentage": 18,
"channelType": "CUSTOM",
"orderSubtype": "FORWARD",
"subCarrierName": null,
"subCarrierId": null,
"cargoDeliveryAmount": 578.2,
"cargoInvoiceNumber": "AAAAAAAAAA",
"cargoInvoiceUrl":
"https://delcaper-qa.s3.ap-south-1.amazonaws.com/blob%3Ahttps%3A//qabooking.cargodham.com/4234
c1ac-303f-4404-9006-177f597b1b60/onboarding_order_flow-1760089729445.png",
"invoiceDate": null,
"cargoSellerPercentageAmount": null,
"isParentOrder": true,
"cargoBoxDetails": null,
"carrierName": "SMILE",
"carrierId": "391af7de-0b75-46cc-b98c-9a4d05d405c1",
```

```
"warehouseId": null,
"ewaybillUrl": null,
"ewaybillNumber": null,
"ewayExpiryDate": null,
"appointmentDate": "",
"chargeableWeight": 12,
"gst": 88.2,
"igst": 9,
"sgst": 0,
"cgst": 9,
"volumetricWeight": 0.046296296296296294,
"ewayBills": null,
"ewayUrls": null,
"cargoEwayExpiryDates": null,
"cargoInvoiceNumbers": null,
"cargoInvoiceUrls": null,
"tat": 8,
"chargesData": {
  "fuelChargeAmount": "6.00",
  "docketCharge": "234.00",
  "platformFee": "10.00",
  "freight_charge": 480,
  "courier_charge": 36
},
"orderCreatedFrom": "Web",
"companyName": "smile pvt. ltd.",
"metadata": [
  {
```

```

    "key": "companyName",
    "value": "smile pvt. ltd."
  }
],
  "subType": "PTL",
  "vendorCode": "bhav19",
  "transporterId": "88AABCM9407D1ZS"
}

```

Key Field Descriptions

Field	Type	Required	Description
type	String	✓ Yes	Shipment type (CARGO)
orderId/orderNumber	String	✓ Yes	Unique order identifiers
currency	String	✓ Yes	Currency code (INR)
amount	Number	✓ Yes	Total amount including delivery
lineItems	Array	✓ Yes	Product/item list with dimensions and price
paymentType	String	✓ Yes	Payment mode (ONLINE or COD)
shippingAddress	Object	✓ Yes	Address details of recipient
billingAddress	Object	✓ Yes	Address for billing
pickupAddress	Object	✓ Yes	Warehouse/vendor pickup address
returnAddress	Object	✓ Yes	Address for return (if applicable)
deliveryMode	String	✓ Yes	Type of transport (SURFACE/AIR)
gstPercentage	Number	✓ Yes	Applicable GST percentage

carrierName	String	✔ Yes	Shipping carrier name
Vendorcode	String	✔ Yes	Unique identification number of the vendor
volumetricWeight	Number	✔ Yes	Calculated volume-based weight
cargoInvoiceUrl	String	Optional	URL to cargo invoice PDF

Success Response (200 OK)

```
{
  "status": 200,
  "message": "Order Created Successfully",
  "data": {
    "status": "success",
    "statusCode": 201,
    "message": "order created successfully",
    "data": {
      "id": 12383,
      "orderId": "2510100953185Q4BBW",
      "referenceId": "449509082",
      "parcelCategory": "CARGO",
      "orderDate": "2025-10-10T09:53:17.409Z",
      "expectedDeliveryDate": "0001-01-01T00:00:00Z",
      "eWaybills": [],
      "returnable": true,
      "deliveryMode": "SURFACE",
      "deliveryPromise": "Standard",
      "orderStatus": "CONFIRMED",
      "carrierName": "SMILE",
      "carrierId": "391af7de-0b75-46cc-b98c-9a4d05d405c1",
      "vendorCode": "bhav19",
      "metadata": {
        "createdBy": "71739d8a-3051-7043-a2d1-b87908e183eb",
        "source": "Web"
      }
    },
    "createdAt": "2025-10-10T09:53:18.197300525Z",
    "updatedAt": "2025-10-10T09:53:18.197300525Z",
    "addresses": [
      {
        "id": 49144,
        "type": "DELIVERY",
        "zip": "411014",

```

```
"name": "Test",
"phone": "5413515646",
"street": "anjgakjna",
"landmark": "ngajnglanga/",
"city": "Pune",
"state": "Maharashtra",
"country": "India"
},
{
  "id": 49145,
  "type": "BILLING",
  "zip": "411014",
  "name": "Bhavesh",
  "phone": "6857496496",
  "street": "Fdghfds afa sfsadf staff",
  "landmark": "Asdf asdfasd asdfsda f asdf",
  "city": "Pune",
  "state": "Maharashtra",
  "country": "India"
},
{
  "id": 49146,
  "type": "PICKUP",
  "zip": "411014",
  "name": "Bhavesh",
  "phone": "6857496496",
  "street": "Fdghfds afa sfsadf staff",
  "landmark": "Asdf asdfasd asdfsda f asdf",
  "city": "Pune",
  "state": "Maharashtra",
  "country": "India",
  "addressName": "Pune city2"
},
{
  "id": 49147,
  "type": "RETURN",
  "zip": "411014",
  "name": "Bhavesh",
  "phone": "6857496496",
  "street": "Fdghfds afa sfsadf staff",
  "landmark": "Asdf asdfasd asdfsda f asdf",
  "city": "Pune",
```

```
    "state": "Maharashtra",
    "country": "India"
  },
],
"documents": [
  {
    "id": 2030,
    "type": "invoice",
    "number": "AAAAAAAAA",
    "url":
      "https://delcaper-qa.s3.ap-south-1.amazonaws.com/blob%3Ahttps%3A//qabooking.cargodham.com/4234c1ac-303f-4404-9006-177f597b1b60/onboarding_order_flow-1760089729445.png"
  }
],
"shipments": [
  {
    "id": 93849,
    "isParent": true,
    "awbNumber": "bhav190000000042",
    "dimensions": {
      "height": 5,
      "length": 5,
      "width": 5
    },
    "volumetricWeight": 10,
    "packaging": {
      "id": 0
    },
    "items": [
      {
        "id": 108682,
        "name": "ELECT",
        "quantity": 1,
        "weight": 10,
        "taxes": null,
        "discounts": null
      }
    ]
  }
],
"vehicles": null,
"slots": null,
```

```
"payment": {
  "id": 12162,
  "finalAmount": 579,
  "type": "ONLINE",
  "status": "PENDING",
  "currency": "INR",
  "breakdown": {
    "id": 2906,
    "subTotal": 100,
    "taxes": null,
    "discounts": null,
    "otherCharges": [
      {
        "id": 8380,
        "description": "fuelChargeAmount",
        "chargedAmount": 6
      },
      {
        "id": 8381,
        "description": "docketCharge",
        "chargedAmount": 234
      },
      {
        "id": 8382,
        "description": "platformFee",
        "chargedAmount": 10
      },
      {
        "id": 8383,
        "description": "freight_charge",
        "chargedAmount": 480
      },
      {
        "id": 8384,
        "description": "courier_charge",
        "chargedAmount": 36
      }
    ]
  },
  "splitPayments": null
},
"taxes": [
```



```
{
  {
    "id": 6026,
    "description": "GST",
    "value": 18,
    "chargedAmount": 88.2
  },
  {
    "id": 6027,
    "description": "CGST",
    "chargedAmount": 9
  },
  {
    "id": 6028,
    "description": "IGST",
    "chargedAmount": 9
  }
],
"discounts": null,
"orderSource": {
  "id": 0
}
},
"databaseId": "68e8d78d09b43437338403ea"
}
```

Status Codes

Code	Meaning
200	Shipment order created successfully
400	Invalid input/validation error
401	Unauthorized (token missing/invalid)
500	Internal server error

10. Wallet Order Balance Update API

Purpose

This API is used to **create a wallet transaction** corresponding to a product order, adjusting the wallet balance based on the order value and associated charges.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/wallet-api/wallet/balance>

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Must be application/json

Request Body Format

```
{
  "productId": "string",
  "vendorCode": "string",
  "amount": 0,
  "productOrderId": "string",
  "txnType": "string",
  "redirectURL": "string",
  "description": "string",
  "logo": "string",
  "awbNumber": "string",
  "paymentType": "string",
  "freightCharges": 0,
  "chargebleWeight": 0
}
```

Request Body Field Description

Field	Type	Required	Description
productId	String	✓ Yes	Product identifier, e.g., SMEINFUL
vendorCode	String	✓ Yes	Code identifying the vendor
amount	Number	✓ Yes	Total amount to be charged in INR
productOrderId	String	✓ Yes	Unique ID of the product order
awbNumber	String	✓ Yes	Airway bill number for tracking
paymentType	String	✓ Yes	Type or reason for the payment
txnType	String	✓ Yes	Transaction type: debit or credit
chargeableWeight	Number	✓ Yes	Chargeable weight of the shipment
freightCharges	Number	✓ Yes	Freight cost associated with the order

Success Response (200 OK)

```
{
  "status": 200,
  "message": "Order inserted successfully",
  "data": {
    "walletOrderId": "DLWA000000003081787"
  }
}
```

Status Codes

Code	Meaning
200	Wallet updated successfully
400	Validation error
401	Unauthorized (invalid/missing token)

500 Internal server error

11. Shipment Tracking API

Purpose

This API is used to **retrieve tracking information** for a specific shipment using its tracking ID.

Ready for Dispatch: Your shipment is packed and ready to be sent out.

Confirmed: The order has been confirmed and is being prepared for pickup.

In-Transit: The shipment is on its way to the delivery location.

Shipped: The package has left the warehouse or origin location.

Out for Delivery: The delivery person is on the way to deliver your shipment.

Delivered: Your shipment has been successfully delivered to the destination. Once delivered you get POD(Proof of delivery) URL.

There can be more additional statuses also,

API Method

GET

Endpoint

<https://qaapis2.delcaper.com/cargo-api/webhooks?type=TRACKING&awbNumber=bhav190000009539>

Path Parameters

Name	Required	Type	Description
awbNumber	☒ Yes	String	The Air Waybill number of the shipment

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Must be application/json

Success Response (200 OK)

```
{
  "status": 200,
  "data": {
    "parentOrderWebhook": [
      {
        "trackingId": "bhav190000009539",
        "status": "ORDER_CONFIRMED",
        "deliveryPartnerName": "innofulfill",
        "event": "order placed in system",
        "cAwbNumber": "bhav190000009539",
        "location": "Mumbai",
        "statusTimestamp": "",
        "cpDetails": {},
        "daInfo": {},
        "pod_links": [],
        "createdAt": "2025-08-25T13:33:08.013Z"
      },
      {
        "trackingId": "bhav190000009539",
```

```

    "status": "ORDER_CONFIRMED",
    "deliveryPartnerName": "innofulfill",
    "event": "order placed in system",
    "cAwbNumber": "bhav190000009539",
    "smileAwbNumber": "bhav190000009539",
    "location": "Mumbai",
    "statusTimestamp": "",
    "cpDetails": {},
    "daInfo": {},
    "pod_links": [],
    "createdAt": "2025-08-25T13:33:07.959Z"
  }
],
  "childOrderWebhook": []
}
}

```

Status Codes

Code	Meaning
200	Tracking details fetched successfully
400	Bad request or missing parameters
401	Unauthorized (invalid/missing token)
404	Shipment not found
500	Internal server error

12. Cancel Booking API

Purpose

This API is used to **cancel a booking/order** by providing the order ID and a reason for cancellation.

There are different reasons depending on the situation to cancel the order. For example: Incorrect Product Information, Wrong shipment address, Other reasons. In the following request body we have used Other as the reason.

Providing a reason is mandatory to cancel the order.

Please use a valid AWB number, To Get AWB number use the following “GET” API:

EndPoint: <https://qaapis.delcaper.com/cargo-api/pre-series>

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/orders/cancel/bulk>

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Must be application/json

Requested Body (JSON)

```
{
  "orders": [
    {
      "awbNumber": "bhav190000000042",
      "reason": "Other"
    }
  ]
}
```

Query Parameters

Field	Type	Required	Description
Awb number	String	☒ Yes	The unique AWB number of the shipment.

Success Response (200 OK)

```
{
  "status": 200,
  "message": "Orders cancelled successfully via Prayog API",
}
```

```
"data": {
  "cancelledAwbNumbers": [
    "bhav190000000042"
  ],
  "cancelledOrderIds": [
    "2510100953185Q4BBW"
  ],
  "totalCancelled": 1,
  "externalResponse": {
    "status": "success",
    "statusCode": 200,
    "message": "Bulk cancel operation started successfully",
    "data": "cancel operation started successfully"
  },
  "localDatabaseUpdated": 1,
  "refunds": [
    {
      "awbNumber": "bhav190000000042",
      "refundStatus": "success",
      "refundAmount": 578.2,
      "refundResponse": {
        "status": 200,
        "message": "Order inserted successfully",
        "data": {
          "walletOrderId": "DLWA000000003114970"
        }
      }
    }
  ],
  "apiUsed": "prayog"
}
```

Error Response (400/401/500)


```
{  
  "status": 401,  
  "message": "Invalid order ID or unauthorized access"  
}
```

Error Response 404

```
{  
  "status": 404,  
  "data": null,  
  "message": "order not found in our system with orderId 868778103"  
}
```

Status Codes

Code	Meaning
-------------	----------------

200	Order canceled successfully
400	Bad request or missing parameters
401	Unauthorized (invalid/missing token)
404	Order not found
500	Internal server error

13. Invoice/ Docket/ E-Way Bill Upload API

Purpose

This API is used to **upload invoice, docket files or e-way bills** (PDF, image formats) to the server.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/common/cargo-api/orders/{awbNumber}/update>

Headers

Name	Required	Type	Description
------	----------	------	-------------

Form Data Parameters

Name	Required	Type	Description
path	☒ Yes	String	Temporary blob path or identifier for client-side file reference
fileType	☒ Yes	String	Allowed MIME types (e.g., image/png, application/pdf)
files	☒ Yes	File	The file to be uploaded (e.g., image or PDF file)

Success Response (200 OK)

```
{
  "status": 200,
  "message": "Files Uploaded Successfully",
  "data": [
    {
      "url":
"https://delcaper-qa.s3.ap-south-1.amazonaws.com/blob%3Ahttps%3A//qabooking.cargodham.com/82e0782b-1e87-4245-851c-b2f4de3b9f2a/ACFrOgB2duUI4SVEOIOKlhfOV0JOaqiDj6R5jyfnwOfUcN1jFzchDp5sPf8JgwwaSCYz5_4FG_bH3ueLLSz9vGKvTzf0xzP8NEd5VfGI1bIf059OFNt7Zc1sGSLY8TWDzKu_y3z_xa2jUxAYgqc-2-1746018111316.pdf",
      "generatedFileName":
"ACFrOgB2duUI4SVEOIOKlhfOV0JOaqiDj6R5jyfnwOfUcN1jFzchDp5sPf8JgwwaSCYz5_4FG_bH3ueLLSz9vGKvTzf0xzP8NEd5VfGI1bIf059OFNt7Zc1sGSLY8TWDzKu_y3z_xa2jUxAYgqc-2-1746018111316.pdf",
      "originalFileName":
"ACFrOgB2duUI4SVEOIOKlhfOV0JOaqiDj6R5jyfnwOfUcN1jFzchDp5sPf8JgwwaSCYz5_4FG_bH3ueLLSz9vGKvTzf0xzP8NEd5VfGI1bIf059OFNt7Zc1sGSLY8TWDzKu_y3z_xa2jUxAYgqc-2.pdf"
    }
  ]
}
```

Error Response (400/401/500)

```
{  
  "status": 400,  
  "message": "File upload failed"  
}
```

Status Codes

Code	Meaning
200	File uploaded successfully
400	Bad request or missing parameters
401	Unauthorized (invalid token)
500	Internal server error

14. Cargo Manifest Order API

Purpose

This API is used to **create a cargo manifest** for a seller's order by specifying the orderId and selected carrierName.

You will receive order ID from Order details API response of shipment booking. Usually in the 10th line of the response body..

Carrier Name is the name of the partner you have chosen throughout your journey. Please ask your POC to provide Carrier Name. In this order the partner was Shree Maruti and carrier name is SMILE.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/webhooks/order-manifest-webhook>

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Must be application/json

Request Body

```
{
  "data": {
    "orderId": "6811e3678a89a8751ae17ccb",
    "carrierName": "SMILE"
  }
}
```

Request Body Parameters

Field	Type	Required	Description
orderId	String	☒ Yes	Unique ID of the order
carrierName	String	☒ Yes	Name of the carrier (e.g., SMILE)

Success Response (200 OK)

```
{
  "status": 201,
  "data": {
    "message": "Manifest webhook received successfully"
  }
}
```

Error Response (400/401/500)

```
{
  "status": 401,
  "trace": {
    "name": "UnauthorizedException",
    "error": {}
  },
  "message": "Unauthorized"
}
```

Status Codes

Code	Meaning
------	---------

200	Cargo manifest created successfully
400	Bad request or missing fields
401	Unauthorized (invalid/missing token)
500	Internal server error

15. Print Label API

Purpose

This API is used to **generate and print the label** for a cargo order based on the given Order ID and Carrier Name.

This API will only run if the **order is manifested already**. Please refer to the Manifest order API, Just above.

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/print-label/v2>

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Must be application/json

Request Body

Parameter	Required	Type	Description
orderId	✓ Yes	String	Unique ID of the order
carrierName	✓ Yes	String	Name of the carrier

Example Request Body

```
{
  "awbNumber": "bhav190000000094",
  "carrierName": "SMILE"
}
```

Success Response (200 OK)

```
{
  "status": 201,
  "data": {
    "shippingLabelUrl":
      "https://delcaper-qa.s3.ap-south-1.amazonaws.com/bhav19/shippinglabel/shipping-label-1759729008853-1759729008863.pdf"
  }
}
```

Error Response (400/401/404/500)

```
{
  "status": 401,
  "trace": {
    "name": "UnauthorizedException",
    "error": {}
  },
  "message": "Unauthorized"
}
```

Status Codes

Code	Meaning
200	Label generated successfully
400	Bad request or missing parameters
401	Unauthorized (invalid/missing token)
404	Order not found
500	Internal server error

16. Transporter ID API

Purpose

This API is used to **fetch transporter ID details** using a specific order number.

API Method

PATCH

Endpoint

<https://qaapis.delcaper.com/cargo-api/onboarding/{vendorCode}>

Query Parameters

Name	Required	Type	Description
vendorCode	☒ Yes	String	Unique Vendor code number. (Eg: DEMO)

Headers

Name	Required	Type	Description
------	----------	------	-------------

Content-Type ☒ Yes String Should be set to application/json

Requested Endpoint

```
{  
  "onboardingData": {  
    "organizationName": "string",  
    "ownerName": "string",  
    "pincode": "string",  
    "source": "string",  
    "subTypes": [  
      "PTL",  
      "FTL"  
    ],  
    "status": "string",  
    "logoUrl": "https://example.com/logo.png",  
    "metadata": [  
      {  
        "key": "string",  
        "value": "string"  
      }  
    ]  
  },  
  "partnerData": {},  
}
```



```
"transporterIds": {  
  "air": "string",  
  "surface": "string",  
  "rail": "string"  
},  
"serviceAreas": [  
  {  
    "city": "Mumbai",  
    "state": "Maharashtra",  
    "pincode": "400001",  
    "isActive": true  
  }  
]  
}
```

Success Response (200 OK)

```
{  
  "orderCount": 1,  
  "orderData": [  
    {  
      "_id": "6812055f8a89a8751ae199b1",  
      "vendorCode": "bhav19",  
      "originalOrderId": "868778103",  
      "type": "CARGO",  
      "originalOrderNumber": "868778103",  
      "orderCreatedAt": "2025-04-30T11:11:27.647Z",  
      "orderUpdatedAt": "2025-05-02T17:08:47.050Z",  
      "currency": "INR",  
      "paymentType": "ONLINE",  
      "paymentStatus": "PAID",  
      "amount": 512.1,  
      "weight": 10,  
      "length": 10,  
    }  
  ]  
}
```

```
"width": 10,
"height": 10,
"orderStatus": "READY_FOR_DISPATCH",
"shippingType": "FORWARD",
"remarks": "No Remarks",
"deliveryVerification": false,
"orderCreatedFrom": "API",
"shippingAddress": {
  "name": "pwerf",
  "phone": "9234567899",
  "address1": "asdfghjkhhhh",
  "city": "Pune",
  "state": "Maharashtra",
  "zip": "411014",
  "warehouseId": "",
  "isPickupAddress": true,
  "isShippingAddress": false,
  "type": "Factory",
  "title": "snehal test 4",
  "vendorCode": "bhav19",
  "gstNumber": "27AWBPR5387C1ZC",
  "address2": "sdfghj",
  "innoCity": "Pune",
  "innoState": "MAHARASHTRA"
},
"sellerName": "Demo QA Prashant Edit",
"channelType": "API",
"channelId": "6324262c9a3f345e2a985874",
"gstProductLevel": false,
"selectedCarriers": [
  {
    "_id": "676e50e19d7e8b568cc191b7",
    "name": "Smile",
    "image": "",
    "isActive": true,
    "shortName": "SMILE",
    "createdDate": "2024-03-13T05:37:13.203Z",
    "updatedAt": "2024-03-13T05:37:13.203Z"
  }
],
"carrierName": "SMILE",
"carrierId": "676e50e19d7e8b568cc191b7",
```

```
"cAwbNumber": "24800228026",
"cargoDeliveryAmount": 512.12,
"cargoInvoiceUrl":
"https://delcaper-qa.s3.ap-south-1.amazonaws.com/blob%3Ahttps%3A//qabooking.cargodham.com/c476
e4d4-7b5c-4c0d-817e-a238c3190486/ACFrOgB2duUI4SVEOIOKlhfOV0JOaqiDj6R5jyfnwOfUcN1jFzc
hDp5sPf8JgwwaSCYz5_4FG_bH3ueLLSz9vGKvTzf0xzP8NEd5VfGI1bIf059OFNt7Zc1sGSly8TWDrrz
Ku_y3z_xa2jUxAYgqc-2-1746011452289.pdf",
"cargoInvoiceNumber": "123456789",
"isParentOrder": true,
"smileAwbNumber": "24800228026",
"awbNumber": "21055184667839",
"pickupAddress": {
  "name": "prerak",
  "phone": "9234567898",
  "address1": "wertyhertyu",
  "city": "SURAT",
  "state": "GUJARAT",
  "zip": "394110",
  "warehouseId": "",
  "isPickupAddress": true,
  "isShippingAddress": false,
  "type": "Factory",
  "title": "snehal test 3",
  "vendorCode": "bhav19",
  "gstNumber": "27AWBPR5387C1ZC",
  "address2": "asdfghj"
},
"billingAddress": {
  "name": "prerak",
  "phone": "9234567898",
  "address1": "wertyhertyu",
  "city": "SURAT",
  "state": "GUJARAT",
  "zip": "394110",
  "warehouseId": "",
  "isPickupAddress": true,
  "isShippingAddress": false,
  "type": "Factory",
  "title": "snehal test 3",
  "vendorCode": "bhav19",
  "gstNumber": "27AWBPR5387C1ZC",
  "address2": "asdfghj"
}
```

```
},
"returnAddress": {
  "name": "prerak",
  "phone": "9234567898",
  "address1": "wertyhertyu",
  "city": "SURAT",
  "state": "GUJARAT",
  "zip": "394110",
  "warehouseId": "",
  "isPickupAddress": true,
  "isShippingAddress": false,
  "type": "Factory",
  "title": "snehal test 3",
  "vendorCode": "bhav19",
  "gstNumber": "27AWBPR5387C1ZC",
  "address2": "asdfghj"
},
"deliveryMode": "SURFACE",
"appointmentDate": "",
"isDocket": true,
"chargebleWeight": 20,
"igst": 9,
"cgst": 9,
"sgst": 0,
"gst": 78.12,
"gstPercentage": 18,
"volumetricWeight": 0.2222222222222222,
"channel": {
  "type": "COMPANY",
  "storeCode": "bhav19",
  "storeName": "Demo QA Prashant Pvt Ltd"
},
"timeLine": [
  {
    "status": "NEW",
    "displayLabel": "Ordered",
    "isAchieved": true,
    "displayLabelShowOrNot": true,
    "historyLabelShowOrNot": true,
    "date": "2025-04-30T11:11:27.650Z"
  }
]
```

```
"status": "READY_FOR_DISPATCH",
"displayLabel": "Manifest",
"isAchieved": false,
"displayLabelShowOrNot": true,
"historyLabelShowOrNot": true,
"date": null
},
{
  "status": "IN_TRANSIT",
  "displayLabel": "In Transit",
  "isAchieved": false,
  "displayLabelShowOrNot": true,
  "historyLabelShowOrNot": true,
  "date": null
},
{
  "status": "OUT_FOR_DELIVERY",
  "displayLabel": "Out For Delivery",
  "isAchieved": false,
  "displayLabelShowOrNot": true,
  "historyLabelShowOrNot": true,
  "date": null
},
{
  "status": "UNDELIVERED",
  "displayLabel": "Attempt 1",
  "isAchieved": false,
  "displayLabelShowOrNot": false,
  "historyLabelShowOrNot": false,
  "attemptReason": "",
  "date": null,
  "attempts": 0
},
{
  "status": "UNDELIVERED",
  "displayLabel": "Attempt 2",
  "isAchieved": false,
  "displayLabelShowOrNot": false,
  "historyLabelShowOrNot": false,
  "attemptReason": "",
  "date": null,
  "attempts": 0
}
```

```
},
{
  "status": "UNDELIVERED",
  "displayLabel": "Attempt 3",
  "isAchieved": false,
  "displayLabelShowOrNot": false,
  "historyLabelShowOrNot": false,
  "attemptReason": "",
  "date": null,
  "attempts": 0
},
{
  "status": "UNDELIVERED",
  "displayLabel": "Undelivered",
  "isAchieved": false,
  "displayLabelShowOrNot": false,
  "historyLabelShowOrNot": false,
  "date": null
},
{
  "status": "RTO",
  "displayLabel": "RTO",
  "isAchieved": false,
  "displayLabelShowOrNot": false,
  "historyLabelShowOrNot": false,
  "date": null
},
{
  "status": "RTO_IN_TRANSIT",
  "displayLabel": "RTO In Transit",
  "isAchieved": false,
  "displayLabelShowOrNot": false,
  "historyLabelShowOrNot": false,
  "date": null
},
{
  "status": "RTO_OUT_FOR_DELIVERY",
  "displayLabel": "RTO Out For Delivery",
  "isAchieved": false,
  "displayLabelShowOrNot": false,
  "historyLabelShowOrNot": false,
  "date": null
}
```

```
    },
    {
      "status": "RTO_DELIVERED",
      "displayLabel": "RTO Delivered",
      "isAchieved": false,
      "displayLabelShowOrNot": false,
      "historyLabelShowOrNot": false,
      "date": null
    },
    {
      "status": "DELIVERED",
      "displayLabel": "Delivered",
      "isAchieved": false,
      "displayLabelShowOrNot": true,
      "historyLabelShowOrNot": true,
      "date": null
    }
  ],
  "orderedAt": "2025-04-30T11:11:27.556Z",
  "subTotal": 10000,
  "sellerInfo": {
    "id": "676d2b6491375a44b29b15c3",
    "name": "Demo QA Prashant Edit",
    "mobile": "9809808989",
    "companyName": "Demo QA Prashant Pvt Ltd"
  },
  "shipperOrderId": "bhav19-21055184667839",
  "lineItems": [
    {
      "name": "testing product",
      "weight": 10,
      "price": 0,
      "quantity": 1,
      "unitPrice": 0,
      "type": "Electronics",
      "height": 10,
      "width": 10,
      "length": 10,
      "childAwbNumber": "21055184667839"
    }
  ],
  "createdDate": "2025-04-30T11:11:27.824Z",
```

```

    "updatedAt": "2025-04-30T11:11:27.824Z",
    "createdById": "676d2b6491375a44b29b15c1",
    "updatedById": "676d2b6491375a44b29b15c1",
    "createdBy": "Demo QA Prashant Edit",
    "updatedBy": "Demo QA Prashant Edit",
    "chargesData": {
      "risk_type_charge": "60.00",
      "fuelChargeAmount": "33.00",
      "docketCharge": "110.00",
      "platformFee": "11.00",
      "freight_charge": 363
    },
    "updatedAt": "2025-07-01T09:15:37.399Z",
    "invoiceDate": "2025-04-30 16:41:27",
    "invoiceNo": "ODDGJ/2526/0289",
    "invoiceUrl": "https://devuat.prospay.tech/ODDGJ/2526/0289.pdf",
    "isManifested": true,
    "internalStatus": "READY_FOR_DISPATCH",
    "reason": null,
    "shippingLabelUrl":
    "https://delcaper-qa.s3.ap-south-1.amazonaws.com/public/fulfillment/seller/bhav19/shippinglabel/shippin
    g-label-1746547683999.pdf"
  }
]
}

```

Error Response (400/401/404/500)

```

{
  "status": 401,
  "trace": {
    "name": "UnauthorizedException",
    "error": {}
  },
  "message": "Unauthorized"
}

```

Status Codes

Code	Meaning
------	---------

200	Request successful
400	Bad request or missing parameters
401	Unauthorized (invalid token)
500	Internal server error

17. E-way Bill API

Purpose

This API is used to **fetch E-way bill details** using a specific E-way bill number.

This API fetches E-way Bill details for a shipment, including order status, tracking links, and partner information. It provides metadata like delivery type, customer notes, and document URLs. On success, it returns the E-way Bill number, transporter ID, vehicle number, and validity date. The response helps track shipment progress and verify E-way Bill compliance. Use this to integrate logistics and compliance data into your system.

API Method

PATCH

Endpoint

<https://qaapis2.delcaper.com/cargo-api/orders/{awbNumber}/update>

Path Parameter

Name	Required	Type	Description
------	----------	------	-------------

awbNumber	☒ Yes	String	The E-way bill number to fetch
-----------	---	--------	--------------------------------

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Should be set to application/json

Requested Body (JSON)

```
{
  "orderStatus": "string",
  "docketUrl": "string",
  "labelUrl": "string",
  "podUrl": "string",
  "expectedDeliveryDate": "string",
  "partnerDetails": {
    "awbNumber": "string",
    "urls": [
      {
        "key": "tracking_url",
        "value": "https://example.com/track/123"
      },
      {
        "key": "label_url",
        "value": "https://example.com/label/123"
      }
    ],
    "metadata": [
      {
        "key": "delivery_type",
        "value": "express"
      },
      {
        "key": "special_instructions",
        "value": "handle with care"
      }
    ]
  },
  "metadata": [
    {
      "key": "priority",
```

```
    "value": "high"
  },
  {
    "key": "customer_notes",
    "value": "fragile item"
  }
],
"documents": [
  "string"
],
"uploadDocuments": {},
"chargesData": {},
"_append": true
}
```

Success Response (200 OK)

```
{
  "status": true,
  "message": "E-way bill fetched successfully",
  "data": {
    "ewayBillNumber": "251943247012",
    "transporterId": "TRANS123",
    "vehicleNumber": "MH12AB1234",
    "validUpto": "2025-06-15T23:59:59Z",
    ...
  }
}
```

Error Response (400/401/404/500)

```
{
  "status": 401,
  "trace": {
    "name": "UnauthorizedException",
    "error": {}
  },
  "message": "Unauthorized"
}
```

Status Codes

Code	Meaning
200	Request successful
400	Bad request or missing parameters
401	Unauthorized (invalid token)
404	E-way bill not found
500	Internal server error

18. Support Ticket Creation API

Purpose

This API is used to **create a new support ticket** in the system.

API Method

POST

Endpoint

<https://qaapis2.delcaper.com/support-tickets/ticket>

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Should be set to application/json

Request Body (JSON)

Field	Required	Type	Description
title	✓ Yes	String	Subject or heading of the ticket
message	✓ Yes	String	Detailed message describing issue
channelType	✓ Yes	String	Source or channel (e.g., email, app)
userType	✓ Yes	String	Type of user (e.g., ADMIN)
userId	✓ Yes	String	Unique identifier for the user
awbNumber	✗ No	String	Air Waybill number if applicable
userEmail	✗ No	String	Email address of the user
customerName	✗ No	String	Name of the customer
orderStatus	✗ No	String	Status of the order (if relevant)

Error Response (400/401/500)

```
{
  "status": 400,
  "message": "Bad Request Exception",
  "errors": [
```

```
"userType must be one of the following values: ADMIN, CUSTOMER"  
]  
}
```

Status Codes

Code	Meaning
201	Ticket created successfully
400	Bad request / Missing parameters
401	Unauthorized / Invalid credentials
500	Internal server error

19. Get Support Tickets API

Purpose

This API is used to **fetch support tickets** associated with a specific user ID and ChannelType. If the userId and channelType is not provided, the API will return **all support tickets**.

API Method

GET

Endpoint

<https://qaapis2.delcaper.com/support-tickets/ticket>

Query Parameters

Name	Required	Type	Description
userId	✗ No	String	Unique ID of the user (e.g., bhav19). Optional; if omitted, returns all tickets.
channelType	✗ No	String	Channel through which the ticket was raised (e.g., EMAIL, CHAT). Optional.

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Should be set to application/json

Success Response (200 OK)

```
{
  "status": 200,
  "message": "Success",
  "data": {
    "count": 8,
    "ticket": [ {
      "_id": "67e5525474d5bba4d87fc409",
      "title": "KYC",
      "message": "I am unable to upload my KYC documents."
    }
  ]
}
```

```
"status": "OPEN",  
"ticketNo": "809532",  
"channelType": "CARGO",  
"userType": "CUSTOMER",  
"awbNumber": null,  
"userId": "bhav19",  
"userEmail": null,  
"emailIds": [],  
"createdAt": "2025-03-27T13:27:48.942Z",  
"updatedAt": "2025-03-27T13:27:48.942Z",  
"__v": 0 } ....  
]  
} }
```

Error Response (400/401/404/500)

```
{  
  "status": 401,  
  "trace": {  
    "name": "UnauthorizedException",  
    "error": {}  
  },  
  "message": "Unauthorized"  
}
```

Status Codes

Code	Meaning
------	---------

200	Request successful
400	Bad request
401	Unauthorized
404	User not found
500	Internal server error

20. Update Support Ticket Status API

Purpose

This API is used to **update the status** of an existing support ticket.

API Method

PUT

Endpoint

<https://qaapis2.delcaper.com/support-tickets/ticket/{ticketId}>

Path Parameters

Name	Required	Type	Description
ticketId	☒ Yes	String	Unique identifier of the ticket

Headers

Name	Required	Type	Description
Content-Type	☒ Yes	String	Should be set to application/json

Request Body

```
{  
  "status": "Completed"  
}
```

Field	Required	Type	Description
status	☒ Yes	String	New status of the ticket

Success Response (200 OK)

```
{  
  "status": 200,  
  "message": "Ticket status updated successfully",  
  "data": {  
    "ticketNo": "754298",  
    "status": "Completed"  
  }  
}
```

Error Response (400/401/404/500)

```
{
  "message": "Unexpected token 'd', \"{\n \"status\": done\n}\" is not valid JSON",
  "error": "Bad Request",
  "statusCode": 400
}
```

Status Codes

Code Meaning

200	Status update successful
400	Bad request
401	Unauthorized
404	Ticket not found
500	Internal server error

21. Report API

Purpose

This API is used to **fetch reports** related to cargo orders, transactions or weight reconciliation for a given vendor.

API Method

GET

Endpoint

<https://qaapis.delcaper.com/cargo-api/report/get-report>

Query Parameters

Name	Required	Type	Description
reportType	☒ Yes	String	Type of report to fetch. Use order, transaction or weight reconciliation.

vendorCode	✓ Yes	String	Vendor identifier (e.g., bhav19).
limit	✗ No	Number	Limits the number of records returned (e.g., 10).
filter	✗ No	String	Apply filters to the report data.
orderStatus	✗ No	String	Filter by order status.
carrierName	✗ No	String	Filter by carrier name.
deliveryMode	✗ No	String	Filter by delivery mode.
ChannelType	✗ No	String	Filter by the channel type (e.g., EMAIL, CHAT).
fromDate	✗ No	String	Filter records from this date (format: YYYY-MM-DD or timestamp).
toDate	✗ No	String	Filter records up to this date.
search	✗ No	String	Search term for filtering the records.
isParentOrder	✗ No	Boolean	If true, returns parent orders only.
paymentType	✗ No	String	Filter by payment type.
txnType	✗ No	String	Filter by transaction type.

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Must be application/json.

Success Response (200 OK)

```
{
  "status": 200,
  "data": {
    "orderCount": 0,
    "orderData": []
  }
}
```

Error Response (400/401/404/500)

```
{
  "status": 401,
  "trace": {
    "name": "UnauthorizedException",
    "error": {}
  },
  "message": "Unauthorized"
}
```

Status Codes

Code	Meaning
------	---------

200	Request successful
-----	--------------------

400	Bad request
-----	-------------

401	Unauthorized
-----	--------------

500	Internal server error
-----	-----------------------

22. Report List API

Purpose

This API is used to **fetch reports lists** related to cargo orders, transactions or weightreconciliation for a given vendor.

API Method

GET

Endpoint

<https://qaapis.delcaper.com/cargo-api/report/getReportList>

Query Parameters

Name	Required	Type	Description
reportType	✓ Yes	String	Type of report to fetch. Use order, transaction or weightreconciliation.
vendorCode	✓ Yes	String	Vendor identifier (e.g., bhav19).
limit	✗ No	Number	Limits the number of records returned (e.g., 10).
filter	✗ No	String	Apply filters to the report data.
orderStatus	✗ No	String	Filter by order status.
carrierName	✗ No	String	Filter by carrier name.
deliveryMode	✗ No	String	Filter by delivery mode.
ChannelType	✗ No	String	Filter by the channel type (e.g., EMAIL, CHAT).
fromDate	✗ No	String	Filter records from this date (format: YYYY-MM-DD or timestamp).
toDate	✗ No	String	Filter records up to this date.
search	✗ No	String	Search term for filtering the records.
isParentOrder	✗ No	Boolean	If true, returns parent orders only.
paymentType	✗ No	String	Filter by payment type.
txnType	✗ No	String	Filter by transaction type.

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Must be application/json.

Success Response (200 OK)

```
{
  "status": 200,
  "data": {
    "orderCount": 0,
    "orderData": []
  }
}
```

Error Response (400/401/404/500)

```
{
  "status": 401,
  "trace": {
    "name": "UnauthorizedException",
    "error": {}
  },
  "message": "Unauthorized"
}
```

Status Codes

Code	Meaning
------	---------

200	Request successful
-----	--------------------

400	Bad request
-----	-------------

404	Not Found
-----	-----------

401	Unauthorized
-----	--------------

500	Internal server error
-----	-----------------------

23. Docket creation API

API Method

POST

Endpoint

<https://qaapis.delcaper.com/cargo-api/docket>

Headers

Name	Required	Type	Description
Content-Type	✓ Yes	String	Must be application/json
Cookie	✓ Yes	String	Session cookie for authentication

Request Body

Parameter	Required	Type	Description
awbNumber	✓ Yes	String	Air Waybill number (unique ID)
vendorCode	✓ Yes	String	Vendor code for the shipment

type ☒ Yes String Shipment type PTL

Success Response (200 OK)

```
{
  "status": 201,
  "data": {
    "url":
      "https://delcaper-qa.s3.ap-south-1.amazonaws.com/cargodham-docketfile/awb-21055184
      667839-1758532753360.pdf",
    "generatedFileName": "awb-21055184667839-1758532753360.pdf",
    "originalFileName": "awb-21055184667839.pdf"
  }
}
```

Error Response (400/401/404/500)

```
{
  "status": 401,
  "trace": {
    "name": "UnauthorizedException",
    "error": {}
  },
  "message": "Unauthorized"
}
```

Status Codes

Code	Meaning
200	Docket generated successfully
400	Bad request or missing parameters
401	Unauthorized (invalid/missing cookie)
404	AWB not found
500	Internal server error